






LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS


















STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES

BULLETIN NO. 39-58


WATER SUPPLY CONDITIONS IN  
SOUTHERN CALIFORNIA  
DURING 1957-1958

VOLUME III

PRECIPITATION AND WATER LEVEL DATA  
LAHONTAN, COLORADO RIVER BASIN,  
SANTA ANA, AND SAN DIEGO REGIONS



EDMUND G. BROWN  
Governor



HARVEY O. BANKS  
Director of Water Resources

AUGUST, 1960







STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES


BULLETIN NO. 39-58

**WATER SUPPLY CONDITIONS IN  
SOUTHERN CALIFORNIA  
DURING 1957-1958**

**VOLUME III**

**PRECIPITATION AND WATER LEVEL DATA  
LAHONTAN, COLORADO RIVER BASIN,  
SANTA ANA, AND SAN DIEGO REGIONS**

EDMUND G. BROWN  
Governor



HARVEY O. BANKS  
Director of Water Resources

**AUGUST, 1960**

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS



BULLETIN NO. 39-58

VOLUMES OF BULLETIN NO. 39-58

Volume I — Text.

Volume II — Precipitation and Water Level Data, Central Coastal, and Los Angeles Regions.

Volume III — Precipitation and Water Level Data, Lahontan, Colorado River Basin, Santa Ana, and San Diego Regions.

VOLUME III

PRECIPITATION AND WATER LEVEL DATA  
LAHONTAN, COLORADO RIVER BASIN,  
SANTA ANA, AND SAN DIEGO REGIONS

EDWARD G. BROWN  
Director of Water Resources



EDWARD G. BROWN  
Director

AUGUST, 1960

LIBRARY  
UNIVERSITY OF CALIFORNIA

# TABLE OF CONTENTS

Page

## INTRODUCTION

Areal Designation Code . . . . .	1
Precipitation Station Designation . . . . .	2
Well Numbering System . . . . .	2
Flowing or Dry Well . . . . .	3
Questionable Measurements . . . . .	3
Agency Code . . . . .	4
Agency Coding for Lahontan Region No. 6 . . . . .	4
Agency Coding for Colorado River Basin Region No. 7 . . . . .	5
Agency Coding for Santa Ana Region No. 8 . . . . .	5
Agency Coding for San Diego Region No. 9 . . . . .	6

## APPENDIXES

D. Records of Seasonal Precipitation at Stations in Lahontan Region No. 6, Colorado River Basin Region No. 7, Santa Ana Region No. 8, and San Diego Region No. 9 . . . . .	D-1
E. Records of Ground Water Levels at Wells in Lahontan Region No. 6 . . . . .	E-1
F. Records of Ground Water Levels at Wells in Colorado River Basin Region No. 7 . . . . .	F-1
G. Records of Ground Water Levels at Wells in Santa Ana Region No. 8 . . . . .	G-1
H. Records of Ground Water Levels at Wells in San Diego Region No. 9 . . . . .	H-1



## PLATES

(Plates listed below are bound at end of their respective Appendixes)

### Plate No.

E-1	Location of Ground Water Basins, Lahontan Region No. 6
F-1	Location of Ground Water Basins, Colorado River Basin Region No. 7
G-1	Location of Ground Water Basins, Santa Ana Region No. 8
H-1	Location of Ground Water Basins, San Diego Region No. 9

## INTRODUCTION

This volume contains the water level records and previously unpublished seasonal precipitation data for 1957-58 for the Lahontan Region, the Colorado River Basin Region, the Santa Ana Region, and the San Diego Region. Appendix D contains the unpublished seasonal precipitation data for stations in these areas, together with elevations of the gages and the agencies from which the data were collected. Depth to ground water measurements and water surface elevations, together with reference point elevations and the agencies from which the data were collected, are given in Appendixes E, F, G and H, for wells located in the Lahontan Region No. 6, Colorado River Basin Region No. 7, Santa Ana Region No. 8, and San Diego Region No. 9, respectively.

To facilitate machine procedures for presentation of basic hydrologic data published in this report, codes were adopted and used to designate hydrologic areas, precipitation stations and wells. These codes are described in the following paragraphs.

### Areal Designation Code

The areal designation code is based on a decimal numbering system using the form x-xx.xx. The number to the left of the dash refers to the geographic region as defined in Section 13040 of the State Water Code. The two digits to the left of the decimal point refer to a hydrologic unit, which generally comprises a major watershed, including area overlying both water-bearing and nonwater-bearing formations. For simplification, the designation is also given to hydrologic unit groups of small adjacent watershed areas with similar hydrologic conditions which drain directly to the



ocean. An example of the latter is the Malibu Hydrologic Unit. The two digits to the right of the decimal point refer to a subunit within the hydrologic unit, including, as before, areas overlying both water-bearing and nonwater-bearing formations. The locations and numerical codings for the hydrologic units and subunits within the area treated in this report are shown on Plates E-1, F-1, G-1, and H-1.

#### Precipitation Station Designation

Precipitation stations are designated by their longitude and latitude to the nearest second. This gives the location of the station within an accuracy range of about 100 feet.

#### Well Numbering System

The well numbering system found in this report is that utilized by the United States Geological Survey, and adopted by the Department of Water Resources.

Once the township, range, and section are found, each section is divided into 40-acre plots, called lots, lettered as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Within each of these lots, wells are numbered according to the order in which they were assigned State Well Numbers. For example, a well which has the number 10N/18E-26A1,S, would be in Township 10 North, Range 18 East, Section 26, San Bernardino Base and Meridian, and would be the

first well assigned a State Well Number in Lot A. In this report, well numbers are referenced either to the San Bernardino Base and Meridian (S) or to the Mount Diablo Base and Meridian (M).

For some wells, the letter following the section number is "X". This means that although the well has been field located and its position accurately plotted with respect to other features in its neighborhood, the map control for the Public Land Survey which is currently available is too poor to warrant assignment of an accurate lot letter.

#### Flowing or Dry Well

In the tabulation of ground water levels at wells, the code "FLOW" and "DRY" are used for flowing and dry measurements, respectively. These codings are found in the column presenting information on distance from reference point to water surface.

#### Questionable Measurements

Certain of the measurements in Appendixes E, F, G, and H in the column "Dist. R. P. to water surface" may be followed with an asterisk superscript, which indicates a questionable measurement. Depth to ground water measurements may be questionable because (a) the well was being pumped at the time of measurement, (b) a nearby pump was operating, (c) the casing was leaking or wet, (d) the well was pumped recently, or (e) the measurement was determined to be questionable by the computer. Items "a" through "d" were noted by the fieldmen and included when the data were procured from the various agencies which collected them. As for item "e", the computer was programmed to "flag" all measurements for which



the change in elevation is unreasonable. This "reasonableness check" was installed primarily to find errors in transcription and to point out possible pumping error measurements. Apparently unreasonable measurements have been reviewed, and where possible, errors resulting from incorrect transcription removed. The reason for an asterisk on any given measurement may be obtained through the Southern California District Office of the Department of Water Resources.

#### Agency Code

Presented in the following list are the code numbers for the agencies from whom data on precipitation and water level were obtained. The agency code consists of a five-digit number, the first of which is a region number. Thus, 83400 refers to agency 3400 in Region 8. Because of limitations of punch card space, the agency code has been shown as a four-digit number without the region number. Therefore, the four-digit agency code should always be referred to the region in which the station or well is located.

#### Agency Code for Lahontan Region No. 6

##### Agency code

##### Agency name

1101	Los Angeles County Flood Control District
1200	Los Angeles Department of Water and Power
4004	U. S. Weather Bureau
4700	California Portland Cement Company
5000	U. S. Geological Survey at Long Beach
5050	Department of Water Resources
5100	San Bernardino County Flood Control District

Agency Code for Colorado River Basin Region No. 7

<u>Agency code</u>	<u>Agency name</u>
4004	U. S. Weather Bureau
4100	Coachella Valley County Water District
4103	Riverside County Flood Control and Water Conservation District
4700	Palm Springs Water Company
5000	U. S. Geological Survey at Long Beach
5050	Department of Water Resources
5100	San Bernardino County Flood Control District
5401	Palo Verde Irrigation District
5713	Rowe, W. P.

Agency Code for Santa Ana Region No. 8

<u>Agency code</u>	<u>Agency name</u>
1101	Los Angeles County Flood Control District
3100	San Bernardino County Flood Control District
3102	Orange County Flood Control District
3200	San Bernardino Water Department
3400	San Bernardino Valley Water Conservation District
3700	Citizens Land and Water Company
3707	Gage Canal Company
3711	Lytle Creek Water and Improvement Company
3718	Webb, A. A.
3719	West End Consolidated Water Company
4003	U. S. Department of Agriculture, Rubidoux Laboratory
4004	U. S. Weather Bureau
4103	Riverside County Flood Control and Water Conservation District
4104	East San Bernardino County Water District
4201	Colton Water Department
4202	Ontario Water Department
4205	Upland Water Department
4701	Corona Foothill Mutual Lemon Company
4702	Cucamonga Water Company
4706	Fontana Union Water Company
4709	Irvine Company
4710	Kaiser Steel Corporation
4714	San Antonio Water Company
4715	Santa Ana Valley Irrigation Company
4723	Adams at Rialto
4726	Barnes, A. C.
4727	Boyd, E. George
4730	Crafton Orange Growers Association
4731	Garrett and Company
4732	Gold Buckle Association



Agency Code for Santa Ana Region No. 8 (continued)

<u>Agency code</u>	<u>Agency name</u>
4733	Harvey, E. M.
4734	Imbach, Oscar
4735	Jordan at Upland
4736	Ryles, Aiden
4737	Scudder's Residence
4738	San Jacinto Operators
4740	Southern California Edison Company
4742	Yorba Linda Water Company
5050	Department of Water Resources
5051	Patton State Hospital
5203	Redlands Water Department
5204	Riverside Water Department
5401	Beaumont Irrigation District
5704	Ebersole, Elmer J.
5713	Rowe, W. P.
5716	South Elsinore Mutual Water Company
5717	Temescal Water Company
5720	Riverside Water Company
5721	Francis Mutual Water Company

Agency Code for San Diego Region No. 9

<u>Agency code</u>	<u>Agency name</u>
4002	U. S. Corps of Engineers, Los Angeles District
4004	U. S. Weather Bureau
4051	University of California at Los Angeles
4103	Riverside County Flood Control and Water Conservation District
4200	San Diego Water Department
4402	Ramona Irrigation District
5000	U. S. Geological Survey at Long Beach
5050	Department of Water Resources
5102	Orange County Flood Control District
5202	Oceanside Water Department
5703	California Water and Telephone Company
5708	Vail Company
5709	Dawson, C. R.
5710	Green Mutual Water Company
5711	Escondido Mutual Water Company

APPENDIX D

RECORDS OF SEASONAL PRECIPITATION AT STATIONS IN  
LAHONTAN REGION NO. 6  
COLORADO RIVER BASIN REGION NO. 7  
SANTA ANA REGION NO. 8  
AND  
SAN DIEGO REGION NO. 9





## LAHONTAN REGION NO. 6

Mono Valley 60900 . . . . .	D- 1
Long Valley 61100 . . . . .	D- 1
Owens Valley 61200 . . . . .	D- 1
Lower Mojave River Valley 64000 . . . . .	D- 1
Middle Mojave River Valley 64100 . . . . .	D- 1
Upper Mojave River Valley 64200 . . . . .	D- 1
El Mirage Valley 64300 . . . . .	D- 2
Antelope Valley 64400 . . . . .	D- 2
Indian Wells Valley 65400 . . . . .	D- 3
Rose Valley 65600 . . . . .	D- 3

## COLORADO RIVER BASIN REGION NO. 7

Twentynine Palms Valley 71000 . . . . .	D- 4
Copper Mountain Valley 71100 . . . . .	D- 4
Coachella Valley 72100 . . . . .	D- 4

## SANTA ANA REGION NO. 8

Coastal Plain, Orange County 80100 . . . . .	D- 5
Upper Santa Ana Valley 80200 . . . . .	D- 6
Cajalco Valley 80300 . . . . .	D- 9
Elsinore Valley 80400 . . . . .	D- 9
San Jacinto Valley 80500 . . . . .	D-10
Bear Valley 80900 . . . . .	D-10

## SAN DIEGO REGION NO. 9

San Juan Valley 90100 . . . . .	D-11
San Mateo Valley 90200 . . . . .	D-11
Santa Margarita Valley 90400 . . . . .	D-11
Temecula Valley 90500 . . . . .	D-11
San Luis Rey Valley 90700 . . . . .	D-11
Escondido Valley 90900 . . . . .	D-11
San Pasqual Valley 91000 . . . . .	D-11
Santa Maria Valley 91100 . . . . .	D-11
San Dieguito Valley 91200 . . . . .	D-12
Mission Valley 91400 . . . . .	D-12
Sweetwater Valley 91700 . . . . .	D-12
Otay Valley 91800 . . . . .	D-12

SEASONAL PRECIPITATION FOR 1957-58  
LAHONTIAN REGION NO. 6  
(Season - July 1 through June 30)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u> <u>USGS datum</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>			
<u>Mono Valley 60900</u>				
37° 45' 07"	119° 08' 36"	9,120	15.77	1200
37° 53' 32"	119° 05' 45"	6,980	14.67	1200
37° 56' 10"	119° 13' 56"	9,500	22.07	1200
<u>Long Valley 61100</u>				
37° 28' 12"	118° 43' 24"	9,360	17.30	1200
37° 35' 15"	118° 42' 16"	6,790	12.88	1200
37° 35' 56"	118° 59' 58"	8,930	29.65	1200
<u>Owens Valley 61200</u>				
36° 13' 41"	117° 58' 08"	3,788	5.27	1200
36° 25' 09"	118° 02' 15"	3,710	8.09	1200
36° 29' 02"	118° 10' 51"	10,600	19.70	1200
36° 36' 01"	118° 03' 38"	3,720	4.94	1200
36° 40' 15"	118° 05' 40"	3,725	4.51	1200
36° 58' 31"	118° 12' 31"	3,825	9.55	1200
37° 03' 10"	118° 13' 40"	3,850	10.26	1200
37° 07' 31"	118° 25' 58"	8,200	18.90	1200
37° 08' 31"	118° 19' 22"	4,670	14.35	1200
37° 10' 32"	118° 33' 37"	9,600	22.55	4004
37° 12' 48"	118° 36' 48"	9,140	19.47	4004
37° 21' 25"	118° 23' 54"	4,150	7.89	1200
<u>Lower Mojave River Valley 64000</u>				
34° 52' 01"	116° 52' 17"	1,975	5.21	4004
<u>Middle Mojave River Valley 64100</u>				
34° 53' 54"	117° 02' 10"	2,150	5.49	3100
<u>Upper Mojave River Valley 64200</u>				
34° 12' 16"	117° 06' 05"	6,050	61.84	4727
34° 25' 23"	117° 18' 11"	3,200	12.84	5100
34° 31' 25"	117° 12' 52"	2,940	7.33	5100
34° 35' 21"	117° 24' 50"	2,850	6.42	5100



SEASONAL PRECIPITATION FOR 1957-58  
LAHONTIAN REGION NO. 6  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>El Mirage Valley 64300</u>				
34° 21' 31"	117° 37' 59"	5,975	33.16	5100
<u>Antelope Valley 64400</u>				
34° 20' 23"	117° 56' 21"	7,925	41.01	4727
34° 20' 45"	117° 55' 12"	6,660	56.94	1101
34° 20' 50"	117° 49' 57"	7,590	64.50	1101
34° 21' 18"	117° 52' 32"	6,665	65.54	1101
34° 21' 31"	117° 37' 59"	5,975	33.16	5100
34° 22' 10"	117° 48' 10"	7,900	41.71	1101
34° 22' 26"	117° 45' 05"	6,600	55.73	1101
34° 22' 44"	118° 01' 53"	6,925	20.38	1101
34° 22' 45"	117° 41' 18"	6,860	37.04	1101
34° 23' 53"	117° 43' 40"	6,150	37.49	1101
34° 24' 45"	117° 51' 32"	4,825	28.18	1101
34° 25' 00"	117° 53' 10"	4,700	26.25	1101
34° 25' 02"	117° 58' 17"	3,925	20.31	1101
34° 26' 36"	118° 04' 00"	4,500	19.82	1101
34° 26' 44"	117° 51' 02"	3,715	15.54	1101
34° 26' 50"	117° 57' 12"	4,325	17.95	1101
34° 27' 35"	117° 55' 58"	3,996	14.44	1101
34° 27' 51"	118° 01' 09"	3,330	13.08	1101
34° 28' 09"	117° 44' 45"	3,810	10.17	1101
34° 30' 18"	118° 01' 40"	3,035	12.27	1101
34° 30' 48"	118° 03' 37"	3,263	12.97	1101
34° 32' 10"	117° 58' 29"	2,805	8.69	1101
34° 32' 14"	118° 03' 48"	2,855	10.83	1101
34° 34' 31"	118° 06' 53"	2,662	11.59	1101
34° 34' 42"	118° 10' 58"	2,950	20.30	1101
34° 34' 50"	117° 43' 10"	2,910	5.85	1101
34° 35' 45"	118° 05' 35"	2,583	14.02	1101
34° 36' 36"	118° 16' 52"	3,125	28.25	1101
34° 39' 02"	117° 50' 55"	2,680	6.18	1101
34° 40' 46"	117° 57' 06"	2,472	7.46	1101

SEASONAL PRECIPITATION FOR 1957-58  
LAHONTAN REGION NO. 6  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Antelope Valley 64400 (continued)</u>				
34° 40' 57"	118° 08' 03"	2,395	11.69	1101
34° 42' 12"	118° 18' 32"	2,450	18.49	1101
34° 42' 50"	118° 21' 15"	2,600	18.87	1101
34° 42' 08"	118° 17' 22"	2,430	15.89	1101
34° 43' 15"	118° 35' 00"	3,700	38.11	1101
34° 44' 06"	117° 46' 58"	3,075	5.86	1101
34° 44' 15"	118° 27' 20"	2,865	22.10	1101
34° 44' 37"	118° 42' 43"	4,025	25.30	1101
34° 44' 47"	118° 43' 29"	4,517	20.36	1101
34° 46' 20"	118° 01' 40"	2,315	9.16	1101
34° 47' 00"	118° 36' 30"	3,000	14.65	1200
34° 54' 02"	118° 27' 02"	3,110	14.65	1200
35° 04' 07"	118° 10' 29"	2,850	8.48	1200
<u>Indian Wells Valley 65400</u>				
35° 35' 40"	117° 55' 04"	3,310	6.46	1200
<u>Rose Valley 65600</u>				
35° 57' 07"	117° 55' 31"	3,510	9.13	1200
36° 06' 36"	117° 57' 16"	3,585	7.54	1200

SEASONAL PRECIPITATION FOR 1957-58  
 COLORADO RIVER BASIN REGION NO. 7  
 (Season - July 1 through June 30)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Twentynine Palms Valley 71000</u>				
34° 08' 18"	116° 18' 46"	2,720	8.56	5100
<u>Copper Mountain Valley 71100</u>				
34° 08' 18"	116° 18' 46"	2,720	8.56	5100
<u>Coachella Valley 72100</u>				
33° 29' 37"	116° 06' 44"	-170	3.35	4103
33° 34' 13"	116° 04' 33"	-190	1.19	4103
33° 38' 30"	116° 08' 53"	-110	2.00	4103
33° 40' 11"	116° 18' 08"	90	3.83	4103
33° 43' 03"	116° 13' 23"	- 15	3.45	4103
33° 43' 03"	116° 22' 17"	263	4.36	4103
33° 46' 56"	116° 28' 00"	300	5.00	4103
33° 55' 43"	116° 52' 33"	2,380	27.73	4103
33° 55' 48"	116° 57' 01"	2,600	30.57	4103
33° 57' 48"	116° 30' 08"	1,100	6.72	4103



SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION NO. 8  
(Season - July 1 through June 30)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Coastal Plain, Orange County 80100</u>				
33° 36' 09"	117° 53' 57"	8	18.86	3102
33° 36' 26"	117° 42' 07"	375	25.74	3102
33° 38' 13"	117° 47' 54"	300	25.37	3102
33° 38' 28"	117° 55' 18"	90	19.45	3102
33° 39' 13"	117° 42' 53"	320	20.65	3102
33° 39' 14"	117° 51' 52"	55	21.99	3102
33° 39' 39"	117° 59' 57"	35	17.98	3102
33° 39' 50"	117° 40' 06"	680	26.15	3102
33° 39' 50"	117° 49' 50"	50	19.79	3102
33° 40' 00"	117° 37' 46"	985	29.42	3102
33° 40' 12"	117° 53' 38"	53	20.83	3102
33° 40' 30"	117° 45' 37"	200	22.32	3102
33° 40' 32"	117° 47' 54"	100	20.61	3102
33° 40' 37"	117° 45' 34"	197	22.23	3102
33° 40' 45"	118° 00' 02"	70	20.01	3102
33° 40' 55"	117° 53' 26"	47	17.27	3102
33° 41' 40"	117° 42' 38"	480	23.06	3102
33° 41' 46"	117° 42' 48"	400	25.15	3102
33° 42' 38"	117° 41' 16"	55	20.61	3102
33° 42' 39"	117° 31' 59"	5,660	52.88	3102
33° 42' 49"	117° 59' 56"	25	22.48	3102
33° 42' 55"	117° 45' 43"	197	24.11	3102
33° 43' 21"	118° 00' 46"	25	22.02	3102
33° 43' 52"	117° 46' 54"	130	22.44	3102
33° 44' 06"	118° 00' 24"	25	20.18	3102
33° 44' 20"	117° 49' 12"	120	21.42	3102
33° 44' 42"	117° 40' 00"	2,000	46.74	3102
33° 44' 42"	118° 06' 43"	119	17.83	3102
33° 44' 55"	117° 38' 27"	1,500	33.30	3102
33° 45' 00"	117° 52' 12"	125	21.68	3102
33° 45' 06"	117° 53' 22"	99	20.59	4737

SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION No. 8  
(continued)

Station designation		Elevation, in feet	Precipitation	Agency code for source of information
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>	<u>in inches</u>	
<u>Coastal Plain, Orange County 80100 (continued)</u>				
33° 45' 03"	117° 59' 17"	38	22.48	3102
33° 45' 24"	117° 46' 48"	350	25.32	3102
33° 46' 13"	117° 56' 03"	90	21.21	3102
33° 46' 15"	117° 43' 15"	1,000	27.90	3102
33° 46' 24"	117° 50' 24"	210	26.84	3102
33° 47' 00"	117° 56' 21"	97	20.99	3102
33° 47' 15"	117° 50' 26"	216	28.43	3102
33° 47' 44"	117° 54' 08"	135	23.69	3102
33° 48' 27"	117° 49' 32"	285	24.96	3102
33° 48' 35"	118° 00' 06"	55	20.42	3102
33° 48' 38"	118° 04' 38"	23	17.84	1101
33° 48' 52"	117° 49' 29"	290	25.49	3102
33° 49' 46"	117° 52' 42"	150	23.22	3102
33° 49' 50"	118° 02' 22"	41	19.85	3102
33° 50' 16"	117° 50' 43"	230	26.68	3102
33° 50' 54"	117° 55' 26"	150	21.07	3102
33° 51' 33"	117° 53' 06"	190	23.56	3102
33° 51' 57"	117° 59' 50"	75	19.26	3102
33° 52' 13"	117° 58' 34"	94	22.04	3102
33° 52' 15"	117° 54' 24"	195	26.45	3102
33° 52' 23"	117° 48' 29"	320	25.61	3102
33° 52' 42"	117° 52' 24"	225	25.34	3102
33° 53' 00"	117° 55' 13"	305	23.87	3102
33° 53' 25"	117° 38' 39"	480	23.98	3102
33° 55' 46"	117° 54' 53"	375	23.62	3102
33° 55' 53"	117° 47' 43"	670	29.43	3102
33° 55' 58"	117° 56' 38"	315	24.33	3102
33° 56' 07"	117° 52' 58"	600	23.69	3102
33° 56' 55"	117° 57' 51"	445	25.66	1101
33° 57' 58"	117° 45' 40"	1,200	29.84	3102
<u>Upper Santa Ana Valley 80200</u>				
33° 42' 39"	117° 31' 59"	5,660	52.88	3102
33° 47' 05"	117° 23' 59"	1,980	16.06	4103
33° 49' 51"	117° 34' 41"	1,225	28.68	2701
33° 49' 52"	117° 33' 38"	1,220	24.24	4726
33° 50' 26"	117° 32' 37"	1,050	22.11	4726

SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION NO. 8  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Upper Santa Ana Valley 80200 (continued)</u>				
33° 50' 38"	117° 34' 36"	1,050	23.84	4701
33° 51' 50"	117° 35' 30"	850	25.32	4701
33° 52' 23"	117° 33' 56"	680	20.66	5717
33° 53' 14"	117° 26' 54"	930	14.01	4738
33° 53' 23"	117° 38' 10"	555	24.93	4103
33° 53' 25"	117° 38' 39"	480	23.98	3102
33° 53' 50"	117° 24' 55"	1,000	15.53	4706
33° 54' 10"	117° 33' 38"	625	16.84	4103
33° 55' 07"	117° 29' 18"	714	14.59	4103
33° 55' 48"	116° 57' 01"	2,600	30.57	4103
33° 56' 45"	117° 38' 27"	577	26.30	3100
33° 57' 06"	117° 23' 46"	820	15.00	4004
33° 57' 37"	117° 16' 42"	3,040	15.38	4103
33° 57' 58"	117° 45' 40"	1,200	29.84	3102
33° 58' 19"	116° 58' 24"	2,825	28.25	4103
33° 58' 32"	117° 29' 26"	695	16.97	4103
33° 58' 32"	117° 35' 36"	660	22.89	4734
33° 58' 35"	117° 23' 53"	850	15.73	4003
33° 58' 43"	117° 22' 29"	875	15.42	4103
33° 59' 06"	116° 58' 03"	3,050	28.18	4103
33° 59' 30"	117° 43' 10"	680	28.19	3100
33° 59' 43"	117° 13' 55"	1,880	18.66	3100
33° 59' 52"	117° 40' 50"	670	26.18	4740
34° 00' 41"	117° 00' 59"	2,800	26.18	3100
34° 00' 47"	117° 26' 40"	850	18.84	4103
34° 00' 56"	117° 19' 49"	940	17.99	4103
34° 01' 46"	117° 31' 47"	825	21.10	3100
34° 01' 50"	117° 05' 52"	2,090	22.81	3100
34° 01' 58"	117° 02' 11"	2,680	23.11	3100
34° 01' 59"	117° 06' 08"	2,120	24.32	3100
34° 02' 02"	117° 12' 32"	1,255	18.42	3100
34° 02' 13"	117° 02' 10"	2,715	24.02	3100
34° 02' 17"	116° 55' 02"	5,200	45.40	3100
34° 02' 27"	117° 01' 25"	2,910	28.78	3100
34° 02' 56"	116° 56' 59"	4,700	41.51	3100



SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION NO. 8  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Upper Santa Ana Valley 80200 (continued)</u>				
34° 03' 16"	117° 06' 18"	1,870	19.52	3100
34° 03' 22"	117° 19' 08"	940	19.21	4740
34° 03' 24"	117° 37' 24"	920	20.06	4733
34° 03' 30"	117° 12' 57"	1,200	17.75	3100
34° 03' 41"	117° 41' 17"	965	30.59	3100
34° 03' 44"	117° 38' 57"	992	29.52	3100
34° 04' 00"	117° 19' 23"	980	22.93	3100
34° 04' 02"	117° 08' 02"	1,650	19.44	4730
34° 04' 05"	117° 35' 25"	975	26.93	4731
34° 04' 08"	117° 23' 49"	1,100	21.47	3100
34° 04' 10"	117° 20' 32"	1,220	23.25	3100
34° 04' 12"	117° 07' 13"	1,765	17.97	3100
34° 04' 39"	117° 35' 39"	1,018	30.97	4702
34° 04' 40"	117° 28' 14"	1,115	23.92	3100
34° 04' 52"	117° 15' 18"	1,060	19.64	3707
34° 05' 19"	117° 22' 59"	1,175	25.76	4723
34° 05' 20"	116° 56' 19"	5,100	52.60	4740
34° 05' 43"	117° 37' 42"	1,215	34.95	3100
34° 05' 43"	117° 39' 40"	1,230	37.07	4735
34° 06' 06"	117° 26' 09"	1,280	24.66	4706
34° 06' 09"	117° 17' 27"	1,030	23.07	3200
34° 06' 22"	117° 25' 34"	1,325	26.55	3100
34° 06' 24"	117° 21' 50"	1,360	25.12	3100
34° 06' 26"	117° 34' 32"	1,210	32.82	4731
34° 06' 28"	117° 25' 36"	1,325	26.55	3100
34° 06' 30"	117° 17' 12"	1,040	23.41	3100
34° 06' 30"A	117° 17' 12"	1,040	22.71	3100
34° 06' 40"	117° 17' 02"	1,050	22.32	3100
34° 06' 47"	117° 10' 07"	1,370	19.13	4732
34° 07' 08"	117° 40' 45"	1,508	36.55	1101
34° 07' 12"	117° 09' 58"	1,525	23.43	3100
34° 07' 26"	117° 20' 53"	1,225	25.26	3200
34° 07' 49"	117° 10' 52"	1,570	23.27	3100
34° 07' 56"	117° 31' 24"	1,395	35.20	3100
34° 08' 07"	117° 16' 22"	1,170	26.53	3100

SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION NO. 8  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>Upper Santa Ana Valley 80200 (continued)</u>				
34° 08' 16"	117° 12' 31"	1,370	26.11	3100
34° 08' 17"	117° 19' 54"	1,267	28.15	4736
34° 08' 23"	117° 40' 35"	1,830	38.51	1101
34° 09' 03"	117° 39' 03"	1,901	35.95	3100
34° 09' 20"	117° 23' 46"	1,590	30.78	4740
34° 09' 20"	117° 40' 55"	2,090	40.27	1101
34° 09' 24"	117° 40' 20"	2,120	40.81	1101
34° 09' 57"	117° 15' 05"	1,560	31.62	3100
34° 10' 21"	117° 18' 44"	1,415	30.31	3200
34° 10' 30"	117° 32' 11"	2,576	44.92	3100
34° 10' 46"	117° 17' 11"	1,475	31.42	3100
34° 12' 00"	117° 19' 58"	1,900	35.40	3200
34° 12' 16"	117° 06' 05"	6,050	61.84	4727
34° 12' 16"	117° 26' 57"	2,300	49.38	4706
34° 12' 50"	117° 40' 10"	3,200	57.06	1101
34° 13' 35"	117° 18' 29"	3,760	47.04	3100
34° 14' 05"	117° 24' 38"	2,500	40.72	3100
34° 14' 10"	117° 17' 42"	4,920	46.86	3100
34° 14' 14"	117° 29' 28"	2,800	61.58	4740
34° 16' 25"	117° 36' 50"	7,800	50.61	1101
34° 16' 52"	117° 37' 20"	8,650	62.86	1101
34° 18' 42"	117° 28' 27"	3,110	31.30	3100
<u>Cajalco Valley 80300</u>				
33° 50' 08"	117° 21' 05"	1,520	14.12	4103
33° 50' 25"	117° 23' 04"	1,440	14.47	4103
33° 50' 28"	117° 21' 30"	1,540	13.26	4103
33° 50' 35"	117° 26' 47"	1,375	12.73	4103
33° 50' 48"	117° 27' 16"	1,440	14.86	4103
<u>Elsinore Valley 80400</u>				
33° 38' 14"	117° 20' 47"	1,325	25.87	4103

SEASONAL PRECIPITATION FOR 1957-58  
SANTA ANA REGION NO. 8  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>San Jacinto Valley 80500</u>				
33° 43' 52"	117° 00' 58"	1,513	18.87	4103
33° 47' 13"	117° 13' 44"	1,460	15.35	4103
33° 47' 22"	116° 57' 32"	1,558	24.26	4103
33° 47' 49"	116° 52' 22"	2,140	25.61	4103
33° 56' 22"	117° 14' 56"	1,643	15.25	4103
33° 57' 37"	117° 16' 42"	3,040	15.38	4103
33° 59' 16"	117° 16' 09"	1,910	15.42	4103
<u>Bear Valley 80900</u>				
34° 14' 40"	116° 54' 24"	6,780	36.98	3100
34° 15' 43"	116° 50' 36"	6,775	16.88	3100



SEASONAL PRECIPITATION FOR 1957-58  
SAN DIEGO REGION NO. 9  
(Season - July 1 through June 30)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u> <u>USGS datum</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>			
<u>San Juan Valley 90100</u>				
33° 27' 56"	117° 41' 12"	20	22.75	5102
33° 30' 42"	117° 38' 29"	150	25.50	5102
33° 30' 44"	117° 39' 58"	150	26.17	5102
33° 32' 36"	117° 46' 54"	30	22.99	5102
33° 39' 28"	117° 34' 12"	1,250	32.33	5102
<u>San Mateo Valley 90200</u>				
33° 25' 45"	117° 36' 52"	135	23.24	5102
<u>Santa Margarita Valley 90400</u>				
33° 29' 28"	117° 15' 09"	900	28.40	4051
33° 29' 29"	117° 15' 03"	950	28.75	4051
33° 29' 39"	117° 15' 01"	1,200	30.85	4051
33° 29' 49"	117° 14' 24"	1,250	28.58	4051
33° 29' 51"	117° 14' 22"	1,250	29.60	4051
33° 30' 42"	117° 12' 58"	1,450	30.70	4051
<u>Temecula Valley 90500</u>				
33° 29' 47"	117° 08' 57"	1,018	23.65	4103
<u>San Luis Rey Valley 90700</u>				
33° 09' 54"	117° 20' 31"	89	25.54	4002
33° 11' 38"	117° 22' 37"	67	23.15	4002
<u>Escondido Valley 90900</u>				
33° 09' 00"	117° 04' 23"	780	17.53	5726
33° 10' 12"	116° 59' 47"	1,520	25.99	4002
<u>San Pasqual Valley 91000</u>				
33° 06' 30"	116° 40' 27"	2,984	36.60	4002
<u>Santa Maria Valley 91100</u>				
33° 12' 16"	116° 45' 43"	3,600	45.07	4002

SEASONAL PRECIPITATION FOR 1957-58  
SAN DIEGO REGION NO. 9  
(continued)

<u>Station designation</u>		<u>Elevation,</u> <u>in feet</u>	<u>Precipitation,</u> <u>in inches</u>	<u>Agency code</u> <u>for source of</u> <u>information</u>
<u>Latitude</u>	<u>Longitude</u>	<u>USGS datum</u>		
<u>San Dieguito Valley 91200</u>				
32° 57' 17"	117° 15' 37"	225	19.91	4002
33° 01' 12"	117° 12' 06"	240	20.66	4002
33° 03' 45"	117° 15' 15"	170	17.31	4002
<u>Mission Valley 91400</u>				
32° 42' 05"	117° 10' 46"	10	13.46	4002
32° 46' 51"	117° 02' 38"	535	18.42	4002
32° 47' 55"	117° 15' 17"	35	14.38	4002
34° 50' 54"	117° 16' 11"	110	13.55	4002
<u>Sweetwater Valley 91700</u>				
32° 37' 57"	117° 05' 39"	25	14.44	4002
32° 40' 04"	117° 06' 42"	15	13.31	4002
32° 41' 33"	117° 00' 31"	300	16.64	4002
32° 46' 52"	116° 47' 38"	1,400	22.51	4002
<u>Otay Valley 91800</u>				
32° 36' 54"	117° 03' 30"	220	11.74	4002

APPENDIX E

RECORDS OF GROUND WATER LEVELS AT WELLS  
LAHONTAN REGION NO. 6





# TABLE OF CONTENTS

	<u>Page</u>
Adobe Lake Valley 61000 . . . . .	E- 1
Deep Springs Valley 61500 . . . . .	E- 1
Middle Amargosa Valley 62000 . . . . .	E- 2
Upper Kingston Valley 62200 . . . . .	E- 2
Pahrump Valley 62800 . . . . .	E- 3
Mesquite Valley 62900 . . . . .	E- 3
Ivanpah Valley 63000 . . . . .	E- 4
Kelso Valley 63100 . . . . .	E- 4
Soda Lake Valley 63300 . . . . .	E- 5
Silver Lake Valley 63400 . . . . .	E- 5
Cronise Valley 63500 . . . . .	E- 6
Langford Valley 63600 . . . . .	E- 6
Coyote Lake Valley 63700 . . . . .	E- 7
Caves Canyon Valley 63800 . . . . .	E- 7
Troy Valley 63900 . . . . .	E- 8
Lower Mojave River Valley 64000 . . . . .	E- 8
Middle Mojave River Valley 64100 . . . . .	E-10
Upper Mojave River Valley 64200 . . . . .	E-11
El Mirage Valley 64300 . . . . .	E-13

	<u>Page</u>
Antelope Valley 64400 . . . . .	E-14
Neenach Basin 64401 . . . . .	E-14
Willow Springs Basin 64402 . . . . .	E-14
Gloster Basin 64403 . . . . .	E-15
Chaffee Basin 64404 . . . . .	E-15
Lancaster Basin 64405 . . . . .	E-15
Buttes Basin 64406 . . . . .	E-22
Rock Creek Basin 64407 . . . . .	E-23
North Muroc Basin 64408 . . . . .	E-25
Fremont Valley 64600 . . . . .	E-26
Harper Valley 64700 . . . . .	E-27
Superior Valley 64900 . . . . .	E-28
Cuddeback Valley 65000 . . . . .	E-28
Indian Wells Valley 65400 . . . . .	E-29
Darwin Valley 65700 . . . . .	E-29

PLATE

Plate No.

E-1

Bound at end of  
Appendix E

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ADOBE LAKE VALLEY					
1N/30E-16M01 M	6753.0	2-04-58	9.0	6744.0	5050
DEEP SPRINGS VALLEY					
				61000	
				5306.0	2-05-58
				193.8	5112.2
				5050	5050

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
MIDDLE APARGOSA VALLEY						UPPER KINGSTON VALLEY						
22N/07E-13L01 S	2102.0**	5-19-58	22.8	2079.2	5050		15N/12E-16H01 S	3900.0**	5-21-58	230.0*	3670.0	5050
22N/07E-13L01 S	2111.5	5-19-58	22.8	2064.0	5050		16N/12E-20H01 S	3727.0	5-21-	1.0	3400.7	5050



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SOUTH VALLEY			623.0			SOUTH VALLEY			623.0		
21N/10E-04L01 S	2615.0	5-20-58	161.3	2453.2	5050	19N/12E-03B01 S	2620.0	5-20-58	41.0	2579.0	5050
21N/10E-33A01 S	2652.0	5-20-58	99.0	2553.0	5050	19N/12E-10B01 S	2605.0	5-20-58	45.2	2559.8	5050
21N/10E-34A02 S	2640.0	5-20-58	118.0	2522.0	5050	19N/12E-11P01 S	2595.0	5-20-58	30.6	2564.4	5050
20S/52E-06R01 M	2640.0**	5-20-58	118.0	2522.0	5050	19N/12E-11D01 S	2595.0	5-20-58	37.1	2557.9	5050
20S/52E-06R01 M	2500.0**	5-19-53	9.4	2490.6	5050	19N/12E-14C01 S	2585.0	5-20-58	33.0	2552.0	5050
20S/52E-35A01 M	2520.0**	5-19-58	22.5	2497.5	5050	19N/12E-14D02 S	2588.0	5-20-58	38.0	2550.0	5050
22S/54E-24N01 M	2800.0**	5-20-58	29.9	2770.1	5050	19N/12E-14M01 S	2584.0	5-20-58	34.1	2549.9	5050
22S/54E-24G01 M	2800.0**	5-20-58	104.0	2696.0	5050	20N/12E-19F01 S	2700.0	5-20-58	132.8	2547.2	5050
						25S/57E-05G01 M	2632.0**	5-20-58	48.0	2584.0	5050

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
1. NPAH VALLEY						KELSO VALLEY					
				63000						63100	
15N/15E-13G01 S	2927.0	5-04-58	367.2	2559.7	5050	15N/15E-21G01 S	2640.0	5-21-58	40.0	1701.4	5050
15N/15E-21G01 S	2640.0	5-21-58	92.2	2547.8	5050						
15N/15E-23N01 S	2631.0	5-21-58	100.0	2531.0	5050						
15N/16E-09A01 S	4235.0	5-22-58	166.2	4068.8	5050						
15N/16E-11A01 S	4231.0	5-22-58	166.2	4064.8	5050						
15N/16E-13A01 S	4231.0	5-22-58	166.2	4064.8	5050						
16N/14E-31E01 S	4524.0	5-15-58	15.4	4508.6	5050						
16N/14E-31L01 S	4475.0	5-21-58	20.5	4454.5	5050						
16N/16E-01A01 S	4567.0	5-21-58	27.0	4540.0	5050						
27S/59E-08G01 N	2640.0**	5-21-58	117.5	2522.5	5050						

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SILVER LAKE VALLEY												
13N/08E-22R01 S	1001.0	11-07-57	19.3	1001.7	5000		15N/08E-22R01 S	931.0	11-07-57	56.0	634.0	5000
		2-12-58	19.8	1002.2					2-12-58	56.0	375.0	
13N/08E-22R01 S	937.0	11-07-57	24.5	937.0	5000						975.0	
		2-12-58	24.2	937.7								
13N/08E-22R01 S	967.0	11-07-57	24.8	967.0	5000							
		2-12-58	24.6	967.4								
14N/09E-20K01 S	975.0	5-19-62	77.8	997.2	5050							
14N/09E-20K01 S	990.0	11-07-57	75.6	916.4	5000							
		2-12-58	75.4	916.6								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
CAUCUSE VALLEY				LANGFORD VALLEY								
104/03W-19E01 S	1079.0	11-07-57	16.8	1062.2	5000		44/03W-14E01 S	2867.6	3-09-58	47.7	63600	5000
		3-11-58	17.0	1062.0							2829.9	5000
104/03W-19E01 S	1077.0	11-07-57	14.5	1062.5	5000		44/04W-08E01 S	3166.0	11-05-57	340.9	2825.1	5000
		3-11-58	14.7	1062.3					3-06-58	340.7	2825.3	
104/03W-19E01 S	1100.0	3-12-58	46.3	1055.1	5000		5N/03W-19E01 S	2876.0	11-05-57	100.3	2775.7	5000
									3-08-58	98.9	2777.1	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COYOTE LAKE VALLEY				63700		CAVES CANYON VALLEY						
11N/02E-08K01 S		11-07-57 3-10-58	FLOW FLOW		5000	11N/05E-15G01 S	1639.8	12-04-57 3-27-58	188.4 194.6		63800	
11N/02E-22N01 S	1731.0	11-07-57 3-10-58 3-27-58	11.2 10.8 11.6	1719.8 1720.2 1719.4	5000 5100						1451.4 1445.2	5100
11N/03E-08N01 S	1723.0	11-07-57 3-10-58	3.4 3.7	1719.6 1719.3	5000							
11N/03E-11R01 S	2055.0	3-27-58	46.3	2008.7	5100							
12N/02E-28D01 S	1776.0	11-07-57 3-10-58	35.9 35.9	1740.1 1740.1	5000							
12N/02E-31A01 S	1789.5	11-07-57 3-10-58	55.9 55.9	1733.6 1733.6	5000							
12N/02E-32C01 S	1747.0	11-07-57 3-10-58	12.2 12.1	1734.8 1734.9	5000							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
8N/04E-03E01 S	1819.9	12-04-57 5-27-58	DRY 7.2	1812.6	5100	9N/01E-03H01 S	1949.9	12-05-57 3-27-58	20.0 30.4	1868.9 1865.5	5100
8N/04E-03E01 S	1819.0	12-04-57 3-27-58	6.0 6.7	1812.1 1812.3	5100	9N/01E-03D01 S	1976.0	12-04-57 3-27-58	117.0 112.8	1859.0 1863.2	5100
8N/04E-03E01 S	1819.6	12-04-57 5-27-58	6.7 6.4	1812.9 1812.5	5100	9N/01E-12D01 S	1928.0	12-05-57 3-27-58	60.5 60.4	1867.5 1867.1	5100
8N/04E-03E01 S	1819.7	12-04-57 3-27-58	6.7 7.2	1812.2 1813.8	5100	9N/01E-12D01 S	1949.9	12-04-57 3-26-58 3-26-58	22.4 83.6 83.6	1864.0 1865.3 1865.3	5100
8N/04E-07E01 S	1779.7	12-04-57 3-27-58	2.4 21.8*	1777.3 1757.2	5100	9N/01E-12E02 S	1950.3	7-02-57 3-27-58	83.3 83.6	1867.0 1867.7	5100
8N/04E-09C01 S	1786.0	12-04-57 3-27-58	DRY DRY		5100			8-29-57 10-02-57 12-04-57	93.8 84.1 23.3	1865.5 1865.2 1864.6	
8N/04E-12W01 S	1803.0**	5-24-58 3-24-58	31.7 31.7	1771.3 1771.3	5050			1-08-58 2-07-58 2-07-58	24.0 21.3 21.3	1865.3 1865.6 1865.6	
8N/04E-12W01 S	1803.0	12-04-57 3-27-58	22.2 31.4	1774.6 1779.5	5100			3-06-58 5-01-58 6-04-58	83.5 83.5 83.5	1864.4 1865.8 1865.8	
9N/04E-20L01 S	1785.0	3-27-58	DRY		5100			6-04-58	83.5	1865.8	
9N/04E-31K01 S	1791.6	12-04-57 3-26-58	12.4 18.1	1773.2 1773.5	5100	9N/01E-21C01 S	2000.0	12-03-57 3-26-58	92.5 93.0	1907.5 1907.0	5100
						9N/02E-03A02 S	1846.2	12-04-57 3-27-58	37.8 38.2	1803.4 1804.0	5100
						9N/02E-03K01 S	1857.8	12-05-57 3-27-58	11.2 10.0	1846.6 1847.8	5100
						9N/02E-04D01 S	1895.5	12-05-57 3-27-58	33.2 33.3	1862.3 1862.0	5100
						9N/02E-10N01 S	1894.0	12-04-57 3-26-58	39.8 40.1	1854.2 1853.0	5100
						9N/02E-14N02 S	1886.0	12-04-57 3-26-58	29.9 30.5	1856.1 1856.0	5100
						9N/02E-14N03 S	1883.2	7-02-57 8-01-57 8-28-57 10-02-57	28.4 28.5 28.7 28.6	1854.8 1854.7 1854.5 1854.6	5100

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
LOWER M. VALLEY											
9N/02E-14N02 S	1863.2	12-04-57	28.4	1854.0	5100	9N/03E-34D01 S	1827.9	12-04-57	35.4	1792.5	5100
CONT.		1-08-58	28.4	1854.9				3-27-58	35.8	1777.1	
		2-07-58	28.5	1854.7							
		3-05-58	28.5	1854.7		10N/02E-32P01 S	1905.7	12-05-57	41.9	1853.8	5100
		3-26-58	36.3*	1845.9				3-27-58	42.3	1861.4	
		5-01-58	28.7	1854.5		10N/02E-34L01 S	1876.2	12-05-57	DRY		5100
		6-04-58	29.0	1854.2				3-27-58	DRY		
9N/02E-18P01 S	1934.7	12-04-57	66.0	1368.7	5100						
		3-26-58	66.2	1868.5		10N/03E-21A01 S	1920.5	12-04-57	34.5	1795.8	5100
9N/02E-20Q01 S	1922.0	12-04-57	60.7	1861.3	5100			3-27-58	35.6	1777.7	
		3-26-58	60.7	1851.3		10N/03E-34E02 S	1776.0	12-04-57	DRY		5100
9N/02E-26E02 S	1891.0	12-04-57	36.9	1854.1	5100			3-27-58	DRY		
		3-26-58	36.5	1854.5		10N/03E-34E03 S	1777.0	12-04-57	11.7	1765.3	5100
9N/03E-03D02 S	1819.0	12-04-57	47.7	1771.3	5100			3-27-58	11.7	1777.0	
		3-27-58	47.7	1771.3		9N/01W-10D02 S	2050.0	12-05-57	15.8	2034.2	5100
9N/03E-12G01 S	1798.1	7-02-57	30.0	1768.1	5100			3-27-58	15.6	2034.5	
		8-01-57	31.4	1766.7		9N/01W-10M02 S	2098.2	12-03-57	80.1	2018.1	5100
		8-29-57	30.6	1767.5				2-26-58	72.8	2018.4	
		10-02-57	31.1	1767.0		9N/01W-13B01 S	2001.8	12-03-57	DRY		5100
		12-04-57	29.0	1769.1				3-26-58	DRY		
		1-08-58	31.0	1767.1		10N/01W-31C01 S	2130.7	12-03-57	47.2	2083.5	5100
		2-07-58	30.6	1766.9				3-26-58	40.5	2092.0	
		3-05-58	29.7	1768.4							
		3-27-58	29.7	1768.4							
		5-01-58	29.4	1768.7							
		6-04-58	29.8	1768.3							
9N/03E-15M01 S	1829.0	12-04-57	47.2	1781.7	5100						
		3-27-58	40.4	1770.5							
9N/03E-19E01 S	1855.4	12-04-57	8.2	1847.2	5100						
		3-26-58	8.3	1847.1							
9N/03E-19P01 S	1859.0	12-04-57	9.8	1849.2	5100						
		3-26-58	9.3	1849.7							
9N/03E-29A01 S	1846.0	12-04-57	64.8	1781.2	5100						
		3-26-58	64.2	1781.8							
9N/03E-29G01 S	1850.0	12-04-57	9.5	1840.5	5100						
		3-26-58	9.4	1840.0							
9N/03E-32K01 S		3-26-58	FLOW		5100						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
MIDDLE MOJAVE RIVER VALLEY						MIDDLE MOJAVE RIVER VALLEY					
8N/04W-12001 S	2331.9	8-20-57	17.6	2314.3	5100	10N/02W-36P01 S	2112.7	3-25-58	21.2	2090.9	5100
		10-01-57	17.7	2314.2							
		12-02-57	38.1*	2293.8		10N/03W-22N01 S	2167.0	12-03-57	47.2	2119.1	5100
		1-08-58	15.1	2316.8				3-25-56	45.1	2115.0	
		3-07-58	15.2	2316.7							
		3-05-58	24.0*	2307.0		10N/03W-27R01 S	2200.0	3-26-58	22.5	2107.5	5100
		3-24-58	14.6	2317.3							
		5-01-58	21.6	2310.3		10N/03W-28B01 S	2160.7	7-02-57	20.6	2122.1	5100
		6-04-58	20.0	2311.3				8-01-57	20.9	2121.9	
								8-29-57	45.1	2121.6	
8N/04W-20N01 S	2411.0	12-02-57	30.6	2380.2	5100			10-02-57	22.8	2121.8	
		3-25-58	27.7	2383.0				12-02-57	22.0	2121.9	
8N/04W-31D01 S	2465.6	12-02-57	59.2	2406.4	5100			1-08-58	22.0	2121.7	
		3-25-58	57.6	2408.0				2-07-58	22.1	2121.6	
8N/04W-31R01 S	2450.1	12-02-57	11.1	2439.0	5100			3-05-58	32.0	2121.7	
		3-25-58	7.2	2442.0				3-26-58	40.0	2121.5	
8N/06W-14001 S	2760.6	11-18-57	203.7	2556.9	5100	10N/03W-29M01 S	2206.5	5-01-58	39.2	2121.4	
		4-07-58	194.5	2566.1				6-04-58	32.2	2121.4	
9N/02W-04B01 S	2145.6	12-03-57	18.8*	2126.8	5100			12-02-57	54.4	2152.1	5100
		3-26-58	17.2	2128.4		10N/03W-36B01 S	2185.6	3-25-58	54.0	2152.5	
9N/02W-19R01 S	2256.0	12-05-57	78.6	2177.4	5100			7-02-57	72.1	2106.5	5100
		3-28-58	79.7	2176.2				10-02-57	76.8	2109.8	
9N/03W-10P01 S	2293.0	3-25-58	DRY		5100			12-03-57	62.0	2116.6	
9N/03W-10R01 S	2209.7	12-02-57	40.4	2169.3	5100			2-07-58	51.8	2133.8	
		3-05-58	41.6	2168.1				3-05-58	65.5	2119.1	
9N/03W-14D01 S	2196.0	12-02-57	DRY		5100			3-26-58	62.5	2116.1	
								5-01-58	66.5	2119.1	
								6-04-58	66.9	2119.7	
9N/03W-28A02 S	2250.0	12-02-57	39.9	2210.1	5100	10N/03W-36N02 S	2190.0	12-02-57	116.4	2073.6	5100
		3-25-58	30.5	2219.5				3-26-58	99.9	2090.1	
9N/03W-28A03 S	2256.0	12-02-57	44.2	2211.8	5100						
		3-25-58	33.6	2222.4		10N/03W-36P01 S	2184.0	3-26-58	92.4	2091.6	5100
9N/03W-34R01 S	1381.4	12-02-57	DRY		5100						
		3-25-58	DRY								
10N/02W-32Q01 S	2174.1	12-03-57	38.7	2135.4	5100						
		3-26-58	37.6	2136.5							
10N/02W-36P01 S	2112.7	12-03-57	23.2	2089.5	5100						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER MOJAVE RIVER VALLEY												
3N/03W-06D01 S	2929.3	11-19-57 3-24-58	DRY 5.0	542.0 2924.3	5100	4N/03W-06D02 S	2873.0	3-24-58	66.2	642.0 2806.8	5100	
3N/03W-06D02 S	2941.0	11-19-57 2-24-58 3-09-58	45.2* 4.8 4.4*	2895.8 2936.2 2936.6	5100	4N/03W-10D01 S	3060.4	3-09-58	234.3	2826.1	5000	
3N/04W-13D01 S	3012.5	11-19-57 3-24-58	DRY 80.4	2932.1	5100	4N/03W-18E01 S	2867.6	7-02-57 8-01-57 8-29-57 10-02-57 11-19-57	47.3 47.9 48.7 48.3 48.3	2820.3 2819.7 2818.9 2818.8 2819.3	5100	
3N/04W-13D02 S	3012.6	11-19-57 3-24-58	92.0 87.7	2920.6 2924.9	5100			1-08-58 2-07-58 3-05-58 3-24-58	47.6 45.5 44.8 37.8	2820.0 2822.1 2822.8 2822.7		
3N/04W-28D01 S	3168.8	11-19-57 3-24-58	7.9 7.9	3160.9 3160.9	5100			5-01-58 6-04-58 6-04-58	28.0 28.6 28.6	2839.6 2839.0 2839.0		
3N/04W-28D02 S	3158.2	11-19-57 3-24-58	DRY 6.2	3152.0	5100	4N/03W-20D01 S	2867.0	11-19-57 3-24-58	DRY DRY		5100	
3N/04W-32C01 S	3184.0	11-19-57 3-24-58	15.9 9.6	3168.1 3174.4	5100	4N/03W-30E01 S	2897.3	11-19-57 3-24-58	DRY DRY		5100	
3N/05W-14D01 S	3602.6	11-05-57 11-19-57 3-26-58 3-24-58	242.9 242.4 251.4 251.4	3359.7 3360.2 3351.2 3351.2	5000 5100	4N/04W-25N01 S	3037.2	11-19-57 3-24-58	203.1 199.0	2834.1 2833.4	5100	
4N/03W-10D01 S	3074.0	11-05-57 3-09-58	220.4 219.4	2852.6 2854.6	5000	4N/04W-26D01 S	3107.6	11-19-57	274.0	2833.6	5100	
4N/03W-01M01 S	3044.8	11-20-57 4-22-58	219.5 217.0	2825.3 2827.8	5100	5N/03W-03E01 S	2914.4	11-01-57 3-24-58	90.9 90.0	2823.5 2824.4	5100	
4N/03W-06A01 S	2872.4	11-20-57 3-24-58	72.9 71.2	2799.5 2801.2	5100	5N/03W-13D01 S	2930.0	11-19-57 3-24-58	93.5 93.7	2836.5 2836.3	5100	
4N/03W-06D01 S	2874.0	7-02-57 8-01-57 8-29-57 10-02-57 11-20-57 1-08-58 2-09-58 1-05-58 1-08-58 2-07-58 3-05-58 3-24-58 5-01-58 6-04-58	69.9 70.0 71.0 71.6 70.0 69.1 68.6 68.0 67.6 66.0 67.6 66.0 67.2	2804.1 2804.0 2803.0 2802.4 2804.0 2804.9 2805.4 2806.0 2806.4 2808.0 2806.8 2806.8	5100	5N/03W-18F01 S	2910.9	7-02-57 8-29-57 10-02-57 11-19-57 1-08-58 2-09-58 3-24-58 5-01-58 6-04-58	131.2 134.4 132.8 123.3 124.0 122.9 123.1 122.6 122.4 129.6	2779.7 2776.5 2778.1 2787.6 2787.9 2788.0 2787.5 2788.3 2788.5 2781.3	5100	
4N/03W-06D02 S	2873.0	11-20-57	69.3	2803.7	5100	5N/03W-22A01 S	2924.8	11-01-57 3-08-58 3-24-58	99.3 97.8 99.4	2825.5 2827.0 2824.4	5100 5000 5100	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER MCGRAW RIVER VALLEY												
5N/03W-22A01	2891.0	11-01-57	100.4	2800.6	5100		5N/03W-27F01	2891.0	11-01-57	100.4	2800.6	5100
5N/03W-27F01	2891.0	11-01-57	100.4	2800.6	5100		5N/03W-32H01	2891.0	11-01-57	100.4	2800.6	5100
5N/03W-32H01	2891.0	11-01-57	100.4	2800.6	5100		5N/03W-35A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/03W-35A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-04A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-04A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-11A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-11A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-21E01	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-21E01	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-31A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-31A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-36A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-36A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/04W-41A-1	2891.0	11-01-57	100.4	2800.6	5100
5N/04W-41A-1	2891.0	11-01-57	100.4	2800.6	5100		5N/05W-04C01	2891.0	11-01-57	100.4	2800.6	5100
5N/05W-04C01	2891.0	11-01-57	100.4	2800.6	5100		5N/05W-22E01	2891.0	11-01-57	100.4	2800.6	5100
5N/05W-22E01	2891.0	11-01-57	100.4	2800.6	5100							

GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER MOJAVE RIVER VALLEY						EL MIRAGE VALLEY						
6N/05W-30K01 S	2860.6	4-07-58	108.2	2772.4	5100	5N/07W-09H01 S	3211.5	11-06-57	283.3	64300	2923.2	5000
6N/05W-32R02 S	2943.7	11-18-57 4-07-58	123.5 123.4	2820.2 2820.3	5100	6N/07W-12N01 S	2868.0**	11-18-57 3-08-58	21.2 283.0	2928.5	2846.8	5100
6N/06W-14P01 S	2833.3	11-18-57 4-07-58	45.0 41.1	2788.3 777.4	5100	6N/06W-18P01 S	2895.0	11-18-57 3-07-58	20.9 51.0	2847.1	2844.0	5100
6N/06W-21A01 S	2862.5	11-18-57 3-06-58 4-07-58	60.4 41.3 41.6	2802.1 2778.7 2778.4	5100 5000 5100	6N/07W-14Q01 S	2895.0	11-18-57 4-07-58	58.0 56.0	2837.0	2839.0	5100
6N/06W-24H01 S	2835.0	11-18-57 4-07-58	71.5 69.6	2763.5 2765.4	5100	6N/07W-26N01 S	3007.0	11-18-57 3-07-58	118.6 11.6	2889.4	2889.4	5100
6N/06W-28H01 S	2945.0	11-18-57 4-07-58	102.3 102.5	2842.7 2842.5	5100	6N/07W-26R01 S	3006.0	11-18-57 4-07-58	105.7 105.5	2900.3	2900.5	5100
6N/06W-32K01 S	3047.8	11-18-57 3-08-58 4-07-58	158.5 156.7 158.2	2889.3 2821.1 2889.6	5100	6N/07W-27N01 S	3021.0	11-18-57 3-07-58	136.8 136.2	2894.2	2894.2	5100
7N/04W-30C01 S	2562.1	7-02-57 3-06-57 8-29-57 10-02-57 12-02-57 1-08-58 3-07-58 3-05-58 3-25-58 5-01-58 6-04-58	60.1 61.4 61.1 60.9 60.3 61.0 59.7 59.6 59.8 60.1	2502.0 2502.7 2501.0 2501.2 2501.8 2501.1 2502.4 2502.4 2502.3 2502.0	5100	7N/07W-27L01 S	2836.0	11-06-57 3-08-58	32.7 32.2	2803.3	2803.8	5000
7N/05W-22N01 S	2711.1	11-18-57 4-07-58	DRY DRY		5100							
7N/05W-22N02 S	2711.1	11-18-57 4-07-58	99.1 97.1	2612.0 2614.0	5100							
7N/05W-22R01 S	2711.1	11-18-57 4-07-58	108.6 107.5	2602.5 2603.6	5100							
7N/05W-26B01 S	2738.6	11-18-57 4-07-58	169.0 169.0	2569.6 2569.6	5100							

# GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY		ANTELOPE VALLEY										64400		ANTELOPE VALLEY										64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401		64400		64401			
-----------------	--	-----------------	--	--	--	--	--	--	--	--	--	-------	--	-----------------	--	--	--	--	--	--	--	--	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--	--	--



GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY												
WILLOW SPRINGS BASIN												
64402												
10N/13W-19M01 S	2906.0	11-15-57 3-04-58	304.1 305.6	2601.9 2600.4	5000		5N/12W-04C01 S	2936.0	10-23-57	78.5	2857.5	1101
10N/13W-32M01 S	2741.0	11-15-57 3-04-58	163.0 164.8	2578.0 2576.2	5000		5N/12W-04L01 S	3150.0	10-23-57	52.9	3097.1	1101
11N/13W-29M01 S	3391.0	7-02-57 8-09-57 9-10-57 10-10-57 12-10-57 1-10-58 2-10-58 3-10-58 4-10-58 5-09-58 6-10-58	328.0 330.0 327.7 328.5 332.0 332.0 332.0 332.0 333.0 330.0 328.0	3063.0 3061.0 3063.3 3062.5 3059.0 3059.0 3052.0 3059.0 3061.0 3061.0 3063.0	4700		6N/10W-09E01 S	2576.0	10-30-57	200.5	2375.5	1101
64403												
10N/12W-20B01 S	2639.6	11-15-57	DRY		5000		6N/11W-03M01 S	2491.0	11-18-57 11-18-57 3-11-58 3-11-58	258.0 258.0 259.5 259.5	2233.0 2233.0 2231.5 2231.5	5050
64404												
11N/11W-08D01 S	2641.0	7-17-57 8-14-57 9-24-57 10-15-57 11-19-57 12-20-57 2-03-58	198.7 198.8 198.7 198.7 198.7 198.7 198.7	2442.3 2442.2 2442.3 2442.3 2442.3 2442.3 2442.3	5000		6N/11W-04C01 S	2481.0	10-29-57	248.6	2232.4	1101
64405												
11N/12W-26J01 S	2595.0	7-17-57 8-14-57 9-24-57 10-15-57 12-20-57 2-03-58 3-12-58	156.2 156.2 156.2 156.2 156.2 156.2 156.2	2438.8 2438.8 2438.8 2438.8 2438.8 2438.8 2438.8	5000		6N/12W-24C01 S	2587.0	7-13-57 9-03-57 10-08-57 10-24-57 12-03-57 1-07-58 2-17-58 3-04-58 3-31-58 4-22-58 5-05-58 6-10-58	311.0 312.0 308.1 311.1 310.1 307.5 309.1 308.2 304.8 304.5 304.9 305.0	2276.0 2275.0 2278.9 2275.9 2276.9 2279.5 2277.9 2278.8 2282.2 2282.5 2282.1 2282.0	1101
32S/36E-21Q01 M	2799.9	11-19-57 3-12-58	372.9 372.3	2427.0 2427.6	5000		6N/12W-24F01 S	2588.0	7-09-57 3-31-58	310.9 .0*	2277.1 2588.0	1101
LANCASTER BASIN												
5N/12W-03J01 S	2825.0	10-23-57	14.8	2810.2	1101		6N/12W-33L02 S	2931.0	10-23-57	59.1	2871.9	1101

# GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY											
LANCASTER BASIN						LANCASTER BASIN					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
64405						64400					
6N/12W-33R01 S	2951.0	11-23-57	89.5	2861.5	1101	7N/10W-19D01 S	2447.0	2-17-58	223.3	2223.7	1101
6N/12W-34N01 S	2890.0	10-23-57	58.5	2831.5	1101	CONT.		3-04-58	224.0	2223.0	
6N/12W-34N02 S	2893.5	10-23-57	61.0	2832.0	1101			4-31-58	222.0	2225.0	
6N/13W-14J01 S	2608.0	10-29-57	324.7	2283.3	1101			4-22-58	225.0	2222.0	
6N/13W-17H01 S	3071.0	10-23-57	11.0	3060.0	1101			5-06-58	225.0	2221.2	
6N/13W-30C01 S	2824.0	10-23-57	41.5	2782.5	1101	7N/10W-31M01 S	2506.0	6-10-58	227.6	2217.4	1101
7N/09W-17N01 S	2491.0	10-30-57	192.7	2298.3	1101		2506.3	10-30-57	280.8	2225.2	
	2494.0	11-14-57	189.3	2304.7	5000			11-14-57	286.0	2217.4	5000
		3-12-58	184.4	2309.6				3-12-58	287.1	2217.2	
7N/10W-02E01 S	2413.0	11-14-57	165.6	2247.4	5000	7N/10W-33J01 S	2539.0	11-20-57	288.3	2250.7	5000
7N/13W-06F01 S	2392.0	3-12-58	164.3	2248.7	5000	7N/10W-34Q01 S	2542.0	3-12-58	277.6	2264.4	5000
7N/10W-05N03 S	2398.0	3-12-58	154.2	2237.8	5000	7N/11W-01P01 S	2386.0	11-20-57	204.3	2218.7	5000
		10-23-57	196.0	2202.0	5000	7N/11W-01Q01 S	2390.0	3-12-58	179.5	2210.5	5000
		11-14-57	178.8	2219.2		7N/11W-06A01 S	2352.0	11-14-57	73.1	2278.2	5000
		12-17-57	170.6	2227.4			3-11-58	74.7	2277.3		
		3-12-58	165.6	2232.4		7N/11W-09P01 S	2387.0	10-29-57	128.2	2258.8	1101
		4-10-58	166.3	2231.7		7N/11W-10N01 S	2394.0	11-14-57	153.6	2240.4	5000
		5-15-58	215.9	2182.1			3-11-58	150.3	2243.7		
	7N/10W-12A01 S	2439.0	7-31-57	192.5	2246.5	7N/11W-13Q01 S	2434.0	7-16-57	228.3	2205.7	5000
		12-03-57	194.4	2244.6	1101		10-23-57	224.2	2209.8		
		1-07-58	193.8	2245.2		7N/11W-19Q01 S	2419.0	11-14-57	211.9	2222.1	
		2-17-58	193.3	2245.7			12-17-57	209.5	2224.5		
		3-04-58	193.4	2245.6			11-12-57	187.2	2231.8	5000	
		3-31-58	193.4	2245.6			3-10-58	179.1	2239.9		
		4-22-58	193.8	2245.2		7N/11W-28E01 S	2440.0	10-29-57	224.8	2215.2	1101
		5-06-58	195.2	2243.8				10-29-57	178.3*	2270.7	1101
	7N/10W-17R01 S	2453.0	3-12-58	221.3	2231.7	7N/11W-28L01 S	2449.0	10-29-57	243.2	2229.8	5000
	7N/10W-19D01 S	2447.0	7-09-57	228.6	2218.4	7N/11W-33N01 S	2473.0	11-12-57	234.8	2238.2	
		7-31-57	229.4	2217.6	1101			3-10-58			
		9-03-57	230.5	2216.5		7N/12W-04P02 S	2313.0	7-09-57	17.7	2295.3	1101
		10-08-57	231.1	2215.9				7-31-57	DRY		
		10-28-57	228.7	2218.3				9-03-57	DRY		
	12-03-57	227.3	2219.7					10-08-57	DRY		
	1-07-58	225.4	2221.6								

## GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY											
LANCASTER BASIN						LANCASTER BASIN					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
64400						64400					
7N/12W-04P02 S CONT.	2313.0	10-28-57	8.0	2305.0	1101	7N/13W-11D01 S	2356.0	10-29-57	7.0	2349.0	1101
		12-03-57	DRY					11-12-57	5.2	2350.8	5050
		1-07-58	DRY					3-12-58	4.7	2351.3	
	2313.0	2-17-58	8.2	2304.8		7N/13W-14E01 S	2353.0**	10-20-57	121.2	2231.8	5050
		3-04-58	16.3	2296.7				3-11-58	106.5	2246.5	
		4-22-58	DRY								
7N/12W-13F01 S	2382.0	3-11-58	126.0	2256.0	5000	7N/13W-17D01 S	2422.0				
7N/12W-15F01 S	2349.0	7-09-57	122.1	2226.9	1101	7N/13W-19A01 S	2424.0**	10-23-57	201.0	2223.0	5050
		7-31-57	119.2	2229.8				11-12-57	199.0	2225.0	
		9-03-57	115.8	2233.2				3-12-58	185.0	2239.0	
		10-08-57	116.3	2232.7							
		10-28-57	104.9	2244.1							
		12-03-57	103.2	2245.8							
		1-07-58	103.1	2245.9				10-21-57	69.0	2294.0	5050
		2-17-58	99.4	2249.6				3-12-58	68.0	2295.0	
		3-04-58	99.6	2249.4							
		3-31-58	95.9	2253.1				10-29-57	157.8	2215.2	1101
		4-22-58	103.7	2245.3							
		5-06-58	109.2	2239.8							
6-10-58	114.3	2234.7									
7N/12W-15F02 S	2355.0	11-12-57	109.0	2246.0	5000	7N/13W-27N01 S	2421.0	10-29-57	218.6	2202.4	1101
7N/12W-22R02 S	2411.0	3-10-58	105.5	2249.5	1101	7N/13W-27Q01 S	2425.0	11-13-57	256.5	2168.5	5050
				3-12-58				245.0	2180.0		
		7-09-57	160.8	2250.2				10-29-57	267.7	2168.3	1101
		9-03-57	160.6	2250.4							
		10-08-57	160.7	2250.3				11-19-57	242.5	2238.5	5050
		10-28-57	158.1	2252.9				3-14-58	220.6	2260.4	
		12-03-57	158.1	2252.9							
		1-07-58	157.2	2253.8							
		2-17-58	156.6	2254.4							
		3-04-58	156.0	2255.0				10-29-57	260.0	2298.0	1101
		3-31-58	154.8	2256.2				11-12-57	260.0	2298.0	5050
		4-22-58	156.8	2254.2							
5-06-58	157.6	2253.4									
6-10-58	160.1	2250.9									
7N/12W-28P01 S	2448.5	11-12-57	194.6	2253.9	5000	7N/14W-13Q01 S	2490.0**	10-23-57	241.0	2249.0	5050
		3-11-58	190.2	2258.3				3-13-58	232.7	2257.3	
7N/12W-33R01 S	2523.0	10-29-57	258.9	2264.1	1101	7N/14W-27B01 S	2836.0**	10-23-57	185.5	2650.5	5050
7N/13W-09N01 S	2395.0**	11-19-57	115.8	2279.2	5050			11-13-57	187.0	2649.0	
		3-12-58	106.3	2288.7				3-13-58	145.3	2690.7	
						8N/09W-04P01 S	2305.6	7-16-57	32.6	2273.0	5000

# GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY										ANTELOPE VALLEY									
LANCASTER BASIN					LANCASTER BASIN					LANCASTER BASIN					LANCASTER BASIN				
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
8N/09W-04P01 S CONT.	2305.6	8-14-57	32.8	2272.8	5000	8N/10W-08R03 S CONT.	2318.0	8-15-57	50.2	2267.8	5000	8N/10W-09P01 S	2322.0	7-16-57	44.4	2277.6	5000		
		9-24-57	33.3	2272.3				9-25-57	50.5	2267.5				8-15-57	44.6	2277.4			
		10-16-57	33.4	2272.2				10-23-57	52.5	2265.5				9-25-57	44.8	2277.2			
		11-13-57	33.5	2272.1				11-13-57	52.0	2266.0				10-23-57	44.8	2277.2			
		12-17-57	33.6	2272.0				12-17-57	50.0	2268.0				11-13-57	44.5	2277.5			
		3-11-58	33.4	2272.2				3-11-58	50.1	2267.9				12-17-57	44.9	2277.1			
8N/10W-02P01 S	2306.0	8-15-57	47.0	2259.0	5000	8N/10W-14E01 S	2333.0	4-10-58	50.3	2267.7	5000	8N/10W-19N03 S	2338.0	7-16-57	130.3	2207.7	5000		
		9-25-57	47.5	2258.5				4-30-58	51.0	2267.0				8-15-57	128.6	2209.4			
		10-23-57	43.5	2262.5				5-15-58	51.2	2266.8				9-25-57	131.1	2206.9			
		11-13-57	43.0	2263.0				6-17-58	51.6	2266.4				10-23-57	115.4	2222.6			
		12-17-57	42.8	2263.2						11-14-57				107.6	2230.4				
		3-11-58	42.1	2263.9						12-17-57				102.9	2235.1				
8N/10W-04G01 S	2301.0	4-09-58	42.2	2263.8	5000	8N/10W-19N04 S	2338.0	3-11-58	101.7	2236.3	5000	8N/10W-19N04 S	2338.0	4-10-58	102.2	2235.8	5000		
		5-15-58	45.5	2260.5				4-10-58	102.2	2235.8				7-16-57	125.5	2212.5			
		7-16-57	52.8	2248.2						8-15-57				122.0	2216.0				
		8-15-57	53.4	2247.6						9-25-57				122.7	2215.3				
		9-24-57	53.8	2247.2						10-23-57				116.0	2222.0				
		10-23-57	53.3	2247.7						11-14-57				109.0	2229.0				
8N/10W-08N01 S	2318.0	11-13-57	52.1	2248.9	5000	8N/10W-08R03 S	2318.0	3-11-58	109.0	2229.0	5000	8N/10W-08R03 S	2318.0	12-17-57	104.2	2233.8	5000		
		12-16-57	52.3	2248.7				7-16-57	57.2	2260.8									
		3-11-58	47.6	2253.4															
		4-10-58	47.7	2253.3															
		4-30-58	48.5	2252.5															
		5-15-58	48.7	2252.3															
8N/10W-08N01 S	2318.0	7-16-57	90.8	2227.2	5000	8N/10W-08N02 S	2318.0	7-16-57	130.3	2207.7	5000	8N/10W-08N02 S	2318.0	7-16-57	130.3	2207.7	5000		
		8-15-57	92.1	2225.9				8-15-57	128.6	2209.4									
		10-23-57	91.5	2226.5				9-25-57	131.1	2206.9									
		12-17-57	81.7	2236.3				10-23-57	115.4	2222.6									
		3-11-58	74.6	2243.4				11-14-57	107.6	2230.4									
		4-10-58	75.4	2242.6				12-17-57	102.9	2235.1									
8N/10W-08N02 S	2318.0	5-15-58	79.9	2238.1	5000	8N/10W-08N02 S	2318.0	3-11-58	101.7	2236.3	5000	8N/10W-08N02 S	2318.0	3-11-58	101.7	2236.3	5000		
		7-16-57	52.5	2265.5				4-10-58	102.2	2235.8									
		8-15-57	52.7	2265.3															
		9-25-57	53.0	2265.0															
		10-23-57	52.4	2265.6															
		11-13-57	52.4	2265.6															
8N/10W-08N02 S	2318.0	12-17-57	52.7	2265.3	5000	8N/10W-08N02 S	2318.0	12-17-57	102.9	2235.1	5000	8N/10W-08N02 S	2318.0	12-17-57	102.9	2235.1	5000		
		3-11-58	52.0	2266.0				3-11-58	102.9	2235.1									
		4-10-58	50.6	2267.4				4-10-58	101.7	2236.3									
		5-15-58	54.2	2263.8				5-15-58	102.2	2235.8									
8N/10W-08R03 S	2318.0	7-16-57	57.2	2260.8	5000	8N/10W-08R03 S	2318.0	7-16-57	125.5	2212.5	5000	8N/10W-08R03 S	2318.0	7-16-57	125.5	2212.5	5000		
		8-15-57	57.2	2260.8				8-15-57	122.0	2216.0									
		9-25-57	53.0	2265.0				9-25-57	122.7	2215.3									
		10-23-57	52.4	2265.6				10-23-57	116.0	2222.0									
		11-13-57	52.4	2265.6				11-14-57	109.0	2229.0									
		12-17-57	52.7	2265.3				12-17-57	104.2	2233.8									



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY						ANTELOPE VALLEY						
LANCASTER BASIN						LANCASTER BASIN						
8N/10W-19N04 S	2338.0	3-11-58	102.2	2235.8	5000	8N/11W-22N03 S	2318.0	3-11-58	103.3	2214.7	5000	
CONT.		4-10-58	102.8	2235.2		CONT.		4-10-58	102.3	2215.7		
		5-15-58	116.4	2221.6				5-15-58	104.7	2213.3		
8N/10W-19Q01 S	2343.0	7-16-57	147.6	2195.4	5000	8N/11W-23R02 S	2332.0	7-16-57	159.6	2172.4	5000	
		9-25-57	141.5	2201.5				8-15-57	157.2	2174.1		
		10-23-57	121.5	2221.5				9-25-57	157.3	2174.7		
		3-11-58	91.9	2251.1				10-23-57	132.5	2199.5		
		4-10-58	90.9	2252.1				11-14-57	124.6	2207.4		
		5-15-58	93.6	2249.4				12-17-57	118.8	2213.2		
8N/10W-23F01 S	2351.0	11-14-57	74.2	2276.8	5000			3-11-58	126.9	2205.1		
		3-11-58	74.4	2276.6				4-10-58	116.6	2215.4		
								5-15-58	149.8*	2182.2		
8N/10W-28B01 S	2358.0	7-16-57	98.3	2259.7	5000	8N/11W-27R01 S	2341.0	11-14-57	154.1	2186.9	5000	
		8-15-57	98.5	2259.5				3-11-58	144.6	2196.4		
		9-25-57	98.8	2259.2		8N/11W-30R01 S	2330.0	11-14-57	45.7	2284.3	5000	
		10-23-57	97.5	2260.5								
		11-14-57	97.5	2260.5		8N/11W-34D02 S	2341.0	11-14-57	149.3	2191.7	5000	
		12-17-57	96.2	2261.8				3-11-58	143.0	2198.0		
		3-11-58	95.0	2263.0		8N/11W-34R02 S	2358.0	11-14-57	165.0	2193.0	5000	
		4-10-58	95.8	2262.2				3-11-58	161.4	2196.6		
		5-15-58	98.5	2259.5								
8N/10W-32Q01 S	2283.0	11-14-57	145.9	2137.1	5000	8N/12W-02Q01 S	2283.0	11-19-57	16.8	2266.2	5000	
		3-12-58	132.8	2150.2				3-10-58	10.9	2272.1		
8N/11W-14N01 S	2313.0	7-16-57	65.7	2247.3	5000	8N/12W-04K01 S	2308.0	3-10-58	33.9	2274.1	5000	
		8-15-57	66.3	2246.7		8N/12W-06E01 S	2345.0**	11-14-57	68.2	2276.8	5050	
		9-25-57	66.8	2246.2				3-13-58	67.2	2277.8		
		10-23-57	67.1	2245.9		8N/12W-11R02 S	2283.0	3-10-58	27.6	2255.4	5000	
		11-14-57	66.8	2246.2								
		3-11-58	66.1	2246.9		8N/12W-20B02 S	2318.0	11-18-57	52.7	2265.3	5000	
		4-10-58	65.9	2247.1				3-10-58	41.3	2276.7		
		5-15-58	66.3	2246.7		8N/12W-22M01 S	2302.0	7-17-57	27.7	2274.3	5000	
8N/11W-14R02 S	2317.0	11-14-57	87.4	2229.6	5000			8-14-57	31.7	2270.3		
		3-11-58	87.0	2230.0				9-24-57	34.2	2267.8		
8N/11W-17A01 S	2297.0	11-14-57	15.7	2281.3	5000			10-15-57	31.2	2270.8		
		3-11-58	15.9	2281.1				11-15-57	28.8	2273.2		
8N/11W-22N03 S	2318.0	7-16-57	107.0	2211.0	5000			3-10-58	19.6	2282.4		
		9-25-57	108.4	2209.6				4-10-58	18.9	2283.1		
		10-23-57	106.8	2211.2				5-15-58	22.0	2280.0		
		11-14-57	106.7	2211.3								

# GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY			ANTELOPE VALLEY			LANCASTER BASIN			64400			64405			64400		
State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Elev., in feet	Agency Supplying Data
LANCASTER BASIN			64405			LANCASTER BASIN			64405			LANCASTER BASIN			64405		
8N/12W-30K01 S	2324.0	11-12-57 3-10-58	67.5 55.2	2256.5 2268.8	5050	8N/14W-15G01 S	2525.0**	3-11-58	185.2	2339.8	5050	8N/14W-15G01 S	2525.0**	3-11-58	185.2	2339.8	5050
8N/12W-30N01 S	2328.0**	3-14-58	42.2	2285.8	5050	8N/14W-25H01 S	2456.0**	11-21-57 3-14-58	224.7 224.0	2221.3 2224.0	5050	8N/14W-25H01 S	2456.0**	11-21-57 3-14-58	224.7 224.0	2221.3 2224.0	5050
8N/13W-05E01 S	2440.0**	11-21-57 3-14-58	204.2 195.0*	2235.8 2245.0	5050	8N/14W-36E01 S	2488.0	11-13-57 3-14-58	232.6 232.2	2255.4 2244.7	5050	8N/14W-36E01 S	2488.0	11-13-57 3-14-58	232.6 232.2	2255.4 2244.7	5050
8N/13W-14B01 S	2374.0**	11-22-57	144.0	2230.0	5050	9N/09W-02Q01 S	2275.8	7-16-57 8-14-57	18.5 17.8	2257.2 2258.0	5000	9N/09W-02Q01 S	2275.8	7-16-57 8-14-57	18.5 17.8	2257.2 2258.0	5000
8N/13W-17F01 S	2437.0**	11-13-57 3-14-58	244.0 212.5	2193.0 2224.5	5050			9-24-57	19.4	2256.4				9-24-57	19.4	2256.4	
8N/13W-19D01 S	2457.0**	11-21-57 3-12-58	239.0 221.0	2218.0 2236.0	5050			10-16-57	19.4	2256.4				10-16-57	19.4	2256.4	
8N/13W-20B01 S	2431.0	11-13-57 3-14-58	223.0 217.0	2208.0 2214.0	5050			11-13-57	19.3	2256.5				11-13-57	19.3	2256.5	
8N/13W-21G01 S	2410.0	11-13-57 3-14-58	183.8 175.7	2226.2 2234.3	5050	9N/09W-06E01 S	2290.9	7-16-57 8-14-57	42.8 43.0	2248.1 2247.9	5000	9N/09W-06E01 S	2290.9	7-16-57 8-14-57	42.8 43.0	2248.1 2247.9	5000
8N/13W-22K01 S	2386.0	11-13-57 3-13-58	127.0 121.6	2259.0 2264.4	5050			9-25-57	43.1	2247.8				9-25-57	43.1	2247.8	
8N/13W-26D02 S	2360.0	11-13-57 3-13-58	116.0 104.5	2244.0 2255.5	5050			10-16-57	43.1	2247.8				10-16-57	43.1	2247.8	
8N/13W-27P01 S	2368.0**	10-20-57 3-12-58	76.0 75.6	2292.0 2292.4	5050	9N/09W-27H02 S	2300.0	8-14-57 10-16-57	22.7 23.5	2277.3 2276.5	5000	9N/09W-27H02 S	2300.0	8-14-57 10-16-57	22.7 23.5	2277.3 2276.5	5000
8N/13W-32N02 S	2425.0	11-19-57 3-13-58	204.0 176.0	2221.0 2249.0	5050			12-17-57	23.3	2276.7				12-17-57	23.3	2276.7	
8N/13W-33Q03 S	2388.0	11-13-57 3-13-58	160.5 134.3	2227.5 2253.7	5050			3-11-58	23.3	2276.7				3-11-58	23.3	2276.7	
8N/13W-35P01 S	2350.0**	10-20-57 3-14-58	53.5 52.5	2296.5 2297.5	5050	9N/10W-12R01 S	2281.0	5-15-58	23.8	2276.2				5-15-58	23.8	2276.2	
8N/14W-02R01 S	2495.0	11-13-57 3-12-58	238.0 217.2	2257.0 2277.8	5050			7-16-57	33.7	2247.3				7-16-57	33.7	2247.3	
8N/14W-14R01 S	2496.0	11-13-57 3-11-58	223.0 224.2	2273.0 2271.8	5050			8-14-57	35.0	2246.0				8-14-57	35.0	2246.0	
8N/14W-15G01 S	2525.0**	11-21-57	192.8	2232.2	5050			9-25-57	34.9	2246.1				9-25-57	34.9	2246.1	
								10-16-57	33.7	2247.3				10-16-57	33.7	2247.3	
								11-13-57	31.9	2249.1				11-13-57	31.9	2249.1	
								12-16-57	30.7	2250.3				12-16-57	30.7	2250.3	
								3-12-58	29.4	2251.6				3-12-58	29.4	2251.6	
								4-10-58	29.6	2251.4				4-10-58	29.6	2251.4	
								5-15-58	33.4	2247.6				5-15-58	33.4	2247.6	
								6-17-58	34.3	2246.7				6-17-58	34.3	2246.7	
								7-17-57	80.1	2247.9				7-17-57	80.1	2247.9	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY												
LANCASTER BASIN												
64400				64400								
64405				64405								
9N/10W-16C02 S CONT.	2328.0	8-15-57 9-25-57 10-16-57 11-13-57 12-16-57 3-10-58 4-10-58	80.2 80.2 80.2 80.3 80.2 80.3 80.6	2247.8 2247.8 2247.8 2247.7 2247.8 2247.7 2247.4	5000		9N/10W-24N01 S CONT.	2273.0	12-16-57 3-12-58 4-10-58 5-15-58 6-17-58	27.6 25.4 25.3 32.4 34.9	2245.4 2247.6 2247.7 2240.6 2238.1	5000
9N/10W-16M01 S	2325.0	7-17-57 8-15-57 10-16-57 11-13-57 3-10-58	88.9 89.3 90.0 90.1 86.9	2236.1 2235.7 2235.0 2234.9 2238.1	5000		9N/10W-34D01 S	2285.0	7-16-57 8-14-57 9-25-57 10-18-57 11-13-57 3-10-58 4-09-58 5-14-58	40.2 39.2 39.8 39.5 39.5 35.0 35.0 37.0	2244.8 2245.8 2245.2 2245.5 2245.5 2250.0 2250.0 2248.0	5000
9N/10W-16N01 S	2325.0	7-16-57 8-15-57 9-25-57 10-16-57 11-13-57 12-16-57 3-10-58 4-10-58 5-14-58	90.7 91.0 91.2 91.4 91.4 91.4 90.7 90.8 90.4	2234.3 2234.0 2233.8 2233.6 2233.6 2233.6 2234.3 2234.2 2234.6	5000		9N/10W-34H01 S	2285.0	7-16-57 8-14-57 10-18-57 11-13-57 12-17-57 3-11-58 4-09-58 4-29-58 5-15-58 6-17-58	21.5 21.8 27.6 26.5 26.3 24.5 24.7 25.3 26.5 28.4	2263.5 2263.2 2257.4 2258.5 2258.7 2260.5 2260.3 2259.7 2258.5 2256.6	5000
9N/10W-16P01 S	2323.0	7-17-57 8-15-57 9-25-57 11-13-57 12-16-57 3-10-58 4-10-58	94.0 88.3 96.2 87.4 86.5 84.1 82.6	2229.0 2234.7 2226.8 2235.6 2236.5 2238.9 2240.4	5000		9N/11W-36L01 S	2291.0	7-17-57 8-14-57 9-25-57 10-18-57 11-13-57 3-10-58 4-10-58 5-14-58	41.8 42.8 44.0 44.5 44.5 41.5 40.9 40.7	2249.2 2248.2 2247.0 2246.5 2246.5 2249.5 2250.1 2250.3	5000
9N/10W-22J01 S	2285.0	10-18-57 11-13-57 12-17-57 2-11-58 3-12-58 4-09-58 5-15-58 6-17-58	40.1 39.4 39.1 37.7 37.2 37.0 38.2 39.9	2244.9 2245.6 2245.9 2247.3 2247.8 2248.0 2246.8 2245.1	5000		9N/12W-18Q01 S	2385.0**	11-14-57	93.5	2291.5	5050
9N/10W-24N01 S	2273.0	7-16-57 8-14-57 9-24-57 10-16-57 11-13-57	33.4 34.4 33.7 31.5 28.7	2239.6 2238.6 2239.3 2241.5 2244.3	5000		9N/12W-19R01 S	2372.0**	11-14-57 3-13-58	74.2 74.2	2297.8 2297.8	5050
							9N/12W-21D03 S	2351.0	7-17-57 8-14-57 9-24-57 10-15-57 11-15-57 12-16-57	74.0* 71.4 73.5 72.4 71.7 71.2	2277.0 2279.6 2277.5 2278.6 2279.3 2279.8	5000

## GROUND WATER LEVELS AT WELLS

ANTELOPE VALLEY											
LANCASTER BASIN						LANCASTER BASIN					
State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
LANCASTER BASIN						LANCASTER BASIN					
9N/12W-21D03 S	2351.0	2-03-58	70.8	2280.2	5000	10N/09W-31C01 S	2281.0	7-16-57	40.1	2240.9	5000
9N/12W-21D03 S	2351.0	3-07-58	70.6	2280.4	5000			8-14-57	40.1	2240.7	
9N/12W-21D03 S	2351.0	3-10-58	70.4	2280.6	5000			9-25-57	40.2	2240.8	
9N/12W-21D03 S	2351.0	4-10-58	70.3	2280.7	5000			10-16-57	40.2	2240.8	
9N/12W-23N01 S	2295.0	11-19-57	25.3	2269.7	5000			11-13-57	40.2	2240.8	
9N/12W-23N01 S	2295.0	3-10-58	25.0	2270.0	5000			12-17-57	40.2	2240.8	
9N/12W-26D01 S	2295.0	11-19-57	DRY		5000			3-11-58	40.0	2241.0	
9N/12W-26D01 S	2295.0	11-19-57			5000			4-09-58	40.0	2241.0	
9N/12W-27J01 S	2299.0	3-10-58	21.7	2277.3	5000	10N/09W-36G01 S	2282.1	5-14-58	40.0	2241.0	
9N/12W-30E01 S	2361.0	3-10-58	84.4	2276.6	5000			7-16-57	34.9	2247.2	5000
9N/12W-31N01 S	2348.0	3-10-58	78.3	2269.7	5000			8-14-57	35.0	2247.1	
9N/12W-35N01 S	2295.0	11-15-57	17.9	2277.1	5000			9-24-57	35.2	2246.9	
9N/12W-35N01 S	2295.0	3-10-58	17.4	2277.6	5000			10-16-57	35.2	2246.9	
9N/13W-17R01 S	2450.0	11-14-57	140.3	2309.7	5050			11-13-57	35.2	2246.9	
9N/13W-17R02 S	2480.0**	3-14-58	132.8	2347.2	5050			12-17-57	35.5	2246.6	
9N/13W-22R01 S	2386.0**	11-14-57	94.8	2291.2	5050			3-11-58	35.7	2246.4	
9N/13W-22R01 S	2386.0**	3-13-58	90.0	2296.0	5050			4-09-58	35.8	2246.3	
9N/13W-23R01 S	2410.0	11-14-57	158.2	2251.8	5050			5-15-58	35.9	2246.2	
9N/13W-23R01 S	2410.0	3-13-58	151.5	2258.5	5050						
9N/13W-29E01 S	2450.0**	11-14-57	194.5	2255.5	5050	5N/11W-04E01 S	2695.0	10-31-57	159.6	2535.4	1101
9N/13W-29E01 S	2450.0**	3-14-58	174.5	2275.5	5050	5N/11W-07E02 S	2905.0	10-28-57	17.8	2887.2	1101
9N/13W-29J01 S	2430.0**	10-20-57	179.0	2251.0	5050	5N/11W-09Q01 S	2858.0	10-31-57	46.5	2811.5	1101
9N/13W-35P01 S	2378.0	3-14-58	162.7	2267.3	5050	5N/11W-22D01 S	3013.0	10-28-57	31.3	2981.7	1101
9N/13W-35P01 S	2378.0	11-14-57	138.7	2239.3	5050	5N/12W-12A02 S	2993.0	10-28-57	10.5	2882.5	1101
9N/13W-36G01 S	2361.0**	3-14-58	135.4	2242.6	5050	6N/09W-04H02 S	2596.0	10-30-57	133.9	2462.1	1101
9N/13W-36G01 S	2361.0**	11-14-57	76.8	2284.2	5050	6N/09W-11N01 S	2666.0	7-09-57	142.8	2523.2	1101
9N/13W-36G01 S	2361.0**	3-13-58	79.4	2281.6	5050			7-31-57	143.0	2523.0	
9N/14W-24D01 S	2493.0	11-14-57	193.8	2299.2	5050			9-03-57	143.0	2523.0	
9N/14W-24D01 S	2493.0	3-12-58	188.3	2304.7	5050			10-08-57	143.2	2522.8	
9N/14W-27R01 S	2550.0**	11-21-57	220.2	2329.8	5050			10-28-57	143.1	2522.9	
9N/14W-27R01 S	2550.0**	3-12-58	223.5	2326.2	5050			12-03-57	143.2	2522.8	
								1-07-58	143.2	2522.8	
								2-17-58	133.2*	2532.8	
								3-04-58	143.4	2522.6	
								3-31-58	143.1	2522.9	
								4-22-58	145.4	2520.6	
								5-06-58	142.5	2522.5	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY				64400	ANTELOPE VALLEY							
BUTTES BASIN				64406	ROCK CREEK BASIN							
6N/09W-11N01 S	2666.0	6-10-58	143.6	2522.4	1101	4N/09W-06B02 S	3471.0	5-20-58	9.7	3461.3	1101	
6N/10W-09O01 S	2599.0	10-30-57	163.4	2435.6	1101	CONT.		6-24-58	17.6*	3453.4		
6N/10W-20N01 S	2633.0	7-09-57	219.6	2413.4	1101	4N/09W-06B03 S	3472.0	7-16-57	48.8	3423.2	1101	
		7-31-57	220.6	2412.4				8-28-57	47.5	3424.5		
		9-03-57	221.7	2411.3				9-24-57	47.0	3425.0		
		10-08-57	221.2	2411.0				10-28-57	41.7	3430.3		
		10-28-57	220.9	2412.1				12-02-57	26.1	3445.9		
		12-03-57	218.7	2414.3				1-06-58	9.5	3462.5		
		1-07-58	216.3	2416.7				1-28-58	8.9	3463.1		
		2-06-58	214.8	2418.2				6-24-58	9.9	3462.1		
		3-04-58	213.3	2419.7								
		3-31-58	212.7	2420.3				7-16-57	12.4	3483.6	1101	
		4-22-58	214.4	2418.6				8-28-57	12.2	3483.8		
		5-06-58	216.7	2416.3				9-24-57	13.5	3482.5		
		6-10-58	220.1	2412.9				10-28-57	14.8	3481.2		
6N/10W-22P01 S	2677.8	10-31-57	DRY		1101			12-02-57	14.4	3481.6		
6N/10W-34D01 S	2707.0**	7-01-57	126.0	2581.0	1101			1-06-58	6.6	3489.4		
ROCK CREEK BASIN				64407								
4N/09W-06A01 S	3468.0	7-16-57	48.7*	3419.3	1101	4N/09W-06Q01 S	3594.0**	7-16-57	5.9	3588.1	1101	
		8-28-57	48.0*	3420.0				8-28-57	6.0	3588.0		
		9-24-57	46.4*	3421.6				9-24-57	6.9	3587.1		
		1-28-58	10.4	3457.6				10-30-57	7.2	3586.8		
		3-04-58	5.0	3463.0				12-02-57	7.1	3586.9		
		4-22-58	5.0	3463.0				1-06-58	6.4	3587.6		
		5-20-58	5.9	3462.1				1-28-58	6.2	3587.8		
		6-24-58	11.8	3456.2				3-05-58	5.5	3588.5		
4N/09W-06B01 S	3481.0	7-17-57	40.7*	3440.3	1101			4-22-58	5.2	3588.8		
		1-28-58	8.8*	3472.2				5-20-58	5.6	3588.4		
		3-04-58	17.7*	3463.3				6-24-58	5.8	3588.2		
		4-22-58	13.2*	3467.8								
		5-20-58	17.4*	3463.6				7-16-57	11.9	3584.1	1101	
		6-24-58	9.6	3471.4				4-22-58	9.9	3586.1		
4N/09W-06B02 S	3471.0	7-16-57	54.1*	3416.9	1101	4N/09W-07B01 S	3596.0	7-16-57	82.0	3714.0	1101	
		8-28-57	50.8*	3420.2				8-28-57	83.7	3712.3		
		9-24-57	47.4*	3423.6				9-24-57	82.7	3713.3		
		1-28-58	9.4*	3461.6				10-28-57	85.3	3710.7		
		3-04-58	9.7	3461.3				12-02-57	85.8	3710.2		
		4-22-58	7.7	3463.3				1-06-58	84.4	3711.6		
								1-28-58	82.0	3714.0		

## GROUND WATER LEVELS AT WELLS

State Well Number		R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number		R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY													
ROCK CREEK BASIN													
4N/09W-09E01 S CONT.		3796.0	3-05-58 3-31-58 4-22-58 5-20-58 6-24-58	72.2 66.8 67.4 69.7 67.6	3723.8 3729.2 3728.6 3726.3 3728.4	1101	5N/09W-20K01 S CONT.		3177.8**	8-28-57 8-28-57 9-24-57 10-28-57 10-28-57 12-02-57 12-02-57 1-06-58 1-06-58 1-28-58 1-28-58 3-04-58 3-31-58 3-31-58 4-22-58 4-22-58 5-20-58 5-20-58 6-24-58	247.5 247.5 251.0 251.0 251.0 242.8 242.9 242.9 243.0 243.0 243.4 243.4 242.1 242.1 242.1 242.0 242.0 242.1 242.1 241.7 241.7	2930.3 2930.3 2926.8 2926.8 2935.0 2935.0 2934.9 2934.9 2934.8 2934.8 2934.4 2934.4 2935.7 2935.7 2935.7 2935.8 2935.8 2935.7 2935.7 2936.1 2936.1	1101
4N/09W-09N01 S		3848.0	7-16-57 8-13-57 8-24-57 8-28-57 9-24-57 10-28-57 12-02-57 1-06-58 1-28-58 2-26-58 3-31-58 4-22-58 5-20-58 6-24-58	85.4 89.0 90.0 89.2 89.0 68.6 66.7 60.5 61.1 58.9 60.5 70.0 73.1 65.6	3762.6 3759.0 3758.0 3758.8 3759.0 3779.4 3781.3 3787.5 3786.9 3789.1 3787.5 3778.0 3774.9 3782.4	1101							
4N/09W-09N02 S		3845.0	7-16-57 7-24-57 8-13-57 8-21-57 8-28-57 9-24-57 10-28-57 12-02-57 1-06-58 1-28-58 2-26-58 3-31-58 5-20-58 6-24-58	83.8* 78.2* 81.9* 81.1* 82.7* 83.5* 72.4 71.1 66.4 66.4 65.0 63.8 68.1 70.8	3761.2 3766.8 3763.1 3763.9 3762.3 3761.5 3772.6 3773.9 3778.6 3778.6 3780.0 3781.2 3776.9 3774.2	1101	5N/09W-26D01 S  5N/09W-27A01 S  5N/09W-31R01 S		3355.0  3315.0  3434.0	10-30-57  10-30-57  7-16-57 8-28-57 9-24-57 10-28-57 12-02-57 1-06-58 1-28-58 3-04-58 4-22-58 5-20-58 6-24-58	304.4  330.4  26.0 28.3 28.6 29.7 24.3 10.6 10.2 8.4 6.5 13.3 9.6	3050.6  2984.6  3408.0 3405.7 3405.4 3404.3 3409.7 3423.4 3423.8 3425.6 3427.5 3420.7 3424.4	1101  1101  1101
4N/10W-02M01 S		3800.0**	10-28-57	34.4	3765.6	1101							
4N/10W-11A01 S		3811.0	10-28-57	25.9	3785.1	1101	5N/09W-31R02 S		3431.0	7-16-57 8-28-57 9-24-57 10-28-57 12-02-57 1-06-58 1-28-58	21.7 23.5 31.6 24.5 26.0 13.6 13.6	3409.3 3407.5 3399.4 3406.5 3405.0 3417.4 3417.4	1101
5N/09W-04B01 S		2883.0	10-31-57	117.0	2766.0	1101							
5N/09W-20J01 S		3166.0	3-11-58	246.0	2920.0	5050							
5N/09W-20K01 S		3177.8**	7-16-57 7-16-57	258.1* 258.1	2919.7 2919.7	1101							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY												
ROCK CREEK BASIN						ANTELOPE VALLEY						
						ROCK CREEK BASIN						
5N/09W-31R02 S	3431.0	3-04-58	5.6	3425.4	1101	6N/09W-29G01 S	2783.0	3-11-58	60.0	2723.0	5050	
CONT.		4-22-58	4.2	3426.8		6N/09W-30F01 S	2760.0	7-09-57	57.5	2702.5	1101	
		5-20-58	13.8	3417.2				7-31-57	57.0	2703.0		
		6-24-58	12.2	3418.8				9-03-57	57.1	2702.9		
5N/09W-34D01 S	3432.0	10-30-57	425.4	3006.6	1101			10-08-57	56.1	2703.9		
								10-28-57	54.1	2705.9		
5N/10W-04R01 S	2800.0	11-18-57	98.8	2701.2	5050			12-03-57	53.9	2706.1		
		3-11-58	99.5	2700.5				1-07-58	53.6	2706.4		
5N/10W-06N01 S	2777.0	7-09-57	127.4	2649.6	1101			2-17-58	53.3	2706.7		
		7-31-57	125.9	2651.1				3-04-58	52.8	2707.2		
		9-03-57	126.2	2650.8				3-31-58	52.2	2707.8		
		10-08-57	122.8	2654.2				4-22-58	51.1	2708.9		
		10-28-57	121.2	2655.8				5-06-58	50.3	2709.7		
		12-03-57	119.4	2657.6				6-10-58	36.4*	2723.6		
		1-07-58	118.3	2658.7		6N/09W-33R01 S	2850.0	11-18-57	102.0	2748.0	5050	
		2-17-58	117.2	2659.8				3-11-58	101.5	2748.5		
		3-04-58	116.7	2660.3		NORTH MUROC BASIN						
		3-31-58	116.2	2660.8					64408			
		4-22-58	116.7	2660.3		10N/09W-24A02 S	2287.0	7-16-57	72.3	2214.7	5000	
		5-06-58	116.4	2660.6				8-14-57	72.4	2214.6		
		6-10-58	115.9	2661.1				9-24-57	72.3	2214.7		
5N/10W-21J01 S	3088.0	10-30-57	25.2	3062.8	1101			3-11-58	72.4	2214.6		
5N/10W-29J01 S	3285.0**	10-28-57	93.3	3191.7	1101			4-09-58	72.5	2214.5		
								5-15-58	72.4	2214.6		
5N/10W-29K01 S	3276.0**	10-28-57	94.0	3182.0	1101	11N/08W-32G01 S	2342.0	7-16-57	128.8	2213.2	5000	
5N/10W-34N01 S	3552.0**	10-28-57	28.0	3524.0	1101			8-14-57	128.8	2213.2		
5N/10W-34P01 S	3553.0**	10-28-57	136.6	3416.4	1101			9-24-57	128.9	2213.1		
5N/11W-12Q01 S	2834.0	10-28-57	175.8	2658.2	1101			11-15-57	128.8	2213.2		
5N/11W-13J01 S	2913.0	10-31-57	247.7	2665.3	1101			2-03-58	128.8	2213.2		
5N/11W-21J01 S	3045.0	10-28-57	121.6	2923.4	1101	11N/09W-17N01 S	2325.0	3-10-58	128.9	2213.1		
								4-09-58	128.9	2213.1		
6N/08W-18D01 S	2725.0	10-30-57	167.3	2557.7	1101			5-14-58	128.9	2213.1		
6N/09W-14Q01 S	2718.0	11-18-57	149.5	2568.5	5050	11N/09W-30N01 S	2330.0	11-19-57	130.6	2194.4	5000	
		3-11-58	150.0	2568.0				3-04-58	130.7	2194.3		
6N/09W-29G01 S	2783.0	11-18-57	58.8	2724.2	5050			11-15-57	115.9	2214.1	5000	
								3-04-58	115.8	2214.2		
								3-10-58	115.7	2214.3		
								7-16-57	93.8	2209.2	5000	
								8-14-57	93.8	2209.2		

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ANTELOPE VALLEY						FREMONT VALLEY					
NORTH MUROC BASIN						64400					
11N/09W-34A01 S	2303.0	9-24-57	64408	2208.9	5000	10N/12W-20C03 S	2645.0	3-04-58	93.1	64600	5000
CONT.		10-16-57	94.1*	2209.2		29S/39E-20H01 M	2100.0	11-22-57	174.6	2551.9	5000
		11-15-57	93.8	2209.2		30S/37E-24M01 M	1985.0	2-13-58	174.5	1925.4	5000
		2-03-58	93.8	2209.2				11-22-57	43.8	1925.5	
		3-10-58	93.9	2209.1				2-26-58	43.8	1941.2	5000
		4-09-58	93.9	2209.1		30S/38E-32E01 M	1973.0			1941.2	
		5-14-58	93.9	2209.1				11-22-57	38.7	1934.3	5000
						30S/39E-00A01 M	2054.0	1-31-58	37.2	1935.8	
								11-22-57	138.4	1915.6	5000
								2-12-58	137.9	1916.1	
						31S/37E-08C01 M	2176.0	11-20-57	174.1	2001.9	5000
								3-04-58	174.3	2001.7	
						31S/37E-13B01 M	2141.0			1963.2	5000
								3-04-58	177.8		
						31S/37E-22O01 M	2360.0	11-22-57	269.3	2090.7	5000
						31S/37E-35N01 M	2321.0	3-04-58	243.7	2077.3	5000
						32S/36E-35D01 M	2700.0	8-14-57	263.9	2436.1	5000
								9-24-57	265.0	2435.0	
								10-15-57	265.0	2435.0	
								11-19-57	265.0	2435.0	
								12-20-57	265.0	2435.0	
								2-03-58	264.9	2435.1	
						32S/37E-01N01 M	2339.0	11-22-57	230.1	2108.9	5000
								2-03-58	229.7	2109.3	
						32S/37E-11N01 M	2376.0	3-04-58	279.1	2096.9	5000
						32S/38E-32N01 M	2372.0	11-19-57	246.6	2125.4	5000
								3-04-58	247.4	2124.6	



GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
-------------------	---------------------	------	--------------------------------------	------------------------------	-----------------------	-------------------	---------------------	------	--------------------------------------	------------------------------	-----------------------

HARPER VALLEY

HARPER VALLEY

64700

64700

10N/02W-19P01 S	2216.3	7-02-57 8-01-57 8-29-57 10-02-57 12-03-57 1-08-58 2-07-58 3-05-58 3-26-58 5-01-58 6-04-58	81.3 88.7 81.8 82.1 82.0 82.5 82.7 82.7 82.4 82.7 83.1	2135.0 2127.6 2134.5 2134.2 2134.3 2133.8 2133.6 2133.6 2133.9 2133.6 2133.2	5100	11N/04W-04R01 S	2040.0	3-11-58	35.9	2004.1	5000
						11N/04W-06E01 S	2060.6	12-03-57	34.6	2026.0	5100
						11N/03W-30A02 S		3-11-58	FLOW		5000
						11N/04W-06E01 S	2060.6	3-25-58 5-04-58	40.0 33.9	2020.6 2026.7	5100
						11N/04W-06M01 S	2060.0	11-08-57 3-11-58	54.3 57.5	2005.7 2002.5	5000
10N/03W-10R01 S	2135.0**	3-11-58	50.2	2084.8	5000	11N/04W-11H01 S	2076.1	12-03-57 3-25-58	134.1 131.2	1942.0 1944.9	5100
10N/03W-15H01 S	2145.0	12-02-57	61.8	2083.2	5100	11N/04W-12H01 S	2098.0	12-03-57 3-25-58	49.5 49.7	2048.5 2048.3	5100
10N/04W-03F01 S	2120.0**	11-08-57 3-11-58 3-25-58	157.2 155.9 160.2	1962.8 1964.1 1959.8	5000 5100	11N/04W-13H01 S	2041.2	12-03-57 3-25-58	103.3 98.9	1937.9 1942.3	5100
10N/05W-03J01 S	2271.0	11-08-57 3-11-58	224.3 224.1	2046.7 2046.9	5000	11N/04W-19L01 S	2060.0	11-08-57 3-11-58	136.7 134.6	1923.3 1925.4	5000
10N/06W-05E03 S	2470.0	12-02-57 3-25-58	210.5 204.5	2259.5 2265.5	5100	11N/04W-26M01 S	2020.0	12-03-57 3-25-58	31.8 31.8	1988.2 1988.2	5100
11N/03W-07D01 S	2084.0	11-08-57 3-11-58 3-25-58	58.2 58.5 60.5	2025.8 2025.5 2023.5	5000 5100	11N/04W-28N02 S	2048.0	12-03-57 3-25-58	94.4 88.7	1953.6 1959.3	5100
11N/03W-28R01 S	2074.7	12-03-57 3-25-58	32.5 32.6	2042.2 2042.1	5100	11N/04W-29R01 S	2051.0	11-08-57 3-11-58	97.6 96.7	1953.4 1954.3	5000
11N/03W-28R02 S	2077.0	11-08-57 3-11-58	28.9 29.0	2048.1 2048.0	5000	11N/04W-30P01 S	2100.0	11-08-57	158.9	1941.1	5000
11N/03W-30A01 S	2031.4	11-08-57 3-11-58	FLOW FLOW		5000	11N/05W-13H01 S	2037.6	12-03-57 3-25-58	88.1 84.7	1949.5 1952.9	5100
11N/03W-30A02 S	2034.2	11-08-57	FLOW		5000	11N/05W-24A01 S	2054.0	12-02-57 3-25-58	126.9 120.1	1927.1 1933.9	5100
11N/03W-32R01 S	2048.0	12-03-57 3-25-58	16.9 16.8	2031.1 2031.2	5100	11N/06W-31R01 S	2455.0	3-10-58	180.2	2274.8	5000
11N/03W-34F01 S	2085.5	12-03-57 3-25-58	39.4 39.6	2046.1 2045.9	5100						
11N/04W-04R01 S	2040.0	11-08-57	35.9	2004.1	5000						




# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SUPERIOR VALLEY						CUDDEBACK VALLEY					
				64900						65000	
31S/45E-01C01 M	3017.0**	11-07-57 3-10-58	117.6 117.5	2899.4 2899.5	5000	30S/42E-10L01 M	2580.0	11-06-57 3-10-58	70.8 70.8	2509.2 2509.2	5000
31S/46E-02M01 M	3015.0	11-07-57 3-10-58	99.8 99.6	2915.2 2915.4	5000	30S/42E-18R01 M	2625.0	3-10-58	100.7	2524.3	5000
31S/46E-12P01 M	3004.0	11-07-57 3-10-58	84.8 84.7	2919.2 2919.3	5000	30S/42E-20D01 M	2612.0	11-06-57 3-10-58	92.2 92.0	2519.8 2520.0	5000
31S/46E-21M01 M	3043.0**	11-07-57	108.4*	2934.6	5050	30S/42E-24L01 M	2656.0	11-06-57 3-10-58	147.3 147.5	2508.7 2508.5	5000
						31S/42E-05R01 M	2256.0	11-06-57 3-10-58	51.8 51.8	2204.2 2204.2	5000

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
INDIAN WELLS VALLEY				65400			DARWIN VALLEY					
26S/39E-20Q01 M	2423.2	7-19-57	216.8	2206.4	5000	19S/41E-16G01 M	3600.0	2-06-58	30.2	3569.8	5050	
		8-14-57	217.4	2205.8								
		9-19-57	216.9	2206.3								
		10-17-57	216.8	2206.4								
		11-20-57	216.8	2206.4								
		12-19-57	216.7	2206.5								
		2-05-58	216.4	2206.8								
		3-06-58	216.1	2207.1								
		4-08-58	217.1	2206.1								
		5-12-58	217.1	2206.1								
		6-19-58	217.1	2206.1								
26S/40E-28J01 M	2289.6	9-18-57	109.9	2179.7	5000							
		3-06-58	105.6	2184.0								





KEY MAP


LEGEND

- GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
- REGION BOUNDARY
- GROUND WATER VALLEY BOUNDARY
- GROUND WATER BASIN BOUNDARY
- S.B.S.M. - SAN BERNARDINO BASE AND MERIDIAN
- M.D.S.M. - MT. DIABLO BASE AND MERIDIAN

SAN BERNARDINO MERIDIAN


STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN  
CALIFORNIA DURING 1957-58

LOCATION OF GROUND WATER BASINS  
LAHONTAN REGION NO. 6



NUMERICAL DESIGNATIONS OF  
GROUND WATER BASINS


- |         |                            |
|---------|----------------------------|
| 6-9.00  | Mono Valley                |
| 6-10.00 | Adobe Lake Valley          |
| 6-11.00 | Long Valley                |
| 6-12.00 | Owens Valley               |
| 6-13.00 | Black Springs Valley       |
| 6-14.00 | Fish Lake Valley           |
| 6-15.00 | Deep Springs Valley        |
| 6-16.00 | Dureka Valley              |
| 6-17.00 | Saline Valley              |
| 6-18.00 | Death Valley               |
| 6-19.00 | Wingate Valley             |
| 6-20.00 | Middle Amargosa Valley     |
| 6-21.00 | Lower Kingston Valley      |
| 6-22.00 | Upper Kingston Valley      |
| 6-23.00 | Riggs Valley               |
| 6-24.00 | Red Pass Valley            |
| 6-25.00 | Bicycle Valley             |
| 6-26.00 | Avavatz Valley             |
| 6-27.00 | Leach Valley               |
| 6-28.00 | Pahrump Valley             |
| 6-29.00 | Mesquite Valley            |
| 6-30.00 | Ivanpah Valley             |
| 6-31.00 | Kelso Valley               |
| 6-32.00 | Broadwell Valley           |
| 6-33.00 | Soda Lake Valley           |
| 6-34.00 | Silver Lake Valley         |
| 6-35.00 | Cronise Valley             |
| 6-36.00 | Langford Valley            |
| 6-37.00 | Coyote Lake Valley         |
| 6-38.00 | Caves Canyon Valley        |
| 6-39.00 | Troy Valley                |
| 6-40.00 | Lower Mojave River Valley  |
| 6-41.00 | Middle Mojave River Valley |
| 6-42.00 | Upper Mojave River Valley  |
| 6-43.00 | El Mirage Valley           |
| 6-44.00 | Antelope Valley            |
| 6-44.01 | Neenach Basin              |
| 6-44.02 | Willow Springs Basin       |
| 6-44.03 | Gloster Basin              |
| 6-44.04 | Chaffee Basin              |
| 6-44.05 | Lancaster Basin            |
| 6-44.06 | Buttes Basin               |
| 6-44.07 | Rock Creek Basin           |
| 6-44.08 | North Muroc Basin          |
| 6-45.00 | Tehachapi Valley East      |
| 6-46.00 | Fremont Valley             |
| 6-47.00 | Harper Valley              |
| 6-48.00 | Goldstone Valley           |
| 6-49.00 | Superior Valley            |
| 6-50.00 | Cuddeback Valley           |
| 6-51.00 | Pilot Knob Valley          |
| 6-52.00 | Searles Valley             |
| 6-53.00 | Salt Wells Valley          |
| 6-54.00 | Indian Wells Valley        |
| 6-55.00 | Coso Valley                |
| 6-56.00 | Rose Valley                |
| 6-57.00 | Darwin Valley              |
| 6-58.00 | Panamint Valley            |



KEY MAP

- LEGEND
- 6-100 GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
  - GROUND WATER VALLEY BOUNDARY
  - GROUND WATER BASIN BOUNDARY
  - SSB & M - SAN BERNARDINO BASE AND MERIDIAN
  - MGB & M - MT. DIABLO BASE AND MERIDIAN

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN  
CALIFORNIA DURING 1957-58  
LOCATION OF GROUND WATER BASINS  
LAHONTAN REGION NO. 6





APPENDIX F

RECORDS OF GROUND WATER LEVELS AT WELLS  
COLORADO RIVER BASIN REGION NO. 7



APPENDIX F

RECORDS OF GROUND WATER LEVELS AT WELLS  
COLORADO RIVER BASIN REGION NO. 7





# TABLE OF CONTENTS

	<u>Page</u>
Sanfair Valley 70100 . . . . .	F- 1
Fenner Valley 70200 . . . . .	F- 1
Chuckawalla Valley 70500 . . . . .	F- 2
Fristol Valley 70300 . . . . .	F- 2
Dale Valley 70900 . . . . .	F- 3
Twentynine Palms Valley 71000 . . . . .	F- 3
Copper Mountain Valley 71100 . . . . .	F- 5
Marren Valley 71200 . . . . .	F- 6
Deadman Valley 71300 . . . . .	F- 6
Johnson Valley 71800 . . . . .	F- 7
Lucerne Valley 71900 . . . . .	F- 7
Morengo Valley 72000 . . . . .	F- 9
Coachella Valley 72100 . . . . .	F-10
Borrego Valley 72400 . . . . .	F-18
Cocotillo Valley 72500 . . . . .	F-19
San Felipe Valley 72700 . . . . .	F-20
Vallecito-Carrizo Valley 72800 . . . . .	F-20
Imperial Valley 73000 . . . . .	F-21
Jacumba Valley 74700 . . . . .	F-21

## PLATE

Plate No.

F-1

Bound at end of  
Appendix F



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
LANFAIR VALLEY				70100		FENNER VALLEY						
11N/17E-04R01 S	3500.0	5-22-58	15.0	3485.0	5050		6N/16E-06K01 S	1350.0	5-23-58	259.9	70200	5050
11N/17E-05R02 S	3598.0	5-22-58	86.9	3511.1	5050		7N/15E-35R01 S	1340.0	5-23-58	336.1	1090.1	5050
12N/15E-03L01 S	5040.0	5-22-58	25.8	5014.2	5050		7N/16E-01A01 S	1750.0	5-23-58	332.1	1003.9	5050
12N/17E-17J01 S	3900.0	5-22-58	405.2	3494.8	5050						1417.9	5050
14N/16E-15Q01 S	4875.0	5-22-58	26.8	4848.2	5050							
14N/16E-22M01 S	4925.0	5-22-58	16.0	4909.0	5050							
14N/17E-23L01 S	4403.0	5-22-58	178.8	4224.2	5050							

# GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		Slate Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
SINGAPORE VALLEY				70500	BRIAR VALLEY						70800	
5S/16E-05B01 S	555.0	5-10-58	68.3	486.2	5050		5N/12E-11B01	704.0	5-10-58	68.3	648.2	5050
5S/16E-05B01 S	555.0	5-10-58	68.0	554.0	5050		5N/12E-11X01	704.0	5-10-58	68.0	648.2	5050
5S/16E-05B01 S	555.0	5-10-58	72.0	482.8	5050		5N/12E-11X01	704.0	5-10-58	72.0	648.2	5050
5S/16E-08K01 S	556.0	5-10-58	64.2	471.1	5050		5N/12E-11X01 S	704.0	5-10-58	64.0	649.0	5050
5S/17E-20F01	465.0	5-10-58	41.2	423.8	5050		5N/12E-11X01 S	772.0	5-10-58	40.0	662.0	5050
5S/17E-30P01		5-10-58	DRY		5050		6N/12E-29P01	772.0	5-10-58	14.0	623.0	5050



GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
DALE VALLEY						TWENTYNINE PALMS VALLEY						
1N/09E-12G01 S	1736.0**	12-18-57 4-28-58	209.2 210.0	1526.8 1526.0	5100		1N/08E-01D01 S	1951.0	12-18-57 5-25-58	169.7 169.7	1781.3 1781.3	5100
1N/09E-14D01 S	1802.0	12-17-57 4-24-58	257.2 258.8	1544.8 1543.2	5100		1N/08E-09L01 S	2180.4	12-17-57	316.8	1863.6	5100
1N/09E-14L01 S	1756.0	12-17-57 4-24-58	210.0 210.0	1546.0 1546.0	5100		1N/08E-12G01 S	1973.7	12-18-57 4-25-58	198.0 197.9	1775.7 1775.8	5100
1N/10E-22J01 S	1638.0	4-24-58 12-17-57	298.4 299.6	1339.6 1338.4	5100		1N/08E-32D01 S	2496.0	4-25-58	216.5	2279.5	5100
1N/10E-24M01 S	1521.0	12-17-57 4-24-58	210.2 210.2	1310.8 1310.8	5100		1N/08E-33D01 S	2480.0**	4-24-58	251.2	2228.8	5100
1N/11E-25C01 S	1275.0	12-17-57 4-24-58	39.8 38.9	1235.2 1236.1	5100		1N/08E-36A01 S	2131.0	4-24-58	144.1	1986.9	5100
1N/12E-20D01 S	1220.0	12-17-57 4-24-58	29.2 28.8	1190.8 1191.2	5100		1N/09E-04N01 S	1787.9	12-18-57 4-25-58	22.3 DRY	1765.6	5100
1N/12E-20D02 S	1221.0	12-17-57	33.0	1188.0	5100		1N/09E-04N03 S	1786.9	12-18-57 4-25-58	13.3 13.2	1773.6 1773.7	5100
1N/12E-20D03 S	1221.0	4-24-58	26.5	1194.5	5100		1N/09E-05Q01 S	1791.0	12-18-57 4-25-58	21.2 20.9	1769.8 1770.1	5100
1N/12E-21L01 S	1200.0	12-17-57 4-24-58	10.2 10.1	1189.8 1189.9	5100		1N/09E-06E01 S	1837.2	12-18-57	64.6	1772.6	5100
1N/12E-22R01 S	1190.0	12-17-57 4-24-58	10.3 10.3	1179.7 1179.7	5100		1N/09E-06E02 S	1840.0	12-18-57	63.1	1776.9	5100
							1N/09E-06J01 S	1821.5	12-18-57 4-25-58	47.1 47.4	1774.4 1774.1	5100
							1N/09E-07H01 S	1843.7	12-18-57 4-25-58	69.3 69.9	1774.4 1773.8	5100
							1N/09E-08D02 S	1821.2	12-18-57 4-25-58	47.1 47.4	1774.1 1773.8	5100
							1N/09E-08H02 S	1819.0	12-18-57 4-25-58	44.9 45.2	1774.1 1773.8	5100
							1N/09E-09M02 S	1813.0	12-18-57 4-25-58	40.2 40.0	1772.8 1773.0	5100
							1N/09E-09Q01 S	1783.6	12-18-57 4-25-58	17.3 17.0	1766.3 1766.6	5100
							1N/09E-10D01 S	1805.0	12-18-57 4-25-58	274.0 273.4	1531.0 1531.6	5100
							1N/09E-16G01 S	1786.0	12-18-57	11.3	1774.7	5100

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TWENTYNINE PALMS VALLEY				71000		TWENTYNINE PALMS VALLEY				71000	
1N/09E-16G01 S	1786.0	4-25-58	13.7	1772.3	5100	1N/09E-30Q02 S	2121.2	4-24-58	139.6	1981.6	5100
1N/09E-16H01 S	1788.0	12-18-57 4-25-58	15.2 15.0	1772.8 1773.0	5100	1N/09E-31A01 S	2085.0	4-24-58	100.0	1985.0	5100
1N/09E-16P01 S	1800.0	12-18-57 4-25-58	22.6 23.1	1777.4 1776.9	5100	1N/09E-31C01 S	2104.0	4-24-58	118.4	1985.6	5100
1N/09E-17E01 S	1874.0	12-18-57 4-25-58	108.5 108.4	1765.5 1765.6	5100	1N/09E-32F01 S	2055.0	12-17-57 4-24-58	69.6 69.7	1985.4 1985.3	5100
1N/09E-19A01 S	1905.0	12-18-57 4-25-58	138.6 139.4	1766.4 1765.6	5100	1N/09E-32G01 S	2030.0	12-17-57 4-24-58	47.0 47.0	1983.0 1983.0	5100
1N/09E-21E01 S	1839.0	12-18-57 4-25-58	43.5 43.4	1795.5 1795.6	5100	1N/09E-32H02 S	1990.0	12-17-57 4-24-58	102.4 102.2	1887.6 1887.8	5100
1N/09E-22C02 S	1805.9	4-24-58	35.0	1770.9	5100	1N/09E-32J01 S	2046.9	12-17-57 4-24-58	62.9 63.8	1984.0 1983.1	5100
1N/09E-22D02 S	1815.0	12-17-57 4-24-58	44.5 44.8	1770.5 1770.2	5100	1N/09E-33F03 S	1990.0	12-17-57 4-24-58	1.3 1.5	1988.7 1988.5	5100
1N/09E-22D03 S	1813.7	12-17-57 4-24-58	42.1 42.1	1771.6 1771.6	5100	1N/09E-33J01 S	1962.1	12-17-57 4-24-58	3.0 2.6	1959.1 1959.5	5100
1N/09E-22E01 S	1827.6	12-17-57 4-24-58	54.1 54.0	1773.5 1773.6	5100	1N/09E-34A01 S	1950.0	12-17-57 4-24-58	152.9 152.8	1797.1 1797.2	5100
1N/09E-26N01 S	1934.4	12-17-57 4-24-58	149.6 148.4	1784.8 1786.0	5100	1N/09E-35F01 S	1972.2	12-17-57 4-24-58	117.2 116.4	1855.0 1855.8	5100
1N/09E-27C01 S	1863.2	12-17-57 4-24-58	80.1 81.6	1783.1 1781.6	5100	1N/09E-35N01 S	2080.9	4-24-58	107.9	1973.0	5100
1N/09E-27C02 S	1868.2	12-17-57 4-24-58	85.0 84.9	1783.2 1783.3	5100	2N/08E-26J01 S	1941.0	12-18-57 4-25-58	159.6 156.5	1781.4 1784.5	5100
1N/09E-27K01 S	1897.0	12-17-57 4-24-58	113.8	1783.2	5100	2N/08E-32K01 S	2225.0**	12-17-57	340.6	1884.4	5100
1N/09E-27M01 S	1902.0	12-17-57 4-24-58	116.0 118.7	1786.0 1783.3	5100	2N/09E-19N01 S	1834.0	12-18-57 4-25-58	70.3 70.0	1763.7 1764.0	5100
1N/09E-29F01 S	2080.1	12-17-57 4-24-58	294.2 295.2	1785.9 1784.9	5100	2N/09E-30A01 S	1771.0	12-18-57	DRY		5100
1N/09E-30Q01 S	2085.0	12-17-57 4-24-58	106.0 106.2	1979.0 1978.8	5100	2N/09E-30A02 S	1770.0	12-18-57 4-25-58	.4 .3	1769.6 1769.7	5100
1N/09E-30Q02 S	2121.2	12-17-57	139.5	1981.7	5100	2N/09E-31C01 S	1783.8	12-18-57 4-25-58	17.9 18.2	1765.9 1765.6	5100
						2N/09E-31J01 S	1766.0**	12-18-57	.2	1765.8	5100

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TWENTYNINE PALMS VALLEY						COPPER MOUNTAIN VALLEY					
2N/09E-31J01 S	1766.0**	4-25-58	.1	1765.9	5100	1N/06E-28L01 S	2971.2	12-16-57 4-25-58	212.6 212.2	2758.6 2759.0	5100
2N/09E-31R01 S	1765.0	12-18-57 4-25-58	18.6 17.0	1746.4 1748.0	5100	1N/06E-29L01 S	3150.0	12-16-57 4-23-58	182.7 171.9	2967.3 2978.1	5100
1S/09E-03D01 S	2076.4	12-17-57 4-24-58	93.4 98.9	1983.0 1977.5	5100	1N/06E-29N01 S	3190.0	12-16-57 4-23-58	237.8 239.0	2952.2 2951.0	5100
1S/11E-02B01 S	2700.0**	4-24-58	75.5	2624.5	5100	1N/06E-29R01 S	3156.0	12-16-57 4-23-58	255.1 256.5	2900.9 2899.5	5100
						1N/06E-31P01 S	3280.0	12-16-57 4-23-58	293.0 290.8	2987.0 2989.2	5100
						1N/07E-14N01 S	2351.0	12-16-57 4-23-58	185.3 185.3	2165.7 2165.7	5100
						1N/07E-21J01 S	2440.0	12-16-57 4-23-58	260.1 260.4	2179.9 2179.6	5100
						1N/07E-22E01 S	2425.0	4-23-58	254.4	2170.6	5100
						1N/07E-26D01 S	2382.0	12-16-57 4-23-58	211.8 212.7	2170.2 2169.3	5100
						1N/07E-26N01 S	2472.0	4-23-58	169.1	2302.9	5100
						1N/07E-30P01 S	2646.0	12-16-57 4-23-58	368.5 368.4	2277.5 2277.6	5100
						1N/07E-32C01 S	2671.0	12-16-57 4-23-58	304.6 303.0	2366.4 2368.0	5100
						1N/07E-35D01 S	2482.0**	4-23-58	181.1	2300.9	5100

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARREN VALLEY				71200		DEADMAN VALLEY						
1N/05E-34K01 S	3382.0	4-23-58	273.4	3108.6	5100	1N/06E-04Q01 S	3186.0	12-16-57 4-23-58	458.3 457.6	2727.7 2728.4	5100	
1N/05E-35K01 S	3298.0	12-16-57	181.3	3116.7	5100							
1N/05E-36H01 S	3211.5	12-16-57 4-23-58	120.9 117.4	3090.6 3094.1	5100	1N/06E-09Q01 S	3217.0	12-16-57 4-23-58	398.6 402.4	2818.4 2814.6	5100	
1N/05E-36K01 S	3234.0	12-16-57 4-23-58	128.7 129.3	3105.3 3104.7	5100	1N/06E-09Q02 S	3220.0	12-16-57 4-23-58	263.2* 283.2*	2956.8 2956.8	5100	
1S/05E-02A01 S	3292.0	12-16-57	186.6	3105.4	5100							
1S/05E-02B01 S	3282.0	12-16-57 4-23-58	173.8 174.4	3108.2 3107.6	5100							
1S/05E-02C01 S	3319.0	12-16-57 4-23-58	205.7 206.1	3113.3 3112.9	5100							
1S/05E-02C02 S	3314.0	12-16-57 4-23-58	201.9 200.6	3112.1 3113.4	5100							
1S/05E-03B01 S	3335.0	12-16-57	230.2	3104.8	5100							
1S/05E-04R02 S	3492.0	12-16-57 4-23-58	53.4 54.3	3438.6 3437.7	5100							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
JOHNSON VALLEY				71800	LUCERNE VALLEY						
4N/03E-24001 S	2834.0	11-06-57 3-09-58	54.8 54.7	2779.2 2779.3	5000	4N/01E-03P01 S	2933.0	11-14-57 3-09-58	102.2 102.4	2830.8 2830.6	5000
4N/04E-19C01 S	2775.0	11-06-57 3-09-58	45.1 44.3	2729.9 2730.7	5000	4N/01F-05H01 S	2906.0	11-14-57 3-09-58	100.9 97.6	2805.1 2808.4	5000
						4N/01E-06F01 S	2880.0	11-14-57 3-09-58	71.3 70.4	2808.7 2809.6	5000
						4N/01E-06R01 S	2896.0	11-20-57 4-22-58	85.7 91.1	2810.3 2804.9	5100
						4N/01E-07R01 S	2940.0 2946.0 2940.0	11-20-57 3-09-58 4-22-58	97.9 97.6 99.8	2842.1 2848.4 2840.2	5100 5000 5100
						4N/01E-12P01 S	2971.3	11-20-57 4-22-58	124.3 124.5	2847.0 2846.8	5100
						4N/01E-13M01 S	3020.0	11-14-57 3-09-58	171.5 171.6	2848.5 2848.4	5000
						4N/01E-17K01 S	2990.0	11-14-57 3-09-58	131.1 131.1	2858.9 2858.9	5000
						5N/01E-06C01 S	2970.0	11-20-57 4-22-58	159.3 159.8	2810.7 2810.2	5100
						5N/01E-06N01 S	2919.0	11-20-57 4-22-58	111.2 111.5	2807.8 2807.5	5100
						5N/01E-08C01 S	2936.0	11-14-57 3-09-58	117.0 117.4	2819.0 2818.6	5000
						5N/01E-10H02 S	3033.0	11-14-57 3-09-58	200.2 200.7	2832.8 2832.3	5000
						5N/01E-17C02 S	2886.0**	4-22-58	80.2	2805.8	5100
						5N/01E-20E01 S	2855.0	11-20-57 4-22-58	53.6 53.8	2801.4 2801.2	5100
						5N/01E-25F01 S	2860.0	11-14-57 3-09-58	56.2 54.6	2803.8 2805.4	5000
						5N/01E-27H01 S	2931.0	11-14-57 3-09-58	91.7 91.0	2839.3 2840.0	5000
						5N/01E-32C01 S	2870.5	11-14-57	69.4	2801.1	5000



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
LUCERNE VALLEY						LUCERNE VALLEY					
5N/01E-32C01 S	2870.5	3-09-58	61.1	2809.4	5000	5N/01W-12B01 S	2890.0	4-22-58	83.9	2806.1	5100
5N/01E-33F02 S	2888.0	11-20-57 4-22-58	75.7 73.7	2812.3 2814.3	5100	5N/01W-22B01 S	2850.0	11-14-57 3-09-58	49.6 45.3	2800.4 2804.7	5000
6N/01E-31Q01 S	3020.0	11-20-57	225.0	2795.0	5100	5N/01W-25G01 S	2851.0	11-14-57 3-09-58	45.0 44.1	2806.0 2806.9	5000
4N/01W-07R01 S	2935.0**	11-20-57 4-22-58	14.6 14.8	2920.4 2920.2	5100	5N/01W-35Q01 S	2856.0	11-14-57 3-09-58	37.0 36.4	2819.0 2819.6	5000
4N/01W-09Q01 S	2976.0	11-20-57 4-22-58	42.4 41.6	2933.6 2934.4	5100	6N/01W-05J01 S	3230.0	11-20-57 4-22-58	123.5 123.2	3106.5 3106.8	5100
4N/01W-09R01 S	2970.0	11-20-57	41.2	2928.8	5100	6N/01W-05R01 S	3210.0	11-20-57 4-22-58	148.2 148.5	3061.8 3061.5	5100
4N/01W-11Q01 S	2933.9 2970.0 2933.9	11-20-57 3-09-58 4-22-58	55.1 53.9* 53.3	2878.8 2916.1 2880.6	5100 5000 5100	6N/01W-22P01 S	3050.0	11-20-57	159.4	2890.6	5100
4N/01W-12F01 S	2916.0	11-14-57 3-09-58	89.6 97.8	2826.4 2818.2	5000	6N/01W-27B01 S	3041.0	11-14-57 3-09-58	150.3 150.4	2890.7 2890.6	5000
4N/01W-12M01 S	2930.0	11-14-57 3-09-58	73.2 73.4	2856.8 2856.6	5000	6N/01W-35A01 S	2970.0	11-14-57 3-09-58	154.6 155.1	2815.4 2814.9	5000
4N/01W-14B01 S	2945.0	11-14-57 3-09-58	FLOW FLOW		5000						
4N/01W-14P01 S	3026.0	11-14-57 3-09-58	26.5 28.7	2999.5 2997.3	5000						
4N/01W-18E01 S	2970.5	11-20-57 4-22-58	56.2 56.6	2914.3 2913.9	5100						
4N/01W-21E02 S	3090.0	11-14-57 3-09-58	144.1 144.1	2945.9 2945.9	5000						
4N/02W-13A01 S	2970.2	11-20-57 4-22-58	66.6 67.1	2903.6 2903.1	5100						
5N/01W-01G01 S	2921.0	11-20-57	111.6	2809.4	5100						
5N/01W-01L01 S	2902.0	4-22-58	95.3	2806.7	5100						
5N/01W-01R03 S	2891.0	11-14-57 3-09-58	85.2 84.0	2805.8 2807.0	5000						
5N/01W-12B01 S	2890.0	11-20-57	85.6	2804.4	5100						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
MORONGO VALLEY						72000	MORONGO VALLEY					
1S/04E-14N01 S	2730.0	12-16-57 4-23-58	181.8 182.9	2548.2 2547.1	5100		2S/01E-29P01 S	3278.0	12-13-57 2-07-58 4-11-58 6-11-58	180.8 175.7 170.1 169.5	3097.2 3102.3 3107.9 3108.5	5713
1S/04E-22J01 S	2745.0	12-16-57 4-22-58	167.1 170.3	2577.9 2574.7	5100		2S/01E-33K01 S	2804.0	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	22.7 22.8 23.1 23.1 18.2 1.8	2781.3 2781.2 2780.9 2780.9 2785.8 2802.2	5713
1S/04E-23D02 S	2758.0	12-16-57 4-23-58	132.8 134.3	2625.2 2623.7	5100		3S/01E-03C01 S	2592.4	10-02-57 12-13-57 2-07-58 4-11-58	97.9 83.7 80.0 71.7	2494.5 2508.7 2512.4 2520.7	5713
1S/04E-28K01 S	2565.0	12-16-57 4-23-58	23.5 39.9	2541.5 2525.1	5100		3S/01E-07E01 S	2521.0	4-11-58	276.1	2244.9	5713
1S/04E-29J01 S	2608.0	12-16-57 4-23-58	84.7 84.7	2523.3 2523.3	5100		3S/01E-08P01 S	2415.5	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	384.5 383.4 383.0 383.2 384.4 384.5	2031.0 2032.1 2032.5 2032.3 2031.1 2031.0	5713
1S/04E-32C01 S	2648.0	12-16-57 4-23-58	117.8 118.5	2530.2 2529.5	5100		3S/01W-01N01 S	2603.1	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	317.1 317.9 318.5 318.9 318.8 319.4	2286.0 2285.2 2284.6 2284.2 2284.3 2283.7	5713
1S/04E-32G01 S	2635.0	12-16-57 4-23-58	57.3 57.6	2577.7 2577.4	5100		3S/01W-12E01 S	2580.0	12-13-57 2-07-58 4-11-58	294.1 292.3 294.6	2285.9 2287.7 2285.4	5401
1S/04E-33C01 S	2551.0	12-16-57 4-23-58	3.8 3.8	2547.2 2547.2	5100		3S/01W-12H01 S	2544.3	10-02-57 12-13-57 2-08-58 4-11-58 6-11-58	291.3 291.1 291.7 291.2 292.7	2253.0 2253.2 2252.6 2253.1 2251.6	5713
2S/01E-03X01 S	5000.0	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	1.9 3.2 4.2 1.2 FLOW FLOW	4998.1 4996.8 4995.8 4998.8	5713							
2S/01E-03X02 S	5000.0	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	25.1 29.3 32.7 29.0 FLOW FLOW	4974.9 4970.7 4967.3 4971.0	5713							
2S/01E-17F01 S	3730.0	2-07-58 4-11-58 6-11-58	48.9 16.8 17.3	3681.1 3713.2 3712.7	5713							
2S/01E-29C01 S	3442.0	6-11-58	164.2	3277.8	5713							
2S/01E-29D01 S	3455.0	12-13-57 2-07-58 4-11-58 6-11-58	183.5 162.9 157.4 143.6	3271.5 3292.1 3297.6 3311.4	5713							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
COACHELLA VALLEY						72100	COACHELLA VALLEY						72100
2S/O1E-08M01 S	3988.0**	10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	75.7 74.8 74.7 38.9* 38.9	3912.3 3913.2 3913.3 3949.1 3949.1	5713	2S/O1E-33J01 S CONT.	7500.2	2-03-58 3-03-58 4-07-58 4-28-58 5-05-58 6-02-58	65.0 59.0 49.0 37.0 30.0 46.0	7435.2 7441.2 7451.2 7463.2 7470.2 7454.2	4103		
2S/O1E-17L01 S	3696.0	7-01-57 8-05-57 9-02-57 10-07-57 11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-07-58 5-05-58 6-16-58	21.0 38.0 36.0 39.0 32.0 31.0 20.0 10.0 4.0 FLOW FLOW FLOW	3675.0 3658.0 3660.0 3657.0 3664.0 3685.0 3676.0 3686.0 3692.0	4103	2S/O1E-33J02 S	7680.2	7-01-57 8-05-57 9-02-57 10-07-57 11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-07-58 5-05-58 6-02-58	86.0 84.0 84.0 85.0 71.0 70.0 73.0 75.0 72.0 55.0 27.0 18.0 14.0	7594.2 7596.2 7596.2 7595.2 7609.2 7610.2 7607.2 7605.2 7608.2 7625.2 7653.2 7662.2 7666.2	4103		
2S/O1E-20M01 S	3395.0**	12-13-57 2-07-58 6-11-58	98.2 94.0 69.1	3296.8 3301.0 3325.9	5713	2S/O4E-25J01 S	1164.0	7-05-57 8-05-57 9-10-57 10-30-57 12-10-57 1-10-58 2-18-58 3-12-58 4-20-58 6-06-58 6-30-58	131.8 132.1 132.2 132.8 133.1 133.0 133.5 133.7 133.8 134.0 134.3	1032.2 1031.9 1031.8 1031.2 1030.9 1031.0 1030.5 1030.3 1030.2 1030.0 1029.7	4103		
2S/O1E-29H01 S	3158.0	7-01-57 8-05-57 9-02-57 10-07-57 11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-07-58 5-05-58 6-02-58	87.0 101.0 102.0 97.0 91.0 77.0 65.0 50.0 57.0 26.0 2.0 FLOW	3071.0 3057.0 3056.0 3061.0 3067.0 3081.0 3093.0 3108.0 3101.0 3132.0 3156.0	4103	2S/O5E-30Q01 S	1101.0	10-30-57	95.4	1005.6	4103		
2S/O1E-29Q03 S	3260.0**	12-13-57 2-07-58 4-11-58	174.5 169.7 165.7	3085.5 3090.3 3094.3	5713	3S/O1E-08P01 S	2410.0	4-28-58	370.0	2040.0	4103		
2S/O1E-33J01 S	7500.2	7-01-57 8-05-57 9-02-57 10-07-57 11-04-57 12-02-57 1-06-58	90.0 70.0 74.0 71.0 58.0 60.0 60.0	7410.2 7430.2 7426.2 7429.2 7442.2 7440.2 7440.2	4103	3S/O3E-08M01 S	1344.5 1344.5 1344.0 1344.5 1344.5 1344.0 1344.0	209.3 209.3 209.6 209.5 210.0 210.7 210.8 210.8 210.9	1135.2 1134.7 1134.4 1134.4 1135.0 1134.0 1134.5 1133.3 1133.7 1133.2 1133.1	4103 4100 4103 4100 4103 4103 4103 4103 4100			

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						COACHELLA VALLEY					
3S/03E-08M01 S	1344.5	12-10-57	210.9	1133.6	4103	3S/04E-32B01 S	790.0	5-06-58	469.7	72100	4100
CONT.	1344.0	1-10-58	210.9	1133.1	4100					320.3	
	1344.5	1-10-58	210.9	1133.6	4103	3S/05E-08M01 S	861.0	7-05-57	66.7*	794.3	4103
	1344.0	2-18-58	211.9	1132.1	4100			8-05-57	64.5	796.5	
	1344.5	2-18-58	211.9	1132.6	4103			9-10-57	68.0*	793.0	
	1344.0	3-12-58	212.1	1131.9	4100			10-30-57	65.3*	795.7	
	1344.5	3-12-58	212.1	1132.4	4103			12-10-57	64.3	796.7	
	1344.0	4-30-58	212.3	1131.7	4100			1-10-58	67.6*	793.4	
	1344.5	4-30-58	212.3	1132.2	4103			2-18-58	64.6	796.4	
	1344.0	5-05-58	211.7	1132.3	4100			3-12-58	64.5	796.5	
	1344.5	6-06-58	212.4	1132.1	4103			4-30-58	64.7	796.3	
		6-30-58	212.7	1131.8				6-06-58	69.4*	791.6	
3S/03E-09Q01 S	1215.0	7-24-57	507.2	707.8	4100	3S/05E-17J01 S	810.0	5-02-58	34.9	775.1	4100
		12-10-57	512.6	702.4							
3S/04E-10J01 S	870.0	10-30-57	107.6	762.4	4103	3S/05E-17K01 S	780.0	10-30-57	37.1	742.9	4103
		4-30-58	108.5	761.5		3S/05E-19B01 S	690.0	12-09-57	FLOW		4100
3S/04E-11B01 S	911.0	7-05-57	145.1	765.9	4103			5-02-58	FLOW		
		8-05-57	145.1	765.9							
		9-10-57	145.2	765.8		3S/06E-36P01 S	710.0	1-21-58	78.0	632.0	4100
		10-30-57	145.8	765.2				5-08-58	76.2	633.8	
		1-10-58	145.6	765.4							
		2-18-58	147.0	764.0		4S/04E-01N01 S	482.0	8-03-57	254.0	228.0	4103
		4-30-58	146.1	764.9				9-12-57	254.5	227.5	
3S/04E-11H01 S	871.0	8-02-57	101.2*	769.8	4103			10-15-57	255.0	227.0	
		9-10-57	104.5*	766.5				12-16-57	256.6	225.4	
								1-22-58	256.4	225.6	
								2-19-58	256.0	226.0	4700
3S/04E-13N01 S	1100.0	12-09-57	219.3	880.7	4100			2-19-58	256.0	226.0	4103
		5-02-58	219.1	880.9				3-19-58	256.3	225.7	4700
3S/04E-17K01 S	900.0	12-06-57	331.8	568.2	4100			3-19-58	256.3	225.7	4103
		5-07-58	333.5	566.5				4-17-58	256.7	225.3	4700
3S/04E-21D01 S	825.0	12-06-57	437.7	387.3	4100			4-17-58	256.7	225.3	4103
		5-06-58	440.5	384.5				5-23-58	256.9	225.1	4700
3S/04E-22A01 S	710.0	5-06-58	163.5	546.5	4100	4S/04E-11K01 S	480.0	6-23-58	257.0	225.0	
3S/04E-23M01 S	655.0	12-06-57	228.0	427.0	4100			8-03-57	244.5	235.5	4700
		5-06-58	254.6	400.4				9-12-57	244.9	235.1	
3S/04E-30C01 S	950.0	12-10-57	532.2	417.8	4100			10-15-57	245.0	235.0	
		5-06-58	531.5	418.5				11-18-57	245.2	234.8	
								12-16-57	245.2	234.8	
3S/04E-32B01 S	790.0	12-05-57	467.3	322.7	4100			1-22-58	245.8	234.2	
								2-22-58	246.0	234.0	
								3-19-58	246.3	233.7	
								4-21-58	246.6	233.4	
								5-23-58	246.7	233.3	



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						COACHELLA VALLEY					
4S/04E-11K01 S	480.0	6-23-58	246.8	233.2	4700	4S/04E-25H01 S CONT.	425.0	3-19-58	189.1	235.9	4700
4S/04E-11Q01 S	464.0	8-03-57	223.2	240.8	4700	4S/05E-15R01 S	355.0	6-23-58	183.3	241.6	
		10-15-57	223.2	240.8				12-10-57	170.1	184.9	4100
		11-18-57	223.2	240.8				5-07-58	172.0	183.0	
		12-16-57	223.2	240.8		4S/05E-16N01 S	370.0	12-10-57	163.5	206.5	4100
		1-14-58	223.4	240.6				5-09-58	164.4	205.6	
		2-22-58	223.8	240.2		4S/05E-17N01 S	380.0	12-06-57	165.8	214.2	4100
		3-19-58	224.2	239.8				5-09-58	166.4	213.6	
		4-21-58	224.6	239.4		4S/05E-19D01 S	342.0	8-01-57	165.2	176.8	4700
		5-26-58	225.2	238.8				9-14-57	165.8	176.2	
		6-24-58	224.6	239.4				10-15-57	166.3	175.7	
4S/04E-13P01 S	411.7	12-12-57	187.1	224.6	4100			11-18-57	166.5	175.5	
		5-07-58	187.1	224.6				1-22-58	167.0	175.0	
4S/04E-15J01 S	490.0	12-12-57	215.0	275.0	4100			2-22-58	167.2	174.8	
		5-09-58	217.0	273.0				3-19-58	167.4	174.6	
4S/04E-23C01 S	428.2	8-01-57	204.6	223.6	4700			4-21-58	167.3	174.7	
		9-12-57	206.0	222.2		4S/05E-21F01 S	360.0	5-24-58	166.4	175.6	4100
		10-15-57	206.0	222.2				6-23-58	166.2	175.8	
		11-18-57	204.4	223.8				12-13-57	169.0*	191.0	
		12-16-57	204.0	224.2				5-09-58	165.6*	194.4	
		1-22-58	204.0	224.2		4S/05E-21H01 S	360.0	7-18-57	170.0	190.0	4100
		2-22-58	204.0	224.2				10-11-57	170.9	189.1	
		3-19-58	204.5	223.7				12-13-57	171.2	188.8	
		4-22-58	205.2	223.0				5-09-58	171.8	188.2	
		5-23-58	204.0*	224.2				12-13-57	152.1	202.9	4100
		6-23-58	203.0*	225.2				5-09-58	153.3	201.7	
4S/04E-23E01 S	435.0	11-18-57	209.4	225.6	4700	4S/05E-22A01 S	355.0	12-10-57	170.0	185.0	4100
		1-22-58	209.4	225.6				5-09-58	170.7	184.3	
		2-19-58	209.8	225.2		4S/05E-27N01 S	290.0	12-13-57	131.8	158.2	4100
		3-19-58	210.3	224.7				5-09-58	132.3	157.7	
		4-17-58	208.8	226.2		4S/05E-29A01 S	345.0	12-12-57	144.3	200.7	4100
		6-27-58	209.8	225.2				5-05-58	145.2	199.8	
4S/04E-25D01 S	440.0	12-12-57	204.8	235.2	4100	4S/05E-29K01 S	350.0	12-13-57	134.6	215.4	4100
		5-07-58	203.0	237.0				5-09-58	134.7	215.3	
4S/04E-25H01 S	425.0	8-01-57	186.8	238.2	4700	4S/05E-29R01 S	295.0	12-12-57	138.4	156.6	4100
		9-12-57	187.5	237.5							
		10-15-57	188.1	236.9							
		11-18-57	188.3	236.7							
		12-16-57	188.6	236.4							
		1-22-58	189.0	236.0							
		2-22-58	189.1	235.9							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						COACHELLA VALLEY					
4S/05E-29R01 S	295.0	5-05-58	140.5	721.00	4100	4S/05E-36N01 S	275.0	5-15-58	115.4	721.00	4100
4S/05E-33B01 S	290.0	7-18-57	138.0*	152.0	4100	4S/05E-36P01 S	285.0	12-18-57	121.7	163.3	4100
		10-11-57	138.6*	151.4				5-15-58	122.9	162.1	
		12-13-57	139.0*	151.0							
		1-22-58	132.2	157.8				7-23-57	254.6	115.4	4100
		2-22-58	131.8	158.2				10-15-57	251.5	118.5	
		4-25-58	131.0	159.0				1-22-58	252.0	118.0	
		5-09-58	138.4*	151.6				5-08-58	252.6	117.4	
4S/05E-33D01 S	285.0	9-13-57	128.5	156.5	4103	4S/06E-11M01 S	500.0	1-21-58	8.1	491.9	4100
		10-15-57	130.5	154.5				5-07-58	8.2	491.8	
		10-24-57	129.7	155.3							
		11-18-57	130.7	154.3		4S/06E-17R01 S	220.0	1-21-58	99.6	120.4	4100
		12-16-57	130.8	154.2				5-08-58	100.0	120.0	
		1-22-58	131.0	154.0		4S/06E-18N01 S	246.0	7-17-57	89.5	156.5	4100
		2-22-58	130.5	154.5				10-11-57	88.8	157.2	
		3-20-58	130.0	155.0				1-21-58	89.2	156.8	
		4-25-58	130.4	154.6				5-05-58	90.0	156.0	
		5-24-58	130.5	154.5							
		6-23-58	129.8	155.2		4S/06F-18P01 S	240.0	1-22-58	93.0	147.0	4100
4S/05E-35C01 S	290.0	7-25-57	130.8	159.2	4100			5-05-58	94.4	145.6	
		10-11-57	131.2	158.8							
		12-17-57	131.0	159.0		4S/06F-18P02 S	250.0	1-21-58	93.1	156.9	4100
		5-16-58	131.4	158.6				4-30-58	94.1	155.9	
4S/05E-35E01 S	270.0	12-17-57	121.5	148.5	4100	4S/06E-18Q01 S	250.0	1-22-58	104.9	145.1	4100
		5-16-58	123.3	146.7				5-01-58	104.6	145.4	
4S/05E-35G01 S	238.0	12-17-57	126.3	111.7	4100	4S/06E-18Q02 S	250.0	1-22-58	107.7	142.3	4100
		5-16-58	151.8*	86.2				5-01-58	109.0	141.0	
4S/05E-35L01 S	270.0	12-18-57	119.7	150.3	4100	4S/06E-18R01 S	245.0	1-22-58	110.8	134.2	4100
		5-16-58	119.6	150.4				5-01-58	112.4	132.6	
4S/05E-35Q01 S	250.0	12-17-57	120.5	129.5	4100	4S/06E-19C01 S	230.0	1-22-58	86.9	143.1	4100
		5-16-58	122.6	127.4				5-01-58	88.2	141.8	
4S/05E-36D01 S	310.0	7-25-57	182.5	127.5	4100	4S/06E-19J01 S	210.0	1-22-58	84.2	125.8	4100
		10-11-57	181.0	129.0				4-30-58	89.6	120.4	
		12-17-57	185.7	124.3							
		5-16-58	181.3	128.7		4S/06E-21N01 S	180.0	5-02-58	79.0	101.0	4100
4S/05E-36G01 S	310.0	12-17-57	179.0	131.0	4100	4S/06E-22C01 S	195.0	1-21-58	125.5	69.5	4100
		5-16-58	187.5	122.5							
4S/05E-36N01 S	275.0	12-18-57	114.5	160.5	4100	4S/06E-22J01 S	225.0	1-22-58	138.0	87.0	4100
								5-08-58	138.5	86.5	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						COACHELLA VALLEY					
4S/06E-22K01 S	215.0	1-22-58 5-08-58	130.3 123.5	84.7 81.5	4100	4S/07E-30M01 S	150.0	2-07-58 4-29-58	103.4 106.8	46.6 43.2	4100
4S/06E-25J01 S	178.0	7-17-57 10-09-57 12-11-57 2-06-58 4-29-58	114.0 110.8 105.1 104.6 111.0	64.0 67.2 72.0 73.4 67.0	4100	4S/07E-32F01 S	90.0	1-24-58 4-29-58	60.3 63.8	29.7 26.2	4100
4S/06E-27L01 S	160.0	1-23-58 4-30-58	89.2 93.0	70.7 67.0	4100	4S/07E-33N01 S	70.0	1-24-58 4-29-58 5-02-58	47.7 73.4* 52.5	22.3 3.4 17.5	4100
4S/06E-27M01 S	170.0	1-23-58 4-30-58	88.5 92.2	81.5 77.8	4100	5S/05E-01C01 S	265.0	12-18-57 5-14-58	120.3 119.7	144.7 145.3	4100
4S/06E-27N01 S	180.0	7-18-57 10-14-57 1-21-58 4-30-58	95.3 77.4 72.9 88.3	84.7 102.6 87.1 91.7	4100	5S/05E-01D02 S	260.0	12-18-57 5-08-58	116.2 119.5	143.8 140.5	4100
4S/06E-28E01 S	180.0	1-23-58 4-30-58	76.1 78.8	103.9 101.2	4100	5S/05E-01D02 S	260.0	12-18-57 5-08-58	118.6 119.0	141.4 141.0	4100
4S/06E-28J02 S	175.0	1-20-58 5-02-58	74.5 81.8	100.5 93.2	4100	5S/05E-01E02 S	250.0	12-18-57	116.8	133.2	4100
4S/06E-28K02 S	175.0	2-06-58 5-02-58	72.5 92.8	102.5 92.2	4100	5S/05E-01F01 S	260.0	12-18-57 5-14-58 5-15-58	119.0 120.6 123.7*	141.0 139.4 136.3	4100
4S/06E-29B01 S	185.0	5-02-58	77.2	107.8	4100	5S/05E-01L01 S	250.0	12-18-57	118.5	131.5	4100
4S/06E-29E01 S	265.0	1-24-58 5-09-58	131.7 132.5	133.3 132.5	4100	5S/05E-01L02 S	250.0	12-18-57	121.7	128.3	4100
4S/06E-34C01 S	160.0	2-06-58	64.5	95.5	4100	5S/05E-01M01 S	240.0	12-18-57	119.7	120.3	4100
4S/06E-34D01 S	160.0	2-16-58	76.5	83.5	4100	5S/05E-01M03 S	240.0	9-18-57	119.4	120.6	4100
4S/06E-34F01 S	175.0	2-06-58 5-02-58	81.4 90.0	93.6 85.0	4100	5S/05E-01P01 S	245.0	12-18-57 5-14-58	119.2 121.7	125.8 123.3	4100
4S/06E-34K01 S	165.0	1-23-58	98.6	66.4	4100	5S/05E-01Q01 S	245.0	1-20-58	115.9	129.1	4100
4S/06E-34Q01 S	190.0	1-20-58 4-30-58	59.7 60.0	130.3 130.0	4100	5S/05E-01R01 S	250.0	1-20-58	114.3	135.7	4100
4S/07E-30E01 S	165.0	2-07-58 4-30-58	109.2 117.5	55.8 47.5	4100	5S/05E-01R02 S	245.0	1-20-58 5-14-58	113.7 116.0	131.3 129.0	4100
						5S/05E-02F01 S	250.0	7-18-57 10-11-57 12-16-57 5-15-58	121.3 121.5 120.6 121.3	128.7 128.5 129.4 128.7	4100

# GROUND WATER LEVELS AT WELLS

COACHELLA VALLEY										COACHELLA VALLEY									
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
5S/05E-02K01	245.0	12-16-57	116.7	128.3	4100	5S/05E-12H01	235.0	5-14-58	114.0	721.00	4100	5S/05E-12H01	235.0	5-14-58	114.0	721.00	4100		
5S/05E-02K02	245.0	12-16-57	117.0	129.0	4100	5S/05E-13A01	265.0	1-20-58	116.0	149.0	4100	5S/05E-13A01	265.0	1-20-58	116.0	149.0	4100		
5S/05E-02L01	260.0	7-18-57	121.3	133.2	4100	5S/06E-06N01	260.0	1-20-58	113.4	146.6	4100	5S/06E-06N01	260.0	1-20-58	113.4	146.6	4100		
		10-11-57	122.0	137.4		5S/06E-06P01	265.0	1-20-58	114.5	150.5	4100	5S/06E-06P01	265.0	1-20-58	114.5	150.5	4100		
		12-16-57	120.5	139.5				5-16-58	120.2	144.8				5-16-58	120.2	144.8			
		5-15-58	121.8	138.2		5S/06E-13K01	140.0	7-19-57	122.1	17.2	4100	5S/06E-13K01	140.0	7-19-57	122.1	17.2	4100		
5S/05E-02N01	275.0	12-16-57	120.8	154.2	4100			10-14-57	121.2	18.8				10-14-57	121.2	18.8			
		5-15-58	120.5*	154.5				1-24-58	120.4	19.5				1-24-58	120.4	19.5			
		5-16-58	119.0	162.0				5-01-58	120.0	20.0				5-01-58	120.0	20.0			
5S/05E-02P01	245.0	12-16-57	111.0	134.0	4100	5S/06E-22Q01	222.0	7-19-57	115.7	106.3	4100	5S/06E-22Q01	222.0	7-19-57	115.7	106.3	4100		
		5-15-58	118.4*	126.6				10-11-57	114.5	107.5				10-11-57	114.5	107.5			
5S/05E-02P02	250.0	12-16-57	122.5	127.5	4100	5S/06E-28R01	340.0	7-23-57	249.2	20.8	4100	5S/06E-28R01	340.0	7-23-57	249.2	20.8	4100		
		5-15-58	121.0	129.0				10-15-57	251.3	48.7				10-15-57	251.3	48.7			
5S/05E-02P03	250.0	12-16-57	121.0	129.0	4100			12-17-57	248.5	21.5				12-17-57	248.5	21.5			
		5-15-58	121.8	129.2		5S/06E-29R01	420.0	7-23-57	318.7	21.2				7-23-57	318.7	21.2			
5S/05E-03A01	265.0	12-16-57	123.4	141.6	4100			10-15-57	312.4	101.3	4100			10-15-57	312.4	101.3	4100		
		1-22-58	124.0	141.0				12-17-57	312.3	107.7				12-17-57	312.3	107.7			
		2-23-58	123.0	142.0				5-19-58	313.4	106.6				5-19-58	313.4	106.6			
		7-23-58	123.1	141.9															
		4-29-58	124.1	140.9		5S/06E-36L01	52.0	7-18-57	91.8	- 39.8	4100	5S/06E-36L01	52.0	7-18-57	91.8	- 39.8	4100		
5S/05E-11A01	245.0	12-16-57	119.0	126.0	4100			10-04-57	90.1	- 38.1				10-04-57	90.1	- 38.1			
		5-14-58	117.5	127.5				1-24-58	87.2	- 35.2				1-24-58	87.2	- 35.2			
5S/05E-12B01	240.0	1-20-58	115.2	124.8	4100			4-24-58	87.9	- 35.9				4-24-58	87.9	- 35.9			
		5-19-58	117.4	122.6		5S/07E-04A01	45.0	1-23-58	45.9	- .9	4100	5S/07E-04A01	45.0	1-23-58	45.9	- .9	4100		
5S/05E-12C01	240.0	12-16-57	116.6	123.4	4100			5-01-58	66.6*	- 21.6				5-01-58	66.6*	- 21.6			
		5-15-58	127.0*	113.0		5S/07E-04D01	70.0	1-23-58	48.8	21.2	4100	5S/07E-04D01	70.0	1-23-58	48.8	21.2	4100		
		5-16-58	120.6	119.4				4-29-58	52.0	18.0				4-29-58	52.0	18.0			
5S/05E-12G01	235.0	1-20-58	114.0	121.0	4100	5S/07E-04M01	45.0	2-07-58	41.8	3.2	4100	5S/07E-04M01	45.0	2-07-58	41.8	3.2	4100		
		5-14-58	114.8	120.2				5-01-58	73.9*	- 28.9				5-01-58	73.9*	- 28.9			
5S/05E-12G02	235.0	1-20-58	113.2	121.8	4100	5S/07E-04Q01	40.0	1-24-58	50.5	- 10.5	4100	5S/07E-04Q01	40.0	1-24-58	50.5	- 10.5	4100		
		5-14-58	114.9	120.1				5-07-58	51.9	- 11.9				5-07-58	51.9	- 11.9			
5S/05E-12G03	235.0	1-20-58	114.2	120.8	4100	5S/07E-06B01	93.8	2-06-58	60.1	33.7	5101	5S/07E-06B01	93.8	2-06-58	60.1	33.7	5101		
		5-14-58	115.4	119.6				2-06-58	65.6	39.4	4100	5S/07E-06L01	105.0	2-06-58	65.6	39.4	4100		
5S/05E-12H01	235.0	1-20-58	112.8	122.2	4100	5S/07E-06L01	105.0	2-06-58	65.6	39.4	4100	5S/07E-06L01	105.0	2-06-58	65.6	39.4	4100		

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
COACHELLA VALLEY						COACHELLA VALLEY							
72100						72100							
5S/07E-06L01 S	105.0	4-29-58	66.0	39.0	4100	5S/07E-34R01 S	1.0	4-25-58	43.0	-	4100		
5S/07E-07F01 S	110.0	1-24-58	78.1	31.9	4100	5S/07E-36D01 S	-	7-18-57	32.7	-	4100		
		4-29-58	78.0	32.0				10-09-57	31.5	-			
		7-18-57	115.5*	-				15.5	4100	4-28-58		30.3	-
		10-14-57	100.1	-				1.1	7-17-57	23.6		-	
5S/07E-07J01 S	100.0	1-24-58	98.3	1.7	4100	5S/07E-36G01 S	-	10-04-57	12.7	-	4100		
		4-30-58	114.6*	-				14.6	2-07-58	12.0		-	
		7-18-57	54.6	4.4				4-24-58	3.9	-			
		10-09-57	53.9	5.1				8-08-57	29.7	-			
5S/07E-08J01 S	59.0	1-24-58	51.7	7.3	4100	5S/07E-36Q01 S	-	10-14-57	23.8	-	4100		
		4-28-58	53.0	6.0				2-07-58	23.7	-			
		2-07-58	47.7	7.3				4-24-58	29.0	-			
		7-18-57	54.8	-				14.8	7-19-57	16.8		-	
5S/07E-10E01 S	40.0	10-15-57	45.7	-	4100	6S/07E-01P01 S	-	10-04-57	15.6	-	4100		
		1-24-58	46.0	-				6.0	2-10-58	15.1		-	
		4-29-58	51.4	-				11.4	4-23-58	13.8		-	
		7-17-57	34.1	-				45.1	7-17-57	65.7		-	
5S/07E-13D01 S	-	10-09-57	30.2	-	4100	6S/07E-08D01 S	26.0	10-04-57	63.1	-	4100		
		1-23-58	25.8	-				36.8	1-24-58	61.0		-	
		4-28-58	29.1	-				40.1	4-24-58	61.2		-	
		7-19-57	42.5	-				47.5	7-22-57	34.3		-	
5S/07E-14K01 S	5.0	10-09-57	37.9	-	4100	6S/07E-10G01 S	5.0	10-04-57	33.2	-	4100		
		2-10-58	31.2	-				36.2	2-05-58	33.8		-	
		4-28-58	35.0	-				40.0	4-25-58	32.6		-	
		4-29-58	54.5	-				4.5	7-17-57	22.3		-	
5S/07E-16C01 S	50.0	4-29-58	54.5	-	4100	6S/07E-12E01 S	-	45.0	22.3	-	4100		
5S/07E-18D01 S	125.0	2-07-58	102.4	22.6	4100	6S/07E-17R01 S	-	10-09-57	20.0	-	4100		
		5-01-58	103.8	21.2				2-10-58	17.7	-			
		2-07-58	120.9	-				3.9	4-28-58	19.6		-	
		5-01-58	129.5	-				4.5	7-17-57	52.7		-	
5S/07E-18M01 S	125.0	7-17-57	54.8	-	4100	6S/07E-22B01 S	-	10-10-57	51.7	-	4100		
		10-10-57	54.0	-				28.0	2-10-58	51.6		-	
		1-24-58	49.8	-				23.8	4-29-58	51.3		-	
		4-28-58	52.2	-				26.2	7-16-57	18.9		-	
5S/07E-21F02 S	26.0	7-17-57	54.8	-	4100	6S/07E-22B01 S	-	10-04-57	19.0	-	4100		
		10-10-57	54.0	-				28.0	2-10-58	15.0		-	
		1-24-58	49.8	-				23.8	4-25-58	15.2		-	
		4-28-58	52.2	-				26.2	7-19-57	12.5		-	
5S/07E-34R01 S	1.0	7-23-57	43.2	-	4100	6S/08E-05R01 S	-	82.0	12.5	-	4100		
		10-04-57	41.6	-									
		2-10-58	41.5	-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
				-									
			</										



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						COACHELLA VALLEY					
6S/08E-05R01 S CONT.	- 82.0	10-14-57	7.3	- 89.3	4100	7S/08E-18C02 S	- 50.0	7-15-57	68.7	- 118.7	4100
		2-10-58	3.0	- 85.0				9-05-57	67.6	- 117.6	
		4-25-58	6.8	- 88.8				10-07-57	67.1	- 117.1	
								2-11-58	66.4	- 116.4	
6S/08E-11N01 S	- 110.0	7-16-57	2.5	- 112.5	4100	7S/08E-21H01 S	- 90.0	4-23-58	66.0	- 116.0	4100
		10-09-57	7	- 110.7				7-16-57	60.6	- 150.6	
		2-11-58	FLOW					10-07-57	59.0	- 149.0	
		4-25-58	1.0	- 111.0				2-12-58	56.6	- 146.6	
6S/08E-12D01 S	- 84.0	7-16-57	FLOW		4100	7S/08E-34G01 S	- 98.0	4-23-58	57.3	- 147.3	4100
		10-10-57	FLOW					7-16-57	66.4	- 164.4	
		2-10-58	FLOW					10-07-57	64.0	- 162.0	
		4-25-58	2.1	- 87.1				2-13-58	63.4	- 161.4	
6S/08E-32D01 S	- 140.0	7-16-57	FLOW		4100	7S/08E-35K01 S	- 50.0	4-23-58	63.5	- 161.5	4100
		10-10-57	FLOW					7-19-57	74.9	- 124.9	
		2-11-58	FLOW					10-07-57	73.2	- 123.2	
		4-25-58	FLOW					2-13-58	71.7	- 121.7	
6S/08E-36M01 S	160.0	7-19-57	FLOW		4100	7S/08E-35K01 S	- 130.0	4-28-58	71.3	- 121.3	4100
		10-10-57	FLOW					7-19-57	2.7	- 132.7	
		2-11-58	FLOW					10-09-57	FLOW		
		4-25-58	FLOW					2-12-58	FLOW		
7S/07E-03A01 S	- 7.0	7-22-57	47.0	- 54.0	4100	7S/09E-07F01 S	186.0	4-23-58	FLOW		4100
		10-07-57	46.4	- 53.4				7-16-57	FLOW		
		2-05-58	42.7	- 49.7				10-10-57	FLOW		
		4-23-58	42.5	- 49.5				2-11-58	FLOW		
7S/08E-07R01 S	- 90.0	7-15-57	56.2	- 146.2	4100	7S/09E-20B01 S	- 205.0	4-25-58	FLOW		4100
		10-07-57	54.9	- 144.9				7-16-57	FLOW		
		2-05-58	52.6	- 142.6				10-09-57	FLOW		
		4-23-58	52.8	- 142.8				2-11-58	FLOW		
7S/08E-17A01 S	- 115.0	7-15-57	29.8	- 144.8	4100	7S/09E-30M01 S	- 210.0	4-25-58	FLOW		4100
		10-07-57	29.2	- 144.2				7-16-57	FLOW		
		2-12-58	27.7	- 142.7				10-09-57	FLOW		
		4-23-58	26.5	- 141.5				2-12-58	FLOW		
7S/08E-17A02 S	- 105.0	7-15-57	32.5	- 137.5	4100	7S/10E-20R01 S	- 125.0	4-28-58	FLOW		4100
		10-07-57	32.2	- 137.2				7-16-57	73.0	- 198.0	
		2-12-58	28.7	- 133.7				10-09-57	69.9	- 194.9	
		4-23-58	29.9	- 134.9				2-11-58	67.6	- 192.6	
7S/08E-18C01 S	- 50.0	7-15-57	69.9	- 119.9	4100	8S/08E-03B01 S	- 70.0	4-25-58	17.2*	- 142.2	4100
		9-05-57	69.2	- 119.2				7-25-57	64.7	- 134.7	
		10-07-57	68.9	- 118.9				10-07-57	63.7	- 133.7	
		2-11-58	66.7	- 116.7							





# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COACHELLA VALLEY						BORREGO VALLEY					
72100						72400					
8S/08E-03B01 S CONT.	- 70.0	2-12-58 4-23-58	60.6 61.3	- 130.6 - 131.3	4100	10S/06E-08B01 S	760.0	11-26-57 3-15-58	257.8 257.9	502.2 502.1	5000
8S/08E-11B01 S	- 150.0	7-15-57 9-05-57 10-07-57 2-11-58 4-23-58	18.8 17.8 18.2 13.5 15.2	- 168.8 - 167.8 - 168.2 - 163.5 - 165.2	4100	10S/06E-21A01 S	664.0	9-03-57 11-26-57 3-15-58 4-21-58 5-05-58 6-23-58	143.8 154.0 153.9 161.5 162.0 167.8	520.2 519.7 510.1 509.0 507.5 506.7	5000
8S/08E-24A01 S	- 160.0	7-15-57 9-05-57 10-07-57 2-12-58 4-23-58 4-28-58	22.9 22.4 22.3 19.0 38.5* 18.4	- 182.9 - 182.4 - 182.3 - 179.0 - 198.5 - 178.4	4100	10S/06E-24K01 S	600.0	3-15-58	71.9	528.1	5000
8S/08E-24L01 S	- 120.0	7-15-57 9-05-57 10-07-57 2-11-58 4-23-58	68.8 68.0 67.6 64.9 65.3	- 188.8 - 188.0 - 187.6 - 184.9 - 185.3	4100	10S/06E-29N01 S	596.0	3-15-58	107.5	488.5	5000
8S/09E-33N01 S	- 125.0	7-16-57 9-05-57 10-07-57 2-11-58 4-23-58	52.7 52.1 51.7 50.3 49.6	- 177.7 - 177.1 - 176.7 - 175.3 - 174.6	4100	10S/06E-35N01 S	540.6	11-26-57 3-15-58 4-21-58 5-05-58 6-23-58	43.5 44.3 40.2 46.9 52.3	497.1 496.3 500.4 493.7 488.3	5000
8S/01W-11A01 S	2592.4	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	305.9 306.8 307.3 307.2 307.7 308.1	2286.5 2285.6 2285.1 2284.5 2284.7 2284.3	5713	10S/07E-19M01 S	600.0	11-26-57	89.7	510.3	5000
8S/01W-12E01 S	2578.0** 2580.0 2578.0**	2-07-58 4-11-58 6-11-58 6-11-58	294.4 294.7 292.7 295.2	2283.6 2283.3 2287.3 2282.8	5713 5401 5713	11S/06E-05P01 S	602.0	11-26-57 3-15-58	131.6 131.8	470.4 470.2	5000
						11S/06E-11D02 S	498.0	11-27-57 3-15-58 4-21-58 5-01-58 6-23-58	57.5* 51.5* 57.3* 64.7* 65.3*	440.5 446.5 440.7 433.3 432.7	5000
						11S/06E-11M01 S	488.0	11-27-57 3-15-58	21.2 18.1	466.8 469.9	5000
						11S/06E-15F01 S	521.0	11-27-57 3-15-58	52.9 51.8	468.1 469.2	5000
						11S/06E-22A01 S	500.0	11-27-57 3-15-58	53.5 53.3	446.5 446.7	5000
						11S/07E-07N01 S	499.0	11-27-57 3-15-58	31.8 31.3	467.2 467.7	5000

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
BORRERO VALLEY						OCOTILLO VALLEY					
115/07E-2UP01 S	560.0	11-27-57	71.8	724.00		125/08E-22E01 S	121.0	11-27-57	102.0	725.00	5000
				488.2	5000			3-15-58	102.0	19.0	5000
										19.0	





KEY MAP

LEGEND


- GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
- REGION BOUNDARY
- GROUND WATER VALLEY BOUNDARY
- GROUND WATER BASIN BOUNDARY

NOTE: ALL TOWNSHIP AND RANGE LINES ARE REFERENCED TO SAN BERNARDINO BASE AND MERIDIAN

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT

WATER SUPPLY CONDITIONS IN SOUTHERN CALIFORNIA DURING 1957-58


LOCATION OF GROUND WATER BASINS  
COLORADO RIVER BASIN REGION NO. 7





NUMERICAL DESIGNATIONS OF  
GROUND WATER BASINS

- |         |                          |
|---------|--------------------------|
| 7-1.00  | Lanfair Valley           |
| 7-2.00  | Fenner Valley            |
| 7-3.00  | Ward Valley              |
| 7-4.00  | Rice Valley              |
| 7-5.00  | Chuckawalla Valley       |
| 7-6.00  | Pinto Valley             |
| 7-7.00  | Cadiz Valley             |
| 7-8.00  | Bristol Valley           |
| 7-9.00  | Dale Valley              |
| 7-10.00 | Twentynine Palms Valley  |
| 7-11.00 | Copper Mountain Valley   |
| 7-12.00 | Warren Valley            |
| 7-13.00 | Deadman Valley           |
| 7-14.00 | Lavic Valley             |
| 7-15.00 | Bessemer Valley          |
| 7-16.00 | Ames Valley              |
| 7-17.00 | Means Valley             |
| 7-18.00 | Johnson Valley           |
| 7-19.00 | Lucerne Valley           |
| 7-20.00 | Morongo Valley           |
| 7-21.00 | Coachella Valley         |
| 7-22.00 | West Salton Sea Valley   |
| 7-23.00 | Clark Valley             |
| 7-24.00 | Borrego Valley           |
| 7-25.00 | Ocotillo Valley          |
| 7-26.00 | Terwilliger Valley       |
| 7-27.00 | San Felipe Valley        |
| 7-28.00 | Vallecito-Carrizo Valley |
| 7-29.00 | Coyote Wells Valley      |
| 7-30.00 | Imperial Valley          |
| 7-31.00 | Orcopia Valley           |
| 7-32.00 | Chocolate Valley         |
| 7-33.00 | East Salton Sea Valley   |
| 7-34.00 | Amos Valley              |
| 7-35.00 | Ogilby Valley            |
| 7-36.00 | Yuma Valley              |
| 7-37.00 | Arroyo Seco Valley       |
| 7-38.00 | Palo Verde Valley        |
| 7-39.00 | Palo Verde Mesa          |
| 7-40.00 | Quien Sabe Point Valley  |
| 7-41.00 | Calzona Valley           |
| 7-42.00 | Vidal Valley             |
| 7-43.00 | Chemehuevis Valley       |
| 7-44.00 | Needles Valley           |
| 7-45.00 | Piute Valley             |
| 7-46.00 | Canebrake Valley         |
| 7-47.00 | Jacumba Valley           |





APPENDIX G

RECORDS OF GROUND WATER LEVELS AT WELLS  
SANTA ANA REGION NO. 8



APPENDIX G

RECORDS OF GROUND WATER LEVELS AT WELLS  
SANTA ANA REGION NO. 8



# TABLE OF CONTENTS

	<u>Page</u>
Coastal Plain, Orange County 80100 . . . . .	G- 1
East Coastal Plain Pressure 80101 . . . . .	G- 1
Santa Ana Forebay Area 80102 . . . . .	G- 28
Irvin Basin 80103 . . . . .	G- 49
La Habra Basin 80104 . . . . .	G- 52
Yorba Linda Basin 80105 . . . . .	G- 53
Santa Ana Narrows Basin 80106 . . . . .	G- 54
Upper Santa Ana Valley 80200 . . . . .	G- 76
Chino Basin 80201 . . . . .	G- 76
Claremont Heights Basin 80202 . . . . .	G-106
Cucamonga Basin 80203 . . . . .	G-111
Rialto Basin 80204 . . . . .	G-115
Colton Basin 80205 . . . . .	G-117
Bunker Hill Basin 80206 . . . . .	G-123
Lytle Basin 80207 . . . . .	G-158
Lower Cajon Basin 80209 . . . . .	G-161
Devil Canyon Basin 80210 . . . . .	G-161
Cocaumont Basin 80211 . . . . .	G-162
San Timoteo Basin 80213 . . . . .	G-165
Reche Canyon Basin 80214 . . . . .	G-167
Riverside Basin 80215 . . . . .	G-167
Arlington Basin 80216 . . . . .	G-181



	<u>Page</u>
Upper Santa Ana Valley (continued)	
Temescal Basin 80217 . . . . .	G-182
Bedford Basin 80218 . . . . .	G-190
Coldwater Basin 80219 . . . . .	G-193
Lee Lake Basin 80220 . . . . .	G-197
Elsinore Valley 80400 . . . . .	G-199
San Jacinto Valley 80500 . . . . .	G-203

PLATE

Plate No.

G-1

Bound at end of  
Appendix G

## GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY																	
COASTAL PLAIN ORANGE COUNTY						80100											
EAST COASTAL PLAIN PRESSURE						80101											
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data						
3S/10W-32H01 S	129.0	7-05-57	133.1	-	4.1	3S/10W-32P01 S CONT.	121.5	4-14-58	122.9	-	1.4	3102					
		8-06-57	134.4	-	5.4			4-21-58	122.4	-	.9						
		9-10-57	134.3	-	5.3			4-28-58	122.6	-	1.1						
		10-08-57	132.1	-	3.1			5-05-58	122.7	-	1.2						
		11-05-57	131.6	-	2.6			5-12-58	122.8	-	1.3						
		12-03-57	131.3	-	2.3			5-26-58	122.9	-	1.4						
		1-09-58	131.1	-	2.1			6-02-58	123.0	-	1.5						
		2-07-58	130.1	-	1.1			6-09-58	123.0	-	1.5						
		3-07-58	128.8	-	.2			6-16-58	123.2	-	1.7						
		4-11-58	128.0	-	1.0			6-23-58	123.6	-	2.1						
		5-01-58	128.5	-	.5			6-30-58	123.9	-	2.4						
		6-06-58	129.4	-	.4												
3S/10W-32P01 S	121.5	7-01-57	126.6	-	5.1	3S/11W-26B01 S	120.0	4-22-58	124.2	-	4.2	1101					
		7-08-57	126.7	-	5.2			10-24-57	183.0	-	83.0						
		7-15-57	126.8	-	5.3			4-22-58	151.6	-	51.6						
		7-22-57	127.1	-	5.6												
		7-29-57	127.1	-	5.6			7-24-57	122.2	-	5.6						
		8-05-57	127.4	-	5.9			8-26-57	123.0	-	6.4						
		8-12-57	127.6	-	6.1			9-24-57	122.8	-	6.2						
		8-19-57	127.6	-	6.1			10-29-57	123.3	-	6.7						
		9-16-57	128.1	-	6.6			11-26-57	119.4	-	2.8						
		9-23-57	128.3	-	6.8			12-31-57	115.6	-	1.0						
		9-30-57	128.4	-	6.9			1-28-58	114.6	-	2.0						
		10-07-57	128.4	-	6.9			2-27-58	113.9	-	2.7						
10-14-57	128.0	-	6.5	5-27-58	111.6	-	5.0										
10-21-57	127.6	-	6.1	5-27-58	111.6	-	5.0										
10-28-57	127.5	-	6.0														
11-04-57	127.4	-	5.9	3S/11W-31C01 S	58.4	7-24-57	87.2	-	28.8	3102							
11-18-57	127.0	-	5.5			8-26-57	86.3*	-	27.9								
11-25-57	127.2	-	5.7			9-24-57	81.3*	-	22.9								
12-02-57	127.8	-	6.3			10-29-57	70.9*	-	12.5								
12-09-57	126.6	-	5.1			11-26-57	68.0	-	9.6								
12-23-57	126.4	-	4.9			12-31-57	64.7	-	6.3								
1-2-30-57	125.7	-	4.2			1-28-58	65.6*	-	7.2								
1-06-58	125.6	-	4.1			2-27-58	62.8*	-	4.4								
1-13-58	125.5	-	4.0			3-27-58	61.0*	-	2.6								
1-20-58	125.3	-	3.8			4-25-58	64.3	-	5.9								
1-27-58	125.1	-	3.6			5-27-58	75.0	-	16.6								
2-10-58	124.9	-	3.4			6-24-58	82.4	-	24.5								
2-17-58	124.6	-	3.1	6-24-58	82.4	-	24.0										
2-24-58	124.6	-	3.1														
3-03-58	124.5	-	3.0	3S/11W-34E01 S	57.0	10-24-57	76.2	-	19.2	1101							
3-10-58	123.7	-	2.2			4-22-58	63.8	-	6.8								
3-24-58	123.6	-	2.1														
3-31-58	123.5	-	2.0														
3S/10W-32P01 S	121.5	7-01-57	126.6	-	5.1	3S/11W-26B01 S	120.0	4-22-58	124.2	-	4.2	1101					
		7-08-57	126.7	-	5.2			10-24-57	183.0	-	83.0						
3S/10W-32H01 S	129.0	9-10-57	134.3	-	5.3	3S/11W-26B02 S	100.0	4-22-58	151.6	-	51.6	1101					
		10-08-57	132.1	-	3.1												
		11-05-57	131.6	-	2.6			7-24-57	122.2	-	5.6						
		12-03-57	131.3	-	2.3			8-26-57	123.0	-	6.4						
		1-09-58	131.1	-	2.1			9-24-57	122.8	-	6.2						
		2-07-58	130.1	-	1.1			10-29-57	123.3	-	6.7						
		3-07-58	128.8	-	.2			11-26-57	119.4	-	2.8						
		4-11-58	128.0	-	1.0			12-31-57	115.6	-	1.0						
		5-01-58	128.5	-	.5			1-28-58	114.6	-	2.0						
		6-06-58	129.4	-	.4			2-27-58	113.9	-	2.7						
		3S/10W-32P01 S	121.5	7-01-57	126.6			-	5.1	3S/11W-26B03 S	116.6		7-24-57	122.2	-	5.6	3102
				7-08-57	126.7			-	5.2				8-26-57	123.0	-	6.4	
7-15-57	126.8			-	5.3	9-24-57	122.8	-	6.2								
7-22-57	127.1			-	5.6	10-29-57	123.3	-	6.7								
7-29-57	127.1			-	5.6	11-26-57	119.4	-	2.8								
8-05-57	127.4			-	5.9	12-31-57	115.6	-	1.0								
8-12-57	127.6			-	6.1	1-28-58	114.6	-	2.0								
8-19-57	127.6			-	6.1	2-27-58	113.9	-	2.7								
9-16-57	128.1			-	6.6	5-27-58	111.6	-	5.0								
9-23-57	128.3			-	6.8	5-27-58	111.6	-	5.0								
9-30-57	128.4			-	6.9												
10-07-57	128.4			-	6.9	3S/11W-31C01 S	58.4	7-24-57	87.2			-	28.8	3102			
10-14-57	128.0	-	6.5	8-26-57	86.3*			-	27.9								
10-21-57	127.6	-	6.1	9-24-57	81.3*			-	22.9								
10-28-57	127.5	-	6.0	10-29-57	70.9*			-	12.5								
11-04-57	127.4	-	5.9	11-26-57	68.0			-	9.6								
11-18-57	127.0	-	5.5	12-31-57	64.7			-	6.3								
11-25-57	127.2	-	5.7	1-28-58	65.6*			-	7.2								
12-02-57	127.8	-	6.3	2-27-58	62.8*			-	4.4								
12-09-57	126.6	-	5.1	3-27-58	61.0*			-	2.6								
12-23-57	126.4	-	4.9	4-25-58	64.3			-	5.9								
1-2-30-57	125.7	-	4.2	5-27-58	75.0			-	16.6								
1-06-58	125.6	-	4.1	6-24-58	82.4			-	24.5								
1-13-58	125.5	-	4.0	6-24-58	82.4	-	24.0										
1-20-58	125.3	-	3.8														
1-27-58	125.1	-	3.6	3S/11W-34E01 S	57.0	10-24-57	76.2	-	19.2	1101							
2-10-58	124.9	-	3.4			4-22-58	63.8	-	6.8								
2-17-58	124.6	-	3.1														
2-24-58	124.6	-	3.1														
3-03-58	124.5	-	3.0	3S/11W-35K01 S	75.7	7-24-57	126.2*	-	50.5	3102							
3-10-58	123.7	-	2.2														
3-24-58	123.6	-	2.1														
3-31-58	123.5	-	2.0														

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY												COASTAL PLAIN ORANGE COUNTY											
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE											
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data						
3S/11W-35K01 S CONT.	75.7	8-26-57	122.9	-	47.2	3102	3S/11W-35N02 S CONT.	6-02-58	94.2	-	25.8	3102	68.4	6-02-58	94.2	-	25.8	3102					
		9-24-57	119.8*	-	44.1			6-16-58	96.2	-	27.8												
		10-29-57	102.7	-	27.0			6-23-58	98.2	-	29.8												
		11-26-57	99.1	-	23.4			6-30-58	100.0	-	31.6												
		12-31-57	90.1	-	14.4																		
		1-28-58	91.3	-	15.6																		
		2-27-58	87.0	-	11.3																		
		3-27-58	89.6*	-	13.9																		
		4-25-58	91.4*	-	15.7																		
		5-27-58	101.6*	-	25.9																		
3S/11W-35N02 S	68.4	6-24-58	113.4	-	37.7	3102	3S/11W-36H01 S	7-24-57	105.1	-	14.6	3102	90.5	7-24-57	105.1	-	14.6	3102					
		7-01-57	106.4	-	38.0			8-26-57	106.2*	-	15.7												
		7-08-57	110.4	-	42.0			9-24-57	107.2*	-	16.7												
		7-15-57	110.6	-	42.2			10-29-57	100.4*	-	9.9												
		7-29-57	107.7	-	39.3			11-26-57	99.4	-	8.9												
		9-16-57	107.4	-	39.0			12-31-57	97.0	-	6.5												
		9-23-57	105.3	-	36.9			1-28-58	97.4	-	6.9												
		10-07-57	102.3	-	33.9			2-27-58	94.5	-	4.0												
		10-14-57	101.4	-	33.0			3-27-58	93.4	-	2.9												
		10-21-57	98.9	-	30.5			4-25-58	95.4	-	4.9												
		10-28-57	90.8	-	22.4	3102	3S/11W-36Q02 S	5-27-58	102.7	-	12.2	3102	92.6	5-27-58	102.7	-	12.2	3102					
		11-04-57	86.1	-	17.7			6-24-58	100.6	-	10.1												
		11-18-57	83.3	-	14.9																		
		11-25-57	83.7	-	15.3																		
		12-02-57	84.6	-	16.2																		
		12-09-57	83.4	-	15.0																		
		12-23-57	82.4	-	14.0																		
		12-30-57	80.5	-	12.1																		
		1-06-58	81.0	-	12.6																		
		1-13-58	80.6	-	12.2																		
		1-20-58	80.9	-	12.5	3102	4S/10W-07A09 S	1-09-58	125.9	-	7.9	3102	118.0	1-09-58	125.9	-	7.9	3102					
		1-27-58	81.0	-	12.6			2-07-58	123.2	-	5.2												
		2-10-58	80.0	-	11.6			3-07-58	122.0	-	4.0												
		2-17-58	79.9	-	11.5			4-11-58	121.6	-	3.6												
		2-24-58	79.4	-	11.0			5-01-58	122.5	-	4.5												
		3-03-58	78.2	-	9.8			6-06-58	125.9	-	7.9												
		3-10-58	77.0	-	8.6																		
		3-24-58	76.4	-	8.0																		
		3-31-58	75.2	-	6.8																		
				4-14-58	74.7			-	6.3	3102	4S/10W-07E01 S			7-05-57	136.7	-	32.3		3102	104.4	7-05-57	136.7	-
4-21-58	80.3			-	11.9	8-06-57	135.7	-	31.3														
4-28-58	81.2			-	12.8	9-10-57	135.9	-	31.5														
5-05-58	81.1			-	12.7	10-08-57	135.8	-	31.4														
5-12-58	84.2			-	15.8	11-05-57	117.3	-	12.9														
		5-26-58	90.6	-	22.2	3102		1-01-58	120.0	-	15.6	3102		1-01-58	120.0	-	15.6	3102					
								1-09-58	113.3	-	8.9			1-09-58	113.3	-	8.9						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE						
80101						80101						
4S/10W-07E01 S CONT.	104.4	2-01-58	112.0	-	4210	4S/10W-07K03 S CONT.	105.4	11-05-57	71.0	34.4	3102	
		2-07-58	110.6	-	3102		12-03-57	71.1	34.3			
		3-01-58	108.0	-	4210		1-09-58	70.0	35.4			
		3-11-58	108.5	-	3102		2-07-58	4.3	101.1			
		4-01-58	106.0	-	4210		3-11-58	5.8	99.6			
		4-11-58	105.1	-	3102		6-06-58	8.2	97.2			
		5-01-58	113.7	-	4210							
		5-01-58	110.8	-	3102							
		6-01-58	120.0	-	4210							
		6-06-58	120.4	-	3102							
4S/10W-07J03 S	107.6	7-05-57	88.1	19.5	3102	4S/10W-07K04 S	103.0	7-05-57	71.3	31.7	3102	
		8-06-57	89.9	17.7			8-06-57	71.9	31.1			
		9-10-57	91.0	16.6			9-10-57	71.9	31.1			
		10-08-57	90.4	17.2			10-08-57	72.1	30.9			
		11-05-57	88.0	19.6			11-05-57	71.8	31.2			
		12-03-57	87.7	19.9			12-03-57	72.0	31.0			
		1-09-58	85.8	21.8			1-09-58	71.5	31.5			
							2-07-58	1.5	101.5			
							3-11-58	3.2	99.8			
							6-06-58	5.7	97.3			
4S/10W-07K01 S	109.0	7-05-57	98.1	10.9	3102	4S/10W-07K05 S	101.5	7-05-57	81.1	20.4	3102	
		8-06-57	99.0	10.0			8-06-57	82.2	19.3			
		9-10-57	99.3	9.7			9-10-57	83.7	17.8			
		10-08-57	97.8	11.2			10-08-57	83.8	17.7			
		11-05-57	95.0	14.0			11-05-57	81.1	20.4			
		12-03-57	91.3	17.7			12-03-57	81.0	20.5			
		1-09-58	88.4	20.6			1-09-58	80.6	20.9			
		2-07-58	7.3	101.7			2-07-58	4	101.1			
		3-11-58	9.3	99.7			3-11-58	1.8	99.7			
		5-01-58	7.0	102.0			6-06-58	4.3	97.2			
4S/10W-07K02 S	105.9	7-05-57	81.9	24.0	3102	4S/10W-07N01 S	94.0	7-05-57	127.0	33.0	3102	
		8-06-57	82.6	23.3			8-06-57	126.0	32.0			
		9-10-57	83.0	22.9			10-08-57	126.0	32.0			
		10-08-57	81.8	24.1			11-05-57	106.5	12.5			
		11-05-57	80.2	25.7			12-03-57	108.4	14.4			
		12-03-57	80.3	25.6			1-09-58	103.1	9.1			
		1-09-58	79.3	26.6			2-07-58	99.7	5.7			
		2-07-58	5.1	100.8			3-11-58	98.0	4.0			
		3-11-58	6.2	99.7			4-11-58	94.3	3			
		6-06-58	14.4	91.5			5-01-58	100.2	6.2			
4S/10W-07K03 S	105.4	7-05-57	70.4	35.0	3102	4S/10W-18B02 S	104.7	7-05-57	134.9	30.2	3102	
		8-06-57	70.4	35.0			8-06-57	133.6	29.7			
		9-10-57	70.7	34.7			9-10-57	133.9	30.0			
		10-08-57	70.8	34.6			3-11-58	107.8	3.8			
							4-11-58	104.2	2			

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY													
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY							
80100						80100							
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE							
80101						80101							
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
4S/10W-18B02 S CONT.	104.0	5-01-58	108.6	-	4.6	4S/10W-25E01 S CONT.	144.8	6-16-58	142.6	2.2	3102		
		6-06-58	117.5	-	13.5			6-23-58	142.6	2.2			
	4S/10W-18C02 S	98.0	7-05-57	132.2	-		34.2	4S/11W-02B01 S	77.5	7-24-57		DRY	3102
			8-06-57	131.0	-		33.0			8-26-57		DRY	
			9-10-57	131.3	-		33.3			9-24-57		DRY	
		10-08-57	131.7	-	33.7		10-29-57		DRY				
		11-05-57	111.2	-	13.2		11-26-57	88.0	-	10.5			
		12-03-57	113.7	-	15.7		12-31-57	83.1	-	5.6			
		1-09-58	108.6	-	10.6		1-28-58	83.7	-	6.2			
		2-07-58	104.6	-	7.6		2-27-58	81.3	-	3.8			
		3-11-58	104.3	-	6.3		3-27-58	79.7	-	2.2			
		4-11-58	102.5	-	4.5		4-25-58	81.7	-	4.2			
		5-01-58	109.3	-	11.3		5-27-58	DRY					
		6-06-58	116.7	-	18.7		6-24-58	DRY					
4S/10W-25E01 S	144.8	7-15-57	151.8	-	7.0	4S/11W-02E01 S	73.0	7-24-57	125.2	-	52.2		
		8-12-57	153.5	-	8.7			8-26-57	125.7	-	52.7		
		8-19-57	153.8	-	9.0			9-24-57	120.7	-	47.7		
		9-16-57	154.6	-	9.8			10-29-57	98.2	-	25.2		
		10-14-57	152.7	-	7.9			11-26-57	94.3	-	21.3		
		10-21-57	152.1	-	7.3			12-31-57	87.3	-	14.3		
		10-28-57	151.8	-	7.0			1-28-58	89.0	-	16.0		
		11-04-57	150.8	-	6.0			2-27-58	86.0	-	13.0		
		11-18-57	149.9	-	5.1			4-25-58	88.5	-	15.5		
		11-25-57	149.7	-	4.9			5-27-58	99.3	-	26.3		
		12-09-57	149.0	-	4.2			6-24-58	114.1	-	41.1		
		12-23-57	148.5	-	3.7								
		12-30-57	147.7	-	2.9			4S/11W-02R01 S	87.7	11-12-57	98.1	-	10.4
		1-06-58	147.5	-	2.7			4S/11W-03C01 S	64.3	7-24-57	127.8	-	63.5
		1-13-58	147.2	-	2.4				8-26-57	119.9	-	55.6	
		1-20-58	147.2	-	2.4				9-24-57	115.4	-	51.1	
		1-27-58	146.9	-	2.1				10-29-57	92.4	-	28.1	
		2-10-58	146.0	-	1.2				11-26-57	87.6	-	23.3	
		2-17-58	145.7	-	.9				12-31-57	82.5	-	18.2	
		2-24-58	145.4	-	.6				1-28-58	82.7	-	18.4	
	3-03-58	145.1	-	.3		2-27-58	79.1		-	14.8			
	3-10-58	144.6	-	.2		3-27-58	77.7		-	13.4			
	3-24-58	144.0	-	.8		4-25-58	86.8		-	22.5			
	3-31-58	143.4	-	1.4		5-27-58	95.7		-	31.4			
	4-14-58	142.2	-	2.6		6-24-58	117.4		-	53.1			
	4-21-58	141.6	-	3.2									
	4-28-58	141.4	-	3.4									
	5-05-58	140.4	-	4.4		4S/11W-03D02 S	59.0		10-24-57	84.0	-	25.0	
	5-26-58	142.1	-	2.7		4S/11W-03L01 S	58.4		7-01-57	96.5	-	38.1	
	6-02-58	141.6	-	3.2									



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						80101	EAST COASTAL PLAIN PRESSURE					
4S/11W-03L01 S	58.4	7-08-57	106.2	-	47.8	1101	4S/11W-03L01 S	58.4	6-09-58	87.7	-	29.3
CONT.		7-15-57	100.3	-	41.9		CONT.		6-16-58	89.1	-	30.7
		7-22-57	101.7	-	43.3				6-23-58	91.1	-	32.7
		7-29-57	101.4	-	43.0				6-30-58	93.7	-	35.3
		8-05-57	106.4	-	48.0							
		8-12-57	102.1	-	43.7		4S/11W-04B01 S	53.6	7-24-57	81.2	-	27.6
		8-19-57	101.5	-	43.1				8-26-57	81.9	-	28.3
		8-26-57	102.1	-	43.7				9-24-57	76.5	-	22.9
		9-02-57	100.9	-	42.5				10-29-57	67.2	-	13.6
		9-09-57	100.3	-	41.9				11-26-57	63.4	-	9.8
		9-16-57	97.5	-	39.1				12-31-57	60.5	-	6.9
		9-23-57	95.2	-	36.8				1-28-58	60.7	-	7.1
		9-30-57	94.5	-	36.1				2-27-58	58.1	-	4.5
		10-07-57	93.1	-	34.7				3-27-58	56.6	-	3.0
		10-14-57	87.8	-	29.4				4-25-58	57.3	-	3.7
		10-21-57	83.1	-	24.7				5-27-58	66.7	-	13.1
		10-28-57	81.2	-	22.8				6-24-58	74.3	-	20.7
		11-04-57	78.2	-	19.8							
		11-11-57	76.0	-	17.6		4S/11W-05J01 S	45.5	7-11-57	89.1	-	43.6
		11-18-57	75.6	-	17.2				7-30-57	91.5	-	46.0
		11-25-57	76.4	-	18.0				8-22-57	92.6	-	47.1
		12-02-57	77.3	-	18.9				9-12-57	89.4	-	43.9
		12-09-57	75.0	-	16.6				10-22-57	70.7	-	25.2
		12-16-57	73.3	-	14.9				11-14-57	68.7	-	23.2
		12-23-57	71.7	-	13.3				12-26-57	61.6	-	16.1
		1-06-58	71.3	-	12.9				1-16-58	52.5	-	7.0
		1-13-58	71.0	-	12.6				2-06-58	59.5	-	14.0
		1-20-58	73.6	-	15.2				2-27-58	57.8	-	12.3
		2-03-58	72.6	-	14.2				3-20-58	56.9	-	11.4
		2-10-58	70.5	-	12.1				4-10-58	56.4	-	10.9
		2-17-58	70.3	-	11.9				5-01-58	48.7	-	3.2
		2-24-58	69.9	-	11.5				5-22-58	70.8	-	25.3
		3-03-58	68.7	-	10.3				6-12-58	76.4	-	30.9
		3-10-58	68.5	-	10.1							
		3-17-58	67.2	-	8.8		4S/11W-08P01 S	38.2	7-24-57	93.6	-	55.4
		3-24-58	66.7	-	8.3				8-26-57	94.1	-	55.9
		3-31-58	66.3	-	7.9				9-24-57	86.5	-	48.3
		4-07-58	65.3	-	6.9				10-29-57	68.6	-	30.4
		4-14-58	65.2	-	6.8				11-26-57	63.5	-	25.3
		4-21-58	68.1	-	9.7				12-31-57	57.9	-	19.7
		4-28-58	72.3	-	13.9				1-28-58	61.5	-	23.3
		5-05-58	73.1	-	14.7				2-27-58	57.8	-	19.6
		5-12-58	73.7	-	15.3				3-27-58	51.8	-	13.6
		5-19-58	78.4	-	20.0				4-25-58	56.1	-	17.9
		5-26-58	81.9	-	23.5				5-27-58	69.3	-	31.1
		6-02-58	84.2	-	25.8				6-24-58	82.2	-	44.0

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY						
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE						
80101						80101						
4S/11W-09C01 S	48.0	7-24-57	87.7	-	3102	4S/11W-12F02 S	92.0	8-08-57	58.2	3102		
		8-26-57	88.4	-				9-12-57	58.4			
		9-26-57	91.5	-				10-10-57	58.1			
		10-29-57	69.0	-				11-12-57	58.0			
		11-26-57	64.5	-				12-05-57	58.4			
		12-31-57	60.5	-				2-11-58	57.6			
		1-28-58	60.6	-				4-15-58	57.1			
		2-27-58	56.2	-								
		3-27-58	55.3	-				7-09-57	62.4	3102		
		4-26-58	57.1	-				8-08-57	63.0			
		5-27-58	62.4	-				9-12-57	63.2			
		6-24-58	79.0	-				10-10-57	63.1			
				-				11-12-57	62.3			
				-				12-05-57	61.9			
4S/11W-10P01 S	63.7	7-09-57	110.7	-	3102			1-09-58	61.8			
		8-08-57	120.3	-				2-11-58	61.6			
		9-12-57	114.8	-				3-11-58	61.1			
		10-10-57	101.5	-				4-15-58	60.8			
		11-12-57	83.8	-				5-02-58	61.3			
		12-05-57	84.0	-				6-10-58	61.9	3102		
4S/11W-12C01 S	94.5	7-09-57	131.3	-	3102	4S/11W-13C01 S	86.7	7-09-57	58.8			
		8-08-57	131.9	-				8-08-57	59.2			
		9-12-57	132.2	-				9-12-57	59.2			
		10-10-57	125.8	-				10-10-57	59.3			
		11-12-57	109.1	-				11-12-57	58.0			
		12-05-57	110.3	-				12-05-57	58.0			
		1-09-58	105.1	-				1-09-58	57.7			
		2-11-58	103.3	-				2-11-58	57.0			
		3-11-58	101.1	-				3-11-58	56.5			
		4-15-58	99.1	-				4-15-58	56.2			
		5-02-58	103.4	-				5-02-58	56.8			
		6-10-58	116.5	-				6-10-58	58.0			
4S/11W-12F01 S	92.0	7-09-57	130.7	-	3102	4S/11W-13P01 S	79.5	7-09-57	90.5	3102		
		8-08-57	131.7	-				8-08-57	94.8			
		9-12-57	131.8	-				9-12-57	92.5			
		10-10-57	124.6	-				10-10-57	88.5			
		11-12-57	108.0	-				11-12-57	82.4			
		12-05-57	109.1	-				12-05-57	81.2			
		1-09-58	104.3	-				1-09-58	81.8			
		2-11-58	102.2	-				2-11-58	78.2			
		3-11-58	99.8	-				3-11-58	78.4			
		4-15-58	97.8	-				4-15-58	79.7			
		5-02-58	102.0	-				5-02-58	82.4			
		6-10-58	115.2	-				6-10-58	87.2			
4S/11W-12F02 S	92.0	7-09-57	57.7	-	3102							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY					
						EAST COASTAL PLAIN PRESSURE					
4S/11W-14A01 S	77.7	7-09-57	102.3	-	24.6	3102	4S/11W-19K01 S' CONT.	28.7	7-08-57	75.1	1101
		8-08-57	103.1	-	25.4				7-15-57	74.8	
		9-12-57	103.9	-	26.2				7-22-57	73.8	
		10-10-57	102.8	-	25.1				10-28-57	54.8	
		11-12-57	88.9	-	11.2				11-04-57	53.1	
		12-05-57	89.2	-	11.5				11-11-57	51.1	
		1-09-58	89.0	-	11.3				11-18-57	49.8	
		2-11-58	84.0	-	6.3				11-25-57	50.3	
		3-11-58	83.1	-	5.4				12-02-57	51.0	
		4-15-58	82.7	-	5.0				12-09-57	49.1	
		5-02-58	84.9	-	7.2				12-16-57	47.2	
		6-10-58	97.8	-	20.1				12-23-57	45.0	
4S/11W-14P01 S	68.4	7-09-57	80.1	-	11.7	3102			1-06-58	47.6	18.9
		8-08-57	89.4	-	21.0				1-13-58	48.0	
		9-12-57	86.9	-	18.5				1-20-58	49.3	
		10-10-57	80.3	-	11.9				1-27-58	50.5	
		11-12-57	69.8	-	1.4				2-03-58	50.4	
		12-05-57	70.0	-	1.6				2-10-58	49.5	
		1-09-58	71.2	-	2.8				2-17-58	50.0	
		2-11-58	66.0	-	2.4				2-24-58	47.2	
		3-11-58	65.2	-	3.2				3-03-58	46.5	
		4-15-58	68.5	-	1.1				3-10-58	43.6	
		5-02-58	70.0*	-	1.6				3-17-58	42.7	
		6-10-58	73.0	-	4.6				3-24-58	40.0	
4S/11W-17P05 S	33.0	7-25-57	88.7	-	55.7	3102			4-07-58	37.6	8.9
		8-27-57	88.9	-	55.9				4-14-58	39.0	
		9-26-57	80.0	-	47.0				4-14-58	39.0	
		10-31-57	64.2	-	31.2				4-21-58	40.6	
		11-29-57	58.4	-	25.4				4-28-58	42.8	
		12-27-57	53.9	-	20.9				4-28-58	42.8	
		1-30-58	57.9	-	24.9				5-05-58	45.2	
		2-28-58	54.3	-	21.3				5-05-58	45.2	
		3-28-58	47.2	-	14.2				5-12-58	45.4	
		4-25-58	49.8	-	16.8				5-12-58	45.4	
		5-29-58	66.7	-	33.7				5-19-58	49.7	
		6-26-58	77.4	-	44.4				5-19-58	49.7	
4S/11W-19B01 S	29.4	7-25-57	57.5	-	28.1	3102			5-26-58	55.6	26.9
		8-27-57	58.5	-	29.1				5-26-58	55.6	
		9-26-57	55.6	-	26.2				6-02-58	60.7	
		10-31-57	47.4	-	18.0				6-02-58	60.7	
		11-29-57	44.8	-	15.4				6-09-58	60.1	
		12-27-57	42.8	-	13.4				6-09-58	60.7	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
4S/11W-19K01 S	28.7	7-01-57	71.5	-	42.8	1101			6-16-58	63.3	34.6
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	
		7-01-57	71.5	-	42.8				6-16-58	63.3	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
4S/11W-19K01 S	28.7	6-23-58	65.7	37.0	1101	4S/11W-21B01 S	40.8	10-07-57	81.6	40.8	3102
CONT.		6-23-58	65.7	37.0				10-14-57	81.3	40.5	
		6-30-58	66.8	38.1				10-21-57	78.8	38.0	
		6-30-58	66.8	38.1				10-28-57	68.4	27.6	
								11-04-57	67.2	26.5	
4S/11W-19Q02 S	24.0	7-15-57	83.0*	59.0	1101			11-18-57	63.3	22.5	
		8-15-57	86.0*	62.0				11-25-57	64.7	23.9	
		9-01-57	86.0*	62.0				12-02-57	65.0*	24.2	
		9-15-57	80.0*	56.0				12-09-57	64.3*	23.5	
		10-15-57	76.0*	52.0				12-23-57	62.9*	22.1	
		11-15-57	68.0*	44.0				12-30-57	57.3	16.5	
		12-15-57	69.0*	45.0				1-06-58	57.9	17.1	
		1-15-58	65.0*	41.0				1-13-58	58.8	18.0	
		2-15-58	68.0*	44.0				1-27-58	60.6	19.8	
		3-15-58	60.0*	36.0				2-17-58	58.5	17.7	
		4-15-58	58.0*	34.0				2-24-58	58.2	17.4	
		5-15-58	61.0*	37.0				3-03-58	58.4	17.6	
		6-01-58	58.0*	34.0				3-10-58	55.6	14.8	
		6-07-58	63.0*	39.0				3-31-58	51.7	10.9	
		6-15-58	70.0*	46.0				4-14-58	51.2	10.4	
4S/11W-20A02 S	31.0	7-25-57	70.3*	39.3	3102			4-21-58	52.4	11.6	
		8-27-57	72.4*	41.4				4-28-58	57.2*	16.4	
		9-26-57	62.3	31.3				5-05-58	59.9	19.1	
		10-31-57	50.3	19.3				5-12-58	59.9	19.1	
		11-29-57	57.8*	26.8				5-26-58	69.5	28.7	
		12-27-57	43.1	12.1				7-25-57	39.1	15.9	3102
		1-30-58	42.4	11.4				8-27-57	37.5	17.5	
		2-28-58	38.1	7.1				9-26-57	36.6	18.4	
		3-28-58	36.4	5.4				10-31-57	32.1	22.9	
		4-25-58	50.7*	19.7				11-29-57	31.4	23.6	
		5-29-58	59.8*	28.8				12-27-57	29.3	25.7	
		6-26-58	64.6	33.6				1-30-58	29.5	25.5	
								2-28-58	27.8	27.2	
								3-28-58	26.2	28.8	
								4-25-58	28.5	26.5	
								5-29-58	33.0	22.0	
								6-26-58	35.2	19.8	
4S/11W-20G01 S	30.0	7-25-57	61.1	31.1	3102			7-25-57	70.2	19.2	3102
		8-27-57	62.7	32.7				8-27-57	72.6	21.6	
		9-26-57	58.9	28.9				9-26-57	68.3	17.3	
		10-31-57	49.5	19.5				10-31-57	59.3	8.3	
		11-29-57	47.6	17.6				11-29-57	56.5	5.5	
		12-27-57	41.2	11.2				12-27-57	52.8	1.8	
		1-30-58	39.9	9.9				1-30-58	53.1	2.1	
		2-28-58	35.9	5.9							
		3-28-58	34.3	4.3							
		4-25-58	38.8	8.8							
		5-29-58	47.3	17.3							
		6-26-58	56.7	26.7							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		COASTAL PLAIN ORANGE COUNTY					Agency Supplying Data
							EAST COASTAL PLAIN PRESSURE					
COASTAL PLAIN ORANGE COUNTY												
EAST COASTAL PLAIN PRESSURE												
4S/11W-22C01 S	51.0	2-28-58	50.3	.7	3102	4S/11W-28B01 S	33.0	10-31-57	62.4	-	3102	
		3-28-58	48.9	2.1				11-29-57	58.1	-		
		4-25-58	51.2	2.3						-		
		5-29-58	64.8	13.8						-		
		6-26-58	67.7	16.7						-		
4S/11W-23D02 S	59.0	8-08-57	86.8*	27.8	3102	4S/11W-28J01 S	37.8	7-09-57	91.2	-	3102	
	60.0	9-12-57	84.8	24.8				8-08-57	92.4	-		
		10-10-57	81.2*	21.2				11-12-57	59.5	-		
		11-12-57	70.3	10.3				12-05-57	60.1	-		
		12-05-57	70.9	10.9				2-11-58	56.0	-		
		1-09-58	67.0	7.0				3-11-58	52.9	-		
		2-11-58	65.3	5.3				4-15-58	48.0	-		
		3-11-58	63.9	3.9				5-02-58	55.6	-		
		4-15-58	61.7	1.7						-	1101	
		5-02-58	65.9	5.9						-	1101	
		6-10-58	70.8	10.8						-	3102	
4S/11W-26B01 S	60.6	7-09-57	68.6	8.0	3102	4S/11W-30K03 S	21.0	5-14-58	45.8	-	1101	
		11-12-57	61.3	.7						-		
		12-05-57	61.3	1.7						-		
		2-11-58	58.3	2.3						-		
		3-11-58	57.7	2.9						-		
		5-02-58	59.3	1.3						-		
4S/11W-27D01 S	41.2	7-25-57	83.3	42.1	3102	4S/11W-31F01 S	18.3	7-25-57	71.4	-	3102	
		8-27-57	80.5	39.3				8-27-57	73.2	-		
		9-26-57	79.1	37.9				9-26-57	74.2	-		
		10-31-57	64.1	22.9				10-31-57	68.7	-		
		11-29-57	64.2	23.0				11-05-57	67.6	-	1101	
		1-30-58	62.3	21.1				11-29-57	64.0	-	3102	
		2-28-58	58.7	17.5				12-27-57	58.2	-		
		3-28-58	53.9	12.7				1-30-58	58.7	-		
		4-25-58	54.4	13.2				2-28-58	59.4	-		
		6-26-58	69.5	28.3				3-28-58	55.2	-		
								4-25-58	53.1	-		
								5-12-58	53.6	-	1101	
								5-29-58	46.1	-	3102	
								6-26-58	48.1	-		
								6-26-58	58.1	-		
4S/11W-27J01 S	51.3	7-09-57	93.3	42.0	3102	4S/11W-31F03 S	17.6	7-25-57	63.5	-	3102	
		8-08-57	99.9	48.6				8-27-57	64.4	-		
		10-10-57	89.3	38.0				10-31-57	52.3	-		
		11-12-57	71.8	20.5				11-05-57	52.5	-	1101	
		12-05-57	72.5	21.2				12-27-57	39.4	-	3102	
		1-09-58	72.5	21.2				1-30-58	42.4	-		
		2-11-58	68.0	16.7				2-28-58	39.4	-		
		3-11-58	63.6	12.3				3-28-58	35.0	-		
		4-15-58	60.1	8.8				4-25-58	35.5	-		
		5-02-58	70.9	19.6				5-12-58	36.5	-	1101	
								5-29-58	52.2	-	3102	
								5-29-58	52.2*	-		
								11-06-57	42.3	-	1101	



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
80101						80101					
4S/11W-32L01 S	19.0	5-12-58	37.9	- 18.9	1101	5S/09W-19B01 S	86.8	9-19-57	119.0	- 32.2	3102
4S/11W-33H01 S	32.5	10-10-57	66.4	- 23.9	3102	CONT.		10-17-57	115.6	- 28.8	
		11-12-57	55.6	- 23.1				11-15-57	105.9	- 19.1	
		12-05-57	56.3	- 23.8				12-12-57	105.3	- 18.5	
		3-11-58	48.3	- 15.8				1-16-58	96.3	- 9.5	
		4-15-58	43.6	- 11.1				2-20-58	97.1	- 10.3	
		5-02-58	44.9	- 12.4				3-18-58	94.5	- 7.7	
4S/11W-34H02 S	48.3	9-12-57	89.6	- 41.3	3102			4-21-58	88.3	- 1.5	
		10-10-57	86.8	- 38.5				5-15-58	93.6	- 6.8	
		11-12-57	69.4	- 21.1		5S/09W-21B01 S	94.8	6-19-58	105.3	- 18.5	
		12-05-57	70.2	- 21.9				8-28-57	175.0*	- 80.2	4709
		1-09-58	69.3	- 21.0				11-15-57	108.7	- 13.9	
		2-11-58	66.9	- 18.6				3-20-58	93.5	- 1.3	
		3-11-58	62.2	- 13.9		5S/09W-21P02 S	75.5	7-11-57	28.5	47.0	3102
		4-15-58	58.5	- 10.2				8-16-57	28.5	47.0	
		5-02-58	64.8	- 16.5				9-19-57	28.6	46.9	
4S/11W-35B01 S	57.5	8-08-57	82.4	- 24.9	3102			10-17-57	28.2	47.3	
		10-10-57	82.0	- 24.5				11-15-57	28.6	46.7	
		12-05-57	72.7	- 15.2				12-12-57	28.8	46.7	
		1-09-58	75.6*	- 18.1				1-16-58	29.1	46.4	
		3-11-58	66.8	- 9.3				2-20-58	28.9	46.6	
		4-15-58	66.6	- 9.1				3-18-58	28.1	47.4	
		5-02-58	68.9	- 11.4				4-21-58	25.8	49.7	
		6-10-58	75.2	- 17.7				5-15-58	25.4	50.1	
4S/12W-25H01 S	17.6	11-06-57	54.4	- 36.8	1101	5S/09W-22Q01 S	67.0	6-19-58	25.3	50.2	
4S/12W-36G01 S	14.8	7-25-57	56.9	- 42.1	3102			8-14-57	136.0*	- 69.0	4709
		8-27-57	58.6	- 43.8				11-15-57	70.0	- 3.0	
		9-26-57	54.7	- 39.9				3-20-58	61.0	6.0	
	15.5	10-31-57	49.5	- 34.0				8-14-57	130.2*	- 53.0	4709
	14.4	11-05-57	48.9	- 34.5	1101			8-20-57	111.9	- 34.7	3102
	15.5	11-29-57	47.6	- 32.1	3102			10-22-57	99.3	- 22.1	
		12-27-57	44.3	- 28.8				11-15-57	89.5	- 12.3	4709
		1-30-58	46.7	- 31.2				11-21-57	88.5	- 11.3	3102
		2-28-58	44.9	- 29.4				12-17-57	87.7	- 10.5	
		3-28-58	41.3	- 25.8				1-17-58	74.2	3.0	
		4-25-58	40.5	- 25.0				2-21-58	68.5	8.7	
	14.4	5-12-58	40.4	- 26.0	1101			3-20-58	77.2	0	4709
	15.5	5-29-58	46.1	- 30.6	3102			3-25-58	64.4	12.8	3102
		6-26-58	50.0	- 34.5				4-22-58	61.7	15.5	
		6-26-58	50.0	- 34.5				5-20-58	70.1	7.1	
5S/09W-19B01 S	86.8	8-16-57	123.3	- 36.5	3102	5S/09W-27D01 S	66.9	6-19-58	75.2	2.0	4709
								8-14-57	28.0	38.9	

## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
COASTAL PLAIN ORANGE COUNTY													
EAST COASTAL PLAIN PRESSURE						80100	COASTAL PLAIN ORANGE COUNTY						80100
EAST COASTAL PLAIN PRESSURE						80101	EAST COASTAL PLAIN PRESSURE						80101
5S/09W-27D01 S	66.9	11-15-57 3-20-58	32.0 19.0	34.9 47.9	4709	5S/09W-29M01 S	52.1	12-11-57 12-26-57	77.3 73.8	-	25.2 21.7	3102	
5S/09W-27F01 S	59.5	8-14-57 11-15-57 3-20-58	27.0 16.0 12.0	32.5 43.5 47.5	4709			1-02-58 1-08-58 1-15-58 1-22-58 1-29-58	71.7 71.5 75.1 75.6 76.2	-	19.6 19.4 23.0 23.5 24.1		
5S/09W-28D01 S	60.0	8-14-57 11-15-57 3-20-58	126.2 90.4 78.3	- 30.4 18.3	4709			3-05-58 4-09-58 4-16-58 4-23-58	75.9 66.7 65.5 65.6	-	23.8 14.6 13.4 13.5		
5S/09W-28E01 S	57.0	8-14-57 11-17-57 3-20-58	115.8 83.5 77.3	- 26.5 20.3	4709			5-28-58 6-04-58 6-11-58 6-18-58 6-25-58	72.7 71.9 74.9 78.9 75.9	-	20.6 19.8 22.8 26.8 23.8		
5S/09W-29B01 S	64.2 63.7	8-28-57 9-19-57 10-17-57	106.6 107.4 101.7	- 42.4 43.7	4709 3102	5S/09W-29M02 S	50.0	8-14-57 11-15-57 3-20-58	101.2 82.6 72.0	-	51.2 32.6 22.0	4709	
	64.2 63.7	11-15-57 12-12-57 1-16-58 2-20-58 3-18-58	91.2 88.9 85.0 85.7 81.7	- 25.2 21.3 22.0 18.0	4709 3102	5S/09W-30F01 S	54.2	7-11-57 8-16-57 9-19-57 10-17-57 11-15-57 12-12-57 1-16-58 2-20-58 3-18-58 4-21-58 5-15-58 6-19-58	35.7 36.9 37.0 36.6 36.0 35.9 35.6 35.8 32.7 31.2 29.6 30.4	-	18.5 17.3 17.2 17.6 18.2 18.3 18.6 18.4 21.5 23.0 24.6 23.8	3102	
5S/09W-29M01 S	52.1	7-10-57 7-31-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57	101.2 105.4 98.1 94.9 94.6 94.3 92.1 93.4 92.1 89.9 87.8 85.0 83.1 81.2 79.7 79.9 78.2	- 49.1 53.3 46.0 42.8 42.5 42.2 40.0 41.3 40.0 37.8 35.7 32.9 31.0 29.1 27.6 27.8 26.1	3102	5S/09W-31A02 S	39.9	8-16-57 10-17-57 11-15-57 12-12-57 1-16-58 3-18-58 4-21-58 5-15-58 6-19-58	85.3 78.6 67.0 64.4 67.2 61.0 54.5	-	45.4 38.7 27.1 24.5 27.3 21.1 14.6	3102	
						5S/09W-31B01 S	40.4	8-14-57 11-15-57 3-20-58	89.2 68.2 62.0	-	48.8 27.8 21.6	4709	
						5S/09W-31M02 S	38.3	7-11-57	89.4	-	51.1	3102	

## GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY											
COASTAL PLAIN PRESSURE						COASTAL PLAIN ORANGE COUNTY					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
EAST COASTAL PLAIN PRESSURE											
80100											
55/09W-31M02 S	38.3	8-16-57	85.0	-	46.7	55/09W-34J01 S CONT.	67.9	3-25-58	62.7	5.2	3102
		9-19-57	80.6	-	42.3			4-22-58	60.1	7.8	
		10-17-57	71.8	-	34.5						
		11-15-57	64.7	-	26.4						
		12-12-57	61.5	-	23.2						
		1-16-58	64.8	-	24.5						
		2-20-58	68.4	-	30.1						
		3-18-58	60.1	-	21.3						
		4-21-58	55.5	-	17.2						
		5-15-58	64.5	-	26.2						
6-19-58	67.3	-	29.0								
55/09W-32A01 S	44.3 44.7	8-14-57	96.0	-	51.7	55/09W-35J01 S	99.4 99.5 99.4 99.5	8-15-57	194.4*	95.0	4709 3102
		8-16-57	93.0	-	48.3			10-22-57	141.7	42.2	
		9-19-57	85.4	-	40.7			11-21-57	128.5	29.0	
		10-17-57	83.1	-	38.4			11-23-57	118.0	18.6	
		11-15-57	73.8	-	29.1			1-17-58	103.9	4.4	
		11-15-57	73.8	-	29.6			2-21-58	94.2	5.3	
		12-12-57	69.9	-	25.2			3-20-58	105.0	-	
		2-20-59	68.3	-	23.6			3-25-58	90.4	9.1	
		3-18-58	64.3	-	19.6			4-22-58	87.8	11.7	
		3-20-58	69.0	-	24.7			5-20-58	101.9	2.4	
55/09W-32L01 S	37.1	4-21-58	58.1	-	13.4	55/10W-04G01 S	93.6	8-13-57	114.3	20.7	3102
		6-10-58	70.1	-	25.4			9-13-57	114.9	21.3	
		6-19-58	70.1	-	25.4			10-11-57	110.5	16.9	
		8-14-57	85.0	-	47.9			11-14-57	109.7	16.1	
		11-15-57	66.9	-	29.8			12-06-57	108.4	14.8	
		11-15-57	66.9	-	29.8			1-14-58	106.7	13.1	
		12-12-57	62.4	-	21.7			2-11-58	105.7	12.1	
		1-16-58	59.8	-	23.8			3-13-58	104.7	11.1	
		2-20-58	60.9	-	23.8			4-17-58	103.6	10.0	
		3-18-58	56.5	-	19.4			5-02-58	105.4	11.8	
55/09W-34J01 S	67.9	3-20-58	56.4	-	14.3	55/10W-09D01 S	75.5	6-12-58	106.2	12.6	3102
		4-21-58	50.4	-	13.3			10-11-57	97.4	21.9	
		5-15-58	54.1	-	17.0			2-11-58	92.9	17.4	
		6-19-58	58.3	-	21.2			3-13-58	91.8	16.3	
		8-24-57	174.0*	-	106.1			5-02-58	89.7	14.2	
		10-22-57	114.0	-	46.1			7-09-57	102.7	6.1	
		11-18-57	102.3	-	34.4			8-13-57	103.3	6.7	
		11-21-57	100.0	-	32.1			9-13-57	103.7	7.1	
		12-17-57	91.2	-	23.3			10-11-57	103.7	-	
		1-17-58	81.1	-	13.2			11-14-57	103.2	6.6	
55/09W-34J01 S	67.9	2-21-58	66.6	-	1.3	55/10W-10A05 S	96.6	1-14-58	102.6	6.	3102
		3-20-58	63.5	-	4.9			2-11-58	102.1	5.5	
		8-24-57	174.0*	-	106.1			3-13-58	101.7	5.1	
		10-22-57	114.0	-	46.1			4-17-58	100.8	4.2	
		11-18-57	102.3	-	34.4			5-02-58	100.7	4.1	
		11-21-57	100.0	-	32.1						
		12-17-57	91.2	-	23.3						
		1-17-58	81.1	-	13.2						
		2-21-58	66.6	-	1.3						
		3-20-58	63.5	-	4.9						

GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100												
EAST COASTAL PLAIN PRESSURE												
80101												
5S/10W-10A05 S	96.6	6-12-58	101.2	-	4.6	-	5S/10W-15B02 S	80.0	3-18-58	80.2	-	8.2
5S/10W-10D04 S	84.9	7-07-57	102.3	-	23.4	3102	CONT.		4-21-58	88.9	-	8.9
		8-13-57	109.0	-	24.1	3102			5-15-58	90.9	-	10.9
		9-13-57	109.1	-	24.2				6-19-58	93.3	-	13.3
		10-11-57	104.2	-	23.3							
		11-14-57	102.2	-	17.3							
		12-06-57	101.8	-	16.0							
		1-14-58	101.1	-	16.2							
		2-11-58	99.7	-	14.8							
		3-13-58	97.7	-	12.8							
		4-17-58	97.0	-	12.1							
		5-02-58	98.1	-	13.2							
		6-12-58	100.2	-	15.3							
5S/10W-10P01 S	84.1	7-09-57	106.8	-	22.7	3102	5S/10W-17A01 S	57.1	7-07-57	79.7	-	22.6
		8-13-57	108.5	-	24.4				8-13-57	81.6	-	24.5
		10-11-57	109.1	-	25.0				9-18-57	82.0	-	24.9
		11-14-57	103.4	-	19.3				10-11-57	81.0	-	23.9
		12-06-57	97.9	-	13.8				11-14-57	77.1	-	20.0
		1-14-58	96.7	-	12.6				12-06-57	77.2	-	20.1
		2-11-58	94.6	-	10.5				1-14-58	74.6	-	17.5
		3-13-58	93.6	-	9.5				2-11-58	73.6	-	16.5
		4-17-58	96.0*	-	11.9				3-13-58	72.4	-	15.3
		5-02-58	93.3	-	9.2				4-17-58	69.4	-	12.3
5S/10W-13C01 S	101.0	7-00-57	136.0	-	35.0	3102			5-02-58	70.7	-	13.6
		8-00-57	132.0	-	31.0				6-12-58	74.0	-	16.9
		9-00-57	131.0	-	30.0							
		10-00-57	127.0	-	26.0							
		11-00-57	120.0	-	19.0							
		12-00-57	111.0	-	10.0							
		1-00-58	115.0	-	14.0							
		2-00-58	114.0	-	13.0							
		3-00-58	107.0	-	6.0							
		4-00-58	107.0	-	6.0							
		5-00-58	110.0	-	9.0							
		6-01-58	114.0	-	13.0							
5S/10W-15B02 S	80.0	7-11-57	101.5	-	21.5	3102	5S/10W-25R01 S	37.9	8-16-57	85.3	-	47.4
		9-19-57	101.9	-	21.9				9-19-57	81.0	-	43.1
		10-17-57	99.2	-	19.2				10-17-57	77.0	-	39.1
		11-15-57	92.4	-	12.4				11-15-57	67.3	-	29.4
		12-12-57	92.3	-	12.3				12-12-57	63.1	-	25.2
		1-16-58	98.9	-	18.9							
		2-20-58	90.2	-	10.2							



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
80101						80101					
5S/10W-25R01 S CONT.	37.9	1-16-58 3-18-58 4-21-58 5-15-58 6-19-58	61.8 57.3 51.2 55.5 58.7	- 23.9 19.4 13.3 17.6 20.8	3102	5S/10W-29D01 S CONT.	35.7	4-09-58 4-16-58 4-30-58 5-07-58 5-14-58 5-21-58 5-28-58 6-18-58	49.0 48.1 49.2 49.6 51.0 52.1 53.0 55.4	- 13.3 12.4 13.5 13.9 15.3 16.4 17.3 19.7	3102
5S/10W-26R02 S	36.6	7-11-57 8-16-57 9-19-57 10-17-57 11-15-57 12-12-57 1-16-58 2-20-58 3-18-58 4-21-58 5-15-58 6-19-58	29.6 30.8 30.1 29.3 28.3 28.9 29.4 29.3 28.6 15.8 18.2 20.2	7.0 5.8 6.5 7.3 8.3 7.7 7.2 7.3 8.0 20.8 18.4 16.4	3102	5S/10W-30A01 S	33.0	7-11-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58	67.1 59.7 57.6 55.3 54.7 52.6 54.7 50.6 46.8 48.3	- 34.1 26.7 24.6 22.3 21.7 19.6 21.7 17.6 13.8 15.3	3102
5S/10W-28B01 S	45.0	9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	74.0 68.4 64.1 64.2 63.1 61.0 59.6 55.4 57.7 63.9	- 29.0 23.4 19.1 19.2 18.1 16.0 14.6 10.4 12.7 18.9	3102	5S/10W-31C01 S	24.7	7-11-57 8-15-57 10-15-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	52.3 53.8 49.0 45.1 48.5 41.8 38.4 39.0 41.5	- 27.6 29.1 24.3 20.4 23.8 17.1 13.7 14.3 16.8	3102
5S/10W-29D01 S	35.7	7-10-57 7-31-57 10-16-57 10-30-57 11-06-57 12-18-57 1-02-58 1-22-58 1-29-58 2-12-58 2-19-58 2-26-58 3-12-58 3-19-58 3-26-58 4-02-58	63.5 66.7 60.0 58.6 57.7 58.6 52.9 54.6 56.2 59.4 60.1 57.8 51.6 50.7 50.1 49.2	- 27.8 31.0 24.3 22.9 22.0 22.9 17.2 18.9 20.5 23.7 24.4 22.1 15.9 15.0 14.4 13.5	3102	5S/10W-31D04 S	22.0	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	51.5 53.0 52.6 48.7 43.9 43.1 41.6 45.0 40.3 36.8 37.4 41.0	- 29.5 31.0 30.6 26.7 23.2 22.4 20.9 24.3 19.6 16.1 16.7 20.3	3102
5S/10W-32C01 S	27.4	7-11-57 8-15-57 9-17-57 10-15-57	57.9 59.0 57.5	- 30.5 31.6 25.1							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY				80100	COASTAL PLAIN ORANGE COUNTY							
EAST COASTAL PLAIN PRESSURE				80101	EAST COASTAL PLAIN PRESSURE							
5S/10W-32C01 S CONT.	27.4	11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	49.0 48.7 46.5 47.8 44.3 40.7 43.2 47.4	- 21.6 21.3 19.1 20.4 16.9 13.3 15.8 20.0	3102		5S/10W-34D01 S CONT.	34.4	2-20-58 3-18-58 4-21-58 5-15-58 6-19-58	38.4 36.9 30.2 32.2 35.1	- 4.0 2.5 4.2 2.2 7	3102
5S/10W-32J04 S	28.2	7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57	.3 .2 .2 .3 .4 .2	27.9 28.0 28.0 27.9 27.8 28.0	3102		5S/10W-35K01 S	32.9	9-19-57 10-17-57 11-15-57 12-12-57 3-18-58 4-21-58 5-15-58 6-19-58	76.3 65.5 59.4 58.2 56.9 50.4 56.5 59.4	- 43.4 32.6 26.5 25.3 24.0 17.5 23.6 26.5	3102
5S/10W-33Q01 S	38.9	8-05-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57 11-25-57 12-02-57 12-09-57 12-23-57 1-06-58 1-13-58 2-24-58 3-03-58 3-10-58 3-24-58 3-31-58 4-14-58 4-21-58 4-28-58 5-05-58	63.2 59.2 58.7 59.9 60.1 59.7 58.6 58.3 58.6 58.4 56.2 56.4 59.2 63.4 58.7 57.8 56.5 55.4 52.9 52.7 52.3 53.1	- 24.3 20.3 19.8 21.0 21.2 20.8 19.7 19.4 19.7 19.5 17.3 17.5 20.3 24.5 18.9 17.6 16.5 14.0 13.8 13.9 14.2	3102		5S/11W-02N01 S	39.5	7-09-57 8-08-57 9-12-57 10-10-57 11-12-57 12-05-57 1-09-58 2-11-58 3-11-58 4-15-58 5-02-58 6-10-58	89.3* 92.1* 88.4* 79.1* 61.7 22.5 62.0* 59.3* 62.3* 54.6* 53.2* 54.9* 69.5*	- 49.8 52.6 48.9 39.6 22.2 22.5 19.8 22.8 15.1 13.7 15.4 30.0	3102
5S/10W-34D01 S	34.4	7-11-57 8-16-57 9-19-57 10-17-57 11-15-57 12-12-57 1-16-58	43.0 44.0 43.4 42.3 40.7 40.7 40.2	- 8.6 9.6 7.9 6.3 6.3 5.8	3102		5S/11W-03A01 S	47.0	7-09-57 8-08-57 9-12-57 10-10-57 11-12-57 12-05-57 1-09-58 2-11-58 4-15-58 5-02-58 6-10-58	89.4 96.1 92.7 84.8 68.1 69.1 70.0 72.0 60.8 63.2 72.8	- 42.4 49.1 45.7 37.8 21.1 22.1 23.0 25.0 13.8 16.2 25.8	3102
5S/10W-34D01 S	34.4	7-01-57 8-16-57 9-19-57 10-17-57 11-15-57 12-12-57 1-16-58	43.0 44.0 43.4 42.3 40.7 40.7 40.2	- 8.6 9.6 7.9 6.3 6.3 5.8	3102		5S/11W-04A01 S	33.0	7-01-57 7-08-57 7-22-57 7-29-57 8-05-57 8-12-57	60.8 65.9* 72.2* 74.6* 74.5 72.8	- 27.8 32.9 39.2 41.6 41.5 39.8	3102

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY											
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
5S/11W-04A01 S	33.0	9-23-57	71.9	-	3102	5S/11W-12L01 S	43.5	10-11-57	68.4	-	3102
CONT.		10-14-57	65.9	-		CONT.		11-14-57	64.9	-	
		10-21-57	63.1	-				12-06-57	61.8	-	
		10-28-57	62.9	-				2-11-58	60.0	-	
		11-04-57	62.4	-				3-13-58	58.1	-	
		11-18-57	55.8	-				4-17-58	56.5	-	
		11-25-57	56.0	-				5-02-58	57.5	-	
		12-02-57	54.8	-		5S/11W-13A02 S	43.0	10-11-57	71.8	-	3102
		12-09-57	54.4	-				11-14-57	65.3	-	
		12-23-57	52.6	-				12-06-57	62.7	-	
		1-06-58	50.4*	-				1-14-58	60.0	-	
		1-27-58	56.2*	-				2-11-58	63.3	-	
		2-17-58	56.0*	-				3-13-58	59.2	-	
		2-24-58	54.8*	-				4-17-58	58.3	-	
		3-03-58	51.9*	-				5-02-58	55.6	-	
		3-10-58	50.5*	-				6-12-58	66.9	-	
		4-21-58	45.6*	-		5S/11W-14C01 S	34.8	7-09-57	66.4	-	3102
		5-05-58	46.7*	-				8-15-57	66.9	-	
		5-12-58	47.2*	-				9-13-57	65.4	-	
		5-26-58	54.8*	-				10-11-57	64.7	-	
5S/11W-04R01 S	30.2	11-12-57	53.8	-	3102			11-14-57	53.9	-	
		12-05-57	54.1	-				12-06-57	52.7	-	
		1-09-58	50.0	-				1-14-58	52.9	-	
		2-11-58	54.6	-				2-11-58	55.5	-	
		3-11-58	47.1	-				3-13-58	48.3	-	
		5-02-58	44.4	-				4-17-58	43.8	-	
		6-10-58	53.1	-				5-02-58	44.2	-	
5S/11W-07C01 S	11.5	5-26-58	90.0*	-	1101			6-12-58	53.9	-	
5S/11W-07C02 S	11.5	5-26-58	48.8	-	1101	5S/11W-16D01 S	17.6	7-01-57	52.1	-	3102
5S/11W-12E03 S	42.0	7-09-57	69.3*	-	3102			7-08-57	52.3	-	
		8-08-57	69.6	-				7-15-57	54.4	-	
		9-12-57	69.6	-				7-22-57	55.0	-	
		10-10-57	64.7	-				7-29-57	55.5	-	
		11-12-57	58.8	-				8-05-57	55.5	-	
		12-05-57	58.6	-				8-12-57	55.6	-	
		1-09-58	57.6	-				8-19-57	54.6	-	
		2-11-58	59.3	-				9-16-57	51.6	-	
		3-11-58	54.4	-				9-23-57	50.6	-	
		4-15-58	52.6	-				9-30-57	49.2	-	
		5-02-58	54.4	-				10-07-57	49.3	-	
		6-10-58	55.4	-				10-14-57	48.2	-	
5S/11W-12L01 S	43.5	9-13-57	71.5	-	3102			10-21-57	46.1	-	
				-				10-28-57	43.3	-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	
				-						-	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE						
80101						80101						
5S/11W-16D01 S	17.6	11-04-57	42.7	-	3102	5S/11W-16D02 S	18.6	10-23-57	44.2	-	25.6	3102
CONT.		11-18-57	40.4	-		CONT.		10-30-57	43.3	-	24.7	
		11-25-57	39.9	-				11-06-57	41.9	-	23.3	
		12-02-57	39.9	-				11-13-57	41.2	-	22.6	
		12-09-57	39.2	-				11-20-57	40.8	-	22.2	
		12-23-57	37.4	-				11-27-57	41.6	-	23.0	
		12-30-57	36.1	-				12-04-57	42.0	-	23.4	
		1-06-58	35.7	-				12-11-57	39.9	-	21.3	
		1-13-58	37.4	-				12-18-57	38.4	-	19.8	
		1-20-58	40.5	-				12-26-57	37.3	-	18.7	
		1-27-58	43.1	-				1-02-58	37.0	-	18.4	
		2-10-58	42.6	-				1-08-58	39.1	-	20.5	
		2-17-58	42.6	-				1-15-58	41.2	-	22.6	
		2-24-58	38.9	-				1-22-58	46.0	-	27.4	
		3-03-58	36.4	-				1-29-58	47.2	-	28.6	
		3-10-58	35.3	-				2-05-58	45.1	-	26.5	
		3-24-58	34.5	-				2-12-58	46.4	-	27.8	
		3-31-58	32.0	-				2-19-58	44.6	-	26.0	
		4-14-58	30.3	-				2-26-58	37.5	-	18.9	
		4-21-58	30.4	-				3-05-58	36.3	-	17.7	
		4-28-58	31.3	-				3-12-58	35.5	-	16.9	
		5-05-58	31.6	-				3-19-58	34.3	-	15.7	
		5-12-58	32.0	-				3-26-58	33.3	-	14.7	
		5-26-58	35.3	-				4-02-58	32.4	-	13.8	
		6-02-58	38.2	-				4-09-58	31.5	-	12.9	
		6-09-58	41.3	-				4-16-58	31.5	-	12.9	
		6-16-58	39.3	-				4-23-58	33.2	-	14.6	
		6-23-58	41.1	-				4-30-58	33.6	-	15.0	
		6-30-58	42.3	-				5-07-58	34.5	-	15.9	
				-				5-14-58	35.6	-	17.0	
5S/11W-16D02 S	18.6	7-03-57	55.9	-	3102			5-21-58	37.1	-	18.5	
		7-10-57	56.0	-				5-28-58	39.1	-	20.5	
		7-17-57	56.1	-				6-04-58	40.0	-	21.4	
		7-24-57	57.4	-				6-11-58	41.8	-	23.2	
		7-31-57	57.4	-				6-18-58	44.1	-	25.5	
		8-07-57	58.2	-				6-25-58	44.9	-	26.3	
		8-14-57	58.6	-								
		8-21-57	57.4	-								
		8-28-57	56.3	-								
		9-04-57	54.2	-								
		9-11-57	53.0	-								
		9-18-57	50.8	-								
		9-25-57	49.3	-								
		10-02-57	50.1	-								
		10-09-57	51.5	-								
		10-16-57	46.6	-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								
				-								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY								
						80100			80101					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE								
5S/11W-18J03 S CONT.	8.9	2-07-58 2-28-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58	32.7 26.4 24.0 21.9 23.5 28.2 30.3	- 23.8 17.5 15.1 13.0 14.6 19.3 21.4	1101	5S/11W-20C03 S CONT.	9.7	5-05-58 5-12-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58	23.9 23.7 26.5 29.4 31.2 30.0 32.3 31.7	- 14.2 14.0 16.8 19.7 21.5 20.3 22.6 22.0	3102			
	5S/11W-20A01 S	12.5	7-11-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58	45.4 44.9 40.4 35.4 34.8 34.5 39.0 30.1 26.4 29.1	- 32.9 32.4 27.9 22.9 22.3 22.0 26.5 17.6 13.9 16.6	3102	5S/11W-20Q08 S	24.8	11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	48.7 47.7 46.4 48.7 43.9 40.5 42.3 45.7	- 23.9 22.9 21.6 23.9 19.1 15.7 17.5 20.9	3102		
		5S/11W-20C03 S	10.9	7-01-57 7-08-57 7-15-57 7-29-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57 11-25-57 12-02-57 12-09-57 12-23-57 12-30-57 1-06-58 1-13-58 1-20-58 2-10-58 2-17-58 3-31-58 4-14-58 4-21-58 4-24-58	40.0 42.2 44.7 44.0 38.8 37.7 39.2 38.2 37.8 36.4 34.0 33.2 30.9 31.3 31.4 30.0 28.2 27.9 27.3 28.4 32.3 33.3 35.3 23.3 21.5 22.5 23.0	- 29.1 31.3 33.8 33.1 27.9 26.8 28.3 27.3 26.9 25.5 23.1 22.3 20.4 20.4 20.5 19.1 17.3 17.0 16.4 21.4 22.6 24.4 13.6 11.8 12.8 13.3	3102	5S/11W-20R04 S	32.4	11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	56.8 55.3 54.2 56.3 52.0 48.5 49.3 53.0	- 24.4 22.9 21.8 23.9 19.6 16.1 16.9 20.6	3102	
			5S/11W-21A01 S	15.4	7-01-57 7-08-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57 11-25-57 12-02-57 12-09-57 12-23-57 12-30-57 1-06-58 1-13-58 1-20-58 2-10-58 2-17-58 3-31-58 4-14-58 4-21-58 4-24-58	46.9 48.1 46.9 45.2 44.6 45.2 43.1 40.7 39.4 38.7 37.3 37.5 37.5 36.3 34.4 34.0 33.7 35.9 40.4	- 31.5 32.7 29.8 29.2 29.8 27.7 25.3 24.0 23.3 21.9 22.1 22.1 20.9 19.0 18.6 18.3 20.5 25.0	3102	5S/11W-20C03 S	9.7	5-05-58 5-12-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58	23.9 23.7 26.5 29.4 31.2 30.0 32.3 31.7	- 14.2 14.0 16.8 19.7 21.5 20.3 22.6 22.0	3102



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
COASTAL PLAIN ORANGE COUNTY														
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE								
80101						80101								
5S/11W-21A01 S CONT.	15.4	2-10-58	39.5	-	24.1	3102	5S/11W-21D05 S CONT.	14.0	5-12-58	29.0	-	15.0	3102	
		2-17-58	40.8	-	25.4				5-26-58	31.7	-	17.7		
		2-24-58	34.9	-	19.5				6-16-58	35.6	-	21.6		
		3-03-58	33.0	-	17.6				6-23-58	39.0	-	25.0		
		3-10-58	32.3	-	16.9				6-30-58	37.3	-	23.3		
		3-24-58	30.3	-	14.9									
		3-31-58	29.7	-	14.3									
		4-14-58	27.8	-	12.4									
		4-21-58	29.2	-	13.8									
		4-28-58	29.7	-	14.3									
		5-05-58	30.4	-	15.0									
		5-12-58	30.5	-	15.1									
		5-26-58	33.3	-	17.9									
		6-02-58	36.4	-	21.0									
5S/11W-21D05 S	14.0	6-23-58	38.4	-	23.0	3102	5S/11W-21F01 S	14.8	7-01-57	61.0	-	46.2	3102	
		7-01-57	45.5	-	31.5				7-22-57	59.4	-	44.6		
		7-15-57	46.5	-	32.5					8-05-57	60.2	-		45.4
		7-22-57	48.6*	-	34.6					8-19-57	61.1	-		46.3
		8-12-57	50.9	-	36.9					9-16-57	62.6	-		47.8
		9-16-57	44.3	-	30.3					9-23-57	61.7	-		46.9
		9-23-57	43.4	-	29.4					9-30-57	63.3	-		48.5
		10-07-57	43.9	-	29.9					10-07-57	63.2	-		48.4
		10-14-57	41.2	-	27.2					10-14-57	62.9	-		48.1
		10-21-57	38.8	-	24.8					10-21-57	55.4	-		40.6
		10-28-57	38.9	-	24.9					10-28-57	53.9	-		39.1
		11-04-57	38.0	-	24.0					11-04-57	53.2	-		38.4
		11-18-57	35.5	-	21.5					11-18-57	49.7	-		34.9
		11-25-57	36.2	-	22.2					11-25-57	50.0	-		35.2
		12-02-57	36.3	-	22.3					12-02-57	50.1	-		35.3
		12-09-57	34.5	-	20.5					12-09-57	49.8	-		35.0
		12-23-57	32.7	-	18.7					12-23-57	48.1	-		33.3
		12-30-57	32.4	-	18.4					12-30-57	42.6	-		27.8
		1-06-58	31.8	-	17.8					1-06-58	41.7	-		26.9
		1-13-58	33.3	-	19.3					1-13-58	44.6	-		29.8
		1-20-58	37.2	-	23.2					1-20-58	48.3	-		33.5
		1-27-58	39.9	-	25.9					1-27-58	53.9	-		39.1
		2-10-58	38.4	-	24.4					2-10-58	54.1	-		39.3
		2-24-58	33.3	-	19.3					2-17-58	55.1	-		40.3
	3-03-58	31.5	-	17.5			2-24-58	51.3	-	36.5				
	3-10-58	30.6	-	16.6			3-03-58	45.7	-	30.9				
	3-24-58	28.9	-	14.9			3-10-58	45.1	-	30.3				
	3-31-58	28.0	-	14.0			3-24-58	43.8	-	29.0				
	4-14-58	26.4	-	12.4			3-31-58	40.5	-	25.7				
	4-21-58	27.9	-	13.9			4-14-58	37.9	-	23.1				
	4-28-58	29.2	-	15.2			4-21-58	37.1	-	22.3				



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY					COASTAL PLAIN ORANGE COUNTY					Water Surface Elev., in feet	Agency Supplying Data				
						EAST COASTAL PLAIN PRESSURE					EAST COASTAL PLAIN PRESSURE										
EAST COASTAL PLAIN PRESSURE						80101	80100					80101					80100				
55/11W-22A02 S	22.2	9-17-57	51.6	-	29.4	3102	55/11W-27H04 S CONT.	8.6	7-15-57	36.8	-	28.2	3102								
		10-15-57	48.1	-	25.9				7-29-57	36.6	-	28.0									
		11-14-57	43.7	-	21.5				8-12-57	37.3	-	28.7									
		12-10-57	42.7	-	20.5				8-19-57	37.2	-	28.6									
		1-16-58	42.0	-	19.8				9-16-57	37.3	-	28.7									
		2-18-58	44.7	-	22.5				9-23-57	37.2	-	28.6									
		3-13-58	38.4	-	16.2				9-30-57	35.9	-	27.3									
		4-17-58	34.7	-	12.5				10-14-57	33.8	-	25.2									
		5-06-58	36.5	-	14.3				10-28-57	33.2	-	24.6									
		6-17-58	43.1	-	20.9				11-04-57	32.8	-	24.2									
55/11W-24D02 S	28.9 27.9	10-15-57	56.0	-	27.1	3102			11-18-57	31.6	-	23.0									
		11-14-57	49.4	-	21.5				12-02-57	32.0	-	23.4									
		12-10-57	48.4	-	20.5				12-23-57	29.4	-	20.8									
		4-17-58	40.7	-	12.8				12-30-57	28.9	-	20.3									
		5-06-58	42.3	-	14.4				1-06-58	29.0	-	20.4									
		6-17-58	46.4	-	18.5				1-13-58	29.0	-	20.4									
									1-27-58	32.7	-	24.1									
									2-10-58	31.2	-	22.6									
									2-17-58	33.1	-	24.5									
									2-24-58	33.4	-	24.8									
55/11W-24N02 S	27.0	9-17-57	60.6	-	33.6	3102			3-03-58	28.9	-	20.3									
		10-15-57	55.0	-	28.0				3-10-58	27.6	-	19.0									
		11-14-57	50.4	-	23.4				3-24-58	26.0	-	17.4									
		12-10-57	49.4	-	22.4				3-31-58	25.9	-	17.3									
		1-16-58	47.3	-	20.3				4-14-58	23.5	-	14.9									
		2-18-58	49.1	-	22.1				4-21-58	24.9	-	16.3									
		3-13-58	45.4	-	18.4				4-28-58	25.2	-	16.6									
		4-17-58	41.9	-	14.9				5-05-58	24.9	-	16.3									
		5-06-58	43.1	-	16.1				5-12-58	25.1	-	16.5									
		6-17-58	47.2	-	20.2				5-26-58	25.3	-	16.7									
55/11W-25P01 S	49.1	7-11-57	76.8	-	27.7	3102	55/11W-28A01 S	8.9	6-30-58	28.9	-	20.3									
		8-15-57	77.4	-	28.3				7-11-57	52.1	-	43.2									
		9-17-57	77.2	-	28.1				8-15-57	55.4	-	46.5									
		10-15-57	74.3	-	25.2				9-17-57	56.1	-	47.2									
		11-14-57	71.3	-	22.2				10-15-57	51.3	-	42.4									
		12-10-57	70.5	-	21.4				11-14-57	44.6	-	35.7									
		1-16-58	68.5	-	19.4				12-10-57	40.3	-	31.4									
		2-18-58	71.8	-	22.7				1-16-58	39.6	-	30.7									
		3-13-58	67.4*	-	18.3				3-13-58	38.6	-	29.7									
		4-17-58	64.3	-	15.2				4-17-58	31.4	-	22.5									
55/11W-27H04 S	8.6	5-06-58	64.7	-	15.6		55/11W-28K01 S	5.0	5-06-58	30.9	-	22.0									
		6-17-58	68.2	-	19.1				6-17-58	34.2	-	25.3									

GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY					COASTAL PLAIN ORANGE COUNTY					Agency Supplying Data				
						EAST COASTAL PLAIN PRESSURE					EAST COASTAL PLAIN PRESSURE									
COASTAL PLAIN ORANGE COUNTY						80100					80100					80100				
EAST COASTAL PLAIN PRESSURE						80101					80101					80101				
5S/11W-28K01 S CONT.	5.0	8-15-57 9-17-57	57.9 57.8	-	52.9 52.8	3102	5S/12W-12C01 S CONT.	18.1	8-27-57 9-26-57 10-31-57 11-29-57 12-27-57	71.8 74.2 68.2 67.2 61.2	-	53.7 56.1 50.1 49.1 43.1	3102	5S/12W-12C01 S CONT.	18.1	8-27-57 9-26-57 10-31-57 11-29-57 12-27-57	71.8 74.2 68.2 67.2 61.2	-	53.7 56.1 50.1 49.1 43.1	3102
5S/11W-29B05 S	50.1	11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58	74.7 73.6 71.9 77.5 70.7 68.3 69.8	-	24.6 23.5 21.8 27.4 20.6 18.2 19.7	3102														
5S/11W-29B08 S	36.9	11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	60.6 59.6 57.8 59.5 56.1 52.7 53.3 56.0	-	23.7 22.7 20.9 22.6 19.2 15.8 16.4 19.1	3102	5S/12W-12Q01 S	16.8	7-19-57 8-09-57 9-13-57 10-04-57 10-25-57 11-15-57 12-06-57 12-27-57	41.7 43.1 41.5 41.1 38.2 37.2 37.0 35.1	-	24.9 26.3 24.7 24.3 21.4 20.4 20.2 18.3	1101							
5S/11W-29C01 S	48.0	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	97.3* 97.3* 102.5* 98.3* 88.6* 86.3 78.8 90.3 87.1 75.6* 74.6* 76.3	-	49.3 49.3 54.5 50.3 40.6 38.3 30.8 42.3 39.1 27.6 26.6 28.3	3102														
5S/11W-34A01 S	56.1	7-11-57 8-15-57 9-17-57 10-15-57 3-13-58 4-17-58 5-06-58 6-17-58	77.0 78.2 78.4 79.0 78.6 73.8 73.5 73.5	-	20.9 22.1 22.3 22.9 22.5 17.7 17.4 17.4	3102	6S/08W-06P01 S	204.1	7-16-57 8-20-57 9-23-57 10-22-57 11-21-57 12-17-57 1-17-58 2-21-58 3-25-58 4-22-58 5-20-58 6-19-58	198.1 203.5 193.8 187.1 186.5 183.3 179.4 177.0 175.7 174.5 175.5 182.3	-	6.0 .6 10.3 17.0 17.6 20.8 24.7 27.1 28.4 29.6 28.6 21.8	3102							
5S/12W-01G01 S	10.0	11-05-57 12-11-57 5-12-58	51.7 30.9 43.2	-	41.7 20.9 33.2	1101	6S/09W-02A04 S	101.7	4-23-58	88.5	-	13.2	4709							
5S/12W-12C01 S	18.1	7-25-57	70.6	-	52.5	3102	6S/09W-02D01 S	84.0 84.5	8-14-57 9-23-57 10-22-57	226.4 150.0* 129.3	-	142.4 65.5 44.8	4709 3102							

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY												
COASTAL PLAIN PRESSURE							80100					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		EAST COASTAL PLAIN PRESSURE					
							State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
80101												
6S/09W-02D01 S CONT.	84.0	11-18-57	106.4	-	22.4	4709	6S/09W-12K01 S CONT.	147.0	1-17-58	106.3	40.7	3102
	84.5	11-21-57	110.4	-	25.9	3102			2-21-58	105.2	41.8	
		12-17-57	102.2	-	17.7				3-25-58	104.1	42.9	
		1-17-58	94.3	-	9.8				4-22-58	102.9	44.1	
		2-21-58	81.2	3.3					5-20-58	102.3	44.7	
	84.0	3-20-58	78.0	6.0		4709			6-19-58	103.8	43.2	
	84.5	3-25-58	77.3	7.2		3102						
		4-22-58	74.4	10.1					7-08-57	85.8	49.3	
		5-20-58	151.9*	-	67.4				7-22-57	87.9	51.4	
		6-19-58	151.9	-	67.4				8-05-57	87.5	51.0	
6S/09W-03C01 S	73.0	8-14-57	185.0	-	112.0	4709						
		11-18-57	182.3	-	109.3							
		4-21-58	77.0	-	4.0							
6S/09W-04L01 S	48.3	8-14-57	108.0	-	59.7	4709						
		11-18-57	78.3	-	30.0							
		3-20-58	71.0	-	22.7							
6S/09W-05A01 S	38.6	8-20-57	85.0	-	46.4	3102						
		9-23-57	77.3	-	38.7							
		11-21-57	67.8	-	29.2							
		12-17-57	66.6	-	28.0							
		1-17-58	60.4	-	21.8							
		2-21-58	60.3	-	21.7							
		3-25-58	55.4	-	16.8							
		4-22-58	50.8	-	12.2							
		5-20-58	56.0	-	17.4							
		6-19-58	59.0	-	20.4							
6S/09W-05Q01 S	45.0	8-14-57	85.0	-	40.0	4709						
		11-20-57	76.0	-	31.0							
		3-20-58	70.0	-	25.0							
6S/09W-06C01 S	34.0	8-14-57	87.2	-	53.2	4709						
		11-18-57	86.4	-	52.4							
6S/09W-08L01 S	10.0	8-14-57	96.0	-	86.0	4709						
		11-19-57	74.3	-	64.3							
		3-24-58	72.0	-	62.0							
6S/09W-12K01 S	147.0	7-16-57	111.9		35.1	3102	6S/10W-01L02 S	40.1	7-11-57	28.4	11.7	3102
		8-20-57	112.1		34.9	8-16-57			28.6	11.5		
		10-22-57	110.4		36.6	9-19-57			28.7	11.4		
		11-21-57	109.0		38.0	10-17-57			28.7	11.4		
		12-17-57	107.7		39.3	11-15-57			28.7	11.4		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						80101	EAST COASTAL PLAIN PRESSURE					
6S/10W-01L02 S	40.1	2-20-58 3-18-58 4-21-58 5-15-58 6-19-58	28.8 27.3 24.1 26.1 25.2	11.3 12.8 16.0 14.0 14.9	3102		6S/10W-05C01 S	20.2	12-30-57 1-06-58 1-13-58 1-20-58 1-27-58 2-10-58 2-17-58 2-24-58 3-03-58 3-10-58 3-24-58 3-31-58 4-14-58 4-21-58 4-28-58 5-05-58 5-12-58 6-02-58 6-19-58 6-30-58	38.5 39.6 39.0 40.9 42.5 42.6 43.6 44.6 41.1 40.1 37.8 37.0 34.6 35.1 34.8 35.9 36.0 38.0 39.4 40.6	18.3 19.4 18.8 20.7 22.3 22.4 23.4 24.4 20.9 19.9 17.6 16.8 14.4 14.9 14.6 15.7 15.8 17.8 19.2 20.4	3102
6S/10W-03H02 S	40.2	7-11-57 8-16-57 9-19-57 10-17-57 11-15-57 12-12-57 1-16-58 2-20-58 3-18-58 4-21-58	82.2 81.5 77.7 74.5 72.0 71.2 76.4 83.1 71.7 62.8	- 41.3 37.5 34.3 31.8 31.0 36.2 42.9 31.5 22.6	3102		6S/10W-06L02 S	14.0	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	41.4 42.6 42.3 37.9 34.5 33.7 32.2 34.2 31.7 29.0 28.8 30.9	27.4 28.6 28.3 23.9 20.5 19.7 18.2 20.2 17.7 15.0 14.8 16.9	3102
6S/10W-05B03 S	20.9	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	56.2 58.3 58.1 51.6 47.8 46.5 45.9 50.6 46.4 41.1 43.0 45.1	- 35.3 37.4 37.2 30.7 26.9 25.6 25.0 29.7 25.5 20.2 22.1 24.2	3102		6S/10W-05C01 S	20.2	7-08-57 7-15-57 7-29-57 8-19-57 9-16-57 9-23-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57 11-25-57 12-02-57 12-09-57 12-23-57	49.5 49.1 48.9 51.4 50.0 49.2 47.5 45.7 44.3 43.7 42.8 41.7 41.7 42.0 40.6 39.1	29.3 28.9 28.7 31.2 29.8 29.0 27.3 25.5 24.1 23.5 22.6 21.5 21.5 21.8 20.4 18.9	3102
6S/10W-07B02 S	11.2	7-01-57 7-22-57 8-05-57 9-16-57 9-23-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57	42.5 43.1 42.4 42.3 40.5 39.3 37.6 36.3 35.3 34.9 34.4	31.3 31.9 31.2 31.1 29.3 25.6 28.1 25.1 24.1 23.7 23.2	3102		6S/10W-07B02 S	11.2	7-01-57 7-22-57 8-05-57 9-16-57 9-23-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-18-57	42.5 43.1 42.4 42.3 40.5 39.3 37.6 36.3 35.3 34.9 34.4	31.3 31.9 31.2 31.1 29.3 25.6 28.1 25.1 24.1 23.7 23.2	3102



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
80100						80100					
6S/10W-07B02 S						6S/10W-08C01 S					
CONT.						CONT.					
11-25-57	11.2		34.4	-	23.2	12-09-57	13.3		8.0	5.3	3102
12-09-57			33.5	-	22.3	12-23-57			8.0	5.3	
12-23-57			31.0	-	19.8	12-30-57			8.3	5.0	
12-30-57			30.5	-	19.3	1-06-58			8.5	4.8	
1-06-58			31.9	-	20.7	1-13-58			8.5	4.8	
1-27-58			35.1	-	23.9	1-20-58			8.6	4.7	
3-03-58			32.8	-	21.6	1-27-58			8.4	4.9	
3-31-58			29.1	-	17.9	2-10-58			7.1	6.2	
4-28-58			27.6	-	16.4	2-17-58			7.2	6.1	
5-05-58			27.7	-	16.5	2-24-58			7.2	6.1	
5-12-58			27.5	-	16.3	3-03-58			6.2	7.1	
6-02-58			29.3	-	18.1	3-10-58			6.0	7.3	
6-09-58			33.0	-	21.8	3-24-58			5.4	7.9	
6-16-58			29.0	-	17.8	3-31-58			5.4	7.9	
6-30-58			29.7	-	18.5	4-14-58			4.9	8.4	
				-		4-21-58			5.1	8.2	
8-16-57	14.0		44.0	-	30.0	4-28-58			5.4	7.9	
9-19-57			43.4	-	29.4	5-05-58			5.6	7.7	
10-17-57			41.9	-	27.9	5-12-58			5.8	7.5	
11-15-57			39.5	-	25.5	5-26-58			6.1	7.2	
12-12-57			39.0	-	25.0	6-02-58			6.0	7.3	
1-16-58			37.9	-	23.9	6-09-58			6.1	7.2	
3-18-58			40.1	-	26.1	6-16-58			6.4	6.9	
4-21-58			36.9	-	22.9	6-23-58			6.5	6.8	
5-15-58			35.7	-	21.7	6-30-58			6.5	6.8	
6-19-58			37.1	-	23.1						
				-		6S/10W-09B01 S	63.7		91.0	27.3	3102
7-01-57	13.3		8.8	4.5	4.5	8-16-57			91.5	27.8	
7-08-57			8.8	4.5	4.5	9-19-57			92.4	28.7	
7-15-57			8.0	5.3	5.3	10-17-57			90.8	27.1	
7-22-57			8.2	5.1	5.1	11-15-57			90.1	26.4	
7-29-57			8.4	4.9	4.9	12-12-57			92.9	29.2	
8-05-57			8.3	5.0	5.0	1-16-58			89.5	25.8	
8-12-57			7.4	5.9	5.9	4-21-58			90.7	27.0	
8-19-57			7.8	5.5	5.5	5-15-58			90.4	26.7	
9-16-57			7.6	5.7	5.7	6-19-58					
9-23-57			7.9	5.4	5.4						
9-30-57			8.1	5.2	5.2	7-11-57	52.5		98.5	46.0	3102
10-07-57			7.1	6.2	6.2	8-16-57			101.2	48.7	
10-14-57			6.6	6.7	6.7	9-19-57			95.3	42.8	
10-21-57			6.6	6.7	6.7	10-17-57			91.8	39.3	
10-28-57			7.0	6.3	6.3	11-15-57			86.4	33.9	
11-04-57			7.2	6.1	6.1	12-12-57			85.5	33.0	
11-18-57			7.7	5.6	5.6	1-16-58			89.7	37.2	
11-25-57			7.8	5.5	5.5	2-20-58			92.9	40.4	
12-02-57			8.0	5.3	5.3	3-18-58			85.8	33.3	
						4-21-58			78.6	26.1	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
COASTAL PLAIN ORANGE COUNTY													
EAST COASTAL PLAIN PRESSURE						80100	EAST COASTAL PLAIN PRESSURE						80101
6S/10W-11G02 S	52.5	5-15-58	80.3	- 27.8	3102		6S/10W-18C03 S	6.4	8-15-57	17.1	- 10.7	3102	
		6-19-58	83.5	- 31.0			CONT.		9-17-57	16.8	- 10.4		
									10-15-57	16.0	- 9.6		
6S/10W-12E02 S	48.8	7-11-57	95.6	- 46.8	3102				10-24-57	15.7	- 9.3		
	46.1	8-14-57	98.0	- 51.9	4709				11-21-57	14.8	- 8.4		
	48.8	8-16-57	98.2	- 49.4	3102				12-20-57	13.8	- 7.4		
		9-19-57	93.3	- 44.5					1-23-58	13.7	- 7.3		
		10-17-57	89.8	- 41.0					3-24-58	12.6	- 6.2		
		11-15-57	84.5	- 35.7					4-16-58	11.3	- 4.9		
	46.1	11-20-57	88.0	- 41.9	4709				4-24-58	11.4	- 5.0		
	48.8	12-12-57	82.2	- 33.4	3102				5-22-58	11.8	- 5.4		
		1-16-58	86.1	- 37.3					6-26-58	12.3	- 5.9		
		2-20-58	90.0	- 41.2			6S/10W-18J09 S	10.9	7-11-57	20.9	- 10.0	3102	
		3-18-58	81.4	- 32.6					8-15-57	20.8	- 9.9		
	46.1	3-20-58	82.0	- 35.9	4709				9-17-57	20.5	- 9.6		
	48.8	4-21-58	74.6	- 25.8	3102				10-15-57	19.8	- 8.9		
		5-15-58	78.0	- 29.2					10-24-57	19.4	- 8.5		
		6-19-58	79.1	- 30.3					11-21-57	18.5	- 7.6		
		6-19-58	79.1	- 30.3					12-20-57	17.5	- 6.6		
6S/10W-17L01 S	6.3	7-11-57	12.8	- 6.5	3102				1-23-58	17.3	- 6.4		
		8-16-57	13.1	- 6.8					3-24-58	16.3	- 5.4		
		9-19-57	13.0	- 6.7					4-24-58	15.0	- 4.1		
		10-17-57	13.1	- 6.8					5-22-58	15.2	- 4.3		
		11-15-57	12.7	- 6.4					6-26-58	15.9	- 5.0		
		12-12-57	12.5	- 6.2			6S/10W-18P01 S	7.9	7-11-57	10.7	- 2.8	3102	
		1-16-58	11.8	- 5.5					8-15-57	10.6	- 2.7		
		2-20-58	11.1	- 4.8					9-17-57	10.5	- 2.6		
		3-18-58	11.3	- 5.0					10-15-57	10.0	- 2.1		
		4-21-58	8.5	- 2.2					10-24-57	9.9	- 2.0		
		5-15-58	8.6	- 2.3					11-21-57	9.2	- 1.3		
		6-19-58	10.2	- 3.9					12-20-57	8.6	- .7		
6S/10W-17M02 S	8.3	7-11-57	13.2	- 4.9	3102				1-23-58	8.3	- .4		
		8-16-57	13.7	- 5.4					3-24-58	7.9	- .0		
		9-19-57	13.4	- 5.1					4-24-58	6.9	- 1.0		
		10-17-57	13.9	- 5.6					5-22-58	7.3	- .6		
		11-15-57	13.5	- 5.2					6-23-58	7.6	- .3		
		12-12-57	13.6	- 5.3									
		1-16-58	13.1	- 4.8			6S/10W-20C01 S	9.1	7-30-57	10.3	- 1.2	3102	
		2-20-58	11.0	- 2.7					8-22-57	10.4	- 1.3		
		3-18-58	11.3	- 3.0					9-26-57	10.6	- 1.5		
		4-21-58	8.9	- .6					10-24-57	10.4	- 1.3		
		5-15-58	9.9	- 1.6					12-20-57	9.8	- .7		
		6-19-58	10.6	- 2.3					1-23-58	9.5	- .4		
6S/10W-18C03 S	6.4	7-11-57	17.1	- 10.7	3102				4-24-58	2.3	- 6.8		

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY												
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY						
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	EAST COASTAL PLAIN PRESSURE						
						State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
80100												80101
EAST COASTAL PLAIN PRESSURE												
6S/10W-20C01 S CONT.	9.1	5-22-58 6-26-58	4.5 6.8	4.6 2.3	3102	6S/11W-01B01 S	13.9	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	40.8 42.5 42.4 39.6 36.7 35.7 34.3 36.4 33.6 30.7 30.7 32.2	- 26.9 28.6 28.5 25.7 22.8 21.8 20.4 22.5 19.7 16.8 16.8 18.3	3102	
	10.4	7-30-57 8-22-57 10-24-57 12-20-57 1-23-58 4-24-58 5-22-58 6-26-58	DRY DRY DRY 12.3 12.2 3.6 6.8 9.1	- - 1.9 1.8 6.8 3.6 1.3	3102							
	5.3	7-30-57 8-22-57 9-26-57 10-24-57 11-21-57 12-20-57 1-23-58 4-24-58 5-22-58 6-26-58	DRY DRY DRY DRY DRY DRY 3.1 4.4 5.2		3102	6S/11W-02D01 S	71.2	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	94.2 95.3 94.7 95.4 97.6 96.4 94.3 93.7 92.4 91.1 90.0 88.7	- 23.0 24.1 23.5 24.2 26.4 25.2 23.1 22.5 21.2 19.9 18.8 17.5	3102	
	5.5	7-30-57 8-22-57 9-26-57 10-24-57 11-21-57 12-20-57 1-23-58 4-24-58 5-22-58 6-26-58	3.7 4.9 3.6 3.7 3.0 3.3 3.9 4.2 4.5 5.1	1.8 .6 1.9 1.8 2.5 2.2 1.6 1.3 1.0 .4	3102	6S/11W-03J01 S	66.0	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	61.1 61.0 61.1 60.9 60.7 60.6 60.5 60.3 60.1 60.3 60.3	4.9 5.0 4.9 5.1 5.3 5.4 5.5 5.7 5.9 5.7 5.7	3102	
	6S/11W-01A02 S	14.5	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58 2-18-58 3-13-58 4-17-58 5-06-58 6-17-58	41.3 43.0 42.3 39.3 36.1 35.0 33.7 36.0 32.9 29.9 30.1 32.0	- 26.8 28.5 27.8 21.6 20.5 19.2 21.5 18.4 15.4 15.6 17.5	3102	6S/11W-11K03 S	32.8	7-11-57 8-15-57 9-17-57 10-15-57 11-14-57 12-10-57 1-16-58	32.8 32.7 32.7 33.0 33.4 33.3 32.9	.0 .1 .1 .2 .6 .5 .1	3102

State Well Number	R. P. Elev., in feet	Date	Dist. R. P. To Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	R. P. Elev., in feet	Date	Dist. R. P. To Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
1	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
2	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
3	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
4	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
5	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
6	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
7	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
8	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
9	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
10	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
11	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
12	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
13	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
14	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
15	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
16	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
17	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
18	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
19	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
20	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
21	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
22	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
23	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
24	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
25	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
26	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
27	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
28	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
29	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
30	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
31	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
32	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
33	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
34	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
35	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
36	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
37	100.0	10/1/50	10.0	110.0	State	100.0	10/1/50	10.0	110.0	State
38</										

[illegible]

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
EAST COASTAL PLAIN PRESSURE						EAST COASTAL PLAIN PRESSURE					
80101						80101					
6S/11W-13G02 S	6.8	11-27-57	14.0	-	7.2	6S/11W-13G03 S		1-08-58	DRY		3102
CONT.		12-04-57	14.0	-	7.2	CONT.		1-15-58	DRY		
		12-11-57	13.7	-	6.9			1-22-58	DRY		
		12-18-57	13.4	-	6.6			1-29-58	DRY		
		12-26-57	13.1	-	6.3			2-05-58	DRY		
		1-02-58	13.0	-	6.2			2-12-58	DRY		
		1-08-58	13.1	-	6.3			2-19-58	DRY		
		1-15-58	13.0	-	6.2			2-26-58	DRY		
		1-22-58	13.0	-	6.2			3-05-58	DRY		
		1-29-58	13.3	-	6.5			3-12-58	DRY		
		2-05-58	13.2	-	6.4			3-19-58	DRY		
		2-12-58	13.2	-	6.4			4-02-58	DRY		
		2-19-58	13.2	-	6.4			4-09-58	7.6		
		2-26-58	12.9	-	6.1		4.9	4-16-58	5.2	2.7	
		3-05-58	12.9	-	6.1			4-23-58	4.1	.3	
		3-12-58	12.6	-	5.8			4-30-58	3.9	1.0	
		3-19-58	12.5	-	5.7			5-07-58	4.0	.9	
		3-26-58	12.0	-	5.2			5-14-58	4.2	.7	
		4-02-58	11.7	-	4.9			5-21-58	4.4	.5	
		4-09-58	4.1		2.7			5-28-58	4.6	.3	
		4-16-58	4.1		.9			6-04-58	4.9	.0	
		4-23-58	5.9		.2			6-11-58	5.1	.2	
		4-30-58	7.0		1.4			6-18-58	5.3	.4	
		5-07-58	8.2	-	2.3			6-25-58	5.4	.5	
		5-14-58	9.1	-	3.4						
		5-21-58	10.2	-	3.8			7-11-57	18.3	6.4	3102
		5-28-58	10.6	-	3.7			8-15-57	18.5	6.6	
		6-04-58	10.5	-	4.1			9-17-57	18.5	6.6	
		6-11-58	10.9	-	4.6			10-15-57	18.3	6.4	
		6-18-58	11.4	-	5.2			10-24-57	17.7	5.8	
		6-25-58	12.0	-				11-21-57	16.9	5.0	
								12-20-57	16.3	4.4	
								1-23-58	15.7	3.8	
								3-24-58	14.9	3.0	
								4-24-58	13.9	2.0	
								5-22-58	14.7	2.8	
								6-26-58	15.1	3.2	
6S/11W-13G03 S	4.9	7-03-57	DRY			6S/11W-13J01 S	11.9				
		7-10-57	DRY								
		7-17-57	DRY								
		7-24-57	DRY								
		8-16-57	DRY								
		10-30-57	DRY								
		11-06-57	DRY								
		11-13-57	DRY								
		11-20-57	DRY								
		11-27-57	DRY								
		12-04-57	DRY								
		12-11-57	DRY								
		12-18-57	DRY								
		1-02-58	DRY								
3102						3102					
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA					
80102						80102					
3S/09W-31E03 S	228.0	8-02-57	183.1			3S/09W-31E03 S	228.0	8-02-57	183.1	44.9	3102
		12-03-57	174.1					12-03-57	174.1	53.9	
		2-06-58	173.6*					2-06-58	173.6*	54.4	
		3-06-58	167.4					3-06-58	167.4	60.6	
		5-01-58	161.5					5-01-58	161.5	66.5	
		6-05-58	157.5*					6-05-58	157.5*	70.5	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
SANTA ANA FOREBAY AREA						80102	SANTA ANA FOREBAY AREA					
3S/09W-31M01 S	212.5	7-03-57	176.5	36.0	3102		3S/09W-32F01 S	237.2	8-02-57	159.2	78.0	3102
		7-10-57	174.4	38.1			CONT.		10-01-57	158.5	78.7	
		7-17-57	172.9	39.6					11-01-57	157.6	79.6	
		7-24-57	173.0	39.5					12-03-57	145.3	91.9	
		8-07-57	175.0	37.5					1-07-58	143.9	93.3	
		8-14-57	176.5	36.0					2-06-58	146.2	91.0	
		8-28-57	178.9	33.6					3-06-58	142.4	94.8	
		9-04-57	179.8	32.7					4-04-58	139.8	97.4	
		9-11-57	180.1	32.4					5-01-58	133.5	103.7	
		9-18-57	180.4	32.1					6-05-58	128.2	109.0	
		9-25-57	178.3	34.2								
		10-09-57	168.0*	44.5			3S/09W-32K01 S	236.0	7-02-57	144.5	91.5	3102
		10-16-57	176.4	44.5					8-01-57	147.1	88.9	
		10-23-57	175.4	37.1					9-05-57	148.6	87.4	
		10-30-57	174.2	38.3					10-03-57	144.9	91.1	
		11-06-57	172.7	39.8					11-07-57	141.1	94.9	
		11-13-57	170.8	41.7					12-10-57	130.5	105.5	
		11-20-57	168.5	44.0					1-03-58	122.6	113.4	
		11-27-57	166.6	45.9					2-13-58	132.5	103.5	
		12-04-57	165.3	47.2					3-04-58	130.3	105.7	
		12-11-57	164.6	47.9					4-11-58	123.8	112.2	
		12-18-57	164.4	48.1					5-01-58	120.0	116.0	
		12-26-57	164.0	48.5					6-12-58	116.1	119.9	
		1-02-58	164.0	48.5								
		1-08-58	164.1	48.4			3S/09W-32P02 S	231.1	9-03-57	170.0	61.1	3102
		1-15-58	164.3	48.2					10-01-57	166.0	65.1	
		1-22-58	164.7	47.8					11-01-57	166.0	65.1	
		1-29-58	165.1	47.4					12-03-57	146.8	84.3	
		2-05-58	165.1	47.4					1-07-58	146.2	84.9	
		2-12-58	164.9	47.6					2-06-58	148.5	82.6	
		2-19-58	164.2	48.3					3-06-58	144.7	86.4	
		2-26-58	163.4	49.1					4-04-58	142.3	88.8	
		3-05-58	162.6	49.9					5-01-58	135.7	95.4	
		3-12-58	162.2	50.3					6-03-58	130.3	100.8	
		3-19-58	161.8	50.7								
		3-26-58	160.8	51.7			3S/09W-32Q05 S	231.7	8-02-57	186.0*	45.7	3102
		4-02-58	160.0	52.5					9-03-57	165.7	66.0	
		4-09-58	158.8	53.7					12-03-57	141.3	90.4	
		4-16-58	157.1	55.4					1-07-58	141.1	90.6	
		4-30-58	155.1	57.4					2-06-58	143.5	88.2	
		5-07-58	154.7	57.8					3-06-58	139.7	92.0	
		5-21-58	153.9	58.6								
		5-28-58	153.0	59.5					8-02-57	63.5	185.5	3102
		6-04-58	152.5	60.0					9-03-57	59.7	189.3	
		6-11-58	152.7	59.8			3S/09W-33L01 S	249.0	10-01-57	58.1	190.9	
									11-01-57	47.2	201.8	
3S/09W-32F01 S	237.2	7-05-57	156.6	80.6	3102							



## GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY										COASTAL PLAIN ORANGE COUNTY																			
SANTA ANA FOREBAY AREA					SANTA ANA FOREBAY AREA					SANTA ANA FOREBAY AREA					SANTA ANA FOREBAY AREA														
Slate Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	Slate Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	Slate Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data												
3S/09W-33L01 S										3S/09W-33N02 S										3S/09W-33N02 S									
CONT.										CONT.																			
249.0										244.4										244.4									
1-07-58										4-30-58										68.7									
2-06-58										5-07-58										69.1									
3-06-58										5-14-58										68.7									
4-04-58										5-21-58										68.8*									
5-01-58										5-28-58										69.5*									
45.6										6-04-58										70.1*									
										6-11-58										71.1*									
7-03-57										10-01-57										73.4									
7-10-57										1-07-58										67.4									
7-17-57										2-06-58										69.2									
7-24-57										3-06-58										66.9									
7-31-57										4-04-58										61.9									
8-07-57										5-01-58										61.4									
8-14-57																													
8-21-57																													
8-28-57																													
9-04-57																													
9-18-57																													
10-02-57																													
10-09-57																													
10-16-57																													
10-23-57																													
10-30-57																													
11-06-57																													
11-20-57																													
11-27-57																													
12-04-57																													
12-11-57																													
12-18-57																													
12-26-57																													
1-02-58																													
1-08-58																													
1-15-58																													
1-22-58																													
1-29-58																													
2-05-58																													
2-12-58																													
2-19-58																													
2-26-58																													
3-05-58																													
3-12-58																													
3-19-58																													
3-26-58																													
4-02-58																													
4-09-58																													
4-16-58																													
4-23-58																													

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
SANTA ANA FOREBAY AREA						80102	SANTA ANA FOREBAY AREA					
35/10W-36K02 S	205.0	10-01-57	177.0	28.0	3102		4S/09W-04G01 S	255.0	3-01-58	18.0	237.0	4742
CONT.		11-01-57	173.8	31.2				256.3	3-05-58	20.5	235.8	3102
		12-03-57	166.0	39.0					3-12-58	19.1	237.2	
		1-07-58	164.3	40.7					3-26-58	19.0	237.3	
		2-06-58	163.8	41.2				255.0	4-01-58	18.0	237.0	4742
		3-06-58	162.3	42.7				256.3	4-02-58	16.3	240.0	3102
		4-04-58	159.7	45.3					4-09-58	15.7	240.6	
		5-01-58	155.3	49.7					4-16-58	17.3	239.0	
		6-05-58	153.2	51.8					4-23-58	20.9	235.4	
4S/09W-04D01 S	248.3	11-01-57	139.1	109.2	3102			255.0**	4-30-58	22.1	234.2	
		5-01-58	167.1	81.2				256.3	5-02-58	20.5	234.5	4742
								255.0**	5-07-58	17.9	238.4	3102
4S/09W-04G01 S	255.0	7-01-57	34.0	221.0	4742			256.3	5-09-58	16.3	238.7	4742
	256.3	7-31-57	54.9*	201.4	3102			255.0**	5-14-58	16.6	239.7	3102
	255.0	8-01-57	54.0*	201.0	4742			256.3	5-16-58	16.5	238.5	4742
	256.3	8-07-57	47.3	209.0	3102			255.0**	5-21-58	16.2	240.1	3102
		8-28-57	41.4	214.9				256.3	5-23-58	15.8	239.2	4742
	255.0	9-01-57	30.0	225.0	4742			255.0**	5-28-58	16.1	240.2	3102
	256.3	9-11-57	24.3	232.0	3102			255.0**	5-30-58	17.2	237.8	4742
		9-18-57	21.0	235.3				256.3	6-01-58	29.0	226.0	
		9-25-57	22.7	233.6				255.0**	6-04-58	19.8	236.5	3102
	255.0	10-01-57	20.0	235.0	4742			256.3	6-06-58	21.6	233.4	4742
	256.3	10-02-57	32.3	224.0	3102			255.0**	6-11-58	28.2	228.1	3102
		10-16-57	20.9	235.4				256.3	6-13-58	29.4	225.6	4742
		10-23-57	19.0	237.3				255.0**	6-18-58	34.9	221.4	3102
		10-30-57	18.2	238.1				256.3	6-20-58	36.1	218.9	4742
	255.0	11-01-57	16.0	239.0	4742			256.3	6-25-58	41.3	215.0	3102
	256.3	11-06-57	17.0	239.3	3102			255.0**	6-27-58	41.8	213.2	4742
		11-13-57	16.5	239.8			4S/09W-05B01 S	238.6	9-03-57	150.1*	88.5	3102
		11-20-57	16.5	239.8					10-01-57	152.8*	85.8	
		11-27-57	16.8	239.5					11-01-57	132.2	106.4	
	255.0	12-01-57	30.0	225.0	4742				12-03-57	143.5	95.1	
	256.3	12-04-57	23.6	232.7	3102				1-07-58	113.1	125.5	
		12-11-57	30.2	226.1					2-06-58	118.0	120.6	
		12-18-57	19.9	236.4					3-06-58	112.4	126.2	
		12-26-57	21.7	234.6					4-04-58	94.6	144.0	
	255.0	1-01-58	41.0	214.0	4742				5-01-58	95.4	143.2	
	256.3	1-02-58	26.6	229.7	3102		4S/09W-05E02 S	228.0	11-01-57	156.9	71.1	3102
		1-22-58	43.2*	213.1					1-07-58	146.8	81.2	
		1-29-58	27.8	228.5					2-06-58	150.6	77.4	
	255.0	2-01-58	20.0	235.0	4742				3-06-58	145.6	82.4	
	256.3	2-05-58	18.1	238.2	3102				4-04-58	140.9	87.1	
		2-12-58	20.2	236.1					5-01-58	133.9	94.1	
		2-19-58	21.8	234.5					6-05-58	139.0	89.0	
		2-26-58	18.8	237.5								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
SANTA ANA FOREBAY AREA												
80102						80102						
4S/09W-05G01 S	238.5	11-01-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58 6-05-58	133.6 113.3 117.1 112.2 96.2 95.7 102.5*	104.9 125.2 121.4 126.3 142.3 142.8 136.0	3102		4S/09W-07M01 S CONT.	206.2	8-21-57 9-11-57 9-18-57 10-09-57 10-16-57 10-23-57 10-30-57	180.4 186.9 179.8 174.8* 175.8 174.3 171.1	25.8 19.3 26.4 31.4 30.4 31.9 35.1	3102
4S/09W-05M02 S	226.4	7-05-57 8-02-57 9-03-57 10-01-57 11-01-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58	168.1 167.3 169.2 172.4 167.4 156.4 158.8 155.2 150.8 143.4	58.3 59.1 57.2 54.0 59.0 70.0 67.6 71.2 75.6 83.0	3102				11-06-57 11-13-57 11-20-57 12-11-57 12-18-57 12-26-57 1-02-58 1-08-58 1-15-58 1-22-58 1-29-58 2-05-58 2-12-58 2-26-58 3-05-58 3-12-58 3-19-58 3-26-58 4-02-58 4-09-58 4-16-58 4-23-58 5-07-58 5-14-58 5-28-58 6-11-58 6-18-58	166.6 160.8 153.7 160.4 160.1 161.5 162.6 160.6 168.9 160.9 165.4 165.5 163.0 162.2 163.4 162.8 158.4 157.3 152.0 151.6 151.9 149.6 153.3 153.8 153.7 157.4* 157.4	39.6 45.4 52.5 46.5 45.8 46.1 44.7 43.6 45.6 37.3 45.3 40.8 40.7 43.2 44.0 42.8 43.4 47.8 48.9 54.2 54.6 54.3 56.6 52.9 52.4 52.5 48.8 48.8	
4S/09W-06F01 S	212.3	7-05-57 11-01-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58	177.9 175.1 163.3 164.1 161.9 159.1 153.3	34.4 37.2 49.0 48.2 50.4 53.2 59.0	3102				2-05-58 2-12-58 2-26-58 3-05-58 3-12-58 3-19-58 3-26-58 4-02-58 4-09-58 4-16-58 4-23-58 5-07-58 5-14-58 5-28-58 6-11-58 6-18-58	165.4 165.5 163.0 162.2 163.4 162.8 158.4 157.3 152.0 151.6 151.9 149.6 153.3 153.8 153.7 157.4* 157.4	40.8 40.7 43.2 44.0 42.8 43.4 47.8 48.9 54.2 54.6 54.3 56.6 52.9 52.4 52.5 48.8 48.8	
4S/09W-06G02 S	215.9	11-01-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58	178.5 160.3 161.0 159.1 156.7 151.0	37.4 55.6 54.9 56.8 59.2 64.9	3102				7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 8-26-57 9-03-57	166.0 134.7 163.2* 188.7* 201.0* 213.8* 220.5* 227.8* 232.5* 233.8*	37.8 69.1 40.6 15.1 2.8 - - - - -	4715
4S/09W-06K01 S	221.6	7-05-57 8-02-57 11-01-57 12-03-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58	134.2 154.6* 134.7 130.1 143.5 144.2 135.9 135.1 129.7	87.4 67.0 86.9 91.5 78.1 77.4 85.7 86.5 91.9	3102		4S/09W-07Q01 S	203.8	7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 8-26-57 9-03-57	166.0 134.7 163.2* 188.7* 201.0* 213.8* 220.5* 227.8* 232.5* 233.8*	37.8 69.1 40.6 15.1 2.8 - - - - -	
4S/09W-07M01 S	206.2	7-17-57 7-24-57	164.9 170.8	41.3 35.4	3102							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY						
80100						80100						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
4S/09W-07Q01 S	203.8	9-09-57	235.0*	-	31.2	4715	4S/09W-07Q03 S	202.0	7-29-57	224.0*	-	4715
CONT.		9-16-57	226.5*	-	22.7				8-05-57	228.0*	-	
		9-23-57	216.5*	-	12.7				8-12-57	230.3*	-	
		9-30-57	207.8*	-	4.0				8-19-57	233.8*	-	
		10-07-57	213.5*	-	9.7				8-26-57	235.8*	-	
		10-14-57	198.5		5.3				9-03-57	237.3*	-	
		10-29-57	175.5		28.3				9-09-57	238.5*	-	
		11-04-57	172.0		31.8				9-16-57	232.3*	-	
		11-11-57	165.5		38.3				9-23-57	227.0*	-	
		11-18-57	152.7		51.1				9-30-57	223.3*	-	
		11-25-57	148.5		55.3				10-07-57	225.0*	-	
		12-02-57	160.2		43.6				10-14-57	205.0	-	
		12-16-57	170.2		33.6				10-29-57	193.0	-	
		12-23-57	173.7		30.1				11-04-57	190.7	-	
		12-30-57	176.5		27.3				11-11-57	186.5	-	
		1-06-58	178.7		25.1				11-18-57	180.5	-	
		1-13-58	180.6		23.2				11-25-57	177.7	-	
		1-20-58	180.6		23.2				12-02-57	184.5	-	
		1-27-58	181.0		22.8				12-16-57	185.3	-	
		2-03-58	181.6		22.2				12-23-57	189.5	-	
		2-10-58	176.5		27.3				12-30-57	191.9	-	
		2-17-58	167.7		36.1				1-06-58	191.5	-	
		2-25-58	169.6		34.2				1-13-58	192.3	-	
		3-03-58	169.9		33.9				1-20-58	191.2	-	
		3-10-58	169.1		34.7				1-27-58	190.6	-	
		3-17-58	172.6		31.2				2-03-58	188.2	-	
		3-24-58	167.8		36.0				2-10-58	186.2	-	
		3-31-58	161.1		42.7				2-17-58	184.1	-	
		4-07-58	154.8		49.0				2-25-58	184.4	-	
		4-14-58	115.7		88.1				3-03-58	184.7	-	
		4-21-58	123.6		80.2				3-10-58	184.2	-	
		4-28-58	136.1		67.7				3-31-58	178.7	-	
		5-05-58	146.5		57.3				4-07-58	174.6	-	
		5-12-58	150.2		53.6				4-14-58	161.8	-	
		5-19-58	144.3		59.5				4-21-58	161.7	-	
		5-26-58	141.2		62.6				4-28-58	165.9	-	
		6-02-58	153.0		50.8				5-05-58	169.8	-	
		6-09-58	166.3		37.5				5-26-58	169.3	-	
		6-16-58	187.3*		16.5				6-02-58	198.0*	-	
		6-23-58	175.8		28.0				6-09-58	212.5*	-	
		6-30-58	185.0		18.8				6-16-58	214.5*	-	
									6-23-58	218.0*	-	
									6-30-58	217.3*	-	
4S/09W-07Q03 S	202.0	7-01-57	213.5*	-	11.5	4715						
		7-08-57	204.0*	-	2.0				7-01-57	179.5*	-	4715
		7-15-57	212.5*	-	10.5				7-08-57	149.2	-	
		7-22-57	218.0*	-	16.0						-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	
											-	



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
COASTAL PLAIN ORANGE COUNTY														
COASTAL PLAIN FOREBAY AREA						COASTAL PLAIN ORANGE COUNTY								
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA								
4S/09W-07Q04 S CONT.	206.0	7-15-57	179.2*	26.8	4715	4S/09W-07Q04 S CONT.	206.0	6-16-58	180.5*	-	25.5	4715		
		7-22-57	190.0*	16.0				6-23-58	162.0				44.0	
		7-29-57	198.5*	7.5				6-30-58	165.5				40.5	
		8-05-57	204.0*	2.0										
		8-12-57	209.5*	3.5										
		8-19-57	213.0*	-										
		8-26-57	217.0*	-										
		9-03-57	219.5*	-										
		9-09-57	218.0*	-										
		9-16-57	201.8*	4.2										
		9-23-57	201.3*	4.7										
		9-30-57	200.0*	6.0										
		10-07-57	204.5*	1.5										
		10-14-57	184.0	22.0										
		10-29-57	175.5	30.5										
		11-04-57	170.2	35.8										
		11-11-57	164.5	41.5										
		11-18-57	153.5	52.5										
		11-25-57	148.5	57.5										
		12-02-57	152.8	53.2										
12-16-57	164.2	41.8												
12-23-57	164.7	41.3												
12-30-57	168.7	37.3												
1-06-58	169.8	36.2												
1-13-58	171.1	34.9												
1-20-58	170.7	35.3												
1-27-58	171.5	34.5												
2-03-58	171.8	34.2												
2-10-58	169.4	36.6												
2-17-58	166.1	39.9												
2-25-58	165.8	40.2												
3-03-58	165.3	40.7												
3-10-58	164.8	41.2												
3-17-58	165.9	40.1												
3-24-58	162.4	43.6												
3-31-58	158.8	47.2												
4-07-58	154.7	51.3												
4-14-58	139.1	66.9												
4-21-58	143.0	63.0												
4-28-58	147.2	58.8												
5-05-58	151.6	54.4												
5-12-58	152.5	53.5												
5-19-58	149.0	57.0												
5-26-58	144.3	61.7												
6-02-58	171.5*	34.5												
6-09-58	177.8*	28.2												



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
SANTA ANA FOREBAY AREA						80102	SANTA ANA FOREBAY AREA					
4S/09W-07Q05 S	205.0	5-05-58	153.0	52.0	4715	3102	4S/09W-18C01 S	197.0	7-15-57	205.8*	-	4715
CONT.		5-12-58	153.9	51.1					7-22-57	211.0*	-	
		5-19-58	150.5	54.5					7-29-57	216.5*	-	
		5-26-58	146.3	58.7					8-05-57	221.0*	-	
		6-02-58	189.7*	15.3					8-12-57	223.0*	-	
		6-09-58	195.3*	9.7					8-19-57	227.5*	-	
		6-16-58	199.0*	6.0					8-26-57	228.2*	-	
		6-23-58	163.8	41.2					9-03-57	227.8*	-	
		6-30-58	167.5	37.5					9-09-57	227.5*	-	
4S/09W-08C01 S	231.2	9-24-57	10.5	220.7	3102				9-16-57	223.0*	-	
		10-29-57	11.4	219.8					9-23-57	219.8*	-	
		11-26-57	10.3	220.9					9-30-57	196.0	-	
		12-27-57	19.0	212.2					10-07-57	199.0	-	
		2-27-58	12.8	218.4					10-14-57	193.5	-	
		3-25-58	12.1	219.1					10-29-57	183.0	-	
		4-24-58	13.1	218.1					11-04-57	180.7	-	
		6-20-58	22.6	208.6					11-11-57	176.7	-	
4S/09W-16L01 S	273.6	7-23-57	274.9	1.3	3102				11-18-57	172.5	-	
		8-22-57	277.7	-					11-25-57	169.5	-	
		9-24-57	278.6	-					12-02-57	173.0	-	
		10-29-57	277.1	-					12-16-57	176.0	-	
		11-26-57	272.7	-					12-23-57	177.7	-	
		12-27-57	269.9	-					12-30-57	177.8	-	
		1-21-58	266.6	-					1-06-58	179.0	-	
		2-27-58	263.4	-					1-13-58	178.7	-	
		3-25-58	261.4	-					1-20-58	178.5	-	
		4-24-58	256.7	-					1-27-58	178.0	-	
		5-22-58	255.6	-					2-03-58	177.8	-	
4S/09W-17Q01 S	231.0	7-23-57	236.9	5.9	3102				2-10-58	173.8	-	
		8-22-57	238.7	7.7					2-17-58	172.2	-	
		9-24-57	238.4	7.4					2-25-58	172.4	-	
		10-29-57	234.5	3.5					3-03-58	172.6	-	
		11-26-57	230.9	1.1					3-10-58	172.6	-	
		12-27-57	231.3	1.3					3-17-58	173.0	-	
		1-21-58	219.7	11.3					3-24-58	169.4	-	
		2-27-58	216.7	14.3					3-31-58	167.0	-	
		3-25-58	214.6	16.4					4-07-58	163.0	-	
		4-24-58	208.4	22.6					4-14-58	151.4	-	
		5-22-58	207.2	23.8					4-21-58	153.2	-	
		6-20-58	210.2	20.8					4-28-58	156.6	-	
4S/09W-18C01 S	197.0	7-01-57	206.0*	9.0	4715				5-05-58	159.5	-	
		7-08-57	174.5	22.5					5-12-58	160.5	-	
									5-19-58	159.6	-	
									5-26-58	158.4	-	
									6-02-58	191.8*	-	
									6-09-58	197.3*	-	

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY											
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA					
State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
80100						80100					
80102						80102					
4S/09W-18C01 S	197.0	6-16-58	201.0*	-	4.0	4S/09W-18C02 S	201.0	5-05-58	161.2	39.8	4715
CONT.		6-23-58	199.5*	-	2.5	CONT.		5-12-58	162.4	38.6	
		6-30-58	204.2*	-	7.2			5-19-58	161.1	39.9	
								5-26-58	159.8	41.2	
4S/09W-18C02 S	201.0	7-01-57	210.4*	-	9.4			6-02-58	171.5	29.5	
		7-08-57	175.5	-	25.5			6-09-58	199.0*	2.0	
		7-15-57	209.5*	-	8.5			6-16-58	202.8*	1.8	
		7-22-57	214.8*	-	13.8			6-23-58	180.5	20.5	
		7-29-57	220.0*	-	19.0			6-30-58	204.5*	-	
		8-05-57	225.0*	-	24.0						
		8-12-57	223.8*	-	22.8						
		8-19-57	227.8*	-	26.8						
		8-26-57	230.8*	-	29.8						
		9-03-57	230.0*	-	29.0						
		9-09-57	229.8*	-	28.8						
		9-16-57	224.0*	-	23.0						
		9-23-57	220.5*	-	19.5						
		9-30-57	218.0*	-	17.0						
		10-07-57	220.5*	-	19.5	4S/09W-18F01 S	195.0	7-01-57	187.6	7.4	4715
		10-14-57	194.7		6.3			7-08-57	177.5	17.5	
		10-29-57	184.5		16.5			7-15-57	204.5*	9.5	
		11-04-57	182.0		19.0			7-22-57	189.5	5.5	
		11-11-57	177.5		23.5			7-29-57	210.0*	-	
		11-18-57	173.5		27.5			8-05-57	196.5	-	
		11-25-57	170.2		30.8			8-12-57	197.5	-	
		12-02-57	174.0		27.0			8-19-57	215.0*	-	
		12-16-57	177.0		24.0			8-26-57	216.6*	-	
		12-23-57	178.5		22.5			9-03-57	216.5*	-	
		12-30-57	178.5		22.5			9-09-57	217.0*	-	
		1-06-58	180.5		20.5			9-16-57	199.0	-	
		1-13-58	180.4		20.6			9-23-57	196.5	-	
		1-20-58	180.4		20.6			9-30-57	209.8*	-	
		1-27-58	180.8		20.2			10-07-57	211.8*	-	
		2-03-58	179.8		21.2			10-14-57	191.7	3.3	
		2-10-58	176.0		25.0			10-29-57	183.6	11.4	
		2-17-58	174.5		26.5			11-04-57	181.7	13.3	
		2-25-58	174.7		26.3			11-11-57	178.5	16.5	
		3-03-58	174.5		26.5			11-18-57	175.0	20.0	
		3-10-58	174.8		26.2			11-25-57	173.0	22.0	
		3-17-58	175.0		26.0			12-02-57	176.0	19.0	
		3-24-58	171.3		29.7			12-16-57	176.8	18.2	
		3-31-58	169.0		32.0			12-23-57	177.0	18.0	
		4-07-58	165.1		35.9			12-30-57	177.2	17.8	
		4-14-58	151.9		49.1			1-06-58	178.0	17.0	
		4-21-58	154.0		47.0			1-13-58	177.8	17.2	
		4-28-58	158.2		42.8			1-20-58	176.8	18.2	
								1-27-58	176.0	19.0	
								2-03-58	175.9	19.1	
								2-10-58	173.0	22.0	
								2-17-58	172.3	22.7	
								2-25-58	172.0	23.0	
								3-03-58	172.0	23.0	
								3-10-58	171.8	23.2	
								3-17-58	171.6	23.4	

## GROUND WATER LEVELS AT WELLS

State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data			
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY								
80100						80100								
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA								
4S/09W-18F01 S CONT.	195.0	3-24-58	169.0	26.0	4715	4S/09W-19D01 S CONT.	179.4	4-24-58	153.4	26.0	3102			
		3-31-58	167.1	27.9			5-22-58	156.3	23.1					
		4-07-58	164.1	30.9										
		4-14-58	155.0	40.0										
		4-21-58	155.3	39.7										
		4-28-58	157.9	37.1										
		5-05-58	160.2	34.8										
		5-12-58	161.3	33.7										
		5-19-58	161.1	33.9										
		5-26-58	160.5	34.5										
		6-02-58	194.4*	.6										
		6-09-58	172.5	22.5										
		6-16-58	197.0*	2.0										
4S/09W-18H01 S	196.0	6-23-58	174.5	20.5	3102	4S/09W-21D02 S	246.2	7-23-57	244.0	2.2	3102			
		6-30-58	178.2	16.8			8-22-57	246.9	.7					
							9-24-57	247.2	1.0					
							10-29-57	246.5	.3					
							11-26-57	241.1	5.1					
							12-27-57	237.9	8.3					
							1-21-58	236.1	10.1					
							2-27-58	233.1	13.1					
							3-25-58	231.2	15.0					
							4-24-58	225.7	20.5					
							5-22-58	223.7	22.5					
							6-20-58	225.7	20.5					
	4S/09W-18Q01 S	184.1	7-23-57	195.5		.5	3102	4S/09W-22M01 S	317.8	7-23-57		332.1*	14.3	3102
		8-22-57	199.3	3.3		8-22-57		333.5*	15.7					
		9-24-57	200.4	4.4		9-24-57		335.2*	17.4					
		10-29-57	190.2	5.8		10-29-57		327.5	9.7					
		11-26-57	181.5	14.5		11-26-57		323.9*	6.1					
		12-27-57	181.8	14.2		12-27-57		319.4	1.6					
		1-21-58	186.2	9.8		1-21-58		314.2*	3.6					
		2-27-58	187.4	8.6		2-27-58		310.0	7.8					
		3-25-58	185.0	11.0		3-25-58		309.5	8.3					
		4-24-58	188.0	8.0		5-22-58		302.5	15.3					
		5-22-58	188.2	7.8		6-20-58		308.8	9.0					
		6-20-58	176.1	19.9										
4S/09W-18Q01 S		184.1	7-23-57	DRY		3102		4S/09W-22R01 S	332.4	7-23-57	340.9	8.5	3102	
		8-22-57	DRY				8-22-57	347.2	14.8					
		9-24-57	DRY				9-24-57	346.2	13.8					
		10-29-57	DRY				10-29-57	340.0	7.6					
		11-26-57	DRY				11-26-57	334.8	2.4					
		12-27-57	DRY				12-27-57	332.2	.2					
		1-21-58	DRY				1-21-58	329.5	2.9					
		2-27-57	DRY				2-27-58	327.6	4.8					
		3-25-58	DRY				3-25-58	325.2	7.2					
							5-22-58	320.6	11.8					
							6-20-58	325.0	7.4					
	4S/09W-19D01 S	179.4	8-22-57	183.4	4.0		3102	4S/09W-27F01 S	290.4	7-01-57	323.5*	33.1		4715
			9-24-57	182.0	2.6				7-08-57	324.0*	33.6			
		10-29-57	176.0	3.4		7-15-57		326.0*	35.6					
		11-26-57	168.5	10.9		7-22-57		326.0*	35.6					
		12-27-57	169.0	10.4		7-29-57		328.0*	37.6					
		1-21-58	166.8	12.6		8-05-57		331.5*	41.1					
		2-27-58	163.6	15.8										
		3-25-58	161.0	18.4										

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA					
4S/09W-27F01 S	290.4					4S/09W-28H02 S	290.0				
CONT.						CONT.					
8-12-57	331.8*			41.4	4715	7-08-57	326.0*			36.0	4715
8-19-57	314.0			-		7-15-57	328.3*			-	
8-26-57	313.0			-		7-22-57	328.3*			-	
9-03-57	335.0*			-		7-29-57	331.0*			-	
9-09-57	334.5*			-		8-05-57	334.8*			-	
9-16-57	335.3*			-		8-12-57	330.3*			-	
9-23-57	334.0*			-		8-19-57	334.3*			-	
9-30-57	338.8*			-		8-26-57	335.0*			-	
10-07-57	334.5*			-		9-03-57	332.0*			-	
10-14-57	304.0			-		9-09-57	347.0*			-	
10-29-57	299.0			-		9-23-57	334.0*			-	
11-04-57	298.5			-		9-30-57	334.5*			-	
11-11-57	297.0			-		10-07-57	334.5*			-	
11-18-57	296.0			-		10-14-57	304.3			-	
11-25-57	296.0			-		10-29-57	299.6			-	
12-02-57	297.0			-		11-04-57	299.0			-	
12-16-57	291.0			-		11-11-57	297.7			-	
12-23-57	291.0			-		11-18-57	296.6			-	
12-30-57	289.0			-		11-25-57	296.5			-	
1-06-58	289.2			-		12-02-57	295.7			-	
1-13-58	288.5			-		12-16-57	292.4			-	
1-20-58	286.0			-		12-23-57	291.5			-	
1-27-58	284.0			-		12-30-57	291.0			-	
2-03-58	284.5			-		1-06-58	291.2			-	
2-10-58	284.8			-		1-13-58	289.5			-	
2-17-58	284.0			-		1-20-58	289.4			-	
2-25-58	282.7			-		1-27-58	288.2			-	
3-03-58	282.7			-		2-03-58	286.6			-	
3-10-58	282.4			-		2-10-58	286.3			-	
3-17-58	280.7			-		2-17-58	285.9			-	
3-24-58	280.3			-		2-25-58	284.7			-	
3-31-58	278.8			-		3-03-58	284.4			-	
4-07-58	277.2			-		3-10-58	283.8			-	
4-14-58	271.6*			-		3-17-58	282.8			-	
4-21-58	277.5			-		3-24-58	282.3			-	
4-28-58	275.8			-		3-31-58	281.2			-	
5-05-58	275.9			-		4-14-58	278.9			-	
5-12-58	274.8			-		4-21-58	279.0			-	
5-19-58	275.2			-		4-28-58	278.0			-	
5-26-58	279.5			-		5-05-58	277.0			-	
6-02-58	301.5*			-		5-12-58	276.2			-	
6-09-58	303.5*			-		5-19-58	275.7			-	
6-16-58	284.0			-		5-26-58	305.0*			-	
6-23-58	303.8*			-		6-02-58	298.3*			-	
6-30-58	303.7*			-		6-09-58	301.0*			-	
7-01-57	322.9*			-	4715	6-16-58	299.0*			-	
4S/09W-28H02 S	290.0			-							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
4S/09W-28H02 S	290.0	6-23-58	302.0*	-	12.0	4715	4S/09W-30E01 S	160.2	4-30-58	149.0	11.2	3102
CONT.		6-30-58	301.5*	-	11.5		CONT.		5-07-58	148.5	11.7	
4S/09W-30E01 S	160.2	7-03-57	164.0	-	3.8	3102			5-14-58	148.6	11.6	
		7-10-57	164.0	-	3.8				5-21-58	148.6	11.6	
		7-17-57	163.8	-	3.6			5-28-58	148.6	11.6		
		7-24-57	163.7	-	3.5			6-04-58	148.6	11.6		
		7-31-57	163.9	-	3.7			6-11-58	148.6	11.6		
		8-07-57	164.5	-	4.3			6-18-58	149.1	11.1		
		8-14-57	164.8	-	4.6			6-25-58	149.4	10.8		
		8-21-57	165.3	-	5.1		4S/09W-30R01 S	262.2	7-23-57	290.7*	-	3102
		8-28-57	165.5	-	5.3				8-22-57	289.1*	-	26.9
		9-04-57	165.8	-	5.6				9-24-57	290.8*	-	28.6
		9-11-57	166.1	-	5.9				10-29-57	281.8	-	19.6
		9-18-57	166.2	-	6.0				11-26-57	274.8*	-	12.6
		9-25-57	166.2	-	6.0				12-27-57	271.7	-	9.5
		10-02-57	165.8	-	5.6				1-21-58	262.6	-	.4
		10-09-57	166.0	-	5.8				2-27-58	259.6	-	2.6
		10-16-57	165.3	-	5.1				3-25-58	254.9	-	7.3
		10-23-57	164.9	-	4.7				4-24-58	251.9	-	10.3
		10-30-57	164.1*	-	3.9				5-22-58	257.6*	-	4.6
		11-06-57	163.3*	-	3.1				6-20-58	267.8*	-	5.6
		11-13-57	162.3	-	2.1		4S/09W-32K01 S	200.0				
		11-20-57	161.6	-	1.4				7-01-57	221.0	-	21.0
		11-27-57	161.0*	-	.8				7-08-57	221.0	-	21.0
		12-04-57	160.8	-	.6				7-15-57	221.3	-	21.3
		12-11-57	159.8*	-	.4				7-22-57	223.0	-	23.0
		12-18-57	159.4*	-	.8				7-29-57	226.0	-	26.0
		12-26-57	158.4*	-	1.8				8-05-57	278.8*	-	78.8
		1-02-58	158.2	-	2.0				8-12-57	279.3*	-	79.3
		1-08-58	157.7	-	2.5				8-19-57	282.3*	-	82.3
		1-15-58	157.3	-	2.9				8-26-57	226.0	-	26.0
		1-22-58	157.1	-	3.1				9-03-57	226.0	-	26.0
		1-29-58	156.7	-	3.5				9-09-57	277.0*	-	77.0
		2-05-58	156.5	-	3.7				9-16-57	227.0	-	27.0
		2-12-58	155.7	-	4.5				9-23-57	225.0	-	25.0
		2-19-58	155.0	-	5.2				9-30-57	274.5*	-	74.5
		2-26-58	154.8	-	5.4				10-07-57	279.0*	-	79.0
		3-05-58	154.2	-	6.0				10-14-57	221.5	-	21.5
		3-12-58	153.8	-	6.4				10-29-57	218.0	-	18.0
		3-19-58	153.4*	-	6.8				11-04-57	217.0	-	17.0
		3-26-58	152.6*	-	7.6				11-11-57	215.7	-	15.7
		4-02-58	152.2*	-	8.0				11-18-57	214.5	-	14.5
		4-09-58	151.1	-	9.1				11-25-57	214.0	-	14.0
		4-16-58	150.4	-	9.8				12-02-57	213.5	-	13.5
		4-23-58	149.5	-	10.6				12-16-57	212.5	-	12.5



COASTAL PLAIN ORANGE COUNTY												
COASTAL PLAIN ORANGE COUNTY					80100							
SANTA ANA FOREBAY AREA					80102							
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
SANTA ANA FOREBAY AREA					80100					80102		
4S/09W-32K01 S	200.0	12-23-57	210.2	-	10.2	-	4S/09W-32K02 S	206.3	12-02-57	216.0	-	9.7
CONT.		12-30-57	209.7	-	9.7	-	CONT.		12-16-57	214.4	-	8.1
		1-06-58	209.0	-	9.0	-			12-23-57	212.2	-	5.9
		1-13-58	208.0	-	8.0	-			12-30-57	212.0	-	5.7
		1-20-58	209.3	-	9.3	-			1-06-58	211.2	-	4.9
		1-27-58	207.1	-	7.1	-			1-13-58	210.2	-	3.9
		2-03-58	207.3	-	7.3	-			1-20-58	213.2	-	6.9
		2-10-58	206.4	-	6.4	-			1-27-58	209.4	-	3.1
		2-17-58	205.7	-	5.7	-			2-03-58	208.6	-	2.3
		2-25-58	205.8	-	5.8	-			2-10-58	208.4	-	2.1
		3-03-58	204.6	-	4.6	-			2-17-58	207.9	-	1.6
		3-10-58	204.2	-	4.2	-			2-25-58	207.2	-	.9
		3-17-58	203.5	-	3.5	-			3-03-58	207.1	-	.8
		3-24-58	202.7	-	2.7	-			3-10-58	206.0	-	.3
		4-28-58	199.2	-	.8	-			3-17-58	205.4	-	.9
		5-05-58	200.4	-	.4	-			3-24-58	204.2	-	2.1
		5-12-58	198.3	-	1.7	-			3-31-58	203.6	-	2.7
		5-19-58	198.5	-	1.5	-			4-07-58	202.0	-	4.3
		5-26-58	195.5	-	4.5	-			4-14-58	201.8	-	4.5
		6-02-58	256.0*	-	56.0	-			4-21-58	201.5	-	4.8
		6-09-58	271.0*	-	71.0	-			4-28-58	201.2	-	5.1
		6-16-58	260.4*	-	60.4	-			5-05-58	200.8	-	5.5
		6-23-58	205.6	-	5.6	-			5-12-58	200.4	-	5.9
		6-30-58	260.0*	-	60.0	-			5-19-58	200.8	-	5.5
4S/09W-32K02 S	206.3	7-01-57	222.5	-	16.2	-	4S/09W-33M01 S	226.0	7-01-57	278.8*	-	52.8
		7-08-57	222.0	-	15.7	-			7-08-57	279.8*	-	53.8
		7-15-57	223.2	-	16.9	-			7-15-57	270.5*	-	44.5
		7-22-57	224.0	-	17.7	-			7-22-57	279.0*	-	53.0
		7-29-57	226.5	-	20.2	-			7-29-57	280.5*	-	54.5
		8-05-57	232.8	-	26.5	-			8-05-57	283.5*	-	57.5
		8-12-57	233.3	-	27.0	-			8-12-57	284.8*	-	58.8
		8-19-57	230.8	-	24.5	-			8-19-57	285.0*	-	59.0
		8-26-57	226.3	-	20.0	-			8-26-57	285.0*	-	59.0
		9-03-57	226.5	-	20.2	-			9-03-57	255.0	-	29.0
		9-09-57	232.5	-	26.2	-			9-03-57	254.8	-	28.8
		9-16-57	228.8	-	22.5	-			10-07-57	281.5*	-	55.5
		9-23-57	226.5	-	20.2	-			10-14-57	249.0	-	23.0
		9-30-57	231.0	-	24.7	-			10-29-57	244.0	-	18.0
		10-07-57	233.0	-	26.7	-			11-04-57	242.2	-	

## GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY										COASTAL PLAIN ORANGE COUNTY									
SANTA ANA FOREBAY AREA					SANTA ANA FOREBAY AREA					80100					80102				
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
4S/09W-33M01 S CONT.	226.0	11-11-57	243.0	-	17.0	4715	197.8	3-04-58	165.4	32.4	3102	4S/10W-01C02 S CONT.	197.8	3-04-58	165.4	32.4	3102		
		11-18-57	239.5	-	13.5			4-11-58	161.9	35.9									
		11-25-57	239.0	-	13.0			5-01-58	159.4	38.4									
		12-02-57	239.0	-	13.0			6-12-58	158.2	39.6									
		12-16-57	233.7	-	7.7														
		12-23-57	234.2	-	8.2			7-01-57	172.9	3.1									
		12-30-57	235.5	-	9.5			7-08-57	172.6	3.4									
		1-06-58	232.5	-	6.5			7-15-57	172.4	3.6									
		1-13-58	231.7	-	5.7			7-22-57	172.1	3.9									
		1-20-58	232.8	-	6.8			7-29-57	171.7	4.3									
		1-27-58	230.8	-	4.8			8-05-57	172.2	3.8									
		2-03-58	230.3	-	4.3			8-12-57	172.5	3.5									
		2-10-58	229.7	-	3.7			8-19-57	172.4	3.6									
		2-17-58	228.6	-	2.6			9-16-57	173.1	2.9									
		2-25-58	228.4	-	2.4			9-23-57	173.4	2.6									
		3-03-58	228.0	-	2.0			9-30-57	172.1	3.1									
		3-10-58	227.4	-	1.4			10-07-57	172.0	3.2									
3-17-58	226.7	-	.7	10-14-57	168.3	6.9													
3-24-58	226.0	-	.0	10-21-57	168.0	7.2													
3-31-58	225.0	-	1.0	10-28-57	167.8	7.4													
4-07-58	223.4	-	2.6	11-04-57	165.9	9.3													
4-14-58	221.8	-	4.2	11-18-57	164.3	10.9													
4-21-58	223.0	-	3.0	11-25-57	164.7	10.5													
4-28-58	222.0	-	4.0	12-02-57	163.7	11.5													
5-05-58	221.8	-	4.2	12-09-57	161.5	13.7													
5-12-58	220.6	-	5.4	12-23-57	160.9	14.3													
5-19-58	221.1	-	4.9	12-30-57	159.6	15.6													
5-26-58	225.2	-	.8	1-06-58	160.1	15.1													
6-02-58	230.5	-	4.5	1-13-58	159.2	16.0													
6-09-58	266.3*	-	40.3	1-20-58	159.9	15.3													
6-16-58	234.0	-	8.0	1-27-58	159.0	16.2													
6-23-58	233.7	-	7.7	2-10-58	157.9	17.3													
6-30-58	235.2	-	9.2	2-17-58	157.7	17.5													
4S/09W-33R01 S	210.0	7-23-57	222.5	-	12.5	3102		2-24-58	158.1	17.1									
		8-22-57	225.3	-	15.3			3-03-58	159.9	15.3									
		9-24-57	226.9	-	16.9			3-10-58	160.0	15.2									
								3-24-58	159.7	15.5									
4S/10W-01C02 S	197.8	7-02-57	181.9		15.9	3102		3-31-58	157.3	17.9									
		8-01-57	183.7*		14.1			4-14-58	156.7	18.5									
		9-05-57	184.7		13.1			4-21-58	155.6	19.6									
		10-03-57	181.0		16.8			4-28-58	156.6	18.6									
		11-07-57	176.1		21.7			5-05-58	161.6	13.6									
		12-10-57	169.9		27.9			5-12-58	153.8	21.4									
		1-03-58	167.8		30.0			5-26-58	158.9	16.3									
		2-13-58	166.7		31.1			6-02-58	161.4	13.8									
								6-09-58	162.1	13.1									

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						COASTAL PLAIN ORANGE COUNTY						
80102						80102						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
4S/10W-02E02 S	175.2	6-16-58	162.3	12.9	3102	4S/10W-07H02 S	111.6	9-10-57	72.6	39.0	3102	
CONT.		6-23-58	159.7	15.5		CONT.		10-08-57	72.7	38.9		
		6-30-58	159.9	15.3				11-05-57	72.8	38.8		
4S/10W-02N01 S	176.0	7-05-57	172.5	3.5	3102			1-24-58	72.9	38.7		
		8-06-57	171.7	4.3				2-07-58	72.7	38.9		
		9-10-57	174.0	2.0				3-07-58	71.4	40.2		
		10-08-57	171.3	4.7				4-11-58	71.6	40.0		
		11-05-57	165.5	10.5				5-01-58	72.2	39.4		
		12-03-57	162.6	13.4				6-06-58	71.2	40.4		
		1-09-58	159.3	16.7		4S/10W-07J01 S	112.4	7-05-57	140.1*	27.7	3102	
		2-07-58	157.9	18.1				8-06-57	138.7	26.3		
		3-07-58	155.9	20.1				11-05-57	123.6	11.2		
		4-11-58	152.8	23.2				12-03-57	124.7*	12.3		
		5-01-58	152.1	23.9				2-07-58	117.7	5.3		
		6-06-58	153.6	22.4				3-11-58	115.3	2.9		
4S/10W-02R01 S	187.1	3-06-58	164.5	22.6	3102			4-11-58	114.7	2.3		
		4-04-58	162.1	25.0				5-01-58	115.6	3.2		
		5-01-58	156.3	30.8				6-06-58	123.6	11.2		
		6-05-58	162.9*	24.2		4S/10W-08C02 S	123.0**	4-01-58	127.0	4.0	4210	
4S/10W-03P01 S	155.9	4-01-58	146.0	9.9	4210			5-01-58	129.3	6.3		
		5-01-58	148.0	7.9				6-01-58	134.0	11.0		
		6-01-58	147.0	8.9		4S/10W-08K01 S	126.6	8-06-57	148.6	22.0	3102	
4S/10W-03P02 S	155.5	4-01-58	144.0	11.5	4210			9-10-57	148.5	21.9		
		5-01-58	150.5*	5.0				11-05-57	139.3	12.7		
		6-01-58	147.0	8.5				12-03-57	135.4	8.8		
4S/10W-04Q01 S	145.0**	6-01-58	145.0	.0	4210			1-09-58	133.2	6.6		
								2-07-58	130.0	3.4		
								3-11-58	125.2	1.4		
4S/10W-04R02 S	152.9	7-01-57	173.0	-	3102			4-11-58	124.0	2.6		
		8-01-57	173.0	-				5-01-58	124.7	1.9		
		9-01-57	173.0	-				6-06-58	132.9	6.3		
		10-01-57	174.0	-		4S/10W-08M06 S	117.0	8-06-57	134.7*	17.7	3102	
		11-01-57	174.0	-				10-08-57	133.8*	16.8		
		12-01-57	151.0	1.9								
		1-01-58	151.0	1.9		4S/10W-09B02 S	145.0**	4-01-58	137.0	8.0	4210	
		2-01-58	152.0	.9				5-01-58	138.0	7.0		
		3-01-58	148.0	4.9				6-01-58	141.0	4.0		
		4-01-58	145.0	7.9								
		5-01-58	146.0	6.9		4S/10W-11P01 S	167.9	7-05-57	166.2	1.7	3102	
		6-01-58	147.0	5.9				8-06-57	169.4	1.5		
4S/10W-07H02 S	111.6	8-06-57	72.5	39.1	3102			9-10-57	170.0	2.1		
								10-08-57	172.9	5.0		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80102						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
4S/10W-11P01 S CONT.	167.9	11-05-57 12-03-57 1-09-58 2-07-58 3-07-58 4-11-58 5-01-58 6-06-58	161.9 160.5 152.8 151.6 149.1 146.3 145.7 147.6	6.0 7.4 15.1 16.3 18.8 21.6 22.2 20.3	3102		4S/10W-14H01 S CONT.	173.8	2-06-58 3-06-58 4-04-58 5-01-58	162.4 159.4 156.7 154.7	11.4 14.4 17.1 19.1	3102
4S/10W-12A01 S	202.0	7-05-57 8-02-57 9-03-57 10-01-57 11-01-57 12-03-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58 6-05-58	177.6 154.0* 177.9 172.7 164.4 171.9 166.2 165.4 162.1 158.2 154.3 157.7	24.4 48.0 24.1 29.3 37.6 30.1 35.8 36.6 39.9 43.8 47.7 44.3	3102		4S/10W-15B02 S	149.9	7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58	163.3 166.7 164.4 162.3 164.3 152.8 151.3 150.4 146.8 144.4 146.9 146.3	- - - - - - - - 3.1 5.5 3.0 3.6	3102
4S/10W-12C01 S	193.3	4-01-58 5-01-58 6-01-58	149.0 150.0* 150.0*	44.3 43.3 43.3	4210		4S/10W-15B03 S	149.5	4-01-58 5-01-58 6-01-58	146.0 146.0 152.0*	3.5 3.5 - 2.5	4210
4S/10W-12J02 S	200.0	8-02-57 11-01-57 1-07-58 2-06-58 3-06-58 4-04-58	167.0 168.5 166.6 166.5 162.3 146.8	33.0 31.5 33.4 33.5 37.7 53.2	3102		4S/10W-15B04 S	150.0	4-01-58 5-01-58 6-01-58	146.0 146.0 152.0*	4.0 4.0 - 2.0	4210
4S/10W-13B02 S	185.0	8-02-57 11-01-57 12-03-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58	194.4 180.6 177.1 171.9 170.6 167.6 163.9 156.9	- 9.4 4.4 7.9 13.1 14.4 17.4 21.1 28.1	3102		4S/10W-17L02 S	112.0**	4-01-58 5-01-58 6-01-58	118.0 120.0 130.0	- - - 15.0	4210
4S/10W-14H01 S	173.8	7-05-57 9-03-57 11-01-57 1-07-58	172.4 174.7 166.8 163.7	1.4 .9 7.0 10.1	3102		4S/10W-17Q01 S	112.0	7-05-57 8-06-57 9-10-57 10-08-57 11-05-57 12-03-57 1-09-58	122.1 123.0 123.2 124.3 124.2 123.7 119.8	- - - - - - - 7.8	3102



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
SANTA ANA FOREBAY AREA						80102	SANTA ANA FOREBAY AREA					
4S/10W-17Q01 S CONT.	112.0	2-07-58 3-11-58 4-11-58 5-01-58 6-06-58	118.3 118.5 119.9 119.6 120.1	- 6.3 6.5 7.9 8.1	3102		4S/10W-22B01 S CONT.	148.3	10-28-57 11-04-57 11-18-57 11-25-57 12-02-57 12-09-57 12-23-57 12-30-57	157.5 154.8 153.3 154.8 154.6 151.6 151.0 149.1	- 9.2 6.5 5.0 6.5 6.3 3.3 2.7 0.8	3102
4S/10W-18A01 S	108.0	7-05-57 11-05-57 12-03-57 1-09-58 2-07-58 3-11-58 4-11-58 5-01-58 6-06-58	125.0 119.1 119.4 115.8 114.4 112.8 110.9 112.8 119.8	- 11.1 11.4 7.8 6.4 4.8 2.9 4.8 11.8	3102				1-06-58 1-13-58 1-20-58 1-27-58 2-10-58 2-17-58 2-24-58 3-03-58 3-10-58 3-24-58 4-14-58 4-21-58 5-12-58 6-09-58 6-16-58 6-23-58 6-30-58	149.5 148.9 150.9 149.0 149.3 149.4 146.8 146.7 145.1 143.2 144.5 145.2 147.7 150.1 152.8 154.0	- 1.2 0.6 2.6 1.8 0.7 1.0 1.1 1.5 1.6 3.2 5.1 3.8 3.1 0.6 1.8 4.5 5.7	
4S/10W-18J01 S	106.3	7-05-57 8-06-57 9-10-57 10-08-57 11-05-57 12-03-57 1-09-58 2-07-58	91.2 91.6 91.7 91.7 93.4 103.1 102.9 101.2	15.1 14.7 14.6 14.6 12.9 3.2 3.4 5.1	3102				7-09-57 8-13-57 9-13-57 10-11-57 11-14-57 12-06-57 1-14-58 2-11-58 3-13-58 4-17-58 5-02-58 6-12-58	153.5 154.0 156.5 155.2 144.5 143.5 141.1 140.4 138.5 136.4 136.6 142.0	- 17.4 17.9 20.4 19.1 8.4 7.4 5.0 4.3 2.4 0.3 0.5 5.9	3102
4S/10W-18R01 S	102.5	8-06-57 10-08-57 11-05-57 12-03-57 1-09-58 2-07-58 3-11-58 4-11-58 5-01-58	114.8 114.0 111.6 113.3 111.7 109.3 109.6 108.3 109.8	- 12.3 11.5 9.1 10.8 9.2 6.8 7.1 5.8 7.3	3102		4S/10W-22L02 S	136.1	7-09-57 8-13-57 9-13-57 10-11-57 11-14-57 12-06-57 1-14-58 2-11-58 3-13-58 4-17-58 5-02-58 6-12-58	153.5 154.0 156.5 155.2 144.5 143.5 141.1 140.4 138.5 136.4 136.6 142.0	- 17.4 17.9 20.4 19.1 8.4 7.4 5.0 4.3 2.4 0.3 0.5 5.9	3102
4S/10W-22B01 S	148.3	7-01-57 7-08-57 7-15-57 7-29-57 8-05-57 8-12-57 8-19-57 9-16-57 10-07-57 10-14-57 10-21-57	165.3 165.5 166.1 166.0 167.8 166.8 167.0 165.9 163.8 159.9 159.2	- 17.0 17.2 17.8 17.7 19.5 18.5 18.7 17.6 15.5 11.6 10.9	3102		4S/10W-23B02 S	162.0**	4-01-58 5-01-58 6-01-58	140.0 136.3 143.0	22.0 25.7 19.0	4210
							4S/10W-23H01 S	163.6	7-05-57 8-02-57	162.9 163.2	0.7 0.4	3102



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80102						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
4S/10W-23H01 S	163.6	9-03-57	163.2	.4	3102	4S/10W-26C01 S	140.4	6-12-58	150.1	-	9.7	3102
CONT.		10-01-57	163.2	.4		4S/10W-27C02 S	129.8	8-13-57	146.5	-	16.7	3102
		11-01-57	163.2	.4	9-13-57			147.8	-	18.0		
		1-07-58	163.0	.6	10-11-57			148.1	-	18.3		
		2-06-58	162.4	1.2	11-14-57			146.3	-	16.5		
		3-06-58	161.7	1.9	12-06-57			146.0	-	16.2		
		4-04-58	160.9	2.7	1-14-58			143.8	-	14.0		
		5-01-58	159.8	3.8	2-11-58			142.6	-	12.8		
4S/10W-23R01 S	158.5	6-05-58	160.0	3.6		3-13-58	141.4	-	11.6			
			10-01-57	161.5	-	4-17-58	139.9	-	10.1			
			11-01-57	157.1	1.4	5-02-58	139.6	-	9.8			
			1-07-58	150.3	8.2	6-12-58	140.9	-	11.1			
			2-06-58	148.7	9.8							
			3-06-58	145.9	12.6	4S/10W-27Q01 S	120.3	7-09-57	137.8	-	17.5	3102
			4-04-58	143.4	15.1	10-11-57	139.5	-	19.2			
4S/10W-24B03 S	172.0	5-01-58	139.1	19.4		11-14-57	137.1	-	16.8			
		6-05-58	142.7	15.8	12-06-57	136.8	-	16.5				
			8-02-57	186.1	-	1-14-58	134.8	-	14.5			
			9-03-57	184.0	-	2-11-58	133.5	-	13.2			
			11-01-57	172.7	.7	3-13-58	132.4	-	12.1			
			1-07-58	165.3	6.7	4-17-58	131.3	-	11.0			
			2-06-58	164.0	8.0	5-02-58	130.9	-	10.6			
4S/10W-24D01 S	173.2	3-06-58	161.1	10.9		6-12-58	134.8	-	14.5			
			4-04-58	157.8	14.2	4S/10W-28N01 S	107.4	7-09-57	DRY	3102		
			5-01-58	152.9	19.1	8-13-57	DRY					
			6-05-58	157.5	14.5	9-13-57	DRY					
			7-05-57	165.2	8.0	10-11-57	DRY					
			8-02-57	165.2	8.0	11-14-57	DRY					
			1-07-58	162.5	10.7	12-06-57	DRY					
4S/10W-26C01 S	140.4	5-01-58	155.9	17.3		1-14-58	DRY					
			6-05-58	156.1	17.1	2-11-58	DRY					
			7-09-57	155.2	-	3-13-58	DRY					
			8-13-57	156.8*	-	4-17-58	DRY					
			9-13-57	157.7	-	5-02-58	DRY					
			10-11-57	157.7	-	6-12-58	DRY					
			11-14-57	155.7	-							
		12-06-57	155.4	-		7-09-57	129.5	-	17.4	3102		
		1-14-58	153.4	-		8-13-57	130.8	-	18.7			
		2-11-58	152.3	-		9-13-57	132.0	-	19.9			
		3-13-58	151.2	-		10-11-57	131.4	-	19.3			
		4-17-58	149.8	-		11-14-57	131.9	-	19.8			
		5-02-58	149.2	-		12-06-57	131.0	-	18.9			
						1-14-58	126.6	-	14.8			
				2-11-58	125.2	-	13.4					

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA					
80102						80102					
4S/10W-29A02 S	111.8	3-13-58	123.9	- 12.1	3102	4S/10W-32Q01 S	85.0	3-24-58	97.7	- 12.7	3102
CONT.		4-17-58	122.7	- 10.9		CONT.		3-31-58	97.3	- 12.3	
		5-02-58	122.9	- 11.1				4-14-58	96.8	- 11.8	
		6-12-58	125.0	- 13.2				4-21-58	98.4*	- 13.4	
4S/10W-31B02 S	81.0	7-12-57	102.1*	- 21.1	3102			4-28-58	97.2*	- 12.2	
		10-09-57	104.3	- 23.3				5-05-58	97.1	- 12.1	
		11-14-57	101.1	- 20.1				5-12-58	97.2	- 12.2	
		12-06-57	100.5	- 19.5				5-26-58	101.6*	- 16.6	
		1-14-58	99.0	- 18.0				6-02-58	102.8*	- 17.8	
		2-11-58	97.1	- 16.1				6-09-58	103.7*	- 18.7	
		3-13-58	95.9	- 14.9				6-16-58	101.0*	- 16.0	
		5-02-58	98.3	- 17.3				6-23-58	99.6*	- 14.6	
		6-12-58	100.5	- 19.5				6-30-58	100.0*	- 15.0	
4S/10W-32Q01 S	85.0	7-01-57	102.3*	- 17.3	3102	4S/10W-34D03 S	101.4	7-09-57	107.3	- 5.9	3102
		7-08-57	103.0*	- 18.0				8-13-57	114.3	- 12.9	
		7-15-57	103.1*	- 18.1				9-13-57	116.6	- 15.2	
		7-22-57	103.8*	- 18.8				10-11-57	113.8	- 12.4	
		7-29-57	104.1*	- 19.1				10-11-57	150.8	- 13.8	3102
		8-05-57	104.3*	- 19.3				11-14-57	148.2	- 11.2	
		8-12-57	104.9*	- 19.9				12-06-57	147.3	- 10.3	
		8-19-57	104.9*	- 19.9				1-14-58	145.4	- 8.4	
		9-16-57	105.6*	- 20.6				2-11-58	144.0	- 7.0	
		9-23-57	105.7*	- 20.7				3-13-58	142.7	- 5.7	
		9-30-57	105.9*	- 20.9				4-17-58	140.9	- 3.9	
		10-07-57	105.8*	- 20.8				5-02-58	139.8	- 2.8	
		10-14-57	105.1	- 20.1				6-12-58	142.2	- 5.2	
		10-21-57	106.2	- 21.2				9-13-57	138.5	- 16.5	3102
		10-28-57	104.1	- 19.1				10-11-57	136.8	- 14.8	
		11-04-57	103.7	- 18.7				11-14-57	139.3	- 17.3	
		11-18-57	102.9	- 17.9				12-06-57	139.2	- 17.2	
		11-25-57	103.5	- 18.5				1-14-58	132.4	- 10.4	
		12-02-57	105.1*	- 20.1				2-11-58	130.7	- 8.7	
		12-09-57	102.2	- 17.2				3-13-58	129.7	- 7.7	
		12-23-57	101.4	- 16.4				4-17-58	128.9	- 6.9	
		12-30-57	100.8	- 15.8				5-02-58	129.2	- 7.2	
		1-06-58	100.9	- 15.9				7-09-57	98.5	- 17.5	3102
		1-13-58	101.8	- 16.8				9-12-57	96.5	- 15.5	
		1-20-58	102.0	- 17.0				10-10-57	96.9	- 15.9	
		1-27-58	100.2	- 15.2				11-12-57	90.6	- 9.6	
		2-10-58	99.5	- 14.5				12-05-57	91.1	- 10.1	
		2-17-58	99.0	- 14.0				1-09-58	89.5	- 8.5	
		2-24-58	98.5	- 13.5				2-11-58	87.0	- 6.0	
		3-03-58	99.0	- 14.0							
		3-10-58	98.1	- 13.1							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY				COASTAL PLAIN ORANGE COUNTY				Water Surface Elev., in feet	Agency Supplying Data								
						80100				80100													
SANTA ANA FOREBAY AREA						80102				80102													
4S/11W-25A01 S CONT.	81.0	4-15-58	86.1	-	5.1	3102	5S/09W-10G01 S CONT.	180.2	10-02-57	DRY	3102	80100	3102	-	3102								
		5-02-58	87.5	-	6.5				10-09-57	DRY													
		6-10-58	93.8	-	12.8				10-16-57	DRY													
		7-23-57	DRY	DRY	155.2				10-23-57	DRY													
		8-22-57	DRY	DRY	156.9				10-30-57	155.2													
		9-24-57	DRY	DRY	201.6				11-06-57	156.9													
5S/09W-04P01 S		10-29-57	DRY			3102			11-13-57	201.6													
		11-26-57	DRY	160.2	11-20-57				160.2														
		12-27-57	DRY	161.1	11-27-57				161.1														
		1-21-58	DRY	161.0	12-04-57				161.0														
		3-25-58	DRY	162.1	12-11-57				162.1														
		6-20-58	DRY	162.9	12-18-57				162.9														
5S/09W-08B02 S	172.6	11-26-57	178.4	-	5.8	3102			1-02-58	165.5													
		12-27-57	176.2	-	3.6				1-08-58	166.3													
		1-21-58	173.2	-	.6				1-15-58	193.3													
		2-27-58	170.4	2.2	1-22-58				193.1														
		3-25-58	167.1	5.5	1-29-58				168.1														
		4-24-58	165.4	7.2	2-05-58				168.7														
5S/09W-08B03 S	156.0	5-22-58	166.4	6.2		3102			2-12-58	170.0													
		11-26-57	110.3	45.7	2-19-58				171.3														
		1-21-58	110.2	45.8	2-26-58				171.8														
		4-24-58	110.1	45.9	3-05-58				187.7														
		5-22-58	110.2	45.8	3-12-58				173.5														
		6-20-58	110.3	45.7	3-19-58				174.1														
5S/09W-10C01 S	187.7	10-29-57	210.7	-	23.0	3102			3-26-58	174.9													
		11-26-57	206.0	-	18.3				4-02-58	175.5													
		1-21-58	199.7	-	12.0				4-09-58	176.2													
		4-24-58	190.0	-	2.3				4-16-58	177.1													
		7-03-57	200.5	-	20.3				4-23-58	182.9													
		7-10-57	201.3	-	21.1				4-30-58	177.9													
5S/09W-10G01 S	180.2	7-17-57	203.0	-	22.8	3102			5-07-58	178.2													
		7-24-57	202.9	-	22.7				5-14-58	178.4													
		7-31-57	155.3	24.9	5-21-58				178.0														
		8-07-57	154.8	25.4	5-28-58				177.0														
		8-14-57	DRY		6-04-58				176.4														
		8-21-57	DRY		6-11-58				175.6														
3102		8-28-57	DRY						6-18-58	187.0													
		9-04-57	DRY		6-25-58				172.8														
		9-11-57	DRY		7-16-57				61.9														
		9-18-57	DRY		8-20-57				64.4														
		9-25-57	DRY		9-23-57				61.7														
					10-22-57				57.5														
3102		3102							12-17-57	51.7													
					1-17-58				54.4														

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY						
80100						80100						
SANTA ANA FOREBAY AREA						SANTA ANA FOREBAY AREA						
5S/09W-15R03 S	98.5	2-21-58	51.2	47.3	3102	5S/10W-02B02 S	115.6	6-02-58	113.3			
CONT.		3-25-58	50.5	48.0		CONT.		6-09-58	113.4		2.3	3102
		4-22-58	48.2	50.3				6-16-58	113.5		2.2	
		5-20-58	48.6	49.9				6-23-58	113.2		2.4	
		6-19-58	51.7	46.8				6-30-58	113.2		2.4	
5S/10W-02B02 S	115.6	7-01-57	113.3	2.3	3102	5S/10W-03A01 S	110.2	7-01-57	129.4	-	19.2	3102
		7-08-57	113.3	2.3				7-08-57	130.0	-	19.8	
		7-15-57	113.3	2.3				7-15-57	132.0	-	21.8	
		7-22-57	113.4	2.2				7-22-57	132.3	-	22.1	
		7-29-57	113.6	2.0				7-29-57	132.5	-	22.3	
		8-05-57	113.5	2.1				8-05-57	132.7	-	22.5	
		8-12-57	113.6	2.0				8-12-57	131.4	-	21.2	
		8-19-57	113.6	2.0				8-19-57	129.4	-	19.2	
		9-16-57	113.6	2.0				9-16-57	129.9	-	19.7	
		9-23-57	113.8	1.8				9-23-57	130.3	-	20.1	
		9-30-57	113.8	1.8				9-30-57	130.0	-	19.8	
		10-07-57	113.7	1.9				10-07-57	130.0	-	19.8	
		10-14-57	113.7	1.9				10-14-57	129.4	-	19.2	
		10-21-57	113.7	1.9				10-21-57	127.3	-	17.1	
		10-28-57	113.8	1.8				10-28-57	125.8	-	15.6	
		11-04-57	113.9	1.7				11-04-57	125.0	-	14.8	
		11-18-57	114.0	1.6				11-18-57	124.7	-	14.5	
		11-25-57	113.8	1.8				11-25-57	126.9	-	16.7	
		12-02-57	113.8	1.8				12-02-57	128.1	-	17.9	
		12-09-57	113.9	1.7				12-09-57	124.6	-	14.4	
		12-16-57	113.9	1.7				12-16-57	124.7	-	14.5	
		12-23-57	113.9	1.7				12-23-57	123.1	-	12.9	
		12-30-57	113.7	1.9				12-30-57	122.9	-	12.7	
		1-06-58	113.8	1.8				1-06-58	123.5	-	13.3	
		1-13-58	113.9	1.7				1-13-58	122.5	-	12.3	
		1-20-58	114.0	1.6				1-20-58	123.8	-	13.6	
		1-27-58	114.0	1.6				1-27-58	122.7	-	12.5	
		2-10-58	113.9	1.7				2-10-58	121.1	-	10.9	
		2-17-58	113.8	1.8				2-17-58	121.7	-	11.5	
		2-24-58	113.8	1.8				2-24-58	121.8	-	11.6	
		3-03-58	113.6	2.0				3-03-58	120.7	-	10.5	
		3-10-58	113.6	2.0				3-10-58	120.6	-	10.4	
		3-24-58	114.0	1.6				3-24-58	119.6	-	9.4	
		3-31-58	113.6	2.0				3-31-58	119.2	-	9.0	
		4-14-58	113.4	2.2				4-14-58	120.3	-	10.1	
		4-21-58	113.5	2.1				4-21-58	121.7	-	11.5	
		4-28-58	113.4	2.2				4-28-58	120.3	-	10.1	
		5-05-58	113.3	2.3				5-05-58	121.8	-	11.6	
		5-12-58	113.3	2.3				5-12-58	122.8	-	12.6	
		5-26-58	113.7	1.9				6-02-58	124.8	-	14.6	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
SANTA ANA FOREBAY AREA						IRVINE BASIN						
5S/10W-03A01 S	110.2	6-09-58	124.4	-	3102	5S/08W-31K01 S	220.2	8-20-57	237.1	-	16.9	3102
CONT.		6-16-58	125.6	-		CONT.		10-22-57	223.2	-	3.0	
		6-23-58	122.6	-			219.7	11-14-57	234.5*	-	14.8	4709
		6-30-58	123.5	-			220.2	11-21-57	217.4	-	2.8	3102
								12-17-57	216.2	-	4.0	
5S/11W-02G01 S	48.7	7-09-57	58.4	-	3102			1-17-58	210.9	-	9.3	
		8-08-57	53.2	-				2-21-58	207.5	-	12.7	
		9-12-57	54.9	-				3-25-58	205.1	-	15.1	
		10-10-57	53.4	-				4-22-58	204.2	-	16.0	
		11-12-57	49.8	-			219.7	4-23-58	204.9	-	14.8	4709
		12-05-57	50.0	-			220.2	5-20-58	206.8	-	13.4	3102
		1-09-58	47.2	-						-	23.1	4709
		2-11-58	46.3	-		5S/08W-32L01 S	274.4	11-14-57	297.5	-	16.1	
		3-11-58	44.2	-				4-23-58	258.3	-		
		4-15-58	43.0	-		5S/08W-33A01 S	439.8	11-14-57	90.0	-	349.8	4709
		5-02-58	44.2	-						-		
80103						5S/09W-09M01 S	151.6	9-24-57	133.9	-	17.7	3102
IRVINE BASIN								10-29-57	131.7	-	19.9	
5S/08W-19H01 S	252.5	7-16-57	255.9	-	3102			11-26-57	131.1	-	20.5	
		8-20-57	258.2	-				12-27-57	132.1	-	19.5	
		9-23-57	256.9	-				1-21-58	130.9	-	20.7	
		10-22-57	253.8	-				2-27-58	129.2	-	22.4	
		11-21-57	250.3	-				3-25-58	128.1	-	23.5	
		12-17-57	249.9	-				4-24-58	127.6	-	24.0	
		1-17-58	245.4	-				5-22-58	126.2	-	25.4	
		2-21-58	242.7	-				6-20-58	127.2	-	24.4	
		3-25-58	240.3	-			123.1	8-14-57	188.0	-	64.9	4709
		4-22-58	242.4	-				11-15-57	169.0	-	45.9	
		5-20-58	237.1	-				3-20-58	129.4	-	6.3	
		6-19-58	238.7	-						-		
80102						5S/09W-14Q01 S	107.3	11-21-57	117.7	-	10.4	3102
5S/08W-29P01 S	265.8	9-23-57	261.0	-	3102			12-17-57	117.4	-	10.1	
		10-22-57	259.3	-				1-17-58	111.8	-	4.5	
		11-21-57	257.3	-				2-21-58	103.2	-	4.1	
		12-17-57	257.5	-				3-20-58	110.0	-	2.7	4709
		1-17-58	254.2	-				3-25-58	102.4	-	4.9	3102
		2-21-58	252.7	-				4-22-58	102.1	-	5.2	
		3-25-58	251.6	-				5-20-58	104.0	-	3.3	
		4-22-58	250.4	-						-		
		5-20-58	250.3	-		5S/09W-16Q02 S	110.0	7-08-57	162.3*	-	52.3	5721
		6-19-58	254.2	-				7-20-57	176.0*	-	66.0	
5S/08W-31H01 S	237.5	11-14-57	249.0	-	4709			8-31-57	163.0*	-	53.0	
		4-23-58	226.5	-				9-07-57	165.0*	-	55.0	
5S/08W-31K01 S	220.2	7-16-57	235.0	-	3102			11-05-57	121.0*	-	11.0	



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY											
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
IRVINE BASIN						IRVINE BASIN					
80103						80103					
55/09W-16Q02 S	110.0	1-07-58	116.0	-	6.0	5721	55/09W-25E01 S	109.9	2-21-58	99.4	3102
		2-12-58	112.0	-	2.0		CONT.		3-20-58	100.0	4709
		3-07-58	112.0	-	2.0				3-25-58	95.6	3102
		4-16-58	109.0	-	1.0				4-22-58	93.0	
		5-07-58	109.0	-	1.0				5-20-58	94.8	
		6-20-58	160.0*	-	50.0						
55/09W-16Q03 S	107.0	7-08-57	197.0*	-	90.0	5721	55/09W-25H01 S	156.0	7-08-57	248.5*	5721
		8-31-57	209.0*	-	102.0				11-05-57	180.0	
		9-07-57	211.0*	-	104.0				1-07-58	225.0*	
		1-07-58	242.0*	-	135.0				3-07-58	150.0	
		2-12-58	113.0	-	6.0				4-16-58	148.0	
		3-07-58	113.0	-	6.0				5-07-58	145.0	
		4-16-58	108.0	-	1.0				6-20-58	238.0*	
		5-07-58	108.0	-	1.0						
		6-20-58	194.0*	-	87.0		55/09W-36B01 S	157.0	8-20-57	191.2	3102
55/09W-21B01 S	95.5	9-19-57	135.6*	-	40.1	3102			9-23-57	188.3	
		11-15-57	108.7	-	13.2				10-22-57	176.8	
		12-12-57	106.7	-	11.2				11-14-57	190.0*	4709
		1-16-58	98.8	-	3.3				11-21-57	164.9	3102
		2-20-58	95.8	-	.3				12-17-57	160.7	
		3-18-58	93.7	-	1.8				1-17-58	152.5	
		4-21-58	90.5	-	5.0				2-21-58	147.8	
		5-15-58	92.5	-	3.0				3-25-58	144.5	
		6-19-58	115.9	-	20.4				4-22-58	142.7	
55/09W-22A02 S	86.8	9-04-57	122.6	-	35.8	4709			4-23-58	142.6	4709
		11-15-57	96.0	-	9.2		55/09W-36K01 S	150.6	5-20-58	145.0	3102
		3-20-58	105.0	-	18.2				5-20-58	145.0	
55/09W-23A01 S	118.7	8-28-57	130.0	-	11.3	4709					
		11-15-57	130.0	-	11.3						
		3-20-58	77.3	-	41.4						
55/09W-24H01 S	188.3	8-14-57	189.1	-	.8	4709					
		11-15-57	181.0	-	7.3						
		3-20-58	172.0	-	16.3						
55/09W-25E01 S	109.9	8-14-57	168.6	-	58.7	4709					
		9-23-57	144.9	-	35.0	3102					
		10-22-57	137.5	-	27.6						
		11-14-57	125.0	-	15.1	4709					
		11-21-57	117.7	-	7.8	3102					
		12-17-57	117.4	-	7.5						
		1-17-58	104.9	-	5.0						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY						80100
IRVINE BASIN						80103	IRVINE BASIN						80103
55S/09W-36K01 S CONT.	150.6	11-06-57	152.5	- 1.9	3102	6S/08W-04B01 S CONT.	430.5	8-20-57	65.2		365.3	3102	
		11-13-57	150.0	.6				9-23-57	67.4		363.1		
		11-20-57	147.8	2.8				10-22-57	65.7		364.8		
		11-27-57	148.0	2.6				11-21-57	67.3		363.2		
		12-04-57	143.4	7.2				12-17-57	65.6		364.9		
		12-11-57	142.2	8.4				1-17-58	65.3		365.2		
		12-18-57	140.9	9.7				2-21-58	65.4		365.1		
		12-26-57	138.0	12.6				3-25-58	65.6		364.9		
		1-02-58	136.4	14.2				4-22-58	65.2		365.3		
		1-08-58	135.3	15.3				5-20-58	65.4		365.1		
		1-15-58	134.6	16.0				6-19-58	65.3		365.2		
		1-22-58	134.1	16.5									
		1-29-58	133.2	17.4		6S/08W-05E01 S	282.8	7-16-57	281.9		.9	3102	
		2-05-58	132.0	18.6				8-20-57	284.1	-	1.3		
		2-12-58	131.3	19.3				9-23-57	282.0		.8		
		2-26-58	129.8	20.8				10-22-57	279.3		3.5		
		3-05-58	129.1	21.5				11-21-57	277.5		5.3		
		3-12-58	128.5	22.1				12-17-57	276.9		5.9		
		3-19-58	128.0	22.6				1-17-58	274.4		8.4		
		3-26-58	127.5	23.1				2-21-58	272.8		10.0		
		4-02-58	126.9	23.7				3-25-58	271.6		11.2		
		4-09-58	126.3	24.3				4-22-58	270.4		12.4		
		4-16-58	125.9	24.7				5-20-58	269.8		13.0		
		4-23-58	125.5	25.1				6-19-58	275.7		7.1		
		4-30-58	125.3	25.3									
		5-07-58	127.4	23.2		6S/08W-05E02 S	285.4	11-14-57	299.3	-	13.9	4709	
		5-14-58	129.9	20.7				4-23-58	264.7		20.7		
		5-21-58	131.6	19.0									
		5-28-58	136.2	14.4		6S/08W-06J01 S	238.9	11-14-57	259.6	-	20.7	4709	
		6-04-58	144.8	5.8				4-23-58	214.3		24.6		
		6-11-58	155.1	4.5									
		6-18-58	163.6	- 13.0		6S/08W-07E01 S	178.2	11-14-57	167.0		11.2	4709	
		6-25-58	165.9	- 15.3				4-23-58	151.3		26.9		
							</						

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY				COASTAL PLAIN ORANGE COUNTY				Agency Supplying Data
						IRVINE BASIN		80100		IRVINE BASIN		80100		
6S/08W-07Q01 S	202.2	6-19-58	180.2	22.0	3102	6S/09W-07C01 S	49.0	1-16-58	72.4	-	23.4	3102	80100	
6S/08W-08M01 S	244.4	8-20-57	222.6	21.8	3102			2-20-58	73.0	-	24.0			
		9-23-57	221.0	23.4				3-18-58	70.3	-	21.3			
		10-22-57	217.2	27.2				4-21-58	65.2	-	16.2			
	244.1	11-14-57	250.0*	-	4709			5-15-58	66.3	-	17.3			
	244.4	11-21-57	215.5	28.9	3102			6-19-58	68.5	-	19.5			
		4-22-58	208.3	36.1		6S/09W-09H01 S	67.0	8-14-57	123.2	-	56.2	4709		
	244.1	4-23-58	207.1	37.0	4709			11-19-57	76.3	-	9.3			
	244.4	5-20-58	209.2	35.2	3102			3-24-58	86.0	-	19.0			
		6-19-58	215.0	29.4		6S/09W-09H03 S	67.5	9-23-57	107.9	-	40.4	3102		
6S/09W-01L01 S	142.4	11-14-57	165.0	22.6	4709			10-22-57	105.2	-	37.7			
		4-23-58	122.3	20.1				11-21-57	96.5	-	29.0			
6S/09W-01P02 S	138.7	7-16-57	198.3	59.6	3102			12-17-57	94.3	-	26.8			
		8-20-57	203.2	64.5				1-17-58	91.8	-	24.3			
		9-23-57	175.4	36.7				2-21-58	89.1	-	21.6			
		10-22-57	157.3	18.6				3-25-58	84.8	-	17.3			
		11-21-57	143.6	4.9				4-22-58	82.7	-	15.2			
		12-17-57	135.5	3.2				6-19-58	88.6	-	21.1			
		1-17-58	130.6	8.1		6S/09W-09M02 S	53.3	7-16-57	66.8	-	13.5	3102		
		2-21-58	128.0	10.7				9-23-57	66.4	-	13.1			
		3-25-58	123.1	15.6				10-22-57	66.6	-	13.3			
		4-22-58	121.2	17.5				11-21-57	66.4	-	13.1			
		5-20-58	143.3	4.6				12-17-57	66.5	-	13.2			
		6-19-58	178.0	39.3				2-21-58	62.3	-	9.0			
6S/09W-03R01 S	96.0	7-16-57	110.1	14.1	3102			3-25-58	61.0	-	7.7			
		8-20-57	112.2	16.2				4-22-58	60.4	-	7.1			
		9-23-57	97.9	1.9				5-20-58	58.4	-	5.1			
		10-22-57	91.9	4.1				6-19-58	57.9	-	4.6			
		11-21-57	84.5	11.5		6S/09W-10P01 S	101.5	7-16-57	22.8	-	78.7	3102		
		12-17-57	82.7	13.3				8-20-57	22.9	-	78.6			
		1-17-58	76.8	19.2				9-23-57	23.1	-	78.4			
		2-21-58	74.5	21.5				10-22-57	23.2	-	78.3			
		3-25-58	72.4	23.6				12-17-57	23.0	-	78.5			
		4-22-58	70.1	25.9				1-17-58	23.3	-	78.2			
		5-20-58	71.8	24.2				2-21-58	22.7	-	78.8			
		6-19-58	85.5	10.5				3-25-58	20.5	-	81.0			
6S/09W-07C01 S	49.0	7-11-57	81.0	32.0	3102			4-22-58	18.6	-	82.9			
		9-19-57	81.7	32.7				5-20-58	14.1	-	87.4			
		10-17-57	79.3	30.3				6-19-58	13.8	-	87.7			
		11-15-57	75.2	26.2										
		12-12-57	73.9	24.9										
						LA HABRA BASIN								
						3S/10W-03N01 S				386.9				
						8-29-57				105.6				3102

GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						80100	COASTAL PLAIN ORANGE COUNTY					
LA HABRA BASIN						80104	LA HABRA BASIN					
3S/10W-03N01 S CONT.	386.9	11-18-57 3-13-58 5-05-58	102.8 100.1 98.4	284.1 286.8 288.5	3102		4S/12W-25H01 S	17.6	7-25-57 8-27-57 9-26-57 10-31-57 11-29-57 12-27-57 2-28-58	62.4 64.7 51.6 52.6 50.6 46.6 47.5	- - - - - - -	3102
3S/10W-05K01 S	350.9	8-29-57 11-18-57 3-13-58 5-05-58 5-05-58	12.7 23.7 35.6 37.0 37.0	338.2 327.2 315.3 313.9 313.9	3102		YORBA LINDA BASIN					
3S/10W-07Q01 S	224.0	11-18-57 3-13-58 5-05-58	169.7 164.2 159.7	54.3 59.8 64.3	3102		3S/09W-20M01 S	335.6	11-18-57 3-13-58 5-05-58	182.1 180.2 178.8	153.5 155.4 156.8	3102
3S/10W-10N01 S	308.3	8-29-57 11-18-57 3-13-58 5-05-58	39.3 29.1 24.8 20.0	269.0 279.2 283.5 288.3	3102		3S/09W-23K01 S	475.0	7-01-57 8-01-57 10-01-57 12-01-57 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 6-20-58	189.0 191.0 192.0 191.0 191.0 191.0 191.0 191.0 191.0 190.7	286.0 284.0 283.0 284.0 284.0 284.0 284.0 284.0 284.0 284.3	474.2
3S/10W-11G02 S	370.0	8-29-57 11-18-57 3-13-58 5-05-58	76.7 76.8 74.8 72.2	293.3 293.2 295.2 297.8	3102		3S/09W-33E02 S	240.5	7-05-57 8-02-57 9-03-57 10-01-57 11-01-57 12-03-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58 6-05-58	130.1* 138.1* 135.9* 135.4* 133.8* 116.3 112.0 114.2 111.1 132.7* 139.3* 141.1*	110.4 102.4 104.6 105.1 106.7 124.2 128.5 126.3 129.4 107.8 101.2 99.4	3102
3S/10W-11L01 S	357.0	8-29-57 11-18-57 3-13-58 5-05-58	65.8 65.7 64.0 60.1	291.2 291.3 293.0 296.9	3102		3S/09W-34C01 S	265.0	7-02-57 8-01-57 9-05-57 10-03-57 11-07-57 12-10-57 1-03-58 2-13-58	17.1 19.0 24.5 22.1 18.8 16.7 16.1 15.2	247.9 246.0 240.5 242.9 246.2 248.3 248.9 249.8	3102
3S/10W-11M02 S	352.0	8-29-57 11-18-57 3-13-58 5-05-58	57.7 57.3 55.0 51.0	294.3 294.7 297.0 301.0	3102							
3S/10W-14G01 S	348.8	8-29-57 11-18-57 3-13-58 5-05-58	101.0 99.1 92.8 91.3	247.8 249.7 256.0 257.5	3102							
3S/11W-02N02 S	245.0	11-18-57 3-13-58	215.7 213.3	29.3 31.7	3102							
4S/10W-13G01 S	188.3	1-07-58 2-06-58 3-06-58 5-01-58	169.6 168.3 165.4 149.4	18.7 20.0 22.9 38.9	3102							



# GROUND WATER LEVELS AT WELLS

State Well Number		R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY													
COASTAL PLAIN ORANGE COUNTY													
YORBA LINDA BASIN													
3S/09W-34C01 S		265.0	3-04-58	14.8	250.2	3102		4S/09W-23A01 S	409.9	12-27-57	65.6*	344.3	3102
			4-11-58	11.0	254.0			CONT.		1-21-58	64.4*	345.5	
			5-01-58	11.6	253.4					2-27-58	59.2*	350.7	
			6-12-58	12.4	252.6					3-25-58	54.7*	355.2	
3S/09W-34H01 S		272.0	7-02-57	16.9	255.1	3102				4-24-58	46.8*	363.1	
			8-01-57	19.1	252.9					5-22-58	45.8*	364.1	
			9-05-57	25.4	246.6					6-20-58	49.9*	360.0	
			10-03-57	21.4	250.6								
			11-07-57	18.4	253.6								
			12-10-57	16.8	255.2								
			1-03-58	16.0	256.0								
			2-13-58	15.2	256.8								
			3-04-58	14.5	257.5								
			4-11-58	12.3	259.7								
			5-01-58	12.6	259.4								
			6-12-58	13.3	258.7								
3S/09W-35M01 S		280.0	7-02-57	20.5	259.5	3102							
			8-01-57	23.0*	257.0								
			9-05-57	29.2*	250.8								
			10-03-57	25.1	254.9								
			11-07-57	22.0	258.0								
			12-10-57	20.1*	259.9								
			1-03-58	19.5	260.5								
			2-13-58	18.7	261.3								
			3-04-58	18.1	261.9								
			4-11-58	16.2	263.8								
			5-01-58	16.3*	263.7								
			6-12-58	17.2	262.8								
3S/10W-02Q01 S		375.0	8-29-57	23.0	352.0	3102							
			11-18-57	21.4	353.6								
			3-13-58	19.8	355.2								
			5-05-58	19.3	355.7								
3S/10W-13H01 S		368.7	8-29-57	83.1	285.6	3102							
			11-18-57	82.2	286.5								
			3-13-58	81.6	287.1								
			5-05-58	81.3	287.4								
4S/09W-23A01 S		409.9	7-23-57	68.0*	341.9	3102							
			8-22-57	69.4*	340.5								
			9-24-57	66.0*	343.9								
			10-29-57	64.4*	345.5								
			11-26-57	65.3*	344.6								



## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
SANTA ANA NARROWS BASIN						COASTAL PLAIN ORANGE COUNTY						
SANTA ANA NARROWS BASIN						80106						
3S/07W-20E02 S CONT.	473.3	1-14-58	6.1	467.2	3100	3S/07W-20F01 S CONT.	479.9	3-12-58	3102	9.0	470.9	3102
	473.2	1-14-58	6.1	467.1	3102						471.8	
	473.3	2-18-58	4.6	468.7	3100						472.0	
	473.2	2-18-58	4.6	468.6	3102						471.9	
	472.0	3-05-58	4.4	467.6	4103						472.8	
	473.3	4-22-58	3.1	470.2	3100						7.1	
	473.2	4-22-58	3.1	470.1	3102						471.4	
		5-15-58	4.1	469.1							8.5	
	472.0	6-05-58	9.0	463.0	4103						470.4	
	473.2	6-17-58	4.5	468.7	3102						471.0	
	472.0	6-27-58	9.2	462.8	4103						470.9	
		6-27-58	9.2	462.8							470.8	
3S/07W-20F01 S	479.9	7-03-57	10.8	469.1	3102	3S/07W-20L01 S	477.8	7-03-57	6.6	471.2	3102	
		7-10-57	12.1	467.8	7-10-57			6.7	471.1			
		7-17-57	12.8	467.1	7-17-57			6.8	471.0			
		7-24-57	13.3	466.6	7-24-57			6.9	470.9			
		7-31-57	13.6	466.3	8-07-57			7.0	470.8			
		8-07-57	13.9	466.0	8-21-57			7.1	470.7			
		8-14-57	14.1	465.8	8-28-57			DRY				
		8-21-57	14.2	465.7	9-04-57			7.2	470.6			
		8-28-57	14.3	465.6	9-11-57			7.2	470.6			
		9-04-57	14.3	465.6	9-18-57			7.1	470.7			
		9-11-57	14.5	465.4	9-25-57			7.1	470.7			
		9-18-57	14.3	465.6	10-02-57			6.9	470.9			
		9-25-57	14.4	465.5	10-09-57			6.9	470.9			
			14.4	465.5	10-16-57			6.7	471.1			
			14.5	465.4	10-23-57			6.6	471.2			
			14.3	465.6	10-30-57			6.5	471.3			
			13.9	466.0	11-06-57			6.2	471.6			
			13.1	466.8	11-13-57			6.1	471.7			
			12.3	467.6	11-20-57			6.0	471.8			
			11.6	468.3	11-27-57			5.9	471.9			
			11.1	468.8	12-04-57			5.8	472.0			
			10.8	469.1	12-11-57			5.7	472.1			
			10.6	469.3	12-18-57			5.4	472.4			
			10.4	469.5	12-26-57			5.5	472.3			
			10.2	469.7								
			9.5	470.4								
			9.8	470.1								
			9.9	470.0								
			10.0	469.9								
			9.9	470.0								
			9.5	470.4								
			8.3	471.6								
			9.1	470.8								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY											
SANTA ANA NARROWS BASIN						COASTAL PLAIN ORANGE COUNTY					
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN					
3S/07W-20L01 S CONT.	477.8	3-26-58 4-16-58 4-23-58 4-30-58 5-07-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-18-58 6-25-58	2.0 0.4 1.8 2.5 3.0 3.4 3.7 4.2 4.4 4.4 4.5 4.7	475.8 477.4 476.0 475.3 474.8 474.4 474.1 473.6 473.4 473.3 473.1	3102	3S/07W-20M01 S CONT.	477.4	3-12-58 3-26-58 4-23-58 4-30-58 5-07-58 5-15-58 5-21-58 5-28-58 6-04-58 6-11-58 6-18-58 6-25-58	9.4 7.8 8.1 9.3 10.7 11.1 11.2 11.4 11.6 11.6 11.7 11.8	468.0 469.6 469.3 468.1 466.7 466.2 466.0 465.8 465.8 465.7 465.6	3102
3S/07W-20M01 S	477.4	7-03-57 7-10-57 7-17-57 7-24-57 7-31-57 8-07-57 8-14-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-26-57 1-02-58 1-08-58 1-15-58 1-22-58 1-29-58 2-05-58	14.7 17.2 18.2 18.8 19.3 19.6 19.7 19.8 19.9 20.1 20.1 20.2 20.2 20.3 20.2 20.2 17.6 15.6 14.6 13.9 13.5 13.0 12.8 12.7 12.6 10.8 11.9 12.0 12.1 12.1 12.2 11.4 9.5	462.7 460.2 459.2 458.6 458.1 457.8 457.7 457.6 457.5 457.3 457.3 457.2 457.2 457.1 457.2 457.2 459.8 461.8 462.8 463.5 463.9 464.4 464.6 464.7 464.8 466.6 465.5 465.4 465.3 465.3 465.2 466.0 468.9 467.9	3102	3S/07W-20N01 S	472.4	7-03-57 7-10-57 7-17-57 7-24-57 7-31-57 8-07-57 8-14-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-26-57 1-02-58 1-08-58 1-15-58 1-22-58 1-29-58 2-05-58	8.2 10.1 10.9 11.3 11.7 11.9 12.1 12.2 12.3 12.4 12.5 12.5 12.5 12.5 12.6 11.4 10.0 9.3 8.7 8.5 8.2 8.1 8.0 7.9 5.1 7.2 7.3 7.3 7.4 6.6 3.3 3.3	464.2 462.3 461.5 461.1 460.7 460.5 460.3 460.2 460.1 460.0 459.9 459.9 459.9 459.8 461.0 462.4 463.1 463.7 463.9 464.2 464.3 464.4 464.5 467.3 465.2 465.1 465.1 465.0 465.8 469.1 467.9	3102

## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
SANTA ANA NARROWS BASIN												
80106						80106						
3S/07W-20N01 S	472.4	3-12-58	4.4	468.0	3102	3S/07W-20N02 S	472.1	5-07-58	5.3	466.8	3102	
CONT.		4-30-58	4.2	468.2		CONT.		5-14-58	6.0	466.1		
		5-07-58	5.6	466.8				5-21-58	6.3	465.8		
		5-14-58	6.3	466.1				5-28-58	6.5	465.6		
		5-21-58	6.6	465.8				6-04-58	6.6	465.5		
		5-28-58	6.8	465.6				6-11-58	6.7	465.4		
		6-04-58	7.0	465.4				6-18-58	6.9	465.2		
		6-11-58	7.1	465.3				6-25-58	6.9	465.2		
		6-18-58	7.2	465.2								
		6-25-58	7.3	465.1		3S/07W-20N03 S	471.6	7-03-57	6.7	464.9	3102	
3S/07W-20N02 S	472.1	7-03-57	8.0	464.1	3102			7-10-57	7.5	464.1		
		7-10-57	9.9	462.2				7-17-57	8.4	463.2		
		7-17-57	10.6	461.5				7-24-57	9.0	462.6		
		7-24-57	11.1	461.0				7-31-57	9.5	462.1		
		7-31-57	11.4	460.7				8-07-57	9.8	461.8		
		8-07-57	11.6	460.5				8-14-57	10.0	461.6		
		8-14-57	11.8	460.3				8-21-57	10.2	461.4		
		8-21-57	11.9	460.2				8-28-57	10.3	461.3		
		8-28-57	12.0	460.1				9-04-57	10.4	461.2		
		9-04-57	12.1	460.0				9-11-57	10.5	461.1		
		9-11-57	12.2	459.9				9-18-57	10.6	461.0		
		9-18-57	12.2	459.9				9-25-57	10.7	460.9		
		9-25-57	12.2	459.9				10-02-57	10.7	460.9		
		10-02-57	12.2	459.9				10-09-57	10.7	460.9		
		10-09-57	12.3	459.8				10-16-57	10.5	461.1		
		10-16-57	11.0	461.1				10-23-57	9.5	462.1		
		10-23-57	9.7	462.4				10-30-57	8.6	463.0		
		10-30-57	8.9	463.2				11-06-57	7.9	463.7		
		11-06-57	8.4	463.7				11-13-57	7.5	464.1		
		11-13-57	8.1	464.0				11-20-57	7.3	464.3		
		11-20-57	7.8	464.3				11-27-57	7.1	464.5		
		11-27-57	7.7	464.4				12-04-57	7.0	464.6		
		12-04-57	7.6	464.5				12-11-57	6.8	464.8		
		12-11-57	7.5	464.6				12-18-57	6.1	465.5		
		12-18-57	4.8	467.3				12-26-57	5.9	465.7		
		12-26-57	6.8	465.3				1-02-58	6.0	465.6		
		1-02-58	6.9	465.2				1-08-58	6.0	465.6		
		1-08-58	7.0	465.1				1-15-58	6.1	465.5		
		1-15-58	7.0	465.1				1-22-58	6.2	465.4		
		1-22-58	7.1	465.0				1-29-58	5.6	466.0		
		1-29-58	6.2	465.9				2-26-58	2.0	469.6		
		2-26-58	3.0	469.1				3-05-58	3.3	468.3		
		3-05-58	4.2	467.9				3-12-58	3.3	468.3		
		3-12-58	4.1	468.0				4-30-58	2.7	468.9		
		4-30-58	4.1	468.0				5-07-58	4.1	467.5		
			4.1	468.0				5-14-58	4.4	467.2		

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY										COASTAL PLAIN ORANGE COUNTY									
SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN				
Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN					SANTA ANA NARROWS BASIN				
3S/07W-20N03 S	471.6	5-21-58	4.8	466.8	3102		3S/07W-20N04 S	471.5	6-18-58	5.8	465.7	3102		3S/07W-20P01 S	472.6	7-17-57	4.3	468.3	3102
CONT.		5-28-58	5.1	466.5			CONT.		6-25-58	5.9	465.6					7-24-57	4.4	468.2	
		6-04-58	5.4	466.2												7-31-57	4.6	468.0	
		6-11-58	5.6	466.0												8-07-57	4.8	467.8	
		6-18-58	5.7	465.9												8-14-57	5.0	467.6	
		6-25-58	5.9	465.7												8-21-57	5.1	467.5	
3S/07W-20N04 S	471.5	7-17-57	9.1	462.4	3102											8-28-57	5.3	467.3	
		7-24-57	9.6	461.9												9-04-57	5.4	467.2	
		7-31-57	9.9	461.6												9-11-57	5.6	467.0	
		8-07-57	10.1	461.4												9-18-57	5.7	466.9	
		8-14-57	10.3	461.2												9-25-57	6.0	466.6	
		8-21-57	10.4	461.1												10-02-57	6.2	466.4	
		8-28-57	10.5	461.0												10-09-57	6.3	466.3	
		9-04-57	10.6	460.9												10-16-57	6.5	466.1	
		9-11-57	10.7	460.8												10-23-57	6.6	466.0	
		9-18-57	10.7	460.8												10-30-57	6.6	466.0	
		9-25-57	10.8	460.7												11-06-57	6.7	465.9	
		10-02-57	10.8	460.7												11-13-57	6.8	465.8	
		10-09-57	10.9	460.6												11-20-57	6.8	465.8	
		10-16-57	10.1	461.4												12-04-57	6.8	465.8	
		10-23-57	8.9	462.6												12-11-57	6.9	465.7	
		10-30-57	8.1	463.4												12-18-57	6.9	465.7	
		11-06-57	7.6	463.9												12-26-57	6.9	465.7	
		11-13-57	7.3	464.2												1-02-58	6.9	465.7	
		11-20-57	7.0	464.5												1-08-58	6.9	465.7	
		11-27-57	6.9	464.6												1-15-58	7.1	465.5	
		12-04-57	6.8	464.7												1-22-58	7.1	465.5	
		12-11-57	6.6	464.9												1-29-58	7.1	465.5	
		12-18-57	4.8	466.7												2-26-58	1.3	471.3	
		12-26-57	5.8	465.7												3-05-58	1.6	471.0	
		1-02-58	5.9	465.6												3-12-58	1.9	470.7	
		1-08-58	6.0	465.5												4-23-58	.5	472.1	
		1-15-58	6.0	465.5												4-30-58	1.9	470.7	
		1-22-58	6.2	465.3												5-07-58	2.1	470.5	
		1-29-58	5.3	466.2												5-14-58	2.4	470.2	
		2-26-58	2.1	469.4												5-21-58	2.6	470.0	
		3-05-58	3.2	468.3												5-28-58	2.8	469.8	
		3-12-58	3.3	468.2												6-04-58	3.0	469.6	
		4-30-58	2.1	469.4												6-11-58	3.3	469.3	
		5-07-58	4.3	467.2												6-18-58	3.5	469.1	
		5-14-58	4.8	466.7												6-25-58	3.6	469.0	
		5-21-58	5.2	466.3															
		5-28-58	5.4	466.1															
		6-04-58	5.6	465.9															
		6-11-58	5.7	465.8															



## GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY							COASTAL PLAIN ORANGE COUNTY						
SANTA ANA NARROWS BASIN							SANTA ANA NARROWS BASIN						
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
3S/07W-20P02 S	471.5	7-10-57	6.1	465.4	3102		3S/07W-20P03 S	475.1	7-17-57	9.3	465.8	3102	
		7-17-57	6.4	465.1					7-24-57	9.4	465.7		
		7-24-57	6.9	464.6					7-31-57	9.6	465.5		
		7-31-57	7.3	464.2					8-07-57	9.8	465.3		
		8-07-57	7.6	463.9					8-14-57	10.0	465.1		
		8-14-57	8.2	463.3					8-21-57	10.1	465.0		
		8-21-57	8.2	463.3					8-28-57	10.3	464.8		
		8-28-57	8.5	463.0					9-04-57	10.4	464.7		
		9-04-57	8.7	462.8					9-11-57	10.6	464.5		
		9-11-57	8.9	462.6					9-18-57	10.7	464.4		
		9-18-57	9.0	462.5					9-25-57	11.0	464.1		
		9-25-57	9.3	462.2					10-02-57	11.1	464.0		
		10-02-57	9.4	462.1					10-09-57	11.2	463.9		
		10-09-57	9.5	462.0					10-16-57	11.3	463.8		
		10-16-57	9.5	462.0					10-23-57	11.3	463.8		
		10-23-57	9.1	462.4					10-30-57	11.3	463.8		
		10-30-57	8.4	463.1					11-06-57	11.3	463.8		
		11-06-57	7.8	463.7					11-13-57	11.3	463.8		
		11-13-57	7.5	464.0					11-20-57	11.2	463.9		
		11-20-57	7.2	464.3					11-27-57	11.2	463.9		
		11-27-57	7.1	464.4					12-04-57	11.1	464.0		
		12-04-57	6.9	464.6					12-11-57	11.1	464.0		
		12-11-57	6.8	464.7					12-18-57	11.0	464.1		
		12-18-57	5.3	466.2					12-26-57	10.8	464.3		
		12-26-57	5.4	466.1					1-02-58	10.8	464.3		
		1-02-58	5.5	466.0					1-08-58	10.7	464.4		
		1-08-58	5.5	466.0					1-15-58	10.7	464.4		
		1-15-58	5.7	465.8					1-22-58	10.7	464.4		
		1-22-58	5.8	465.7					1-29-58	10.6	464.5		
		1-29-58	5.1	466.4					2-12-58	4.3	470.8		
		2-26-58	1.6	469.9					2-26-58	5.2	469.9		
		3-05-58	1.9	469.6					3-05-58	5.5	469.6		
		3-12-58	2.1	469.4					3-12-58	5.7	469.4		
		4-30-58	.8	470.7					3-19-58	2.3	472.8		
		5-07-58	1.9	469.6					3-26-58	2.5	472.6		
		5-14-58	2.6	468.9					4-16-58	2.4	472.7		
		5-16-58	2.8	468.7					4-23-58	3.5	471.6		
		5-21-58	3.2	468.3					4-30-58	4.0	471.1		
		5-28-58	3.8	467.7					5-07-58	4.4	470.7		
		6-04-58	4.3	467.2					5-14-58	4.7	470.4		
		6-11-58	4.6	466.9					5-21-58	5.1	470.0		
		6-18-58	4.8	466.7					5-28-58	5.4	469.7		
		6-25-58	5.0	466.5					6-02-58	6.5	468.6		
									6-04-58	5.6	469.5		
									6-11-58	6.0	469.1		
3S/07W-20P03 S	475.1	7-03-57	9.1	466.0	3102				6-18-58	6.2	468.9		
		7-10-57	9.2	465.9									

# GROUND WATER LEVELS AT WELLS

State Well Number		R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data				
COASTAL PLAIN ORANGE COUNTY																	
COASTAL PLAIN ORANGE COUNTY							COASTAL PLAIN ORANGE COUNTY										
SANTA ANA NARROWS BASIN							SANTA ANA NARROWS BASIN										
3S/07W-20P03 S							475.1	6-25-58	6.4	468.7	3102	3S/07W-29C01 S	466.8	5-21-58	19.0	447.8	3102
3S/07W-20P04 S							471.5	7-03-57	6.7	464.8	3102	CONT.		5-28-58	19.3*	447.5	
								7-10-57	8.4	463.1				6-04-58	19.6	447.2	
														6-11-58	19.7	447.1	
3S/07W-29C01 S							466.8	7-03-57	22.2	444.6	3102			6-18-58	19.9	446.9	
								7-10-57	22.3	444.5				6-25-58	20.0	446.8	
								7-17-57	22.3	444.5				7-17-57	29.5*	442.7	3102
								7-24-57	22.3	444.5				7-24-57	28.9*	443.3	
								7-31-57	22.3	444.5				7-31-57	29.6*	442.6	
								7-31-57	22.4	444.4				8-07-57	29.6*	442.6	
								8-07-57	22.4	444.4				8-14-57	29.7*	442.5	
								8-14-57	22.5	444.3				8-21-57	29.6*	442.6	
								8-21-57	22.5	444.3				8-28-57	29.9*	442.3	
								8-28-57	22.5	444.3				9-04-57	28.6	443.6	
								9-04-57	22.5	444.3				9-18-57	30.0*	442.2	
								9-18-57	22.6	444.2				9-25-57	29.7*	442.5	
								9-25-57	22.7	444.1				10-02-57	29.1*	443.1	
								10-09-57	22.6	444.2				10-09-57	29.0	443.2	
								10-16-57	22.7	444.1				10-16-57	28.6	443.6	
								10-23-57	22.7	444.1				10-23-57	27.7	444.5	
								10-30-57	22.7	444.1				10-30-57	28.1	444.1	
								11-06-57	22.6	444.2				11-06-57	29.7*	442.5	
								11-13-57	22.6	444.2				11-13-57	27.8	444.4	
								11-20-57	22.6	444.2				11-20-57	29.9*	442.3	
								11-27-57	22.6	444.2				11-27-57	29.0	443.2	
								12-04-57	22.5	444.3				12-04-57	27.6	444.6	
								12-11-57	22.5	444.3				12-11-57	27.5	444.7	
								12-18-57	22.4	444.4				12-18-57	27.5	444.7	
								12-26-57	22.3	444.5				12-26-57	27.6	444.6	
								1-02-58	22.2	444.6				1-02-58	27.7	444.5	
								1-08-58	22.3	444.5				1-08-58	27.3	444.9	
								1-15-58	22.3	444.5				1-15-58	27.6	444.6	
								1-22-58	22.3	444.5				1-22-58	27.4	444.8	
								1-29-58	22.2	444.6				1-29-58	27.5	444.7	
								2-05-58	22.1	444.7				2-05-58	28.3*	443.9	
								2-12-58	21.8	445.0				2-12-58	27.3	444.9	
								2-26-58	21.6	445.2				2-26-58	27.7*	444.5	
								3-05-58	21.5	445.3				3-05-58	26.6	445.6	
								3-12-58	21.4	445.4				3-12-58	26.5	445.7	
								3-19-58	21.1	445.7				3-19-58	26.3	445.9	
								3-26-58	20.9	445.9				3-26-58	26.1	446.1	
								4-09-58	19.4	447.4				4-09-58	25.0	447.2	
								4-16-58	18.5	448.3				4-16-58	24.1	448.1	
								4-23-58	18.3	448.5				4-23-58	23.9	448.3	
								4-30-58	18.4	448.4				4-30-58	23.9	448.3	
								5-07-58	18.5	448.3				4-30-58	23.9	448.3	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data																																				
COASTAL PLAIN ORANGE COUNTY																																																
COASTAL PLAIN ORANGE COUNTY																																																
SANTA ANA NARROWS BASIN																																																
80100																																																
3S/07W-29C02 S	472.2	5-07-58	23.7	448.5	3102	3S/07W-29C03 S	461.1	4-30-58	13.7	80106	447.4	3102																																				
CONT.		5-21-58	24.3	447.9		CONT.		5-07-58	14.3		446.8																																					
		5-28-58	26.3	445.9			5-14-58	14.8		446.3																																						
		6-04-58	26.2	446.0			5-21-58	15.2		445.9																																						
		6-11-58	26.2	446.0			5-28-58	15.5		445.6																																						
		6-18-58	26.9	445.3			6-04-58	15.8		445.3																																						
		6-25-58	25.0	447.2			6-11-58	16.0		445.1																																						
							6-18-58	16.1		445.0																																						
							6-25-58	16.3		444.8																																						
3S/07W-29C03 S	461.1	7-24-57	17.6	443.5	3102	3S/07W-29D01 S	472.2	7-03-57	29.4*		442.8	3102																																				
		7-31-57	17.7	443.4				7-10-57	29.5		442.7																																					
		8-07-57	17.7	443.4					7-03-57	17.5		443.6	3102																																			
		8-14-57	17.7	443.4						7-10-57	17.6		443.5																																			
		8-21-57	17.7	443.4							7-17-57	17.6		443.5																																		
		8-28-57	17.8	443.3								7-03-57	18.2		443.5	3102																																
		9-04-57	17.8	443.3									7-10-57	18.2		443.5																																
		9-11-57	17.8	443.3										7-24-57	18.3		443.4																															
		9-18-57	17.8	443.3											7-31-57	18.3		443.4																														
		9-25-57	17.9	443.2												8-07-57	18.3		443.4																													
		10-02-57	17.9	443.2													8-14-57	18.3		443.4																												
		10-09-57	17.9	443.2														8-21-57	18.4		443.3																											
		10-16-57	17.9	443.2															8-28-57	18.4		443.3																										
		10-23-57	17.8	443.3																9-04-57	18.4		443.3																									
		10-30-57	17.8	443.3																	9-11-57	18.5		443.2																								
		11-06-57	17.7	443.4																		9-18-57	18.5		443.2																							
		11-13-57	17.7	443.4																			9-25-57	18.5		443.2																						
		11-20-57	17.6	443.5																				10-02-57	18.5		443.2																					
		11-27-57	17.6	443.5																					10-09-57	18.5		443.2																				
		12-04-57	17.6	443.5																						10-16-57	18.5		443.2																			
		12-11-57	17.6	443.5																							10-23-57	18.5		443.2																		
		12-18-57	17.5	443.6																								10-30-57	18.5		443.2																	
		12-26-57	17.4	443.7																									11-06-57	18.4		443.3																
		1-02-58	17.4	443.7																										11-13-57	18.4		443.3															
		1-08-58	17.4	443.7																											11-20-57	18.4		443.3														
		1-15-58	17.5	443.6																												11-27-57	18.3		443.4													
		1-22-58	17.5	443.6																													12-04-57	18.3		443.4												
		1-29-58	17.5	443.6																														12-11-57	18.3		443.4											
		2-05-58	17.2	443.9																															12-18-57	18.2		443.5										
		2-12-58	16.7	444.4																																12-26-57	18.1		443.6									
		2-26-58	16.8	444.3																																	1-02-58	18.1		443.6								
		3-05-58	16.8	444.3																																		1-08-58	18.1		443.6							
		3-12-58	16.9	444.2																																			1-15-58	18.2		443.5						
		3-19-58	16.3	444.8																																												
		3-26-58	16.1	445.0																																												
		4-09-58	12.5	448.6																																												
		4-16-58	12.3	448.8																																												
		4-23-58	13.0	448.1																																												

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
80100						80100					
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN					
80106						80106					
3S/07W-29D03 S	461.7	1-22-58	18.2	443.5	3102	3S/07W-29D04 S	470.8	12-11-57	25.9	444.9	3102
CONT.		1-29-58	18.2	443.5		CONT.		12-18-57	25.9	444.9	
		2-05-58	18.1	443.6				12-26-57	25.8	445.0	
		2-12-58	17.8	443.9				1-02-58	25.8	445.0	
		2-19-58	17.7	444.0				1-08-58	25.8	445.0	
		2-26-58	17.7	444.0				1-15-58	25.8	445.0	
		3-05-58	17.7	444.0				1-22-58	25.8	445.0	
		3-12-58	17.7	444.0				1-29-58	25.7	445.1	
		3-19-58	17.4	444.3				2-05-58	25.5	445.3	
		3-26-58	17.1	444.6				2-12-58	25.4	445.4	
		4-09-58	13.3	448.4				2-19-58	25.3	445.5	
		4-16-58	12.8	448.9				2-26-58	25.2	445.6	
		4-23-58	13.2	448.5				3-05-58	25.0	445.8	
		4-30-58	14.0	447.7				3-12-58	25.0	445.8	
		5-07-58	14.7	447.0				3-19-58	24.8	446.0	
		5-14-58	15.3	446.4				3-26-58	24.6	446.2	
		5-21-58	15.8	445.9				4-02-58	24.2	446.6	
		5-28-58	16.2	445.5				4-09-58	23.3	447.5	
		6-04-58	16.5	445.2				4-16-58	22.6	448.2	
		6-11-58	16.8	444.9				4-23-58	22.2	448.6	
		6-18-58	17.0	444.7				4-30-58	22.0	448.8	
		6-25-58	17.1	444.6				5-07-58	22.0	448.8	
					3102			5-14-58	22.1	448.7	
3S/07W-29D04 S	470.8	7-03-57	25.5	445.3				5-21-58	22.2	448.6	
		7-10-57	25.6	445.2				5-28-58	22.4	448.4	
		7-17-57	25.6	445.2				6-04-58	22.6	448.2	
		7-24-57	25.6	445.2				6-11-58	22.7	448.1	
		7-31-57	25.7	445.1				6-18-58	23.0	447.8	
		8-07-57	25.8	445.0				6-25-58	23.1	447.7	
		8-14-57	25.8	445.0							
		8-21-57	25.9	444.9							
		8-28-57	25.9	444.9				7-03-57	4.8	441.7	3102
		9-04-57	25.9	444.9				7-10-57	4.8	441.7	
		9-11-57	26.0	444.8							
		9-18-57	26.0	444.8				7-03-57	32.6	447.9	3102
		9-25-57	26.1	444.7				7-10-57	32.6	447.9	
		10-02-57	26.1	444.7				7-17-57	32.6	447.9	
		10-09-57	26.1	444.7				7-24-57	32.6	447.9	
		10-16-57	26.1	444.7				7-31-57	32.6	447.9	
		10-23-57	26.1	444.7				8-07-57	32.6	447.9	
		10-30-57	26.1	444.7				8-14-57	32.6	447.9	
		11-06-57	26.1	444.7				8-21-57	32.6	447.9	
		11-13-57	26.0	444.8				8-28-57	32.6	447.9	
		11-20-57	26.0	444.8				9-04-57	32.6	447.9	
		11-27-57	26.0	444.8				9-11-57	32.7	447.8	
		12-04-57	26.0	444.8				9-18-57	32.6	447.9	
								9-25-57	32.7	447.8	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100												
COASTAL PLAIN ORANGE COUNTY												
80106												
SANTA ANA NARROWS BASIN												
3S/07W-29D06 S	480.5	10-02-57	32.7	447.8	3102	3S/07W-29D07 S	464.6	9-04-57	14.8	449.8	3102	
CONT.		10-09-57	32.7	447.8		CONT.		9-11-57	14.8	449.8		
		10-16-57	32.7	447.8				9-18-57	14.8	449.8		
		10-23-57	32.7	447.8				9-25-57	14.9	449.7		
		10-30-57	32.7	447.8				10-02-57	14.9	449.7		
		11-06-57	32.7	447.8				10-09-57	14.9	449.7		
		11-13-57	32.7	447.8				10-16-57	14.9	449.7		
		11-20-57	32.8	447.7				10-23-57	14.9	449.7		
		11-27-57	32.8	447.7				10-30-57	14.9	449.7		
		12-04-57	32.8	447.7				11-06-57	15.0	449.6		
		12-11-57	32.8	447.7				11-13-57	15.0	449.6		
		12-18-57	32.8	447.7				11-20-57	15.0	449.6		
		12-26-57	32.8	447.7				11-27-57	15.0	449.6		
		1-02-58	32.8	447.7				12-04-57	15.0	449.6		
		1-08-58	32.8	447.7				12-11-57	15.0	449.6		
		1-15-58	32.9	447.6				12-18-57	15.0	449.6		
		1-22-58	32.9	447.6				12-26-57	15.0	449.6		
		1-29-58	32.8	447.7				1-02-58	15.0	449.6		
		2-05-58	32.7	447.8				1-08-58	15.0	449.6		
		2-12-58	32.7	447.8				1-15-58	15.1	449.5		
		2-26-58	32.7	447.8				1-22-58	15.1	449.5		
		3-05-58	32.7	447.8				1-29-58	15.1	449.5		
		3-12-58	32.7	447.8				2-05-58	15.0	449.6		
		3-19-58	32.7	447.8				2-12-58	15.0	449.6		
		3-26-58	32.6	447.9				2-26-58	14.9	449.7		
		4-09-58	32.5	448.0				3-05-58	14.8	449.8		
		4-16-58	32.4	448.1				3-12-58	14.8	449.8		
		4-23-58	32.2	448.3				3-19-58	14.8	449.8		
		4-30-58	32.0	448.5				3-26-58	14.6	450.0		
		5-07-58	31.9	448.6				4-09-58	14.4	450.2		
		5-21-58	31.7	448.8				4-16-58	14.3	450.3		
		5-28-58	31.6	448.9				4-23-58	14.3	450.3		
		6-04-58	31.6	448.9				4-30-58	14.2	450.4		
		6-11-58	31.6	448.9				5-07-58	14.4	450.2		
		6-18-58	31.5	449.0				5-21-58	14.2	450.4		
		6-25-58	31.5	449.0				5-28-58	14.3	450.3		
								6-04-58	14.3	450.3		
								6-11-58	14.4	450.2		
								6-18-58	14.4	450.2		
								6-25-58	14.4	450.2		
3S/07W-29D07 S	464.6	7-03-57	14.7	449.9	3102	3S/07W-29E01 S	446.5	7-17-57	4.8	441.7	3102	
		7-10-57	14.8	449.8				7-24-57	4.8	441.7		
		7-17-57	14.8	449.8				7-31-57	4.8	441.7		
		7-24-57	14.8	449.8				8-07-57	4.8	441.7		
		7-31-57	14.8	449.8				8-14-57	4.8	441.7		
		8-07-57	14.8	449.8				8-21-57	4.8	441.7		
		8-14-57	14.8	449.8				8-28-57	4.8	441.7		
		8-21-57	14.8	449.8								
		8-28-57	14.8	449.8								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY											
SANTA ANA NARROWS BASIN						COASTAL PLAIN ORANGE COUNTY					
3S/07W-29E01 S						SANTA ANA NARROWS BASIN					
CONT.						3S/07W-29F01 S					
CONT.						CONT.					
8-21-57	446.5	4.9	441.6	3102	7-31-57	27.5	443.1	3102	80100	443.1	3102
8-28-57		4.9	441.6		8-07-57	27.5	443.1			443.1	
9-04-57		4.9	441.6		8-14-57	27.5	443.1			443.1	
9-11-57		4.9	441.6		8-21-57	27.6	443.0			443.0	
9-18-57		4.9	441.6		8-28-57	27.6	443.0			443.0	
9-25-57		4.9	441.6		9-04-57	27.6	443.0			443.0	
10-02-57		4.8	441.7		9-11-57	27.6	443.0			443.0	
10-09-57		4.8	441.7		9-18-57	27.6	443.0			443.0	
10-16-57		4.7	441.8		9-25-57	27.6	443.0			443.0	
10-23-57		4.5	442.0		4-09-58	22.9	447.7			447.7	
10-30-57		4.5	442.0		4-16-58	21.5	449.1			449.1	
11-06-57		4.3	442.2		4-22-58	24.7	445.9			445.9	
11-13-57		4.3	442.2		4-23-58	21.7	448.9			448.9	
11-20-57		4.3	442.2		4-29-58	24.7	445.9			445.9	
11-27-57		4.3	442.2		4-30-58	22.3	448.3			448.3	
12-04-57		4.3	442.2		5-06-58	24.8	445.8			445.8	
12-11-57		4.2	442.3		5-07-58	22.9	447.7			447.7	
12-18-57		3.3	443.2		5-13-58	24.8	445.8			445.8	
12-26-57		4.3	442.2		5-21-58	23.7	446.9			446.9	
1-02-58		4.4	442.1		5-27-58	24.8	445.8			445.8	
1-08-58		4.5	442.0		5-28-58	24.0	446.6			446.6	
1-15-58		4.5	442.0		6-03-58	DRY					
1-22-58		4.6	441.9		6-04-58	24.2	446.4			446.4	
1-29-58		4.3	442.2		6-10-58	DRY					
2-05-58		2.3	444.2		6-11-58	24.4	446.2			446.2	
2-12-58		4.6	441.9		6-18-58	24.6	446.0			446.0	
2-26-58		4.6	441.9		6-25-58	24.7	445.9			445.9	
3-05-58		5.2	441.3								
3-12-58		5.3	441.2								
3-19-58		3.7	442.8								
3-26-58		4.8	441.7								
4-09-58		7	445.8								
4-16-58		3.7	442.8								
4-23-58		4.5	442.0								
4-30-58		5.0	441.5								
5-07-58		5.2	441.3								
5-21-58		5.5	441.0								
5-28-58		5.5	441.0								
6-04-58		5.6	440.9								
6-11-58		5.6	440.9								
6-18-58		5.6	440.9								
6-25-58		5.5	441.0								
3S/07W-29F01 S						3S/07W-29F02 S					
7-10-57	470.6	27.4	443.2	3102	7-03-57	23.6	442.9	3102	80106	442.9	3102
7-17-57		27.4	443.2		7-17-57	23.6	442.9			442.9	
7-24-57		27.4	443.2		7-24-57	23.7	442.8			442.8	
					7-31-57	23.7	442.8			442.8	
					8-07-57	23.7	442.8			442.8	
					8-14-57	23.7	442.8			442.8	
					8-21-57	23.8	442.7			442.7	
					8-28-57	23.8	442.7			442.7	
					9-04-57	23.8	442.7			442.7	
					9-11-57	23.8	442.7			442.7	
					9-25-57	23.8	442.7			442.7	
					10-02-57	23.7	442.8			442.8	
					10-09-57	23.8	442.7			442.7	
					10-16-57	23.7	442.8			442.8	
					10-23-57	23.7	442.8			442.8	
					11-06-57	23.6	442.9			442.9	
					11-13-57	23.5	443.0			443.0	
					11-20-57	23.5	443.0			443.0	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SANTA ANA NARROWS BASIN												
80106												
35/07W-29F02 S	466.5	11-27-57	23.4	443.1	3102	35/08W-29K01 S	339.0	11-25-57	80106	9.0	330.0	4715
CONT.		12-04-57	23.4	443.1				12-02-57		57.0*	282.0	
		12-18-57	23.2	443.3				12-10-57		9.1	329.9	3102
		1-02-58	23.3	443.2				12-16-57		7.5	331.5	4715
		1-08-58	23.4	443.1				12-23-57		7.0	332.0	
		1-29-58	23.3	443.2				12-30-57		7.0	332.0	
		2-12-58	22.4	444.1				1-03-58		7.2	331.8	3102
		2-26-58	23.0	443.5				1-06-58		6.8	332.2	4715
		3-05-58	23.1	443.4				1-13-58		7.5	331.5	
		3-12-58	23.2	443.3				1-20-58		7.3	331.7	
		3-19-58	22.0	444.5				1-27-58		6.5	332.5	
		3-26-58	22.1	444.4				2-03-58		6.6	332.4	
		4-09-58	16.9	449.6				2-10-58		6.1	332.9	
		4-16-58	18.3	448.2				2-13-58		6.6	332.4	3102
		4-23-58	19.6	446.9				2-17-58		6.5	332.5	4715
		4-30-58	20.7*	445.8				2-25-58		6.4	332.6	
		5-07-58	21.3	445.2				3-03-58		6.5	332.5	
		5-21-58	22.1*	444.4				3-04-58		6.8	332.2	3102
		5-28-58	22.4	444.1				3-10-58		6.5	332.5	4715
		6-04-58	22.6	443.9				3-17-58		5.9	333.1	
		6-11-58	22.7	443.8				3-24-58		6.1	332.9	
		6-18-58	22.8	443.7				3-31-58		6.5	332.5	
35/07W-30K01 S	458.0	10-09-57	20.1	437.9	3102			4-07-58		5.0	334.0	
		5-22-58	21.3	436.7				4-11-58		5.5	333.5	3102
35/07W-30K02 S	461.4	10-09-57	23.7	437.7	3102			4-14-58		6.0	333.0	4715
		5-22-58	24.9	436.5				4-21-58		6.5	332.5	
35/08W-25J01 S	437.0	10-09-57	16.8	420.2	3102			4-28-58		7.0	332.0	
		5-22-58	16.8	420.2				5-01-58		7.2	331.8	3102
								5-05-58		7.0	332.0	4715
35/08W-26N02 S	390.0	9-05-57	15.3	374.7	3102			5-12-58		7.4	331.6	
		11-07-57	14.7	375.3				5-19-58		47.0*	292.0	
		1-03-58	14.1	375.9				5-26-58		51.0*	288.0	
		2-13-58	13.7	376.3				6-02-58		58.3*	280.7	
		3-04-58	14.0	376.0				6-09-58		61.0*	278.0	
		4-11-58	12.0	378.0				6-16-58		75.5*	263.5	
		5-01-58	14.7	375.3				6-23-58		67.5*	271.5	
35/08W-29K01 S	339.0	7-01-57	70.0*	269.0	4715	35/08W-29N01 S	320.0	6-30-58		69.0*	270.0	
		10-29-57	23.6	315.4				7-01-57		22.5*	297.5	4715
		11-04-57	17.8	321.2				7-08-57		23.0*	297.0	
		11-07-57	13.8	325.2	3102			7-15-57		32.0*	288.0	
		11-11-57	11.1	327.9	4715			7-22-57		36.5*	283.5	
		11-18-57	9.0	330.0				7-29-57		43.5*	276.5	
								8-05-57		48.0*	272.0	
								8-12-57		51.5*	268.5	
								8-19-57		57.6*	262.4	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						80100						
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN						
35/08W-29N01 S	320.0	8-26-57	45.0*	275.0	4715	35/08W-29P01 S	336.0	7-08-57	47.0*	289.0	4715	
CONT.		9-03-57	35.0*	285.0		CONT.		7-15-57	48.0*	288.0		
		9-09-57	33.0*	287.0				7-22-57	50.5*	285.5		
		9-16-57	32.8*	287.2				7-29-57	53.0*	283.0		
		9-23-57	34.0*	286.0				8-01-57	54.0*	282.0	3102	
		9-30-57	43.0*	277.0				8-05-57	54.5*	281.5	4715	
		10-07-57	44.0*	276.0				8-12-57	56.5*	279.5		
		10-14-57	23.3	296.7				8-19-57	58.0*	278.0		
		10-29-57	11.0	309.0				8-26-57	60.0*	276.0		
		11-04-57	9.8	310.2				9-03-57	60.3*	275.7		
		11-11-57	8.2	311.8				9-05-57	33.9*	302.1	3102	
		11-18-57	6.8	313.2				9-09-57	58.5*	277.5	4715	
		11-25-57	6.7	313.3				9-16-57	59.3*	276.7		
		12-02-57	21.5*	298.5				9-23-57	59.5*	276.5		
		12-16-57	6.9	313.1				9-30-57	59.8*	276.2		
		12-23-57	6.5	313.5				10-03-57	58.6*	277.4	3102	
		12-30-57	6.2	313.8				10-07-57	61.5*	274.5	4715	
		1-06-58	6.4	313.6				10-14-57	61.5*	274.5		
		1-13-58	5.8	314.2				10-29-57	28.0	308.0		
		1-20-58	5.8	314.2				11-04-57	27.0	309.0		
		1-27-58	5.3	314.7				11-07-57	23.9	312.1	3102	
		2-03-58	6.2	313.8				11-11-57	20.0	316.0	4715	
		2-10-58	5.6	314.4				11-18-57	16.0	320.0		
		2-17-58	5.8	314.2				11-25-57	14.0	322.0		
		2-25-58	5.8	314.2				12-02-57	43.2*	292.8		
		3-03-58	5.9	314.1				12-10-57	14.9	321.1	3102	
		3-10-58	5.8	314.2				12-16-57	13.3	322.7	4715	
		3-17-58	5.1	314.9				12-23-57	11.8	324.2		
		3-24-58	5.4	314.6				12-30-57	11.3	324.7		
		3-31-58	5.3	314.7				1-03-58	10.4	325.6	3102	
		4-07-58	3.9	316.1				1-06-58	11.0	325.0	4715	
		4-14-58	5.0	315.0				1-13-58	10.3	325.7		
		4-21-58	5.3	314.7				1-20-58	9.7	326.3		
		4-28-58	5.6	314.4				1-27-58	9.4	326.6		
		5-05-58	5.8	314.2				2-03-58	9.4	326.6		
		5-12-58	5.6	314.4				2-10-58	8.8	327.2		
		5-19-58	16.9*	303.1				2-13-58	8.8	327.2	3102	
		5-26-58	18.3*	301.7				2-17-58	8.9	327.1	4715	
		6-02-58	20.2*	299.8				2-25-58	8.7	327.3		
		6-09-58	27.3*	292.7				3-03-58	8.8	327.2		
		6-16-58	32.8*	287.2				3-04-58	8.8	327.2	3102	
		6-23-58	37.3*	282.7				3-10-58	10.0	326.0	4715	
		6-30-58	28.0*	292.0				3-17-58	8.8	327.2		
								3-24-58	8.5	327.5		
35/08W-29P01 S	336.0	7-01-57	46.0*	290.0	4715			3-31-58	8.5	327.5		
		7-02-57	46.3*	289.7	3102			4-07-58	7.8	328.2		



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100												
SANTA ANA NARROWS BASIN												
3S/08W-29P01 S	336.0	4-11-58	7.7	328.3	3102		3S/08W-29Q01 S	340.0	4-11-58	8.5	331.5	3102
CONT.		4-14-58	7.9	328.1	4715		CONT.		4-14-58	8.5	331.5	4715
		4-21-58	8.3	327.7					4-21-58	9.0	331.0	
		4-28-58	8.5	327.5					4-28-58	9.5	330.5	
		5-01-58	7.9	328.1	3102				5-01-58	10.1	329.9	3102
		5-05-58	8.7	327.3	4715				5-05-58	10.0	330.0	4715
		5-12-58	9.0	327.0					5-12-58	10.1	329.9	
		5-19-58	11.1	324.9					5-19-58	11.1	328.9	
		5-26-58	35.0*	301.0					5-26-58	70.3*	269.7	
		6-02-58	38.5*	297.5					6-12-58	79.0*	261.0	3102
		6-09-58	45.5*	290.5								
		6-12-58	41.2*	294.8								
		6-16-58	42.5*	293.5	3102		3S/08W-29Q02 S	338.0	7-01-57	68.0*	270.0	4715
		6-23-58	45.0*	291.0	4715				7-08-57	68.0*	270.0	
		6-30-58	53.0*	283.0					7-15-57	75.0*	263.0	
									10-29-57	29.0	309.0	
3S/08W-29Q01 S	340.0	7-02-57	79.1*	260.9	3102				11-04-57	26.0	312.0	
		8-01-57	79.3*	260.7					11-11-57	17.6	320.4	
		10-03-57	77.8*	262.2					11-18-57	14.8	323.2	
		10-29-57	30.0	310.0	4715				11-25-57	13.5	324.5	
		11-04-57	27.2	312.8					12-02-57	41.8*	296.2	
		11-07-57	24.6	315.4					12-16-57	12.3	325.7	
		11-11-57	21.3	318.7	3102				12-23-57	10.8	327.2	
		11-18-57	17.2	322.8	4715				12-30-57	10.8	327.2	
		11-25-57	15.0	325.0					1-06-58	10.5	327.5	
		12-10-57	15.9	324.1	3102				1-13-58	10.6	327.4	
		12-16-57	14.2	325.8	4715				1-20-58	10.6	327.4	
		12-23-57	12.8	327.2					1-27-58	10.4	327.6	
		12-30-57	11.4	328.6					2-03-58	9.9	328.1	
		1-03-58	11.8	328.2	3102				2-10-58	9.5	328.5	
		1-06-58	11.0	329.0	4715				2-17-58	9.8	328.2	
		1-13-58	11.1	328.9					2-25-58	9.7	328.3	
		1-20-58	10.8	329.2					3-03-58	9.8	328.2	
		1-27-58	10.4	329.6					3-10-58	10.0	328.0	
		2-03-58	10.2	329.8					3-17-58	9.5	328.5	
		2-10-58	9.6	330.4					3-24-58	9.5	328.5	
		2-13-58	9.8	330.2					3-31-58	9.5	328.5	
		2-17-58	9.7	330.3	3102				4-07-58	8.6	329.4	
		2-25-58	9.7	330.3	4715				4-14-58	8.8	329.2	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
COASTAL PLAIN ORANGE COUNTY												
SANTA ANA NARROWS BASIN												
3S/08W-29Q02 S	338.0	6-16-58	57.5*	280.5	4715	3102	3S/08W-30R02 S	329.0	7-02-57	16.4	312.6	3102
CONT.		6-23-58	68.0*	270.0				7-03-57	19.9	309.1		
		6-30-58	73.0*	265.0				8-01-57	41.8*	287.2		
3S/08W-30N01 S	331.0	8-01-57	30.9	300.1				9-05-57	24.7*	304.3		
		9-05-57	34.4*	296.6				10-03-57	39.5*	289.5		
		10-03-57	30.0	301.0				11-07-57	12.2	316.8		
		11-07-57	27.4	303.6				12-10-57	12.1	316.9		
		12-10-57	25.6	305.4				1-03-58	9.3	319.6		
		1-03-58	26.4*	304.6				2-13-58	10.6	318.3		
		2-13-58	22.9	308.1				3-04-58	9.9	319.0		
		3-04-58	22.6	308.4				4-11-58	9.2	319.7		
		4-11-58	20.9	310.1				5-01-58	10.4	318.5		
		5-01-58	21.9	309.1				6-12-58	26.5	302.4		
3S/08W-30N02 S	329.0	7-02-57	27.0	302.0	3102		3S/08W-31D01 S	328.0	7-02-57	20.2	307.8	3102
		10-03-57	29.1	299.9				8-01-57	22.9	305.1		
		11-07-57	25.0	304.0				9-05-57	26.2	301.8		
		12-10-57	22.8	306.2				10-03-57	23.1	304.9		
		2-13-58	21.1	307.9				11-07-57	20.6	307.4		
		3-04-58	20.5	308.5				12-10-57	18.5	309.5		
		4-11-58	18.8	310.2				1-03-58	18.9	309.1		
		5-01-58	19.8	309.2				2-13-58	16.4	311.6		
3S/08W-30Q01 S	350.3	8-01-57	49.2	301.1	3102			3-04-58	16.3	311.7		
		10-03-57	52.8	297.5				4-11-58	14.5	313.5		
		11-07-57	42.9	307.4				5-01-58	15.6	312.4		
		12-10-57	41.2	309.1				6-12-58	21.5	306.5		
		1-03-58	39.4	310.9			3S/08W-31E02 S	315.0	8-01-57	21.9	293.1	3102
		2-13-58	39.2	311.1				9-05-57	15.7	299.3		
		3-04-58	39.1	311.2				11-07-57	14.7	300.3		
		4-11-58	37.7	312.6				12-10-57	15.5	299.5		
		5-01-58	38.5	311.8				1-03-58	15.1	299.9		
3S/08W-30R01 S	329.0	7-02-57	26.2*	302.8	3102			2-13-58	14.6	300.4		
		8-01-57	47.1*	281.9				3-04-58	14.8	300.2		
		9-05-57	32.9*	296.1				4-11-58	13.2	301.8		
		10-03-57	46.1*	282.9				5-01-58	14.5	300.5		
		11-07-57	12.2	316.8								
		12-10-57	12.2	316.8								
		1-03-58	9.0	320.0								
		2-13-58	10.6	318.4								
		3-04-58	9.8	319.2								
		4-11-58	9.3	319.7								
		5-01-58	10.3	318.7								
		6-12-58	34.8*	294.2								
							3S/08W-31F03 S	312.0	7-02-57	24.9*	287.1	3102
									8-01-57	33.0*	279.0	
									9-05-57	25.7*	286.3	
									10-03-57	31.3*	280.7	
									11-07-57	6.9	305.1	
									12-10-57	8.0	304.0	
									1-03-58	7.4	304.6	
									2-13-58	6.9	305.1	
									3-04-58	7.1	304.9	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	COASTAL PLAIN ORANGE COUNTY					
						SANTA ANA NARROWS BASIN					
3S/08W-31F03 S CONT.	312.0	4-11-58	5.8	306.2	3102	3S/08W-31M01 S CONT.	311.4	3-10-58	6.8	4715	
		5-01-58	6.9	305.1				3-17-58	6.0		305.4
		6-12-58	28.4*	283.6				3-24-58	6.2		305.2
3S/08W-31M01 S								3-31-58	6.3	305.1	
	311.4	7-01-57	25.0*	286.4	4715			4-07-58	5.0	306.4	
	311.6	7-02-57	7.2	304.4	3102		311.6	4-11-58	5.7	305.9	
	311.4	7-08-57	25.0*	286.4	4715		311.4	4-14-58	6.2	305.2	
		7-15-57	27.5*	283.9				4-21-58	7.0	304.4	
		7-22-57	30.3*	281.1				4-28-58	6.8	304.6	
		7-29-57	32.5*	278.9				5-01-58	6.9	304.7	
	311.6	8-01-57	12.1	299.5	3102		311.6	5-05-58	6.5	304.9	
	311.4	8-05-57	34.0*	277.4	4715		311.4	5-12-58	6.3	305.1	
		8-12-57	35.8*	275.6				5-19-58	6.7	304.7	
		8-19-57	37.5*	273.9				5-26-58	24.0*	287.4	
		8-26-57	28.0*	283.4				6-02-58	24.5*	286.9	
		9-03-57	26.0*	285.4				6-09-58	27.5*	283.9	
	311.6	9-05-57	7.5	304.1	3102		311.6	6-12-58	9.7	301.9	
	311.4	9-09-57	25.5*	285.9	4715		311.4	6-16-58	29.0*	282.4	
		9-16-57	25.5*	285.9				6-23-58	30.8*	280.6	
	9-23-57	25.5*	285.9				6-30-58	25.5*	285.9		
	9-30-57	30.0*	281.4	3102							
	10-03-57	11.2	300.4	4715		3S/08W-31M02 S	311.0	7-02-57	7.4	303.6	
	10-07-57	28.0*	283.4					8-01-57	11.1	299.9	
	10-14-57	7.8	303.6					9-05-57	7.9	303.1	
	10-29-57	7.0	304.4					11-07-57	7.5	303.5	
	11-04-57	6.8	304.6					12-10-57	8.8	302.2	
311.6	11-07-57	6.8	304.8	3102				1-03-58	8.6	302.4	
311.4	11-11-57	6.8	304.6	4715				2-13-58	7.9	303.1	
	11-18-57	6.7	304.7					3-04-58	8.1	302.9	
	11-25-57	6.8	304.6					4-11-58	6.4	304.6	
	12-02-57	25.5*	285.9					5-01-58	7.5	303.5	
311.6	12-10-57	8.0	303.6	3102				6-12-58	9.4	301.6	
311.4	12-16-57	6.6	304.8	4715							
	12-23-57	7.2	304.2			3S/08W-31N01 S	326.0	7-02-57	23.4	302.6	
	12-30-57	7.2	304.2					8-01-57	24.9	301.1	
	1-03-58	7.8	303.8	3102				9-05-57	25.4	300.6	
311.4	1-06-58	7.5	303.9	4715				10-03-57	24.9	301.1	
	1-20-58	7.4	304.0					11-07-57	24.4	301.6	
	1-27-58	6.5	304.9					12-10-57	24.6	301.4	
	2-03-58	6.4	305.0					1-03-58	24.5	301.5	
	2-10-58	6.5	304.9					2-13-58	23.6	302.4	
	2-13-58	7.3	304.3					3-04-58	23.6	302.4	
311.6				3102				4-11-58	21.9	304.1	
311.4				4715				5-01-58	22.7	303.3	
								6-12-58	23.5	302.5	
311.6				3102		3S/08W-31N03 S	326.0	7-02-57	26.7	299.3	

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY											
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
3S/08W-31N03 S						3S/08W-32D01 S					
CONT.						CONT.					
3102						3102					
326.0						360.0					
8-01-57						3-10-58					
9-05-57						3-17-58					
10-03-57						3-24-58					
11-07-57						3-31-58					
12-10-57						4-07-58					
1-03-58						4-14-58					
2-13-58						4-21-58					
3-04-58						4-28-58					
4-11-58						5-05-58					
5-01-58						5-12-58					
6-12-58						5-19-58					
7-01-57						5-26-58					
7-08-57						6-02-58					
7-15-57						6-09-58					
7-22-57						6-16-58					
7-29-57						6-23-58					
8-05-57						6-30-58					
8-12-57						8-01-57					
8-19-57						11-07-57					
8-26-57						12-10-57					
9-03-57						1-03-58					
9-09-57						2-13-58					
9-16-57						3-04-58					
9-23-57						4-11-58					
9-30-57						5-01-58					
10-07-57						6-12-58					
10-14-57						7-02-57					
10-29-57						8-01-57					
11-04-57						9-05-57					
11-11-57						10-03-57					
11-18-57						11-07-57					
11-25-57						12-10-57					
12-02-57						1-03-58					
12-16-57						2-13-58					
12-23-57						3-04-58					
12-30-57						4-11-58					
1-06-58						5-01-58					
1-13-58						6-12-58					
1-20-58						7-02-57					
1-27-58						10-03-57					
2-03-58						11-07-57					
2-10-58						12-10-57					
2-17-58						1-03-58					
2-25-58						7-02-57					
3-03-58						10-03-57					
3S/08W-32D01 S						3S/08W-33C01 S					
360.0						361.0					
4715						4715					
333.0						333.0					
332.5						332.5					
324.5						324.5					
320.5						320.5					
314.0						314.0					
310.5						310.5					
307.5						307.5					
303.7						303.7					
312.5						312.5					
321.3						321.3					
321.5						321.5					
324.7						324.7					
324.0						324.0					
316.2						316.2					
314.5						314.5					
330.0						330.0					
343.0						343.0					
343.0						343.0					
345.3						345.3					
347.2						347.2					
348.0						348.0					
335.5						335.5					
347.7						347.7					
348.5						348.5					
349.0						349.0					
349.5						349.5					
349.4						349.4					
349.5						349.5					
350.0						350.0					
349.7						349.7					
349.8						349.8					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					
350.1						350.1					



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY												
80100						COASTAL PLAIN ORANGE COUNTY						
80106						80106						
SANTA ANA NARROWS BASIN												
3S/08W-35B01 S CONT.	400.0	2-13-58 3-04-58 4-11-58 5-01-58 6-12-58	41.8 42.0 40.6 42.1 42.5	358.2 358.0 359.4 357.9 357.5	3102	3S/09W-33Q02 S	252.2	7-03-57 7-10-57 7-17-57 7-24-57 7-31-57	37.7 38.6 40.7 43.0 45.9	214.5 213.6 211.5 209.2 206.3	3102	
3S/08W-35B02 S	400.0	8-01-57 9-05-57 10-03-57 11-07-57 12-10-57 1-03-58 2-13-58 3-04-58 4-11-58 5-01-58 6-12-58	29.0 29.0 27.9 27.6 27.6 27.8 27.9 28.0 26.0 28.1 28.2	371.0 371.0 372.1 372.4 372.4 372.2 372.1 372.0 374.0 371.9 371.8	3102			8-07-57 8-14-57 8-21-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-26-57 1-02-58 1-08-58 1-15-58 1-22-58 1-29-58 2-05-58 2-12-58 2-19-58 2-26-58 3-05-58 3-12-58 3-19-58 3-26-58 4-02-58 4-09-58 4-16-58 4-23-58 4-30-58 5-07-58 5-14-58	49.0 51.9 54.3 56.0 54.8 50.9 46.0 43.0 43.7 44.1 40.7 38.3 36.7 35.1 34.0 33.1 33.4 35.1 36.9 36.8 35.3 36.0 37.2 39.2 41.3 41.5 38.5 36.8 36.8 36.1 35.5 35.4 34.3 34.0 33.6 32.7 32.4 33.5 34.5 33.9 33.9	203.2 200.3 197.9 196.2 197.4 201.3 206.2 209.2 208.5 208.1 211.5 213.9 215.5 217.1 218.2 219.1 218.8 217.1 215.3 215.4 216.2 215.0 213.0 210.9 210.7 213.7 215.4 215.4 216.1 216.7 216.8 217.9 218.2 218.6 219.5 219.8 218.7 217.7 218.3 218.3		
3S/09W-33H01 S	255.7	7-05-57 8-02-57 9-03-57 10-01-57 11-01-57 12-03-57 1-07-58 2-06-58 3-06-58 4-04-58 5-01-58 6-05-58	45.9 48.1 54.4 50.9 45.8 41.6 41.1 42.3 40.6 39.2 37.9 41.1	209.8 207.6 201.3 204.8 209.9 214.1 214.6 213.4 215.1 216.5 217.8 214.6	3102							
3S/09W-33K01 S	251.0	11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 5-09-58 5-16-58 5-23-58 5-30-58 6-06-58 6-13-58 6-20-58 6-27-58	40.0 43.0 47.0 50.0 41.0 40.0 42.0 51.9 64.3* 55.3* 65.2* 61.6* 62.2* 62.5* 65.4*	211.0 208.0 204.0 201.0 210.0 211.0 209.0 199.1 186.7 195.7 185.8 189.4 188.8 188.5 185.6	4742							

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY											
SANTA ANA NARROWS BASIN						COASTAL PLAIN ORANGE COUNTY					
3S/09W-33Q02 S						SANTA ANA NARROWS BASIN					
CONT.						3S/09W-34J01 S					
CONT.						CONT.					
3S/09W-33Q02 S	252.2	5-21-58	33.9	218.3	3102	3S/09W-34J01 S	274.4	8-01-57	18.3	256.1	3102
		5-28-58	34.7	217.5				9-05-57	24.4	250.0	
		6-04-58	35.4	216.8				10-03-57	19.5	254.9	
		6-11-58	38.5	213.7				11-07-57	15.8	258.6	
		6-18-58	41.3	210.9				12-10-57	14.5	259.9	
		6-25-58	44.9	207.3				1-03-58	13.9	260.5	
		7-05-57	37.8	215.2				2-13-58	13.1	261.3	
		8-02-57	48.2	204.8				3-04-58	12.7	261.7	
		9-03-57	57.4	195.6				4-11-58	10.7	263.7	
		10-01-57	43.0	210.0				5-01-58	11.2	263.2	
3S/09W-33Q03 S	253.0	11-01-57	34.3	218.7	3102	3S/09W-34K01 S	267.0	6-12-58	12.3	262.1	3102
		12-03-57	33.0	220.0				7-02-57	14.0	253.0	
		1-07-58	37.4	215.6				8-01-57	19.3	247.7	
		2-06-58	37.1	215.9				9-05-57	24.3*	242.7	
		3-06-58	35.2	217.8				10-03-57	19.4	247.6	
		4-04-58	31.9	221.1				11-07-57	14.7	252.3	
		5-01-58	33.8	219.2				12-10-57	14.2	252.8	
		6-05-58	33.4	219.6				1-03-58	13.3	253.7	
		7-05-57	21.1	238.9				2-13-58	12.7	254.3	
		3S/09W-34E01 S	260.0	8-02-57				26.1	233.9	3102	
9-03-57	31.6			228.4	4-11-58	10.3	256.7				
10-01-57	25.6			234.4	5-01-58	11.1	255.9				
11-01-57	19.8			240.2	6-12-58	12.7	254.3				
12-03-57	19.4			240.6	7-05-57	18.2	245.1				
1-07-58	19.3			240.7	9-03-57	24.8	238.5				
2-06-58	19.6			240.4	10-01-57	18.8	244.5				
3-06-58	18.1			241.9	11-01-57	15.0	248.3				
4-04-58	17.4			242.6	12-03-57	12.5	250.8				
5-01-58	16.3			243.7	1-07-58	12.4	250.9				
3S/09W-34G01 S	267.0	6-05-58	17.3	242.7	3102	3S/09W-34L02 S	260.8	2-06-58	12.7	250.6	3102
		7-02-57	16.4	250.6				3-06-58	12.2	251.1	
		8-01-57	19.6	247.4				4-04-58	11.5	251.8	
		9-05-57	24.9	242.1				5-01-58	11.7	251.6	
		10-03-57	21.5	245.5				7-03-57	15.5	245.3	
		11-07-57	17.7	249.3				7-17-57	18.1	242.7	
		12-10-57	16.5	250.5				7-24-57	19.5	241.3	
		1-03-58	15.6	251.4				8-07-57	24.1	236.7	
		2-13-58	14.8	252.2				9-04-57	27.0	233.8	
		3-04-58	14.3	252.7				9-11-57	24.1	236.7	
3S/09W-34J01 S	274.4	4-11-58	11.3	255.7	3102	3S/09W-34J01 S	274.4	9-18-57	21.5*	239.3	3102
		5-01-58	12.2	254.8				10-02-57	21.4	239.4	
		6-12-58	13.3	253.7				10-09-57	21.3	239.5	
		7-02-57	14.6	259.8				10-16-57	19.2	241.6	
		7-02-57	14.6	259.8							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
COASTAL PLAIN ORANGE COUNTY						COASTAL PLAIN ORANGE COUNTY					
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN					
80100						80100					
3S/09W-34L02 S	260.8	10-23-57	17.8	243.0	3102	3S/09W-36F02 S	305.7	9-05-57	5.9	299.8	3102
CONT.		10-30-57	16.7	244.1		CONT.		10-03-57	5.5	300.2	
		11-06-57	15.8	245.0				11-07-57	4.7	301.0	
		11-13-57	15.1	245.7				12-10-57	4.6	301.1	
		11-20-57	14.5	246.3				1-03-58	4.5	301.2	
		11-27-57	14.3	246.5				2-13-58	3.1	302.6	
		12-11-57	15.7	245.1				3-04-58	3.3	302.4	
		12-18-57	15.3	245.5				4-11-58	.8	304.9	
		12-26-57	14.6	246.2				5-01-58	3.1	302.6	
		1-02-58	14.5	246.3				6-12-58	4.1	301.6	
		1-15-58	15.0	245.8		3S/09W-36Q01 S	299.9	7-02-57	4.1	295.8	3102
		1-22-58	16.0	244.8				8-01-57	5.5*	294.4	
		1-29-58	15.7	245.1				9-05-57	6.0*	293.9	
		2-05-58	15.0	245.8				10-03-57	5.6	294.3	
		2-12-58	14.2	246.6				11-07-57	4.8	295.1	
		2-19-58	14.2	246.6				12-10-57	4.9	295.0	
		2-26-58	13.8	247.0				1-03-58	4.8	295.1	
		3-05-58	13.6	247.2				2-13-58	3.6	296.3	
		3-12-58	13.5	247.3				3-04-58	3.9	296.0	
		3-19-58	13.1	247.7				4-11-58	2.9	297.0	
		3-26-58	12.7	248.1				5-01-58	3.9	296.0	
		4-02-58	12.5	248.3				6-12-58	4.9*	295.0	
		4-09-58	12.4	248.4		3S/09W-36R01 S	300.0	7-02-57	6.6	293.4	3102
		4-16-58	11.5	249.3				10-03-57	8.5	291.5	
		4-23-58	12.1	248.7				11-07-57	6.5	293.5	
		4-30-58	12.5	248.3				12-10-57	7.2	292.8	
		5-07-58	12.1	248.7				1-03-58	7.0	293.0	
		5-14-58	12.0	248.8				2-13-58	6.3	293.7	
		5-28-58	12.9*	247.9				3-04-58	6.5	293.5	
		6-04-58	13.3*	247.5				4-11-58	5.1	294.9	
		6-11-58	14.9	245.9				5-01-58	6.0	294.0	
3S/09W-35N02 S	276.5	7-02-57	15.4	261.1	3102	3S/09W-36R02 S	306.9	7-07-57	7.4	299.5	3102
		8-01-57	23.5*	253.0				8-01-57	9.3	297.6	
		10-03-57	19.8	256.7				9-05-57	9.1	297.8	
		11-07-57	16.3	260.2				10-03-57	9.3	297.6	
		12-10-57	15.4	261.1				11-07-57	6.7	300.2	
		1-03-58	14.7	261.8				12-10-57	8.7	298.2	
		2-13-58	13.8	262.7				1-03-58	8.3	298.6	
		3-04-58	13.5	263.0				2-13-58	7.7	299.2	
		4-11-58	11.7	264.8				3-04-58	7.9	299.0	
		5-01-58	12.2	264.3				4-11-58	6.7	300.2	
		6-12-58	13.5	263.0				5-01-58	7.5	299.4	
3S/09W-36F02 S	305.7	7-02-57	4.0	301.7	3102	4S/08W-06D01 S	334.4	7-02-57	41.8	292.6	3102
		8-01-57	5.6	300.1							

# GROUND WATER LEVELS AT WELLS

COASTAL PLAIN ORANGE COUNTY																
COASTAL PLAIN ORANGE COUNTY										COASTAL PLAIN ORANGE COUNTY						
SANTA ANA NARROWS BASIN										SANTA ANA NARROWS BASIN						
State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data				
80100																
80106																
4S/08W-06D01 S	334.4	8-01-57	42.9	291.5	3102	4S/09W-01E03 S	291.9	8-01-57	15.5	276.4	3102					
CONT.																
		9-05-57	44.1	290.3				9-05-57	12.5	279.4						
		10-03-57	43.3	291.1				10-03-57	12.7	279.2						
		11-07-57	42.9	291.5				11-07-57	6.1	285.8						
		12-10-57	42.9	291.5				12-10-57	6.6	285.3						
		1-03-58	42.9	291.5				1-03-58	6.2	285.7						
		2-13-58	42.2	292.2				2-13-58	5.2	286.7						
		3-04-58	41.9	292.5				3-04-58	5.2	286.7						
		4-11-58	40.5	293.9				4-11-58	4.2	287.7						
		5-01-58	40.6	293.8				5-01-58	5.0	286.9						
		6-12-58	41.3	293.1				6-12-58	8.4	283.5						
4S/09W-01B03 S	299.2	8-01-57	23.4*	275.8	3102	4S/09W-01F03 S	318.7	11-07-57	29.9	288.8	3102					
		9-05-57	17.1	282.1				12-10-57	30.5	288.2						
		11-07-57	9.8	289.4				1-03-58	30.1	288.6						
		12-10-57	10.5	288.7				2-13-58	28.8	289.9						
		1-03-58	10.0	289.2				3-04-58	28.8	289.9						
		2-13-58	8.8	290.4				4-11-58	27.5	291.2						
		3-04-58	8.9	290.3				5-01-58	28.8	289.9						
		4-11-58	7.5	291.7												
		5-01-58	8.8	290.4												
		6-12-58	12.6	286.6												
4S/09W-01E01 S	288.8	7-02-57	5.3	283.5	3102	4S/09W-01F04 S	320.6	11-07-57	32.4	288.2	3102					
		8-01-57	15.5	273.3				12-10-57	33.0	287.6						
		9-05-57	11.4	277.4				1-03-58	32.5	288.1						
		1-03-58	5.1	283.7				2-13-58	31.3	289.3						
		2-13-58	4.2	284.6				3-04-58	31.4	289.2						
		3-04-58	4.2	284.6				4-11-58	30.0	290.6						
		4-11-58	3.4	285.4				5-01-58	31.3	289.3						
		5-01-58	3.9	284.9												
		6-12-58	7.6	281.2												
4S/09W-01E02 S	299.4	7-02-57	15.0	284.4	3102	4S/09W-01F05 S	322.5	7-02-57	37.3	285.2	3102					
		8-01-57	21.1	278.3				8-01-57	39.5	283.0						
		9-05-57	19.8	279.6				9-05-57	41.5	281.0						
		10-03-57	18.9	280.5				10-03-57	39.9	282.6						
		11-07-57	13.7	285.7				11-07-57	37.6	284.9						
		12-10-57	14.4	285.0				12-10-57	37.6	284.9						
		1-03-58	13.6	285.8				1-03-58	37.1	285.4						
		2-13-58	12.8	286.6				2-13-58	36.6	285.9						
		3-04-58	12.8	286.6				3-04-58	36.4	286.1						
		4-11-58	11.7	287.7				4-11-58	35.0	287.5						
		5-07-58	13.6	285.8				5-01-58	35.1	287.4						
		6-12-58	15.1	284.3				6-12-58	36.2	286.3						
4S/09W-01E03 S	291.9	7-02-57	7.2	284.7	3102	4S/09W-01G01 S	318.7	11-07-57	30.9	287.8	3102					
								12-10-57	31.5	287.2						
								1-03-58	31.0	287.7						
								2-13-58	29.7	289.0						
								3-04-58	29.8	288.9						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data				
COASTAL PLAIN ORANGE COUNTY																
80100						80100										
SANTA ANA NARROWS BASIN						SANTA ANA NARROWS BASIN										
4S/09W-01G01 S	318.7	4-11-58	28.5	290.2	3102	4S/09W-02B03 S	280.9	12-10-57	9.0	271.9	3102	3102				
CONT.						CONT.	286.8	1-03-58	7.2	273.7	3102	3102				
								2-13-58	7.4	273.5						
								3-04-58	6.6	274.3						
								4-11-58	5.5	275.4						
								5-01-58	6.5	274.4						
4S/09W-02A01 S	283.0	7-02-57	2.9	280.1	3102			4S/09W-02H01 S	286.8	7-02-57			4.1	282.7	3102	3102
								10-03-57	10.8*	276.0						
								11-07-57	3.8	283.0						
								12-10-57	5.4	281.4						
								1-03-58	3.9	282.9						
						2-13-58	3.2	283.6								
						3-04-58	3.2	283.6								
						4-11-58	2.5	284.3								
						5-01-58	2.9	283.9								
						6-12-58	6.2	280.6								
4S/09W-02A02 S	286.0	7-02-57	3.3	282.7	3102	4S/09W-02L01 S	331.9	7-02-57	47.6	284.3	3102	3102				
						8-01-57	49.3	282.6								
						9-05-57	51.2	280.7								
						10-03-57	49.8	282.1								
						11-07-57	48.7	283.2								
						12-10-57	48.9	283.0								
						1-03-58	48.8	283.1								
						2-13-58	48.7	283.2								
						3-04-58	48.7	283.2								
						4-11-58	47.9	284.0								
						5-01-58	47.6	284.3								
						6-12-58	47.8	284.1								
4S/09W-02B02 S	284.5	7-02-57	4.1	280.4	3102	4S/09W-03J01 S	310.0	7-23-57	31.7	278.3	3102	3102				
						8-01-57	36.3	273.7								
						9-05-57	33.2	276.8								
						10-03-57	33.1	276.9								
						11-07-57	33.1	276.9								
						12-10-57	33.3	276.7								
						1-03-58	33.4	276.6								
						2-13-58	33.4	276.6								
						3-04-58	33.1	276.9								
						4-11-58	31.8	278.2								
						5-01-58	32.0	278.0								
						6-12-58	32.2	277.8								
4S/09W-02B03 S	280.9	7-02-57	9.9	271.0	3102	4S/09W-03L01 S	304.3	7-23-57	48.0	256.3	3102	3102				
						10-03-57	53.8	250.5								
						11-07-57		8-22-57								

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
COASTAL PLAIN ORANGE COUNTY														
SANTA ANA NARROWS BASIN														
80106														
4S/09W-03L01 S CONT.	304.3	9-24-57	50.7	253.6	3102	1N/06W-35A01 S	1438.6	8-30-57	443.0	80201	995.6	4706		
		10-29-57	50.3	254.0				12-06-57	443.7		994.9			
		11-26-57	48.9	255.4				3-07-58	443.9		994.7			
		12-27-57	48.9	255.4				5-06-58	444.4		994.2			
		1-21-58	49.5	254.8										
		2-27-58	48.1	256.2				10-17-57	DRY		3100			
		3-25-58	46.9	257.4				4-30-58	DRY					
		4-24-58	46.3	258.0										
		5-22-58	46.8	257.5				7-10-57	448.6*		1158.4		4714	
		6-20-58	48.8*	255.5				10-17-57	50.2		854.8		3100	
4S/09W-03M01 S	301.3	7-23-57	48.1	253.2	3102	1S/05W-05A03 S	1409.9 1406.0	7-03-57	337.5	80201	1072.4	4706		
		8-22-57	56.2	245.1				7-31-57	344.8*		1061.2			
		9-24-57	52.1	249.2				8-29-57	348.3*		1057.7			
		10-29-57	52.4	248.9				10-03-57	350.6*		1055.4			
		11-26-57	50.1	251.2				11-04-57	329.8*		1076.2			
		12-27-57	50.9	250.4				12-05-57	331.0*		1075.0			
		1-21-58	53.2	248.1				1-01-58	325.2*		1080.8			
		2-27-58	49.0	252.3				2-06-58	321.7*		1084.3			
		3-25-58	47.6	253.7				3-07-58	320.6*		1085.4			
		4-24-58	47.0	254.3				4-07-58	318.3*		1087.7			
	5-22-58	47.3	254.0	5-05-58	317.6*	1088.4								
	6-20-58	50.2	251.1	6-04-58	316.4*	1089.6								
						1S/05W-06J01 S	1364.0	9-03-57	567.7*		796.3	4706		
								12-05-57	544.0*		820.0			
								3-07-58	546.9*		817.1			
								5-05-58	548.0*		816.0			
							1S/05W-07N01 S	1235.2	8-29-57	460.0*		775.2	4706	
									12-03-57	447.3*		787.9		
									3-07-58	446.6*		788.6		
									5-05-58	460.0*		775.2		
								1S/05W-07R01 S	1248.8	8-29-57	445.6		803.2	4706
										12-03-57	446.3		802.5	
									3-07-58	446.5		802.3		
									5-05-58	446.5		802.3		
								1S/05W-16C01 S	1227.3	7-03-57	315.8*		911.5	4706
										8-02-57	396.9		830.4	
									8-30-57	396.7		830.6		
									11-08-57	398.1		829.2		
									12-03-57	397.8		829.5		
									12-31-57	398.3		829.0		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
CHINO BASIN						UPPER SANTA ANA VALLEY					
80201						80200					
1S/05W-16C01 S CONT.	1227.3	2-04-58	397.9	829.4	4706	1S/05W-22E01 S CONT.	1107.7	3-08-58	269.0	838.7	5713
		3-04-58	398.0	829.3			1106.3	4-08-58	267.1	839.2	3100
		4-02-58	398.0	829.3			1107.7	4-19-58	268.6	839.1	5713
		5-05-58	398.2	829.1			1106.3	5-06-58	268.5	837.8	3100
		6-05-58	398.2	829.1			1107.7	5-10-58	268.8	838.9	5713
							1106.3	6-05-58	269.2	837.1	3100
1S/05W-16J01 S	1179.7	8-30-57	338.8*	840.9	4706		1107.7	6-14-58	269.6	838.1	5713
		12-04-57	338.8*	840.9				6-14-58	269.6	838.1	
		3-07-58	336.5*	843.2							
		5-05-58	338.5*	841.2							
1S/05W-19A01 S	1156.1	8-29-57	369.7*	786.4	4706	1S/05W-29A01 S	1082.4	7-02-57	298.4*	784.0	3700
	1156.9	9-03-57	369.7	787.2				8-02-57	285.6*	796.8	
	1156.1	12-05-57	361.1*	795.0				9-02-57	267.2	815.2	
		3-07-58	360.4*	795.7				10-02-57	267.4	815.0	
		5-05-58	363.9*	792.2				11-02-57	266.9	815.5	
								12-02-57	265.2	816.0	3100
1S/05W-19D01 S	1141.4	8-29-57	361.8*	779.6	4706			3-02-58	267.1	815.3	3700
		12-04-57	353.7*	787.7				4-02-58	268.4	814.0	
		3-07-58	352.5*	788.9				4-28-58	265.9	816.5	3100
		5-05-58	354.3*	787.1				5-02-58	266.6	815.8	3700
		5-24-58	359.1*	782.3				6-02-58	277.4	805.0	
								6-02-58	277.4	805.0	
1S/05W-19J01 S	1106.9	8-30-57	316.3*	790.6	4706	1S/05W-30L01 S	1050.4	7-02-57	260.9	789.5	3100
		12-05-57	315.2*	791.7				8-02-57	260.7	789.7	
		3-07-58	316.3*	790.6				8-30-57	260.7	788.5	4706
		5-05-58	317.5*	789.4				9-03-57	261.0	789.4	3100
1S/05W-21D01 S	1149.1	11-18-57	328.1	821.0	3100			10-01-57	261.1	789.3	
								11-04-57	261.5	788.9	
1S/05W-22E01 S	1106.3	7-02-57	267.2	839.1	3100			12-04-57	261.3	789.1	4706
	1107.7	7-12-57	267.7	840.0	5713			12-04-57	261.3	787.9	3100
	1106.3	8-02-57	267.8	838.5	3100			1-02-58	261.5	788.9	
	1107.7	8-14-57	268.2	839.5	5713			3-03-58	261.0	789.4	
	1106.3	9-03-57	268.4	837.9	3100			3-07-58	261.9	787.3	4706
	1107.7	9-12-57	268.7	839.0	5713			4-08-58	262.8	787.6	3100
	1106.3	10-01-57	268.7	837.6	3100			5-05-58	262.3	786.9	4706
	1107.7	10-18-57	268.8	838.9	5713			6-05-58	263.1	787.3	3100
	1106.3	11-04-57	268.4	837.9	3100			4-30-58	427.5	767.1	3100
	1107.7	11-15-57	268.9	838.8	5713						
	1106.3	12-04-57	268.5	837.8	3100			8-30-57	476.7*	769.8	4706
	1107.7	12-14-57	269.1	838.6	5713			12-03-57	455.2*	791.3	
1S/05W-22E01 S	1106.3	1-02-58	268.3	838.0	3100			3-07-58	455.9*	790.6	
	1107.7	1-11-58	269.1	838.6	5713			5-06-58	456.3*	790.2	
		2-08-58	268.9	838.8							
		3-03-58	268.2	838.1	3100			8-30-57	389.8*	776.0	4706

## GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CHINO BASIN												
80201												
1S/06W-11N01 S CONT.	1165.8	12-03-57 3-07-58 5-05-58	389.8* 389.6* 395.8*	776.0 776.2 770.0	4706		1S/06W-20B01 S CONT.	1046.8	4-04-58 5-06-58 6-06-58	299.1 298.6 290.0	747.7 748.2 756.8	3100
1S/06W-12P01 S	1209.7	8-20-57 12-03-57 3-07-58 5-05-58	425.8 418.4* 416.8* 416.8*	783.9 791.3 792.9 792.9	4706		1S/06W-23D01 S	1079.8	8-30-57 12-03-57 3-07-58 5-05-58	304.0* 304.5* 304.7* 304.9*	775.8 775.3 775.1 774.9	4706
1S/06W-16A01 S	1112.6	8-19-57 9-12-57 10-15-57 11-18-57 12-16-57 1-07-58 2-18-58 3-17-58 4-16-58 5-16-58 6-15-58	352.1 356.6 357.6 356.6 356.1 353.3 354.1 359.6 359.0 359.6 360.0	760.5 756.0 755.0 756.0 756.5 759.3 758.5 753.0 753.6 753.0 752.6	4710		1S/06W-25C01 S	1051.5	8-30-57 12-03-57 3-07-58 5-05-58	272.7 273.3 273.3 273.3	778.8 778.2 778.2 778.2	4706
1S/06W-16G01 S	1091.6	7-08-57 8-19-57 9-12-57 10-15-57 11-18-57 12-16-57 1-07-58 2-18-58 3-17-58 4-16-58 5-16-58 6-15-58	334.0 338.4 334.6 334.2 334.5 334.1 333.4 333.6 333.2 333.4 333.2 334.2	753.2 757.0 757.4 757.1 757.5 758.2 758.0 758.4 758.2 758.4 758.4 757.4	4710		1S/06W-27L01 S	958.9	7-02-57 8-02-57 8-30-57 9-03-57 10-01-57 11-01-57 12-03-57 12-04-57 1-02-58 2-05-58 3-03-58 3-07-58 4-08-58 5-05-58 5-06-58 6-05-58	204.8 203.9 204.0 204.0 204.1 204.2 204.6 204.2 204.2 215.5 215.5 205.1 208.4 204.9 214.0 218.9	754.1 755.0 755.0 754.9 754.8 754.7 754.4 754.7 743.4 743.4 753.9 750.5 754.1 744.9 740.0	3100 4706 3100 4706 3100 4706 3100 4706 3100 4706 3100 4706 3100 4706 3100 4706 3100
1S/06W-16L01 S	1076.0	10-15-57 4-28-58	323.2 322.4	752.8 753.6	3100		1S/06W-29D01 S	974.6	10-18-57 4-28-58	DRY DRY		3100
1S/06W-20B01 S	1046.8	7-02-57 8-02-57 9-03-57 10-01-57 11-13-57 12-06-57 1-03-58 2-06-58 3-04-58	302.7 299.1 301.6 299.6 299.2 298.8 298.0 298.6 299.5	744.1 747.7 745.2 747.2 747.6 748.0 748.8 748.2 747.3	3100		1S/06W-31M01 S	861.8	7-02-57 8-02-57 9-03-57 10-01-57 11-13-57 12-06-57 1-03-58	192.8 192.8 199.5 193.0 193.1 192.9 193.1	669.0 669.0 662.3 668.8 668.7 668.9 668.7	3100



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
CHINO BASIN						CHINO BASIN						
80200						80200						
80201						80201						
1S/06W-31M01 S	861.8	2-06-58	192.5	669.3	3100	1S/07W-08N01 S	1212.8	11-04-57	540.0*	672.8	4205	
CONT.		3-04-58	192.0	669.8		CONT.		12-02-57	565.0*	647.8		
		4-04-58	191.8	670.0				1-02-58	540.0*	672.8		
		5-06-58	199.5	662.3				2-03-58	570.0*	642.8		
		6-06-58	199.0	662.8				3-03-58	535.0*	677.8		
1S/06W-32A01 S	901.8	10-14-57	172.8	729.0	3100			4-01-58	535.0*	677.8		
		4-18-58	172.6	729.2				5-01-58	535.0*	677.8		
1S/06W-33B01 S	910.9	10-04-57	DRY		3100	1S/07W-09J01 S	1164.3	6-02-58	535.0*	677.8		
1S/06W-33H01 S	910.6	4-18-58	171.5	739.1	3100	1S/07W-13E01 S	1078.3	10-17-57	426.0	738.3	3100	
1S/06W-33M01 S	868.1	9-03-57	145.7	722.4	3100	1S/07W-13R01 S	1047.6	10-17-57	365.0	713.3	3100	
		10-01-57	144.9	723.2		1S/07W-14E01 S	1081.0	10-23-57	320.9	726.7	3100	
		11-04-57	144.8	723.3				7-05-57	397.5*	683.5	4702	
		12-04-57	144.8	723.3				8-05-57	400.0*	681.0		
		1-02-58	144.8	723.3				9-05-57	401.0*	680.0		
		2-05-58	145.0	723.1				10-05-57	399.0*	682.0		
		3-05-58	144.9	723.2				11-05-57	353.0	728.0		
		4-08-58	146.5	721.6				12-05-57	352.0	729.0		
		5-05-58	148.7	719.4				1-02-58	352.0	729.0		
		6-05-58	149.0	719.1				2-03-58	352.0	729.0		
1S/06W-34B01 S	937.5	10-14-57	185.6	751.9	3100			3-03-58	351.0	730.0		
		4-17-58	185.3	752.2				5-01-58	352.0	729.0		
1S/06W-34P01 S	865.0	10-14-57	120.8	744.2	3100	1S/07W-17E01 S	1155.0	6-01-58	399.7*	681.3		
		4-18-58	122.3	742.7				9-03-57	464.9*	690.1	4205	
1S/06W-35A01 S	962.5	10-24-57	188.8	773.7	3100			10-01-57	451.1	703.9		
		4-18-58	189.0	773.5				11-04-57	463.6*	691.4		
1S/06W-36D01 S	979.9	8-30-57	204.8	775.1	4706			12-02-57	444.2	710.8		
		12-06-57	205.4	774.5				1-02-58	463.6*	691.4		
		12-30-57	204.2	775.7				2-03-58	444.2	710.8		
		5-05-58	205.4	774.5				3-03-58	463.6*	691.4		
1S/07W-01A01 S	1327.6	4-30-58	489.0	838.6	3100	1S/07W-17J01 S	1128.4	4-01-58	444.2	710.8		
1S/07W-03H01 S	1321.9	4-29-58	196.2	1125.7	3100			5-01-58	460.3*	694.7		
1S/07W-08N01 S	1212.8	7-01-57	580.0*	632.8	4205			6-02-58	451.1	703.9		
		8-05-57	582.0*	630.8				7-23-57	482.1	646.3	4714	
		9-03-57	585.0*	627.8				8-28-57	479.8	648.6		
		10-01-57	585.0*	627.8				9-10-57	477.5	650.9		
								9-26-57	484.4	644.0		
								10-23-57	475.1	653.3		
								11-05-57	472.8	655.6		
								11-19-57	487.9	640.5		
								12-12-57	486.7	641.7		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CHINO BASIN				80200			UPPER SANTA ANA VALLEY				80200	
				80201			CHINO BASIN				80201	
1S/07W-17J01 S CONT.	1128.4	12-27-57 1-14-58 1-29-58 2-11-58 2-26-58 3-13-58 3-24-58 5-21-58 6-04-58	485.5 485.5 485.5 485.5 483.2 477.5 477.5 482.1 470.5	642.9 642.9 642.9 642.9 645.2 650.9 650.9 646.3 657.9	4714	1S/07W-19D02 S CONT.	1092.0	2-26-58 3-13-58 3-24-58 4-16-58 5-07-58 5-21-58 6-04-58 6-18-58	412.1 412.1 410.9 410.9 410.4 410.4 410.4 409.8	679.9 679.9 681.1 681.1 681.6 681.6 681.6 682.2	4714	
1S/07W-19D01 S	1080.0	7-10-57 7-23-57 8-08-57 8-18-57 9-10-57 9-26-57 10-23-57 11-05-57 11-19-57 12-12-57 12-27-57 1-14-58 1-29-58 2-11-58 2-26-58 3-13-58 4-16-58 5-07-58 5-21-58 6-04-58 6-18-58	418.6* 419.8* 420.9* 420.9* 409.4 409.4 405.9 404.7 409.4 409.4 407.0 407.0 407.0 405.9 404.7 403.6 403.6 403.6 403.6	661.4 660.2 659.1 659.1 670.6 674.1 675.3 670.6 670.6 673.0 673.0 673.0 674.1 675.3 676.4 676.4 676.4 676.4	4714	1S/07W-20A01 S	1071.3	12-30-57 1-13-58 3-31-58 4-14-58 4-28-58 5-12-58	387.0* 387.0* 390.0* 383.0* 384.0* 384.0*	684.3 684.3 681.3 688.3 687.3 687.3	4202	
						1S/07W-20A02 S	1072.4	7-29-57 8-14-57 8-28-57 9-01-57 9-23-57 10-07-57 10-21-57 11-11-57 11-25-57 12-09-57 12-23-57 12-30-57 1-06-58 1-13-58 1-20-58 2-03-58 2-10-58 2-24-58 3-10-58 3-24-58	400.0* 400.0* 400.0* 400.0* 399.0* 399.0* 400.0* 400.0* 400.0* 400.0* 399.0* 399.0* 399.0* 399.0* 398.0* 398.0* 398.0* 398.0* 398.0*	672.4 672.4 672.4 672.4 673.4 673.4 672.4 672.4 672.4 673.4 673.4 673.4 674.4 674.4 674.4 674.4 674.4 674.4 674.4	4202	
1S/07W-19D02 S	1092.0	7-10-57 7-23-57 8-08-57 8-28-57 9-10-57 9-26-57 10-23-57 11-05-57 12-12-57 12-27-57 1-14-58 1-29-58 2-26-58 3-13-58 4-16-58 5-07-58 5-21-58 6-04-58 6-18-58	423.6* 435.2* 417.9 419.0 434.0* 435.2* 416.7 415.6 412.7 412.7 412.7 412.7 412.7 412.7 412.7 412.7 412.7 412.7	668.4 656.8 674.1 673.0 658.0 656.8 675.3 676.4 679.3 679.3 679.3 679.3 679.3 679.3 679.3 679.3 679.3	4714	1S/07W-20A03 S	1057.0	11-11-57 11-25-57 12-09-57 12-23-57 12-30-57 1-06-58 1-20-58 2-03-58 2-10-58 2-24-58 3-10-58 3-24-58	386.0* 386.0* 385.0* 385.0* 385.0* 385.0* 385.0* 385.0* 386.0* 386.0* 387.0* 386.0*	671.0 671.0 672.0 672.0 672.0 672.0 672.0 672.0 671.0 671.0 672.0 671.0	4202	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
CHINO BASIN				80200		CHINO BASIN				80200	
1S/07W-20A03 S				80201		1S/07W-27D01 S				80201	
CONT.					4202	CONT.					4202
2-24-58				386.0*	671.0	2-03-58				262.0*	696.0
3-10-58				387.0*	670.0	2-10-58				262.0*	696.0
3-24-58				387.0*	670.0	2-24-58				262.0*	696.0
4-14-58				380.0*	677.0	3-10-58				262.0*	696.0
4-28-58				380.0*	677.0	3-24-58				262.0*	696.0
5-12-58				380.0*	677.0	4-14-58				261.0*	697.0
11-11-57				381.0*	675.7	4-28-58				260.0*	698.0
11-25-57				381.0*	675.7	5-12-58				260.0*	698.0
12-09-57				381.0*	675.7	6-21-58				262.0*	696.0
12-23-57				380.0*	676.7	10-24-57				261.3	675.2
12-30-57				380.0*	676.7	4-28-58				259.3	677.2
1-06-58				380.0*	676.7	1S/07W-28M01 S					3100
1-18-58				384.0*	672.7	1S/07W-30Q01 S					4202
1-20-58				379.0*	677.7	7-29-57				268.0*	653.6
2-03-58				376.0*	680.7	8-14-57				268.0*	653.6
2-10-58				374.0*	682.7	8-28-57				268.0*	653.6
2-24-58				379.0*	677.7	9-01-57				269.0*	652.6
3-10-58				378.0*	678.7	9-23-57				268.0*	653.6
5-28-58				384.0	672.7	10-07-57				268.0*	653.6
4-28-58						10-21-57				269.0*	652.6
10-27-57				257.5	721.7	11-11-57				269.0*	652.6
4-28-58				355.9*	623.3	11-25-57				269.0*	652.6
10-18-57				244.4	712.1	12-09-57				268.0*	653.6
4-28-58				244.5	712.0	12-23-57				268.0*	653.6
7-29-57				261.0*	697.0	12-30-57				267.0*	654.6
8-14-57				262.0*	696.0	1-06-58				268.0*	653.6
8-28-57				262.0*	696.0	1-13-58				267.0*	654.6
9-01-57				262.0*	696.0	1-20-58				268.0*	653.6
9-23-57				262.0*	696.0	2-03-58				267.0*	654.6
10-07-57				262.0*	696.0	2-10-58				267.0*	654.6
10-21-57				264.0*	694.0	2-24-58				266.0*	655.6
11-11-57				263.0*	694.0	3-10-58				266.0*	655.6
11-25-57				264.0*	694.0	3-24-58				267.0*	654.6
12-09-57				264.0*	694.0	4-14-58				265.0*	656.6
12-23-57				263.0*	695.0	4-28-58				264.0*	657.6
12-30-57				263.0*	695.0	5-12-58				262.0*	659.6
1-06-58				263.0*	695.0	6-02-58				268.0*	653.6
1-13-58				263.0*	695.0	6-21-58				270.0*	651.6
1-20-58				263.0*	695.0	7-29-57				272.0*	653.1
						8-14-57				271.0*	654.1
						8-28-57				272.0*	653.1
						9-01-57				273.0*	652.1
						9-23-57				273.0*	653.1
						10-07-57				272.0*	653.1
						10-21-57				272.0*	653.1
						1S/07W-30R01 S				925.1	4202

# GROUND WATER LEVELS AT WELLS

Slate Well Number	R P Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
CHINO BASIN						CHINO BASIN						
80201						80201						
1S/07W-30R01 S CONT.	925.1	11-11-57 11-25-57 12-09-57 12-23-57 12-30-57 1-06-58 1-13-58 1-20-58 2-03-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-12-58 6-02-58 6-21-58	272.0* 272.0* 272.0* 272.0* 271.0* 272.0* 271.0* 272.0* 271.0* 271.0* 270.0* 269.0* 270.0* 269.0* 269.0* 268.0* 268.0* 269.0*	653.1 653.1 653.1 653.1 654.1 653.1 654.1 653.1 654.1 654.1 655.1 656.1 655.1 656.1 656.1 656.1 657.1 657.1 656.1	4202		1S/07W-34A01 S  1S/07W-35B01 S  1S/07W-35Q01 S  1S/07W-35Q02 S  1S/08W-01D05 S	891.0  869.1  827.7  828.2**  1500.0	5-12-58  4-22-58  4-22-58  4-22-58  8-05-57 10-05-57 11-15-57 12-06-57 1-13-58 2-05-58 3-14-58 4-15-58 5-15-58	198.0*  190.5  DRY  185.5  386.0 386.0 386.0 382.0 370.0 378.0 376.0 370.0 368.0	693.0  678.6    642.7  1114.0 1114.0 1118.0 1130.0 1122.0 1124.0 1130.0 1132.0	4202  3100  3100  3100  1101
1S/07W-31M01 S	864.4	10-24-57 4-28-58	170.0 115.0	694.4 749.4	3100		1S/08W-11R01 S	1219.9	7-01-57 8-05-57 9-03-57 10-01-57 11-04-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	536.0* 540.0* 558.0* 541.0* 534.0* 534.0* 532.0* 531.0* 530.0* 529.0* 530.0* 531.0*	683.9 679.9 661.9 678.9 685.9 685.9 687.9 688.9 689.9 690.9 689.9 688.9	4205
1S/07W-31R01 S	853.7	10-15-57	212.7	641.0	3100							
1S/07W-34A01 S	891.0	7-29-57 8-14-57 8-28-57 9-01-57 9-23-57 10-07-57 10-21-57 11-11-57 11-25-57 12-09-57 12-23-57 12-30-57 1-06-58 1-13-58 1-20-58 2-03-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58	200.0* 200.0* 201.0* 200.0* 200.0* 200.0* 200.0* 200.0* 200.0* 200.0* 200.0* 200.0* 200.0* 199.0* 201.0* 200.0* 199.0* 199.0* 199.0* 198.0* 197.0* 198.0*	691.0 691.0 690.0 691.0 691.0 691.0 691.0 691.0 691.0 691.0 691.0 692.0 691.0 692.0 690.0 691.0 692.0 692.0 693.0 694.0 693.0	4202		1S/08W-12H01 S	1275.0	7-05-57 7-05-57 7-25-57 8-05-57 8-05-57 9-05-57 9-05-57 10-05-57 10-05-57 10-25-57 11-05-57 11-05-57 11-05-57 11-15-57 11-15-57 12-06-57	576.0 576.0* 577.0* 580.0* 580.0* 578.0* 578.0* 586.0* 586.0* 580.0* 579.0* 579.0* 578.0* 578.0* 578.0* 578.0*	699.0 699.0 698.0 695.0 695.0 697.0 697.0 689.0 689.0 695.0 696.0 696.0 696.0 697.0 697.0 697.0	3719 1101 3719 1101 3719 1101 3719 1101 3719 1101 1101 1101 1101 3719 1101 1101



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
80200						80200					
1S/08W-12H01 S						1S/08W-12P01 S					
CONT.						CONT.					
1275.0	12-06-57	578.0*	578.0*	697.0	3719	1215.0	11-05-57	535.0*	535.0*	680.0	3719
	1-13-58	570.0*	570.0*	705.0	1101		11-15-57	535.0*	535.0*	680.0	
	1-13-58	570.0*	570.0*	705.0	3719		12-06-57	536.0*	536.0*	679.0	
	2-05-58	575.0*	575.0*	700.0	1101		1-13-58	522.0*	522.0*	693.0	
	2-05-58	575.0*	575.0*	700.0	3719		2-05-58	526.0*	526.0*	689.0	
	3-14-58	568.0*	568.0*	707.0	1101		3-03-58	525.0*	525.0*	690.0	
	3-14-58	568.0*	568.0*	707.0	3719		3-14-58	525.0*	525.0*	690.0	
	4-15-58	570.0*	570.0*	705.0	1101		3-29-58	528.0*	528.0*	687.0	
	4-15-58	570.0*	570.0*	705.0			4-15-58	528.0*	528.0*	687.0	
1255.0	7-15-57	578.0*	578.0*	677.0	3719		4-25-58	526.0*	526.0*	689.0	
	7-25-57	581.0*	581.0*	674.0			5-05-58	527.0*	527.0*	688.0	
	8-05-57	582.0*	582.0*	673.0			5-15-58	527.0*	527.0*	688.0	
	8-15-57	586.0*	586.0*	669.0			5-26-58	527.0*	527.0*	688.0	
	8-26-57	578.0*	578.0*	677.0							
	9-05-57	586.0*	586.0*	669.0			7-10-57	436.1	436.1	678.9	4714
	9-16-57	588.0*	588.0*	667.0			7-23-57	436.1	436.1	678.9	
	9-25-57	586.0*	586.0*	669.0			8-08-57	439.6	439.6	675.4	
	10-05-57	590.0*	590.0*	665.0			8-28-57	440.6	440.6	674.4	
	10-15-57	562.0*	562.0*	693.0			9-10-57	441.9	441.9	673.1	
	10-25-57	560.0*	560.0*	695.0			9-26-57	441.9	441.9	673.1	
	11-05-57	560.0*	560.0*	695.0			10-23-57	438.4	438.4	676.6	
	11-15-57	560.0*	560.0*	695.0			11-19-57	444.2	444.2	670.8	
	12-06-57	554.0*	554.0*	701.0			12-12-57	443.0	443.0	672.0	
	1-13-58	549.0*	549.0*	706.0			12-27-57	441.9	441.9	673.1	
	2-05-58	552.0*	552.0*	703.0			1-14-58	440.7	440.7	674.3	
	3-03-58	550.0*	550.0*	705.0			1-29-58	440.7	440.7	674.3	
	3-14-58	552.0*	552.0*	703.0			2-11-58	440.7	440.7	674.3	
	3-29-58	552.0*	552.0*	703.0			2-26-58	436.1	436.1	678.9	
	4-15-58	552.0*	552.0*	703.0			3-13-58	431.5	431.5	683.5	
	4-25-58	551.0*	551.0*	704.0			3-24-58	431.5	431.5	683.5	
	5-05-58	551.0*	551.0*	704.0			4-16-58	431.5	431.5	683.5	
	5-15-58	551.0*	551.0*	704.0			5-07-58	436.1	436.1	678.9	
	5-26-58	551.0*	551.0*	704.0			5-21-58	436.1	436.1	678.9	
							6-04-58	436.1	436.1	678.9	
							6-18-58	436.1	436.1	678.9	
1S/08W-12P01 S						1S/08W-15P02 S					
1215.0	7-15-57	558.0*	558.0*	657.0	3719	1060.0	10-15-57	397.0*	397.0*	663.0	1101
	7-25-57	535.0*	535.0*	680.0			11-15-57	394.0*	394.0*	666.0	
	8-05-57	565.0*	565.0*	650.0			12-15-57	390.0*	390.0*	670.0	
	8-15-57	563.0*	563.0*	652.0			1-15-58	390.0*	390.0*	670.0	
	8-26-57	554.0*	554.0*	661.0			2-15-58	390.0*	390.0*	670.0	
	9-05-57	570.0*	570.0*	645.0			3-15-58	385.0*	385.0*	675.0	
	9-16-57	570.0*	570.0*	645.0			4-21-58	375.0*	375.0*	685.0	
	9-25-57	571.0*	571.0*	644.0			5-15-58	383.0*	383.0*	677.0	
	10-05-57	576.0*	576.0*	639.0			6-01-58	379.0	379.0	681.0	
	10-15-57	538.0*	538.0*	677.0							
	10-25-57	536.0*	536.0*	679.0			10-25-57	292.5	292.5	755.9	3100
1S/08W-12K01 S						1S/08W-15Q02 S					
CONT.						CONT.					

## GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY					Agency Supplying Data				
						CHINO BASIN									
UPPER SANTA ANA VALLEY						CHINO BASIN					UPPER SANTA ANA VALLEY				
CHINO BASIN						CHINO BASIN					UPPER SANTA ANA VALLEY				
1S/08W-15Q02 S	1048.4	4-29-58	286.8	761.6	3100	2S/05W-07J01 S	868.0	4-16-58	9.9	858.1	3100	80200	80201	80200	
1S/08W-22H01 S	1026.7	10-25-57	371.0	655.7	3100	2S/05W-16G02 S	790.0	7-01-57	29.9	760.1	4103	7-31-57	30.6	759.4	
1S/08W-22M01 S	978.0	10-29-57	323.1	654.9	1101			9-05-57	31.4	758.6		10-04-57	31.7	758.3	
	977.5**	10-29-57	323.1	654.4				12-03-57	31.7	758.3		1-02-58	31.2	758.8	
	978.0	5-05-58	294.9	683.1				2-11-58	30.7	759.3		3-04-58	30.2	759.8	
	977.5**	5-05-58	294.9	682.6				4-09-58	29.5	760.5		6-04-58	29.3	760.7	
1S/08W-23N01 S	985.6	10-24-57	329.9	655.7	3100			6-25-58	29.5	760.5				760.5	
1S/08W-24E01 S	1032.0	10-24-57	369.5	662.5	3100	2S/06W-03D01 S	846.0	10-14-57	105.8	740.2	3100	4-18-58	109.2	736.8	
1S/08W-25B01 S	973.0	4-29-58	307.7	665.3	3100										
1S/08W-25C01 S	969.8	10-24-57	300.0	669.8	3100	2S/06W-05B01 S	845.8	10-14-57	159.8	686.0	3100	10-22-57	159.8	686.0	
1S/08W-28J01 S	895.0	2-28-58	241.2	653.8	3100			4-16-58	159.1	686.7	4103	4-18-58	159.0	686.8	
1S/08W-31J01 S	807.8	10-16-57	117.0	690.8	3100	2S/06W-05B02 S	831.0	10-22-57	162.8	668.2	4103				
		4-22-58	122.7	685.1											
1S/08W-32G01 S	819.0	10-16-57	176.7	642.3	3100	2S/06W-05B03 S	831.0	10-14-57	163.0	668.0	3100	10-15-57	176.2	653.6	
	818.6	4-22-58	165.8	652.8				4-17-58	165.0	666.0		4-22-58	180.0	649.8	
1S/08W-33B01 S	855.0	10-16-57	211.7	643.3	3100	2S/06W-06F01 S	829.8	10-15-57	176.2	653.6	3100				
1S/08W-34L01 S	829.4	10-16-57	186.6	642.8	3100	2S/06W-06N01 S	803.6	10-15-57	154.5	649.1	3100	10-22-57	160.6	645.0	
1S/08W-35M01 S	847.8	10-01-57	208.1	639.7	3100			4-16-58	150.4	655.2	3100	4-22-58	149.9	653.7	
		11-08-57	205.7	642.1											
		12-06-57	206.8	641.0											
		3-04-58	197.0	650.8											
		5-06-58	194.6	653.2		2S/06W-07B01 S	792.6	7-02-57	141.1	651.5	3100	8-02-57	141.9	650.7	
1S/08W-36M01 S	868.3	10-16-57	219.7	648.6	3100			9-03-57	142.5	650.1		10-01-57	142.8	649.8	
		4-22-58	215.5	652.8				11-04-57	142.6	650.0		12-15-57	141.9	650.7	
2S/05W-05R01 S	939.0	7-12-57	186.1	752.9	5713			1-02-58	142.6	650.0		2-05-58	141.2	651.4	
		9-12-57	185.9	753.1				3-03-58	142.1	650.5		4-08-58	139.9	652.7	
2S/05W-07F01 S	960.0	10-22-57	45.0	915.0	4103			5-05-58	139.3	653.3					
		4-16-58	43.0	917.0											
2S/05W-07J01 S	868.0	10-17-57	13.1	854.9	3100										

## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY						80200
CHINO BASIN						80201	CHINO BASIN						80201
2S/06W-07B01 S	792.6	6-07-58	143.6	649.0	3100		2S/06W-18A01 S	732.1	4-16-58	91.3	640.8	4103	
2S/06W-08A03 S	772.6	4-18-58	120.1	652.5	3100		2S/06W-18G01 S	718.0	10-16-57	94.0	624.0	3100	
2S/06W-08C01 S	787.2	10-15-57 4-22-58	132.9 129.8	654.3 657.4	3100		2S/06W-18P01 S	702.6 703.0 701.3	10-07-57 10-16-57 10-22-57	74.0 81.4 80.8	628.6 621.6 620.5	3102 3100 4103	
2S/06W-08D01 S	785.3	10-15-57 4-22-58	136.7 139.4	648.6 645.9	3100			703.0 702.6	4-17-58 5-19-58	74.0 81.8	629.0 620.8	3100 3102	
2S/06W-08D02 S	780.0	10-22-57 4-16-58	133.5 129.9	646.5 650.1	4103		2S/06W-19F01 S	681.9	10-16-57 4-17-58	66.1 57.0	615.8 624.9	3100	
2S/06W-09D01 S	783.2	10-14-57 4-18-58	128.8 126.5	654.4 656.7	3100		2S/06W-20B01 S	706.0	10-17-57 4-16-58	85.9 87.0	620.1 619.0	3100	
2S/06W-10P01 S	745.0 742.3 745.0 742.3	10-17-57 10-22-57 4-16-58 4-16-58	100.0 99.0 96.2 96.2	645.0 643.3 648.8 646.1	3100 4103 3100 4103		2S/06W-20H01 S	699.0	10-22-57 12-03-57 1-02-58 2-11-58	73.7 73.1 72.7 72.0	625.3 625.9 626.3 627.0	4103	
2S/06W-10Q01 S	741.0	10-17-57 4-16-58	78.5 78.3	662.5 662.7	3100		2S/06W-20R01 S	669.5	10-22-57 12-03-57 1-02-58 2-11-58	59.1 58.8 58.5 58.2	610.4 610.7 611.0 611.3	4103	
2S/06W-12M02 S	796.5	10-22-57 4-16-58	25.0 24.7	771.5 771.8	4103				3-04-58 4-16-58	58.0 57.4	611.5 612.1		
2S/06W-12M03 S	796.4	10-17-57 4-10-58	25.1 24.8	771.3 771.6	3100		2S/06W-21D01 S	709.2	10-17-57 4-16-58	84.2 86.3	625.0 622.9	3100	
2S/06W-15C02 S	738.0	10-14-57 4-22-58	96.0 87.1	642.0 650.9	3100		2S/06W-21D02 S	707.2	4-16-58	82.4	624.8	3100	
2S/06W-16B01 S	743.8	10-15-57	109.6	634.2	3100		2S/06W-21J01 S	666.2	10-17-57 4-16-58	40.7 58.2	625.5 608.0	3100	
2S/06W-16H01 S	709.0	10-17-57 4-16-58	76.2 79.0	632.8 630.0	3100		2S/06W-21L01 S	701.3	7-11-57 7-25-57 8-08-57 8-22-57 9-06-57 9-19-57	78.6 77.3 78.1 78.8 78.7 78.8	622.7 624.0 623.2 622.5 622.6 622.5	3100	
2S/06W-16L01 S	728.0	10-17-57 4-24-58	93.0* 92.3	635.0 635.7	3100				11-04-57 12-04-57 1-02-58 2-05-58	78.4 78.2 78.1 77.5	622.9 623.1 623.2 623.8		
2S/06W-17M01 S	716.0	10-16-57 4-17-58	86.4 78.8	629.6 637.2	3100								
2S/06W-18A01 S	732.1	10-22-57	96.9	635.2	4103								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY									
													CHINO BASIN									
UPPER SANTA ANA VALLEY													UPPER SANTA ANA VALLEY									
CHINO BASIN													CHINO BASIN									
2S/06W-21L01 S CONT.	701.3	3-03-58 4-04-58 5-05-58 6-05-58	77.0 76.5 79.9 76.4	624.3 624.8 621.4 624.9	3100		2S/06W-28E01 S	627.5	7-03-57 8-28-57 9-25-57 10-21-57 12-03-57	14.9 15.0 14.7 14.3 14.8	612.6 612.5 612.8 613.2 612.7	4103										
2S/06W-21Q01 S	660.0	7-10-57 7-25-57 8-08-57 8-22-57 9-06-57 9-19-57 11-04-57 12-04-57	33.7 34.7 34.8 35.6 35.7 35.7 34.7 34.7	626.3 625.3 625.2 624.4 624.3 624.3 625.3 625.3	3100				1-02-58 2-11-58 3-04-58 4-16-58 6-04-58 6-26-58	14.9 14.4 14.8 14.3 14.6 14.7	612.6 613.1 612.7 613.2 612.9 612.8											
2S/06W-22G01 S	692.0	10-22-57 4-16-58	41.7 40.3	650.3 651.7	4103		2S/06W-29P01 S	608.1	7-11-57 7-25-57 8-08-57 8-22-57 9-06-57 9-19-57 10-07-57 11-04-57 12-04-57	14.3 15.5 17.1 13.6 14.3 14.5 13.9 13.6 11.8	593.8 592.6 591.0 594.5 593.8 593.6 594.2 594.5 596.3	3100 3100										
2S/06W-22L02 S	669.0 669.2	10-17-57 10-22-57 4-16-58	28.6 34.6* 32.3	640.4 634.6 636.9	3100 4103				1-02-58 2-05-58 3-03-58 4-04-58 5-05-58 5-19-58	12.5 11.0 11.6 10.4 14.3 12.0	595.6 597.1 596.5 597.7 593.8 596.1	3102										
2S/06W-23G01 S	707.7	10-22-57 4-17-58	32.7 27.8	675.0 679.9	4103		2S/06W-30B01 S	659.1	7-03-57 10-21-57 12-03-57	54.2 DRY DRY	604.9	4103										
2S/06W-24H01 S	862.2	10-22-57 4-17-58	72.6 64.3	789.6 797.9	4103				1-02-58 2-11-58 3-04-58 4-16-58 6-04-58	DRY DRY 54.2 51.8 51.8	604.9 607.3 607.3											
2S/06W-26D02 S	686.0	10-22-57 4-17-58	38.4 33.0	647.6 653.0	4103			659.1														
2S/06W-28B01 S	648.9	7-31-57 8-21-57 9-25-57 10-21-57 12-03-57 1-02-58 2-11-58 3-04-58 4-16-58 6-04-58	25.7 26.0 25.9 26.2 25.6 25.4 24.9 24.8 23.7 24.6 24.8	623.2 622.9 623.0 622.7 623.3 623.5 624.0 624.1 625.2 624.3 624.1	4103		2S/06W-30J02 S	652.9 650.8	10-07-57 10-17-57 4-16-58 5-19-58	66.3 58.6 63.6 55.7	586.6 592.2 587.2 597.2	3102 3100										
							2S/06W-30R03 S	618.9	7-03-57 8-28-57 9-25-57 10-21-57	20.6 23.1 23.1 23.2	598.3 595.8 595.8 595.7	4103										



[illegible]

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
2S/07W-13R01 S	707.0	10-16-57 4-17-58	85.6 78.4	621.4 628.6	3100	2S/07W-20K01 S CONT.	651.9	8-02-57 9-03-57 10-01-57 11-06-57 12-06-57	64.3 66.4 69.2 60.0 57.4	587.6 585.5 582.7 591.9 594.5	3100
2S/07W-14K01 S	718.7	4-17-58	90.6	628.1	3100			1-03-58 2-06-58 3-04-58	54.4 52.3 52.8	597.5 599.6 599.1	
2S/07W-15C01 S	725.2	10-17-57 4-24-58	104.6 66.0	620.6 659.2	3100			4-04-58 5-06-58 6-06-58	48.6 55.0 59.9	603.3 596.9 592.0	
2S/07W-15E01 S	711.7	10-17-57	97.9	613.8	3100						
2S/07W-15K01 S	710.9	9-03-57 10-01-57 10-07-57 11-08-57 12-09-57 1-03-58 2-06-58 3-04-58 4-04-58 5-06-58 5-19-58	100.4 97.2 96.6 93.1 93.3 89.9 88.6 89.5 91.8 93.6 89.3	610.5 613.7 614.3 617.8 617.6 621.0 622.3 621.4 619.1 617.3 621.6	3100 3102 3100	2S/07W-22E01 S	669.0	10-10-57 4-17-58	72.2 62.7	596.8 606.3	3100
						2S/07W-22K01 S	658.5	9-03-57 10-07-57 11-04-57 1-02-58 2-06-58 3-04-58 4-04-58 5-06-58 5-19-58 6-06-58	67.9 62.9 59.5 60.0 50.5 48.7 47.0 49.2 51.3 50.1	590.6 595.6 599.0 598.5 608.0 609.8 611.5 609.3 607.2 608.4	3100 3102 3100
2S/07W-16B01 S	722.3	10-18-57	104.5	617.8	3100	2S/07W-22N01 S	644.9	10-14-57 4-24-58	56.7 40.4	588.2 604.5	3100
2S/07W-16D01 S	713.8	10-17-57 4-28-58	100.9 91.4	612.9 622.4	3100	2S/07W-23K02 S	660.0	10-17-57 4-17-58	62.5 55.0	597.5 605.0	3100
2S/07W-16L01 S	672.9	10-15-57	75.4	597.5	3100	2S/07W-24C01 S	698.5	10-16-57	83.9	614.6	3100
2S/07W-17D01 S	720.5	10-17-57 4-24-58	106.6 97.6	613.9 622.9	3100	2S/07W-25D01 S	817.8	10-16-57	DRY		3100
2S/07W-17J01 S	691.6	10-08-57 5-20-58	86.8 76.8	604.8 614.8	3102	2S/07W-25M01 S	625.0 624.4	10-17-57 10-21-57 4-16-58 4-17-58	39.8 38.8 26.1 31.3	585.2 585.6 598.3 593.7	3100 4103 3100
2S/07W-17L01 S	692.1	10-15-57	88.8	603.3	3100	2S/07W-25Q01 S	629.5	4-18-58	43.0	586.5	3100
2S/07W-17Q01 S	675.4	10-15-57 4-24-58	77.5 61.5	597.9 613.9	3100	2S/07W-26A01 S	661.0	7-02-57 9-03-57 10-01-57	69.1 69.0 68.1	591.9 592.0 592.9	3100
2S/07W-18Q01 S	676.3	10-15-57 4-24-58 5-20-58	79.8 63.0 67.2	596.5 613.3 608.6	3100						
2S/07W-19B01 S	675.8	4-24-58	52.6	607.9	3100						
2S/07W-19B01 S	660.5	4-24-58	52.6	607.9	3100						
2S/07W-20K01 S	651.9	7-02-57	61.3	590.6	3100						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY													
CHINO BASIN						UPPER SANTA ANA VALLEY							
80201						80200							
2S/07W-26A01 S CONT.						3100	CHINO BASIN						80201
	661.0	11-08-57 12-06-57 1-03-58 2-06-58 3-04-58 4-04-58	60.6 59.2 59.1 55.4 53.8 51.6	600.4 601.8 601.9 605.6 607.2 609.4	3100	2S/07W-29H01 S	621.2	4-24-58	24.4	596.8	3100		
						2S/07W-29K01 S	610.7	10-08-57 5-20-58	58.3 25.8	552.4 584.9	3102		
						2S/07W-29L01 S	605.0	10-14-57	33.2	571.8	3100		
	652.4	10-17-57	57.8	594.6	3100	2S/07W-30F01 S	586.9	10-14-57 4-23-58	40.6 32.7	546.3 554.2	3100		
	635.7	10-17-57 4-16-58	46.4 35.6	589.3 600.1	3100	2S/07W-30G01 S	593.9	10-14-57 4-23-58	35.5 15.1	558.4 578.8	3100		
	643.8	4-17-58	36.0	607.8	3100	2S/07W-30K01 S	588.3	10-14-57 4-23-58	38.9 14.9	549.4 573.4	3100		
	625.0	10-17-57 4-18-58	DRY 28.3	596.7	3100	2S/07W-30K02 S	587.9	10-09-57 5-20-58	46.1 23.1	541.8 564.8	3102		
	618.2	4-18-58	22.7	595.5	3100	2S/07W-30M01 S	585.5	10-08-57 5-20-58	39.1 17.4	546.4 568.1	3102		
	607.5	10-07-57 5-19-58	34.7 28.3*	572.8 579.2	3102	2S/07W-30R02 S	583.0	10-09-57	44.2	538.8	3102		
	617.4	10-16-57 4-15-58	36.6 23.8	580.8 593.6	4103	2S/07W-31B01 S	573.7	7-02-57 8-02-57 9-03-57 10-01-57 10-09-57 11-08-57 12-06-57 1-03-58 2-06-58 3-04-58 4-04-58 5-06-58 5-20-58 5-20-58	26.6 30.9 32.6 32.8 33.3 25.6 23.4 22.4 12.5 9.0 3.8 8.7 12.6 12.6	547.1 542.8 541.1 540.9 539.9 548.1 550.3 551.3 561.2 564.7 569.9 565.0 560.6 560.6	3100		
	631.5				3100							3102 3100	



# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
2S/07W-31H01 S CONT.						2S/07W-31L03 S CONT.					
2S/07W-31H01 S CONT.	562.2	11-08-57	19.5	542.7	3100	2S/07W-31L04 S	560.7	12-06-57	30.3	530.4	3100
		12-06-57	19.0	543.2				1-06-58	27.6	533.1	
		1-03-58	14.9	547.3				2-06-58	24.4	536.3	
		2-06-58	12.2	550.0				3-04-58	22.0	538.7	
		3-04-58	11.6	550.6				4-04-58	17.8	542.9	
		4-04-58	9.6	552.6				5-06-58	18.4	542.3	
		5-06-58	10.8	551.4			548.8	10-09-57	26.3	522.5	3102
	560.7	7-10-57	20.0	540.7	3100			5-20-58	15.0	533.8	
		7-24-57	21.0	539.7			551.6	7-10-57	29.7	521.9	3100
		8-07-57	22.9	537.8				7-24-57	30.1	521.5	
2S/07W-31J01 S		8-21-57	23.1	537.6		2S/07W-31L05 S		8-07-57	30.5	521.1	
		9-04-57	24.0	536.7				8-21-57	31.0	520.6	
		9-17-57	32.8	527.9				9-04-57	31.3	520.3	
		11-08-57	21.6	539.1				11-08-57	31.6	520.0	
		12-06-57	23.0	537.7				1-06-58	31.4	520.2	
		1-03-58	24.0	536.7				2-06-58	29.0	522.6	
		2-06-58	16.4	544.3				3-04-58	28.1	523.5	
		3-04-58	15.1	545.6				4-04-58	26.6	525.0	
		4-04-58	15.0	545.7				5-06-58	26.3	525.3	
		5-06-58	35.8	524.9							
2S/07W-31K01 S	555.1	7-24-57	19.9	535.2	3100	2S/07W-31N01 S	524.2	7-10-57	7.9	516.3	3100
		11-08-57	19.9	535.2				7-24-57	8.6	515.6	
		12-06-57	19.4	535.7				8-07-57	9.3	514.9	
								8-21-57	DRY		
2S/07W-31L02 S	560.4	7-10-57	24.3	536.1	3100	2S/07W-31R01 S	548.8	9-03-57	DRY		
		7-24-57	25.1	535.3				9-17-57	DRY		
		8-07-57	25.8	534.6			524.2	12-06-57	9.4	514.8	
		8-21-57	26.5	533.9				1-03-58	8.6	515.6	
		9-17-57	28.0	532.4				2-06-58	8.1	516.1	
		11-08-57	29.5	530.9				3-04-58	7.8	516.4	
		12-06-57	29.5	530.9				4-04-58	6.9	517.3	
		1-03-58	27.1	533.3				5-06-58	7.8	516.4	
		2-06-58	24.3	536.1			548.8	8-21-57	15.6	533.2	3100
		3-04-58	21.3	539.1				9-04-57	16.1	532.7	
2S/07W-31L03 S	560.7	4-04-58	17.8	542.6		2S/07W-31L03 S	548.6	9-17-57	17.3	531.5	
		5-06-58	18.0	542.4			548.8	10-09-57	16.1	532.5	3102
								11-08-57	13.5	535.3	3100
		7-10-57	26.1	534.6	3100			12-06-57	13.4	535.4	
		7-24-57	27.6	533.1				1-03-58	11.5	537.3	
		8-07-57	28.7	532.0				2-06-58	10.0	538.8	
		8-21-57	29.8	530.9				3-04-58	9.8	539.0	
2S/07W-31L03 S		9-04-57	30.8	529.9		2S/07W-31L03 S	548.6	3-17-58	10.9	537.7	3102
		9-17-57	31.3	529.4			548.8	4-04-58	8.4	540.4	3100
		11-08-57	30.9	529.8							



GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CHINO BASIN												
80200												
2S/07W-31R01 S	548.8	5-06-58	9.5	539.3	3100		2S/07W-32G01 S	577.0	5-22-58	86.3	490.7	3102
CONT.	548.6	5-20-58	10.1	538.5	3102		2S/07W-32H01 S	575.6	7-24-57	57.9	517.7	3100
2S/07W-31R02 S	550.2	7-10-57	15.0	535.2	3100				9-04-57	63.2	512.4	
		7-24-57	16.9	533.3					9-17-57	52.4	523.2	
		8-07-57	17.3	532.9					11-04-57	34.7	540.9	
	549.9	8-13-57	16.1*	533.8	3102				12-04-57	34.1	541.5	
	550.2	8-21-57	17.8	532.4	3100				1-02-58	26.5	549.1	
		9-17-57	17.2	533.0					2-05-58	26.4	549.2	
	549.9	11-14-57	15.6	534.3	3102				3-03-58	22.8	552.8	
		12-19-57	14.1	535.8					4-04-58	21.4	554.2	
		5-20-58	12.5	537.4					5-05-58	24.7	550.9	
		5-20-58	12.5	537.4					6-05-58	44.2	531.4	
2S/07W-32A01 S	583.2	7-25-57	40.1	543.1	3100		2S/07W-32K01 S	573.7	11-04-57	39.7	534.0	3100
		9-19-57	42.0	541.2					12-04-57	39.9	533.8	
		11-04-57	29.7	553.5					3-03-58	23.8	549.9	
2S/07W-32C01 S	583.6	10-14-57	24.8	558.8	3100		2S/07W-32K02 S	571.0	4-04-58	20.9	552.8	
	582.7	4-23-58	11.6	571.1					7-10-57	79.7	491.3	3100
2S/07W-32F01 S	571.0	4-18-58	9.8	561.2	3100				7-24-57	70.4	500.6	
2S/07W-32F02 S	570.6	7-10-57	16.3	554.3	3100				8-07-57	71.4	499.6	
		7-24-57	25.5	545.1					8-21-57	79.7	491.3	
		8-07-57	26.0	544.6					9-04-57	78.6	492.4	
		8-21-57	28.3	542.3					9-17-57	79.6	491.4	
		9-04-57	30.3	540.3					11-04-57	34.7	536.3	
		11-08-57	18.3	552.3					12-04-57	34.3	536.7	
		12-05-57	17.1	553.5					1-02-58	26.7	544.3	
		1-03-58	14.0	556.6					2-05-58	23.2	547.8	
		2-06-58	11.1	559.5					3-03-58	20.5	550.5	
		3-04-58	10.0	560.6					4-04-58	17.5	553.5	
		4-04-58	8.2	562.4			2S/07W-32K03 S	568.8	5-05-58	29.4	541.6	
		5-06-58	9.7	560.9					7-10-57	64.2	504.6	3100
									7-24-57	54.8	514.0	
									8-07-57	69.4	499.4	
									8-21-57	73.4	495.4	
2S/07W-32G01 S	577.1	9-17-57	40.4	536.7	3100				11-04-57	37.8	531.0	
	577.4	10-09-57	41.9	535.5	3102				12-04-57	43.2	525.6	
	577.0	10-09-57	41.9	535.1					2-05-58	32.3	536.5	
	577.1	11-08-57	25.6	551.5	3100				4-04-58	23.7	545.1	
		1-03-58	24.6	552.5					7-10-57	46.0	515.9	3100
		2-06-58	16.4	560.7					7-24-57	61.8	500.1	
		3-04-58	14.5	562.6			2S/07W-32P01 S	561.9	8-07-57	51.9	510.0	
		4-04-58	10.4	566.7					8-21-57	59.2	502.7	
		5-06-58	13.9	563.2								
	577.4	5-22-58	86.3*	491.1	3102							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
80200						80201					
2S/07W-32P01 S CONT.	561.9	9-05-57 9-17-57 11-04-57 12-04-57 1-02-58 2-05-58 3-03-58 4-04-58 5-05-58	59.3 57.9 27.8 26.6 22.0 18.0 17.3 17.2	502.6 504.0 534.1 535.3 539.9 543.9 544.6 548.6 544.7	3100	2S/07W-33F01 S CONT.	593.6 593.7	10-07-57 11-04-57 1-02-58 2-05-58 3-03-58 4-04-58 5-05-58 5-19-58 5-19-58	39.6* 23.4 13.1 15.8 13.2 9.2 15.8 16.0 16.0	554.0 570.3 580.6 577.9 580.5 584.5 577.9 577.6	3102 3100
2S/07W-33A01 S	603.0	7-11-57 9-06-57 9-17-57 11-04-57 1-02-58 2-05-58 3-03-58 4-08-58 5-06-58 6-05-58	42.2 37.8 42.0 28.8 22.6 21.2 18.6 15.0 19.5 26.9	560.8 565.2 561.0 574.2 580.4 581.8 584.4 588.0 583.5 576.1	3100	2S/07W-33F02 S	586.0	9-17-57 11-04-57 12-04-57 1-02-58 2-06-58 3-03-58 4-04-58 5-05-58	34.1 21.0 25.1 17.0 17.0 13.0 8.4 13.2	551.9 565.0 560.9 569.0 569.0 573.0 577.6 572.8	3100
2S/07W-33C01 S	599.8	8-08-57 1-02-58 4-04-58	45.8 21.1 12.6	554.0 578.7 587.2	3100	2S/07W-33H02 S	589.0	9-06-57 9-19-57 11-04-57 12-04-57 1-02-58 2-05-58 3-03-58 4-08-58	35.3 35.9 22.8 23.2 18.7 18.8 17.1 11.0	553.7 553.1 566.2 565.8 570.3 570.2 571.9 578.0	3100
2S/07W-33D01 S	595.6	7-11-57 7-24-57 8-08-57 8-22-57 9-06-57 9-17-57 11-04-57 12-04-57 1-02-58 2-05-58 3-03-58 4-08-58	41.7 41.6 44.2 44.6 43.4 39.6 24.7 26.7 19.0 17.2 14.7 10.5 18.5 32.0	553.9 554.0 551.4 551.0 552.2 556.0 570.9 568.9 576.6 578.4 580.9 585.1 577.1 563.6	3100	2S/07W-33H03 S	595.0	11-04-57 1-02-58 2-05-58 3-03-58 4-08-58 5-05-58	25.1 21.2 20.1 16.7 12.0 16.1	569.9 573.8 574.9 578.3 583.0 578.9	3100
2S/07W-33F01 S	593.7	7-11-57 7-25-57 8-08-57 8-22-57 9-06-57 9-17-57	37.9 43.1 44.7 42.9 43.0 38.0	555.8 550.6 549.0 550.8 550.7 555.7	3100	2S/07W-33K01 S	583.0	7-25-57 11-04-57 12-04-57 1-02-58 2-06-58 3-03-58 4-04-58 5-05-58	38.6 21.4 20.6 19.4 19.5 13.1 10.0 11.6	544.4 561.6 562.4 563.6 563.5 569.9 573.0 571.4	3100
						2S/07W-33M01 S	579.5	7-11-57 7-25-57	26.5 27.7	553.0 551.8	3100

## GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY													
State Well Number		R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY													
CHINO BASIN													
80200													
2S/07W-33M01 S CONT.	579.5	8-08-57	80201	28.9	550.6	3100	2S/07W-34P01 S	572.1	10-07-57	80200	18.3	553.8	3102
		8-22-57		29.5	550.0				5-19-58		559.9		
		9-19-57		29.0	550.5								
		11-04-57		24.4	555.1				10-15-57		557.1		
		1-02-58		19.5	560.0				4-15-58		562.4		
		2-05-58		17.5	562.0								
		3-03-58		16.9	562.6				10-14-57		553.6		
		4-04-58		13.0	566.5				4-18-58		552.7		
		5-05-58		11.2	568.3								
		9-19-57		29.4	536.4				10-07-57		555.3		
2S/07W-33P01 S	565.8	11-04-57	29.8	536.0	3100	2S/07W-34P04 S	573.2	5-19-58	561.3	3102			
		12-04-57	27.1	538.7				10-15-57	558.9				
		1-02-58	27.1	538.7				4-15-58	567.9				
		2-05-58	26.8	539.0									
		3-03-58	24.4	541.4									
		4-04-58	23.0	542.8									
		5-05-58	23.1	542.7									
		7-11-57	33.0	542.3				7-11-57	554.1				
		7-25-57	35.0	540.3				7-25-57	552.0				
		8-08-57	35.8	539.5				8-08-57	552.6				
2S/07W-33P02 S	575.3	8-22-57	36.3	539.0	3100	2S/07W-34Q01 S	573.6	8-22-57	548.3	4103			
		9-06-57	36.1	539.2				9-06-57	551.2				
		9-17-57	35.8	539.5				9-17-57	549.9				
		11-04-57	33.5	541.8				11-04-57	556.7				
		12-04-57	32.5	542.8				12-04-57	554.5				
		1-02-58	32.5	542.8				1-02-58	559.9				
		2-05-58	31.4	543.9				2-05-58	560.0				
		3-03-58	28.9	546.4				3-03-58	560.6				
		4-04-58	25.9	549.4				4-08-58	562.7				
		5-05-58	26.1	549.2				5-05-58	560.5				
2S/07W-34C02 S	606.0	10-17-57	30.3	575.7	3100	2S/07W-34R01 S	580.9	4-15-58	562.2	4103			
		4-18-58	16.4	589.6				4-18-58	590.8				
		10-16-57	25.9	570.1				4-18-58	588.5				
		4-15-58	14.3	581.7				10-07-57	573.2				
		10-16-57	23.0	562.8				5-19-58	584.3				
		4-15-58	12.7	573.1				5-19-58	584.3				
		10-14-57	22.7	563.9				10-17-57	568.9				
		4-18-58	11.6	575.0				4-18-58	579.0				
		10-16-57	14.4	553.7									
		2S/07W-34H01 S	596.0	10-16-57				25.9	570.1		4103	2S/07W-35B01 S	614.0
4-15-58	14.3			581.7									
10-16-57	23.0			562.8	4-18-58	588.5							
4-15-58	12.7			573.1	10-07-57	573.2							
10-16-57	22.7			563.9	5-19-58	584.3							
4-18-58	11.6			575.0	5-19-58	584.3							
10-14-57	22.7			563.9	10-17-57	568.9							
4-18-58	11.6			575.0	4-18-58	579.0							
10-16-57	14.4			553.7									
2S/07W-34J01 S	585.8			10-16-57	23.0	562.8	4103	2S/07W-35G01 S	591.4	10-17-57			
		4-15-58	12.7	573.1	4-18-58	579.0							
		10-14-57	22.7	563.9	8-02-57	555.6							
		4-18-58	11.6	575.0	9-06-57	555.7							
		10-16-57	14.4	553.7	9-17-57	551.6							
		10-16-57	14.4	553.7	11-04-57	560.4							
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									
		2S/07W-34K03 S	586.6	10-14-57	22.7	563.9				3100	2S/07W-35J03 S	597.0	8-02-57
4-18-58	11.6			575.0	9-06-57	555.7							
10-14-57	22.7			563.9	9-17-57	551.6							
4-18-58	11.6			575.0	11-04-57	560.4							
10-16-57	14.4			553.7									
10-16-57	14.4			553.7									
10-16-57	14.4			553.7									
10-16-57	14.4			553.7									
10-16-57	14.4			553.7									
2S/07W-34N01 S	568.1			10-16-57	14.4	553.7	4103	2S/07W-35L01 S	598.0				8-02-57
		4-18-58	11.6	575.0	9-06-57	555.7							
		10-14-57	22.7	563.9	9-17-57	551.6							
		4-18-58	11.6	575.0	11-04-57	560.4							
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									
		10-16-57	14.4	553.7									

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CHINO BASIN						CHINO BASIN						
2S/07W-35J03 S CONT.	597.0	12-04-57	36.5	560.5	3100		2S/07W-36G02 S	621.0	4-17-58	46.4	574.6	3100
		1-02-58	35.0	562.0								
		2-05-58	34.2	562.8			2S/07W-36J01 S	582.7	7-25-57	12.5	570.2	3100
		3-03-58	32.7	564.3					8-08-57	12.5	570.2	
		4-04-58	32.8	564.2					8-22-57	DRY		
2S/07W-35L01 S		5-05-58	32.4	564.6					9-17-57	DRY		
					3100			582.6	9-30-57	13.8	568.8	3102
	589.0	8-08-57	37.9	551.1				582.7	11-04-57	11.9	570.8	3100
		8-22-57	42.9	546.1					12-04-57	11.0	571.7	
		9-06-57	40.4	548.6					1-02-58	11.0	571.7	
		9-17-57	38.4	550.6					2-05-58	9.2	573.5	
		11-04-57	30.2	558.8					3-03-58	9.1	573.6	
		12-04-57	34.5	554.5					4-04-58	7.4	575.3	
		1-02-58	34.5	554.5					5-05-58	9.3	573.4	
		2-05-58	27.4	561.6					5-13-58	9.6	573.0	3102
2S/07W-36A01 S	620.2	10-16-57	51.5	568.7	3100							
							2S/07W-36L01 S	572.5	9-30-57	9.4	563.1	3102
									10-21-57	8.5	564.0	4103
									4-16-58	4.8	567.7	
									5-13-58	6.0	566.5	3102
2S/07W-36D01 S	611.8	10-17-57	36.7	575.1	3100		2S/07W-36M01 S	613.5	10-09-57	64.6*	548.9	3102
		10-17-57	37.4	574.4				613.7	10-17-57	51.8	561.9	3100
	611.7	10-21-57	35.5	576.2	4103				4-18-58	50.6	563.1	
		10-21-57	38.7	573.0				613.5	5-19-58	58.5*	555.0	3102
		4-15-58	28.3	583.4			2S/07W-36N01 S	566.5	10-16-57	9.1	557.4	4103
2S/07W-36D02 S		4-16-58	29.0	582.7					12-03-57	9.1	557.4	
	611.8	4-17-58	29.6	582.2	3100				1-02-58	7.0	559.5	
		4-17-58	28.4	583.4					2-11-58	6.4	560.1	
2S/07W-36E01 S	620.2	10-17-57	42.4	577.8	3100				3-04-58	6.2	560.3	
		4-17-58	35.3	584.9					4-15-58	5.6	560.9	
									6-04-58	7.6	558.9	
2S/07W-36E01 S	601.9	10-21-57	32.6	569.3	4103		2S/08W-01L01 S	804.1	6-26-58	8.2	558.3	
		4-15-58	25.6	576.3					10-16-57	163.5	640.6	3100
							2S/08W-02C01 S	821.2	10-16-57	188.2	633.0	3100
2S/07W-36E02 S	606.2	10-21-57	35.5	570.7	4103				4-17-58	129.5	691.7	
		4-15-58	28.3	577.9								
							2S/08W-02L01 S	777.8	10-15-57	149.5	628.3	3100
2S/07W-36F01 S	619.4	10-17-57	50.8	568.6	3100				4-22-58	124.5	653.3	
		4-18-58	44.8	574.6								
							2S/08W-03P01 S	758.9	10-16-57	130.2	628.7	3100
2S/07W-36G01 S	617.6	10-21-57	47.9	569.7	4103				4-25-58	122.3	636.6	
		4-16-58	43.0	574.6								
							2S/08W-04B01 S	797.6	7-09-57	160.1	637.5	1101



## GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY														
State Well Number		R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	CHINO BASIN		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY														
CHINO BASIN														
80200														
2S/08W-04B01 S CONT.		797.6	8-06-57	161.7	635.9	1101		2S/08W-09D01 S		728.4	4-25-58	84.0	644.4	3100
			9-03-57	162.6	635.0									
			10-16-57	159.4	638.2	3100		2S/08W-09K01 S		706.0	10-15-57	85.8	620.2	3100
			11-04-57	156.2	641.4	1101					4-25-58	65.5	640.5	
			12-02-57	154.3	643.3			2S/08W-10B01 S		741.0	10-16-57	DRY		3100
			1-06-58	152.5	645.1						4-25-58	107.6	633.4	
			2-17-58	149.8	647.8									
			3-01-58	139.9	657.7			2S/08W-12F01 S		741.0	8-02-57	121.3	619.7	3100
			4-10-58	146.8	650.8						9-03-57	122.1	618.9	
			4-22-58	136.4	661.2	3100					10-01-57	120.6	620.4	
2S/08W-04C01 S			5-12-58	149.3	648.3	1101					11-08-57	116.8	624.2	
			6-10-58	154.3	643.3						12-06-57	116.5	624.5	
			6-10-58	154.3	643.3						1-03-58	111.8	629.2	
		786.0	10-29-57	137.6	648.4	1101					2-06-58	111.0	630.0	
			5-05-58	133.0	653.0						3-04-58	109.2	631.8	
											4-04-58	107.5	633.5	
		771.1	10-16-57	133.4	637.7	3100		2S/08W-13C01 S		705.8	10-15-57	96.2	609.6	3100
			4-22-58	127.5	643.6						4-24-58	76.0	629.8	
		746.0	7-02-57	125.8	620.2	3100								
			7-09-57	132.5	613.5	1101		2S/08W-13D01 S		702.8	10-15-57	95.0	607.8	3100
2S/08W-04P01 S			8-02-57	134.3	611.7	3100					4-24-58	79.3	623.5	
			8-06-57	132.4	613.6	1101								
			9-03-57	132.0	614.0			2S/08W-13J01 S		681.0	10-14-57	78.9	602.1	3100
			9-03-57	130.5	615.5	3100					4-23-58	72.8	608.2	
			10-01-57	125.3	620.7	1101								
			10-01-57	125.2	620.8	3100		2S/08W-13L02 S		677.0	4-23-58	20.2	656.8	3100
			11-04-57	110.4	635.6	1101								
			11-08-57	115.2	630.8	3100		2S/08W-14A01 S		693.0	9-03-57	72.3	620.7	3100
			12-02-57	111.0	635.0	1101					11-08-57	38.6	654.4	
			12-06-57	111.8	634.2	3100					12-06-57	37.6	655.4	
2S/08W-09D01 S			1-03-58	115.5	630.5						1-03-58	43.1	649.9	
			1-06-58	106.7	639.3	1101					2-06-58	44.9	648.1	
			2-06-58	103.4	642.6	3100					3-04-58	39.4	653.6	
			2-17-58	102.8	643.2	1101					4-04-58	38.8	654.2	
			3-03-58	101.2	644.8						5-06-58	45.6	647.4	
			3-04-58	101.3	644.7	3100		2S/08W-14P01 S		636.4	10-14-57	40.4	596.0	3100
			4-04-58	99.4	646.6									
			4-10-58	99.1	646.9	1101		2S/08W-15B01 S		679.6	10-15-57	77.2	602.4	3100
			4-26-58	106.4	639.6						4-24-58	50.1	629.5	
			5-06-58	114.8	631.2	3100								
2S/08W-09D01 S			5-12-58	107.3	638.7	1101								
			6-06-58	116.9	629.1	3100		2S/08W-15L03 S		654.8	10-01-57	78.6	576.2	3100
			6-10-58	116.4	629.6	1101					11-08-57	46.1	608.7	
		728.4	10-16-57	99.4	629.0	3100								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
80200						80201					
2S/08W-15L03 S CONT.	654.8	12-06-57 1-03-58 2-06-58 3-04-58 4-04-58 5-06-58 6-06-58	55.0 35.2 32.4 27.8 25.2 35.8 55.4*	599.8 619.6 622.4 627.0 629.6 619.0 599.4	3100	2S/08W-22B04 S	633.4	7-24-57 8-07-57 8-21-57 9-04-57 10-08-57 11-08-57 12-06-57	91.7 93.4 94.1 93.7 92.4 87.0 86.9	541.7 540.0 539.3 539.7 541.0 546.4 546.5	3100
2S/08W-16J01 S	659.1	7-02-57 8-02-57 10-01-57 11-08-57 12-06-57	55.1 54.6 54.9 55.0 55.2	604.0 604.5 604.2 603.4 603.2	3100			1-03-58 2-06-58 3-04-58 4-04-58 5-08-58 5-20-58 5-20-58	79.6 76.4 70.8 68.7 69.8 71.1 71.1	553.8 557.0 562.6 564.7 563.6 562.3 562.3	3100
		2-07-58 3-04-58 4-04-58 5-06-58 6-06-58	39.1 55.1 53.9 51.7 55.2	619.3 603.3 604.5 606.7 603.2		2S/08W-22D01 S	647.8	10-16-57 4-25-58	99.5 78.8	548.3 569.0	3100
2S/08W-16M01 S	696.1	10-16-57 4-25-58	60.0 55.0	636.1 641.1	3100	2S/08W-22D03 S	656.0	4-25-58	57.7	598.3	3100
2S/08W-17L01 S	735.0	10-16-57 4-25-58	14.1 11.0	720.9 724.0	3100	2S/08W-22N01 S	639.7	10-16-57 4-25-58	15.6 8.8	624.1 630.9	3100
2S/08W-20A01 S	704.7	10-16-57 4-25-58	37.5 33.1	667.2 671.6	3100	2S/08W-22P01 S	619.0	10-16-57 4-25-58	72.0 28.9	547.0 590.1	3100
2S/08W-20H01 S	731.0	4-25-58	34.3	696.7	3100	2S/08W-23M01 S	607.5	10-14-57 4-23-58	60.2 36.8	547.3 570.7	3100
2S/08W-20L01 S	737.0	10-16-57 4-25-58	37.4 17.9	699.6 719.1	3100	2S/08W-25L01 S	584.2	10-14-57 4-23-58	37.4 12.4	546.8 571.8	3100
2S/08W-21A01 S	649.0	10-16-57	64.1	584.9	3100	2S/08W-25M01 S	571.5	7-02-57 8-02-57 9-03-57 10-01-57 10-08-57 11-08-57 12-06-57	12.3 14.9 14.5 14.3 14.2 11.9 11.2	559.2 556.6 557.0 557.2 557.0 559.6 560.3	3100
2S/08W-21D01 S	690.0	10-16-57 4-25-58	39.7 31.1	650.3 658.9	3100			1-03-58 3-04-58 4-04-58 5-06-58 5-20-58 6-06-58	11.0 4.9 2.2 4.5 5.8 6.7	560.5 566.6 569.3 567.0 565.4 564.8	3102 3100
2S/08W-21F01 S	691.0	10-16-57 4-25-58	42.0 44.6	649.0 646.4	3100						
2S/08W-22B02 S	636.0	7-24-57 8-07-57 8-21-57 9-04-57	91.7 93.4 94.0 93.7	544.3 542.6 542.0 542.3	3100	2S/08W-26D01 S	596.8	7-02-57	44.9	551.9	3100

GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
2S/08W-26D01 S	596.8	8-02-57	50.8	546.0	3100	3S/06W-06K01 S	640.0	5-27-58	52.3	587.7	3102
2S/08W-26K03 S	583.8	10-14-57 4-25-58	43.4 19.8	540.4 564.0	3100	3S/06W-06K02 S	629.0	7-01-57 7-31-57 9-05-57 10-11-57 12-03-57	48.5 48.0 48.2 47.0 47.2	580.5 581.0 580.8 582.0 581.8	4103
2S/08W-26L01 S	590.4	5-20-58	46.0	544.4	3102						
2S/08W-36B01 S	560.5 561.2	10-08-57 10-14-57	27.8 24.4	532.7 536.8	3102 3100						
	560.5	4-23-58 5-20-58 5-20-58	7.2 11.9 11.9	554.0 548.6 548.6	3102						
2S/08W-36C01 S	560.2	4-25-58	15.4	544.8	3100	3S/06W-07F01 S	631.7	10-11-57 4-15-58	41.0 40.1	590.7 591.6	4103
2S/08W-36C02 S	549.7 550.5	10-08-57 10-08-57 10-14-57	23.1 23.1 21.6	526.6 526.6 528.9	3102 3100	3S/06W-31J01 S	648.0	10-10-57 4-10-58	65.5 54.8	582.5 593.2	4103
	549.7	4-23-58 5-20-58 5-20-58	7.8 13.6 13.6	542.7 536.1 536.1	3102	3S/06W-31J02 S	739.2	4-10-58	136.2	603.0	4103
2S/08W-36C03 S	549.0	10-14-57 4-23-58	22.6 7.0	526.4 542.0	3100	3S/07W-02C01 S	590.4	10-07-57 5-19-58	37.8 31.3	552.6 559.1	3102
2S/08W-36C04 S	546.7	10-14-57 4-23-58	16.1 7.5	530.6 539.2	3100	3S/07W-02C02 S	587.2	7-11-57 7-25-57 8-08-57 8-22-57 9-17-57	37.6 38.2 39.1 42.5 39.7	549.6 549.0 548.1 544.7 547.5	3100
2S/08W-36K01 S	536.8 538.9	10-08-57 10-14-57	15.5 13.0	521.3 525.9	3102 3100						
	536.8	4-23-58 5-20-58	1.5 7.2	537.4 529.6	3102						
2S/08W-36K02 S	554.3	10-08-57 5-20-58	31.9 19.4	522.4 534.9	3102						
2S/08W-36Q01 S	527.2	10-08-57 11-14-57 12-19-57 1-14-58 2-18-58	10.2 4.4 2.0 1.4 FLOW	517.0 522.8 525.2 525.8	3102	3S/07W-02F01 S	552.8	10-16-57	6.9	545.9	4103
	527.2	4-22-58 5-20-58 6-17-58	FLOW 2.3 3.3	524.9 523.9		3S/07W-02M01 S	546.5	7-11-57 7-25-57 8-08-57 8-22-57 9-06-57 9-19-57	12.5 13.3 13.2 13.3 13.6 12.5	534.0 533.2 533.3 533.2 532.9 534.0	3100
3S/06W-06K01 S	640.0	10-10-57	52.8	587.2	3102		546.3	10-01-57	12.2	534.1	3102

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY												
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY						
						CHINO BASIN			ANA VALLEY			
CHINO BASIN						ANA VALLEY						
3S/07W-02M01 S CONT.	546.5	11-04-57	10.8	535.7	3100	3S/07W-03J01 S CONT.	581.0	1-02-58	41.5	539.5	3100	
		3-03-58	9.1	537.4	40.4			540.6				
		4-04-58	7.0	539.5	39.8			541.2				
		5-05-58	9.1	537.4	38.9			542.1				
		5-13-58	9.5	536.8	38.7			543.2				
3S/07W-02N01 S	544.4	12-03-57	12.9	531.5	4103	3S/07W-03L02 S	556.0	6-05-58	42.0	539.0	3100	
		1-02-58	11.6	532.8	21.8			534.2				
		2-11-58	11.3	533.1	23.5			532.5				
		3-04-58	11.1	533.3	21.7			534.3				
		4-15-58	10.5	533.9								
3S/07W-02N02 S	560.0	6-04-58	12.1	532.3		3S/07W-03N01 S	562.2	8-13-57	44.2*	518.0	3102	
		6-26-58	11.6	532.8	45.8			516.5				
					37.0			525.3				
		7-03-57	12.8	547.2	37.5			524.7				
		7-17-57	13.6	546.4	35.7			526.6				
3S/07W-03A02 S	579.0	7-31-57	13.4	546.6	3100	562.3	562.2	10-07-57	35.7	526.6	3100	
		8-14-57	14.2	545.8	35.7			526.5				
		8-28-57	14.0	546.0	34.4			527.8				
		9-11-57	14.0	546.0	33.9			528.3				
		9-25-57	13.5	546.5	32.8			529.4				
3S/07W-03F01 S	559.7	10-18-57	25.5	553.5	3100	3S/07W-03R01 S	583.9	2-18-58	31.3	530.9	4103	
		4-18-58	18.0	561.0	31.6			530.6				
		7-03-57	14.0	545.7	33.0			529.2				
		7-17-57	15.0	544.7	51.2			532.7				
		7-31-57	15.5	544.2	47.3			535.8				
3S/07W-03J01 S	581.0	8-14-57	16.0	543.7	3100	3S/07W-04A01 S	563.7	5-19-58	48.5	535.4	3100	
		8-28-57	16.7	543.0	22.1			541.6				
		9-25-57	16.1	543.6	18.7			545.0				
		10-14-57	16.8	542.9	19.8			543.9				
		12-03-57	16.3	543.4	19.6			544.1				
3S/07W-04E01 S	581.0	1-02-58	14.0	545.7	4103	3S/07W-04E01 S	549.2	1-02-58	18.5	545.2	3100	
		2-11-58	12.9	546.8	18.5			548.2				
		3-04-58	12.3	547.4	15.5			548.7				
		4-15-58	10.3	549.4	15.0							
		6-04-58	12.3	547.4	22.5			526.7				
3S/07W-03J01 S	581.0	6-26-58	13.1	546.6	3100	3S/07W-04F01 S	534.9	11-04-57	22.8	526.4	3100	
		6-26-58	13.1	546.6	21.5			527.7				
		7-11-57	44.8	536.2	21.1			528.1				
		9-18-57	45.3	535.7	19.3			529.9				
		10-15-57	43.8	538.1	19.8			529.4				
3S/07W-03J01 S	581.0	11-04-57	42.4	538.6	4103	3S/07W-04F01 S	534.9	3-03-58	17.4	531.8	3100	
		12-04-57	41.7	539.3	17.6			531.6				
					19.1			515.8				



# GROUND WATER LEVELS AT WELLS

[illegible]

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY												
CHINO BASIN						UPPER SANTA ANA VALLEY						
80201						80200						
CHINO BASIN												
3S/07W-05F01 S CONT.	545.0	9-11-57 9-25-57 10-14-57 12-03-57 1-02-58	28.3 28.5 28.4 28.3 28.7	516.7 516.5 516.6 516.7 516.3	3100	3S/07W-05J02 S CONT.	552.6  552.8	5-05-58 5-22-58 6-05-58	35.7 32.8 33.3	516.9 519.8 519.5	3102	
3S/07W-05G01 S	553.2	7-10-57 7-24-57 8-07-57 8-21-57 9-05-57 9-17-57 11-04-57 12-04-57 1-02-58 2-05-58 3-03-58 4-04-58 5-05-58	16.0 16.8 17.2 17.6 17.6 17.6 18.6 19.2 19.0 16.2 16.2 11.4 16.0	537.2 536.4 536.0 535.6 535.6 534.6 534.0 534.2 537.0 537.0 541.8 537.2	3100	3S/07W-05J03 S	552.8	7-10-57 7-10-57 8-07-57 9-17-57	DRY DRY DRY DRY		3100	
						3S/07W-06A01 S	540.4	7-10-57 7-24-57 8-07-57 8-21-57 9-17-57 10-09-57 1-03-58 2-06-58 3-04-58 4-04-58 5-06-58	22.8 24.1 24.5 24.8 25.4 25.8 22.9 20.5 21.1 19.2 20.0	517.6 516.3 515.9 515.6 515.0 514.7 517.5 519.9 519.3 521.2 520.4	3100	
							540.5 540.4					3102 3100
							540.5	5-20-58	21.6	518.9		3102
							540.4	6-06-58	22.2	518.2		3100
3S/07W-05J02 S	552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8 552.6 552.8	7-10-57 7-10-57 7-24-57 7-24-57 8-07-57 8-07-57 8-21-57 8-21-57 9-05-57 9-05-57 9-17-57 9-17-57 10-09-57 11-04-57 12-04-57 1-02-58 1-02-58 2-05-58 2-05-58 3-03-58 3-03-58 4-04-58 4-04-58 5-05-58	34.2 34.2 34.8 34.8 35.3 35.3 36.0 35.9 37.0 37.0 38.0 DRY 37.7 38.3 38.3 38.4 38.4 38.4 38.4 37.2 37.2 36.0 36.0 35.4 35.4 35.7	518.6 518.4 518.0 517.8 517.5 517.3 516.8 516.7 515.8 515.6 514.8 514.9 514.5 514.3 514.4 514.2 514.4 514.2 514.2 515.6 515.4 516.8 516.6 517.4 517.2 517.1	3100 3102 3100 3102 3100 3102 3100 3102 3100 3102 3100 3102 3100 3102 3100 3102 3100 3100 3100 3100 3100 3100 3102 3100 3102 3100							
						3S/07W-06L01 S	509.9	10-08-57 5-20-58	18.1 8.0	491.8 501.9		3102
						3S/07W-06L02 S	509.5	10-08-57 5-20-58	8.4 4.5	501.1 505.0		3102
						3S/07W-06Q01 S	501.5	7-16-57 8-13-57 8-21-57 9-05-57 10-09-57 11-14-57 12-19-57 1-14-58 2-18-58 4-22-58 5-16-58	19.2 19.3 24.5 25.0 13.2 5.6 3.6 3.0 1.4 .1 3.1	482.3 482.2 477.2 476.7 488.3 495.9 497.9 498.5 500.1 501.4 498.4	3102 3100 3102	
						3S/07W-07G01 S	502.6	10-09-57	20.2	482.4		3102
						3S/07W-07J01 S	509.3	4-18-58	18.3	491.0		3100
						3S/07W-07K02 S	509.4	10-09-57	68.9	440.5		3102

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CHINO BASIN					
80200						80200					
3S/07W-07K02 S	509.4	5-20-58	68.1	441.3	3102	3S/07W-08B01 S	533.6	9-17-57	39.7	493.9	3100
3S/07W-07R01 S	511.2	7-16-57	41.7	469.5	3102	CONT.	533.4	10-09-57	38.3	495.1	3102
		8-13-57	39.1	472.1			533.6	11-04-57	36.6	497.0	3100
		10-09-57	42.5*	468.7				11-04-57	36.6	497.0	
	511.3	10-14-57	30.9	480.4	3100			1-02-58	36.5	497.1	
	511.2	11-14-57	28.2	483.0	3102			2-05-58	35.4	498.2	
		12-19-57	25.2	486.0				3-03-58	35.1	498.5	
		1-14-58	24.2	487.0				4-04-58	31.9	501.7	
		2-18-58	22.7	488.5			533.4	5-05-58	33.0	500.6	
		4-22-58	19.8	491.4				5-22-58	33.0	500.4	3102
	511.3	4-25-58	20.0	491.3	3100	3S/07W-08F02 S	492.9	7-16-57	7.2	485.7	3102
	511.2	5-20-58	29.7	481.5	3102			8-16-57	9.7	483.2	
		6-17-58	25.6	485.6				10-09-57	DRY		
3S/07W-08A01 S	539.8	7-10-57	39.3	500.5	3100		492.9	11-14-57	8.3	484.6	
	539.7	7-16-57	39.6	500.1	3102			12-19-57	3.1	489.8	
	539.8	7-24-57	39.8	500.0	3100			1-14-58	5.0	487.9	
		8-07-57	40.2	499.6				2-18-58	3.7	489.2	
	539.7	8-13-57	40.3	499.4	3102			4-22-58	3.4	489.5	
	539.8	8-21-57	40.4	499.4	3100			5-16-58	4.1	488.8	
		9-05-57	40.5	499.3				6-17-58	4.7	488.2	
		9-17-57	38.6	501.2							
		10-09-57	40.4	499.4		3S/07W-08J01 S	493.3	7-01-57	8.1	485.2	4103
	539.7	10-09-57	40.4	499.3	3102			7-03-57	7.3	486.0	3100
	539.8	11-14-57	40.2	499.6	3100			7-17-57	9.2	484.1	
	539.7	11-14-57	40.2	499.5	3102			7-31-57	10.1	483.2	
	539.8	12-19-57	39.9	499.9	3100			7-31-57	10.0	483.3	4103
	539.7	12-19-57	39.9	499.8	3102			8-14-57	10.7	482.6	3100
	539.8	1-14-58	39.7	500.1	3100			8-28-57	11.3	482.0	
	539.7	1-14-58	39.7	500.0	3102			9-05-57	11.3	482.0	4103
	539.8	2-18-58	39.3	500.5	3100			9-11-57	11.4	481.9	3100
	539.7	2-18-58	39.3	500.4	3102			9-25-57	11.5	481.8	
		4-22-58	37.9	501.8				10-14-57	11.3	482.0	4103
	539.8	4-22-58	37.9	501.9	3100			12-03-57	11.2	482.1	
	539.7	4-22-58	37.9	501.8	3102			1-02-58	6.9	486.4	
		5-22-58	37.8	501.9				2-11-58	6.2	487.1	
		5-22-58	37.8	501.9				3-04-58	5.7	487.6	
		6-17-58	37.9	501.8				4-15-58	5.4	487.9	
		6-17-58	37.9	501.8				6-04-58	7.2	486.1	
				501.8				6-26-58	7.8	485.5	
3S/07W-08B01 S	533.6	7-10-57	37.0	496.6	3100	3S/07W-08K01 S	529.5	7-01-57	8.4*	529.1	4103
		7-24-57	36.6	497.0				7-03-57	25.4	504.1	3100
		8-07-57	37.0	496.6				7-17-57	25.5	504.0	
		8-21-57	37.4	496.2				7-31-57	25.5	504.0	
		9-05-57	37.5	496.1				7-31-57	25.4	504.1	4103

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data					
UPPER SANTA ANA VALLEY																	
CHINO BASIN																	
3S/07W-08K01 S CONT.	529.5	8-14-57	25.5	504.0	3100	80200	3S/07W-08P02 S CONT.	535.8	8-21-57	55.9	479.9	3100					
		8-28-57	25.5	504.0					9-05-57	56.2	479.6						
		9-05-57	25.5	504.0	4103				9-17-57	56.5	479.3						
		9-11-57	25.6	503.9	3100				10-09-57	56.7	479.1						
		9-25-57	25.5	504.0					10-09-57	56.7	479.1	3102					
		10-14-57	25.3	504.2	4103				11-14-57	55.6	480.2	3100					
		12-03-57	25.3	504.2					11-14-57	55.6	480.2	3102					
		1-02-58	25.6	503.9					12-19-57	54.1	481.7	3100					
		2-11-58	25.6	503.9					12-19-57	54.1	481.7	3102					
		3-04-58	25.6	503.9					1-14-58	53.2	482.6	3100					
		4-15-58	25.2	504.3					1-14-58	53.2	482.6	3102					
		6-04-58	25.0	504.5					2-18-58	52.1	483.7	3100					
		6-26-58	25.5	504.0					2-18-58	52.1	483.7	3102					
		3S/07W-08L01 S	526.0 534.8	7-01-57	49.0				477.0	4103	80201	3S/07W-08Q01 S	489.3 487.8	7-01-57	4.9	484.4	4103
				7-03-57	49.3				476.7	3100				7-03-57	4.8	483.0	3100
7-17-57	49.6			485.2		7-17-57	6.0	481.8									
7-31-57	50.2			484.6		7-31-57	6.7	481.1									
8-14-57	50.8			484.0	4103	7-31-57	6.7	482.6	4103								
8-28-57	51.3			483.5	3100	8-14-57	7.3	480.5	3100								
9-05-57	51.6			483.2		8-14-57	7.3	480.5									
9-11-57	51.8			483.0		8-28-57	7.9	479.9									
9-25-57	52.2			482.6	4103	9-05-57	8.1	481.2	4103								
10-14-57	52.5			482.3		10-14-57	8.7	480.6									
10-14-57	52.5			482.3		12-03-57	8.8	480.5									
12-03-57	52.6			482.2		1-02-58	3.9	485.4									
12-03-57	52.6			482.2		1-02-58	3.9	485.4									
1-02-58	51.1			483.7		2-11-58	2.7	486.6									
1-02-58	51.1			483.7		2-11-58	2.7	486.6									
2-11-58	49.8	485.0		3-04-58	2.8	486.5											
2-11-58	49.8	485.0		4-15-58	1.9	487.4											
3-04-58	49.1	485.7		6-04-58	2.0	487.3											
3-04-58	49.1	485.7		6-04-58	2.0	487.3											
4-15-58	47.3	487.5		6-26-58	2.1	487.2											
4-15-58	47.3	487.5															
6-04-58	47.0	487.8		7-10-57	32.4	517.6	3100										
6-04-58	47.0	487.8		7-24-57	31.4	518.6											
6-26-58	46.2	488.6		8-07-57	35.4	514.6											
6-26-58	46.2	488.6		8-21-57	35.0	515.0											
3S/07W-08P02 S	535.8	7-10-57	53.3	482.5	3100		9-05-57	40.4	509.6								
		7-16-57	53.7	482.1	3102		9-17-57	36.0	514.0								
		7-24-57	54.2	481.6	3100		11-04-57	32.9	517.1								
		8-07-57	55.2	480.6		12-04-57	35.9	514.1									
		8-13-57	55.5	480.3	3102	1-02-58	35.9	514.1									
								2-05-58	30.4	519.6							
								3-03-58	30.0	520.0							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
CHINO BASIN						CHINO BASIN					
80200						80201					
3S/07W-09A01 S	550.0	4-04-58	31.6	518.4	3100	3S/07W-09L01 S	539.8	6-17-58	42.0	497.8	3102
CONT.		5-05-58	29.9	520.1		3S/07W-09M01 S	498.0	7-03-57	13.5	484.5	3100
3S/07W-09B01 S	543.2	7-10-57	27.4	515.8	3100	3S/07W-09M02 S	500.0	7-03-57	44.0*	456.0	3100
		7-24-57	28.8	514.4				7-17-57	42.2*	457.8	
		8-07-57	29.6	513.6				7-31-57	11.4	488.6	
		8-21-57	30.2	513.0				8-14-57	14.4	485.6	
		9-05-57	30.0	513.2				8-28-57	11.8	488.2	
		9-17-57	31.5	511.7				9-11-57	12.3	487.7	
		11-04-57	27.3	515.9				9-25-57	12.2	487.8	
		12-04-57	29.2	514.0							
		1-02-58	25.7	517.5							
		2-05-58	25.0	518.2		3S/07W-09M03 S	497.4	7-03-57	13.5	483.9	3100
		3-03-58	24.8	518.4			498.1	7-16-57	14.8	483.3	3102
		4-04-58	24.1	519.1			497.4	7-17-57	13.4	484.0	3100
		5-05-58	24.3	518.9				7-31-57	8.9	488.5	
3S/07W-09B02 S	518.2	8-07-57	7.3	510.9	3100		498.1	8-13-57	9.8	488.3	3102
		8-21-57	DRY				497.4	8-14-57	9.6	487.8	3100
		9-05-57	DRY					8-28-57	9.1	488.3	
		9-17-57	DRY				498.1	9-25-57	9.2	488.2	
	518.2	11-04-57	6.6	511.6				10-02-57	9.2	488.9	3102
		4-04-58	3.7	514.5				11-14-57	8.0	490.1	
3S/07W-09J01 S	516.5	10-14-57	16.7	499.8	4103			12-19-57	6.6	491.5	
3S/07W-09L01 S	540.1	7-10-57	45.2	494.9	3100	3S/07W-09R01 S	513.2	10-14-57	11.4	501.8	4103
	539.8	7-16-57	44.4	495.4	3102			12-03-57	11.4	501.8	
	540.1	7-24-57	45.8	494.3	3100			1-02-58	9.9	503.3	
		8-07-57	45.7	494.4				2-11-58	10.4	502.8	
	539.8	8-13-57	45.6	494.2	3102			3-04-58	10.8	502.4	
	540.1	8-21-57	45.7	494.4	3100			4-15-58	9.9	503.3	
		9-17-57	44.0	496.1				6-04-58	10.7	502.5	
		10-02-57	44.8	495.3				6-26-58	11.1	502.1	
	539.8	10-02-57	44.8	495.0	3102						
	540.1	11-14-57	43.4	496.7	3100	3S/07W-09R02 S	514.0	7-03-57	17.4	496.6	3100
	539.8	11-14-57	43.5	496.3	3102			7-17-57	11.6	502.4	
	540.1	12-19-57	42.7	497.4	3100			7-31-57	11.7	502.3	
	539.8	12-19-57	42.7	497.1	3102			8-14-57	11.6	502.4	
		1-14-58	42.3	497.8	3100			8-28-57	11.9	502.1	
	539.8	1-14-58	42.3	497.5	3102			9-11-57	12.3	501.7	
	540.1	2-18-58	41.5	498.6	3100			9-25-57	11.1	502.9	
	539.8	2-18-58	41.5	498.3	3102						
	540.1	4-22-58	40.3	499.8	3100						
	539.8	4-22-58	40.3	499.5	3102						
		5-15-58	40.8	499.0		3S/07W-10C01 S	592.7	10-18-57	13.0	579.7	3100

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
CHINO BASIN						CHINO BASIN					
80200						80201					
3S/07W-10C03 S	575.0	7-10-57	50.7	524.3	3100	3S/07W-10N01 S	514.7	5-13-58	11.1	503.6	3102
		7-25-57	51.1	523.9		CONT.		6-17-58	12.5	502.2	
		8-08-57	51.5	523.5							
		8-22-57	51.8	523.2		3S/07W-10P01 S	518.3	10-02-57	6.5	511.8	3102
		9-05-57	51.7	523.3				5-13-58	8.6	509.7	
		9-19-57	51.3	523.7							
		11-04-57	47.1	527.9		3S/07W-10R02 S	567.2	7-16-57	54.6	512.6	3102
		12-04-57	45.6	529.4				8-13-57	54.7	512.5	
		1-02-58	45.2	529.8				10-10-57	53.2	514.0	
		2-05-58	44.3	530.7				11-14-57	51.7	515.5	
		3-03-58	44.6	530.4				12-19-57	51.3	515.9	
		4-04-58	43.7	531.3				1-14-58	51.1	516.1	
		5-05-58	44.3	530.7				2-18-58	50.8	516.4	
		6-05-58	48.5	526.5				4-22-58	49.5	517.7	
3S/07W-10D01 S	555.4	10-14-57	31.2	524.2	4103			5-27-58	51.9	515.3	
								6-17-58	53.3	513.9	
3S/07W-10D02 S	565.0	7-17-57	60.3	504.7	3100	3S/07W-11B01 S	588.0	9-30-57	57.1	530.9	3102
		8-14-57	59.7	505.3				5-27-58	56.8	531.2	
		9-11-57	59.6	505.4		3S/07W-11P01 S	570.9	10-10-57	51.8	519.1	3102
		9-25-57	58.5	506.5				10-11-57	51.8	519.1	4103
3S/07W-10F01 S	572.2	7-10-57	DRY		3100			4-15-58	48.7	522.2	
		7-25-57	DRY					5-27-58	49.1	521.8	3102
		8-22-57	DRY					10-10-57	52.7	514.4	3102
		9-19-57	DRY					5-27-58	52.7	514.4	
		11-04-57	DRY								
		12-04-57	DRY					7-16-57	7.8	494.7	3102
		1-02-58	DRY					8-13-57	8.3	494.2	
		2-05-58	DRY					10-02-57	8.5	494.0	
		4-04-58	DRY					11-14-57	7.8	494.7	
		5-05-58	DRY					12-19-57	7.3	495.2	
		5-19-58	DRY					1-14-58	7.1	495.4	
3S/07W-10F02 S	560.0	8-22-57	5.8	554.2	3102			2-18-58	7.1	495.4	
								4-22-58	6.2	496.3	
3S/07W-10G01 S	534.5	10-07-57	13.8	520.7	3102			5-13-58	6.6	495.9	
								6-17-58	7.0	495.5	
3S/07W-10N01 S	514.7	7-16-57	12.6	502.1	3102	3S/07W-17C01 S	488.6	4-15-58	2.5	486.1	4103
		10-02-57	12.5	502.2							
		11-14-57	11.9	502.8		3S/07W-17C03 S	802.0	7-01-57	8.0	794.0	4103
		12-19-57	9.9	504.8			490.1	7-31-57	9.3	480.8	
		1-14-58	11.0	503.7				9-05-57	10.3	479.8	
		2-18-58	12.1	502.6				10-14-57	9.8	480.3	
		4-22-58	11.8	502.9				12-03-57	9.7	480.4	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
CHINO BASIN						CHINO BASIN					
3S/07W-17C03 S CONT.						3S/07W-17K01 S CONT.					
3S/07W-17C03 S CONT.	490.1	1-02-58	7.7	482.4	4103	3S/07W-17K02 S	489.5	2-18-58	6.9	482.6	3102
		2-11-58	6.1	484.0				4-22-58	5.3	484.2	
		3-04-58	6.0	484.1				5-15-58	6.2	483.3	
		4-15-58	4.4	485.7				6-17-58	7.0	482.5	
		6-04-58	4.7	485.4			486.4	10-03-57	9.4	477.0	3102
		6-26-58	4.9	485.2				5-15-58	5.6	480.8	
	495.0	7-03-57	5.3	489.7	3100		489.4	10-03-57	10.6	478.8	3102
		7-17-57	7.2	487.8				5-15-58	8.2	481.2	
		7-31-57	7.9	487.1			478.9	10-03-57	5.8	473.1	3102
		8-14-57	8.5	486.5				5-15-58	3.1	475.8	
3S/07W-17D01 S		8-25-57	9.4	485.6		3S/07W-20B01 S		10-03-57		466.2	3102
		9-11-57	9.7	485.3			476.2	7-16-57	10.0	463.5	
		9-25-57	9.8	485.2				8-12-57	12.7	462.3	
		10-14-57	9.8	485.2				10-03-57	13.9	462.3	
		12-03-57	9.7	485.3				11-14-57	8.5	467.7	
		1-02-58	4.1	490.9				12-19-57	6.1	470.1	
	482.2	7-01-57	6.0	476.2	4103			1-14-58	5.8	470.4	
		7-31-57	7.9	474.3				2-18-58	4.0	472.2	
		9-05-57	9.2	473.0				4-22-58	3.5	472.7	
		10-14-57	9.9	472.3				5-15-58	4.0	472.2	
3S/07W-17D02 S		12-03-57	9.7	472.5		3S/07W-20C03 S		6-17-58	4.3	471.9	
		1-02-58	4.1	478.1			479.3	7-10-57	9.6	469.7	3100
	482.2	2-11-58	3.5	478.7				7-24-57	10.7	468.6	
		3-04-58	3.4	478.8				8-07-57	11.8	467.5	
		4-15-58	3.6	478.6				8-21-57	12.4	466.9	
		6-04-58	4.9	477.3				9-05-57	13.2	466.1	
		7-16-57	8.2	479.4				9-17-57	13.2	466.1	
		8-13-57	9.2	478.4				10-03-57	11.2	469.3	3102
	487.6	10-03-57	9.3	478.3	3102		480.5	5-15-58	4.8	473.6	
		11-14-57	7.8	479.8			478.4				
3S/07W-17F01 S		12-19-57	6.7	480.9		3S/07W-20D04 S		10-03-57	18.6	464.3	3102
		1-14-58	6.4	481.2			482.9	5-15-58	9.2	473.7	
		2-18-58	5.1	482.5				10-10-57	42.7*	430.4	4103
		4-22-58	4.0	483.6			473.1	7-03-57	4.0	476.5	3102
		5-15-58	4.8	482.8			480.5	7-10-57	4.1	476.4	
		6-17-58	5.6	482.0				10-10-57	4.5	489.5	4103
	489.5	7-16-57	8.6	480.9	3102		494.0	4-11-58	3.5	490.5	
		8-13-57	9.4	480.1				10-14-57	18.3	517.0	3100
		10-03-57	9.9	479.6							
		11-14-57	9.1	480.4							
3S/07W-17K01 S		12-19-57	8.4	481.1							
		1-14-58	8.1	481.4							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
CHINO BASIN						CLAREMONT HEIGHTS BASIN					
3S/08W-01B01 S	535.3	4-23-58	7.4	527.9	3100	1S/08W-01D03 S	1555.0	3-14-58	389.0	1166.0	1101
3S/08W-01J01 S	523.7	7-16-57	23.5	500.2	3102	CONT.		4-15-58	381.0	1174.0	
		8-13-57	25.1	498.6				5-15-58	456.0*	1099.0	
		10-08-57	25.6	498.1				7-15-57	469.0*	1091.0	3719
		11-14-57	22.7	501.0				7-20-57	477.5*	1082.5	
		12-19-57	21.0	502.7				7-25-57	471.0*	1089.0	
		1-14-58	20.1	503.6				8-05-57	480.0*	1080.0	
		2-18-58	17.8	505.9				8-15-57	480.0*	1080.0	
		4-22-58	13.3	510.4				8-26-57	477.0*	1083.0	
	523.1	4-23-58	13.5	509.6	3100			9-05-57	479.0*	1081.0	
	523.7	5-20-58	15.5	508.2	3102			9-16-57	480.0*	1080.0	
3S/08W-01J02 S	515.5	10-08-57	9.3	506.2	3102			9-25-57	492.0*	1068.0	
		5-20-58	2.1	513.4				10-05-57	492.0*	1068.0	
CLAREMONT HEIGHTS BASIN						CLAREMONT HEIGHTS BASIN					
1S/08W-01D02 S	1542.0	7-15-57	463.0*	1079.0	3719			10-15-57	418.0*	1142.0	
		7-20-57	454.0*	1088.0				10-25-57	340.0*	1220.0	
		7-25-57	462.0*	1080.0				11-05-57	334.0*	1226.0	
		8-05-57	476.0*	1066.0				11-15-57	330.0*	1230.0	
		8-15-57	474.0*	1068.0				12-06-57	336.0*	1224.0	
		8-26-57	472.0*	1070.0				1-13-58	302.0*	1258.0	
		9-05-57	470.0*	1072.0				2-05-58	315.0*	1245.0	
		9-16-57	462.0*	1080.0				3-03-58	300.0*	1260.0	
		9-25-57	465.0*	1077.0				3-14-58	302.0*	1258.0	
		11-05-57	419.0	1123.0				3-29-58	297.0*	1263.0	
		11-15-57	410.3*	1131.7				4-07-58	290.0*	1270.0	
		2-05-58	400.0	1142.0				4-15-58	285.0*	1275.0	
		3-03-58	389.0*	1153.0				4-25-58	281.0*	1279.0	
		3-14-58	389.0	1153.0				5-05-58	357.0*	1203.0	
		3-29-58	390.0	1152.0				5-15-58	385.0*	1175.0	
		4-07-58	382.3	1159.7				5-26-58	313.0*	1247.0	
		4-15-58	381.0	1161.0							
		4-25-58	392.0	1150.0							
		5-05-58	445.0*	1097.0							
		5-15-58	456.0*	1086.0							
		5-26-58	463.0*	1079.0							
1S/08W-01D03 S	1555.0	7-15-57	463.0*	1092.0	1101	1S/08W-02B02 S	1550.0	7-15-57	435.0*	1115.0	3719
		8-15-57	474.0*	1081.0				7-20-57	454.0*	1096.0	
		9-16-57	462.0*	1093.0				7-25-57	452.0*	1098.0	
		11-15-57	410.8	1144.2				8-05-57	455.0*	1095.0	
		1-13-58	345.8	1209.2				8-15-57	456.0*	1094.0	
		2-05-58	400.0	1155.0				8-26-57	455.0*	1095.0	
								9-05-57	456.0*	1094.0	
								9-16-57	456.0*	1094.0	
								9-25-57	460.0*	1090.0	
								10-05-57	460.0*	1090.0	
								10-15-57	365.0*	1185.0	
								10-25-57	342.0*	1208.0	
								11-05-57	336.0*	1214.0	
								11-15-57	328.0*	1222.0	
								12-06-57	332.0*	1218.0	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CLAREMONT HEIGHTS BASIN						80200	CLAREMONT HEIGHTS BASIN					
CLAREMONT HEIGHTS BASIN						80202	CLAREMONT HEIGHTS BASIN					
1S/08W-02B02 S	1550.0	1-13-58	302.0*	1248.0	3719	1S/08W-02D01 S	1482.5	5-15-58	197.0*	1285.5	3719	3719
CONT.		2-05-58	307.0*	1243.0		CONT.		5-26-58	261.0*	1221.5	1101	
		3-03-58	295.0*	1255.0		1S/08W-02F01 S	1470.0	7-15-57	293.0*	1177.0	3719	3719
		3-14-58	302.0*	1248.0				7-25-57	296.0*	1174.0		
		3-29-58	283.0*	1267.0				8-05-57	300.0*	1170.0		3719
		4-15-58	278.0*	1272.0				8-15-57	307.0*	1163.0		
		4-25-58	276.0*	1274.0				8-26-57	309.0*	1161.0		3719
		5-05-58	312.0*	1238.0				9-16-57	310.0*	1160.0		
		5-16-58	408.0*	1142.0				9-25-57	316.0*	1154.0		3719
		5-26-58	329.0*	1221.0				10-05-57	318.0*	1152.0		
1S/08W-02D01 S	1482.5	7-05-57	283.0*	1199.5	3719			10-15-57	294.0*	1176.0		3719
		7-15-57	286.0*	1196.5	1101			10-25-57	288.0*	1182.0		
		7-15-57	286.0*	1196.5	3719			11-05-57	282.0*	1188.0		3719
		7-25-57	289.0*	1193.5				11-15-57	280.0*	1190.0		
		8-05-57	291.0*	1191.5				1-13-58	260.0*	1210.0		3719
		8-15-57	293.4*	1189.1	1101			2-05-58	262.0*	1208.0		
		8-15-57	293.4*	1189.1	3719			3-03-58	250.0*	1220.0		3719
		8-26-57	294.7*	1187.8				3-14-58	242.0*	1228.0		
		9-05-57	260.0*	1222.5				3-29-58	249.0*	1221.0		3719
		9-16-57	260.0*	1222.5	1101			4-07-58	248.0*	1222.0		
		9-16-57	261.0*	1222.5	3719			4-15-58	242.7*	1227.3		3719
		9-25-57	261.0*	1221.5				4-25-58	241.0*	1229.0		
		10-05-57	261.0*	1221.5				5-05-58	243.0*	1227.0		3719
		10-15-57	228.0*	1254.5	1101			5-15-58	270.0*	1200.0		
		10-15-57	228.0*	1254.5	3719			5-26-58	272.0*	1198.0		3719
		10-25-57	220.0*	1262.5								
		11-05-57	219.0*	1263.5		1S/08W-02M03 S	1396.7	11-15-57	148.8	1247.9	1101	1101
		11-15-57	217.0*	1265.5	1101			12-06-57	149.0	1247.7		
		11-15-57	217.0*	1265.5	3719			1-13-58	148.0	1248.7		1101
		12-06-57	218.0*	1264.5	1101			2-05-58	151.0	1245.7		
		12-06-57	218.0*	1264.5	3719			3-14-58	148.6	1248.1		1101
		1-13-58	217.0*	1265.5	1101			3-30-58	158.0	1238.7		
		1-13-58	217.0*	1265.5	3719			4-14-58	150.5	1246.2		1101
		2-05-58	215.0*	1267.5	1101			4-21-58	146.6	1250.1		
		2-05-58	215.0*	1267.5	3719			4-28-58	128.7	1268.0		1101
		3-03-58	207.0*	1275.5				5-05-58	120.1	1276.6		
		3-14-58	205.0*	1277.5	1101			5-12-58	116.5	1280.2		1101
		3-14-58	205.0*	1277.5	3719			5-19-58	112.5	1284.2		
		3-29-58	201.0*	1281.5				5-26-58	111.6	1285.1		1101
		4-07-58	200.0*	1282.5				6-02-58	111.1	1285.6		
		4-15-58	198.0*	1284.5	1101			6-09-58	112.3	1284.4		1101
		4-15-58	198.0*	1284.5	3719			6-16-58	108.9	1287.8		
		4-25-58	197.0*	1285.5				6-23-58	109.7	1287.0		1101
		5-05-58	199.0*	1283.5				6-30-58	107.6	1289.1		
		5-15-58	197.0*	1285.5	1101	1N/08W-24E01 S	2141.7	7-01-57	118.0*	2023.7	4205	4205

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
CLAREMONT HEIGHTS BASIN												
80202												
1N/08W-24E01 S	2141.7	7-08-57	119.0*	2022.7	4205	1N/08W-24E01 S	2141.7	6-02-58	80202	60.0*	2081.7	4205
CONT.		7-15-57	120.0*	2021.7		CONT.		6-09-58		63.0*	2078.7	
		7-22-57	120.0*	2021.7				6-16-58		65.0*	2076.7	
		7-29-57	123.0*	2018.7				6-23-58		65.0*	2076.7	
		8-05-57	135.0*	2006.7				6-30-58		68.0*	2073.7	
		8-12-57	130.0*	2011.7								
		8-19-57	133.0*	2008.7								
		8-26-57	133.0*	2008.7								
		9-03-57	133.0*	2008.7								
		9-09-57	131.0*	2010.7								
		9-16-57	134.0*	2007.7								
		9-23-57	131.0*	2010.7								
		9-30-57	131.0*	2010.7								
		10-07-57	133.0*	2008.7								
		10-14-57	135.0*	2006.7								
		10-21-57	135.0*	2006.7								
		11-04-57	135.0*	2006.7								
		11-11-57	133.0*	2008.7								
		11-18-57	133.0*	2008.7								
		11-25-57	125.0*	2016.7								
		12-02-57	133.0*	2008.7								
		12-09-57	133.0*	2008.7								
		12-16-57	130.0*	2011.7								
		12-23-57	58.0*	2083.7								
		12-30-57	70.0*	2071.7								
		1-06-58	77.0*	2064.7								
		1-13-58	85.0*	2056.7								
		1-20-58	91.0*	2050.7								
		1-27-58	93.0*	2048.7								
		2-03-58	83.0*	2058.7								
		2-10-58	76.0*	2065.7								
		2-17-58	45.0*	2096.7								
		2-24-58	46.0*	2095.7								
		3-03-58	56.0*	2085.7								
		3-10-58	58.0*	2083.7								
		3-17-58	64.0*	2077.7								
		3-24-58	53.0*	2088.7								
		3-31-58	62.0*	2079.7								
		4-07-58	46.0*	2095.7								
		4-14-58	51.0*	2090.7								
		4-21-58	50.0*	2091.7								
		4-28-58	50.0*	2091.7								
		5-05-58	57.0*	2084.7								
		5-12-58	48.0*	2093.7								
		5-19-58	52.0*	2089.7								
		5-26-58	55.0*	2086.7								
CLAREMONT HEIGHTS BASIN												
80205												
1N/08W-24E01 S	2137.6	7-01-57	187.0*	1950.6	4205	1N/08W-24L01 S	2137.6	7-01-57	80202	187.0*	1950.6	4205
		7-08-57	189.0*	1948.6				7-08-57		189.0*	1948.6	
		7-15-57	190.0*	1947.6				7-15-57		190.0*	1947.6	
		7-22-57	192.0*	1945.6				7-22-57		192.0*	1945.6	
		7-29-57	192.0*	1945.6				7-29-57		192.0*	1945.6	
		8-05-57	192.0*	1945.6				8-05-57		192.0*	1945.6	
		8-12-57	194.0*	1943.6				8-12-57		194.0*	1943.6	
		8-19-57	196.0*	1941.6				8-19-57		196.0*	1941.6	
		8-26-57	197.0*	1940.6				8-26-57		197.0*	1940.6	
		9-03-57	197.0*	1940.6				9-03-57		197.0*	1940.6	
		9-09-57	198.0*	1939.6				9-09-57		198.0*	1939.6	
		9-16-57	198.0*	1939.6				9-16-57		198.0*	1939.6	
		9-23-57	198.0*	1939.6				9-23-57		198.0*	1939.6	
		9-30-57	199.0*	1938.6				9-30-57		199.0*	1938.6	
		10-07-57	193.0*	1944.6				10-07-57		193.0*	1944.6	
		10-14-57	190.0*	1947.6				10-14-57		190.0*	1947.6	
		10-21-57	189.0*	1948.6				10-21-57		189.0*	1948.6	
		11-04-57	186.0*	1951.6				11-04-57		186.0*	1951.6	
		11-11-57	183.0*	1954.6				11-11-57		183.0*	1954.6	
		11-18-57	183.0*	1954.6				11-18-57		183.0*	1954.6	
		11-25-57	182.0*	1955.6				11-25-57		182.0*	1955.6	
		12-02-57	182.0*	1955.6				12-02-57		182.0*	1955.6	
		12-09-57	181.0*	1956.6				12-09-57		181.0*	1956.6	
		12-16-57	180.0*	1957.6				12-16-57		180.0*	1957.6	
		12-23-57	127.0*	2010.6				12-23-57		127.0*	2010.6	
		12-30-57	125.0*	2012.6				12-30-57		125.0*	2012.6	
		1-06-58	128.0*	2009.6				1-06-58		128.0*	2009.6	
		1-13-58	138.0*	1999.6				1-13-58		138.0*	1999.6	
		1-20-58	125.0*	2012.6				1-20-58		125.0*	2012.6	
		1-30-58	143.0*	1994.6				1-30-58		143.0*	1994.6	
		2-03-58	140.0*	1997.6				2-03-58		140.0*	1997.6	
		2-10-58	135.0*	2002.6				2-10-58		135.0*	2002.6	
		2-17-58	128.0*	2009.6				2-17-58		128.0*	2009.6	
		2-24-58	115.0*	2022.6				2-24-58		115.0*	2022.6	
		3-03-58	98.0*	2039.6				3-03-58		98.0*	2039.6	
		3-10-58	123.0*	2014.6				3-10-58		123.0*	2014.6	
		3-17-58	106.0*	2031.6				3-17-58		106.0*	2031.6	
		3-24-58	86.0*	2051.6				3-24-58		86.0*	2051.6	
		3-31-58	96.0*	2041.6				3-31-58		96.0*	2041.6	
		4-07-58	75.0*	2062.6				4-07-58		75.0*	2062.6	

## GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY											
CLAREMONT HEIGHTS BASIN						CLAREMONT HEIGHTS BASIN					
Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet
CLAREMONT HEIGHTS BASIN											
1N/08W-24L01 S	2137.6	4-14-58	75.0*	2062.6	4205	1N/08W-25K03 S	1830.0**	9-16-57	254.8	1575.2	4205
CONT.						CONT.		9-23-57	254.6	1575.4	
		4-21-58	83.0*	2054.6				9-30-57	253.3	1576.7	
		4-28-58	82.0*	2055.6				10-07-57	251.6	1578.4	
		5-05-58	88.0*	2049.6				10-14-57	251.3	1578.7	
		5-12-58	87.0*	2050.6				10-21-57	254.0	1576.0	
		5-19-58	110.0*	2027.6				11-04-57	280.7*	1549.3	
		5-26-58	105.0*	2032.6				11-11-57	238.8	1591.2	
		6-02-58	111.0*	2026.6				11-18-57	236.2	1593.8	
		6-09-58	113.0*	2024.6				11-20-57	222.7	1607.3	1101
		6-16-58	117.0*	2020.6				11-30-57	266.2*	1563.8	4205
		6-23-58	118.0*	2019.6				12-02-57	242.0	1588.0	
		6-30-58	121.0*	2016.6				12-09-57	236.0	1594.0	
1N/08W-25K01 S	1840.0	7-01-57	238.0	1602.0	4205			12-16-57	230.6	1599.4	
		7-08-57	241.6	1598.4				12-23-57	230.7	1599.3	
		7-15-57	244.8	1595.2				12-30-57	258.3*	1571.7	
		7-22-57	245.0	1595.0				1-06-58	226.6	1603.4	
		7-29-57	246.0	1594.0				1-13-58	225.0	1605.0	1101
		8-05-57	249.0	1591.0				1-18-58	211.0	1619.0	4205
1N/08W-25K02 S	1842.0	7-01-57	238.0	1604.0	1101			1-20-58	224.8	1605.2	
		7-29-57	246.0	1596.0				1-27-58	225.2	1604.8	
		8-05-57	249.0	1593.0				2-03-58	220.0	1610.0	
		8-26-57	255.8	1586.2				2-10-58	217.7	1612.3	
		9-09-57	258.2	1583.8				2-17-58	223.6*	1606.4	
		9-30-57	252.3	1589.7				2-21-58	204.0	1626.0	1101
		10-07-57	251.6	1590.4				2-24-58	215.6	1614.4	4205
		10-21-57	254.0	1588.0				3-03-58	211.6	1618.4	
		11-04-57	280.7*	1561.3				3-10-58	202.8	1627.2	
		11-11-57	238.8	1603.2				3-15-58	176.0	1654.0	1101
		1-20-58	224.8	1617.2				3-17-58	183.9	1646.1	4205
		2-24-58	215.0	1627.0				3-24-58	165.9	1664.1	
		3-24-58	165.9	1676.1				3-31-58	149.6	1680.4	
		4-21-58	109.1	1732.9				4-07-58	136.0	1694.0	
		5-26-58	64.4	1777.6				4-14-58	124.0	1706.0	
		6-16-58	70.0	1772.0				4-15-58	110.0	1720.0	1101
1N/08W-25K03 S	1830.0**	7-10-57	268.0*	1562.0	1101			4-21-58	109.1	1720.9	4205
		7-29-57	274.0*	1556.0				4-28-58	88.8	1741.2	
		8-12-57	250.8	1579.2	4205			5-05-58	72.5	1757.5	
		8-19-57	252.0	1578.0				5-12-58	67.6	1762.4	
		8-26-57	255.8	1574.2				5-15-58	74.4	1755.6	1101
		8-31-57	291.0*	1539.0				5-19-58	65.6	1764.4	4205
		9-03-57	259.8*	1570.2				5-26-58	64.4	1765.6	
		9-08-57	304.0*	1526.0				6-02-58	64.8	1765.2	
		9-09-57	259.2	1570.8				6-09-58	65.0	1765.0	
								6-16-58	70.0	1760.0	
								6-23-58	73.8	1756.2	

# GROUND WATER LEVELS AT WELLS

State Well Number		R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY													
CLAREMONT HEIGHTS BASIN													
1N/08W-25K03 S		1830.0**	6-30-58	76.0	1754.0	4205		1N/08W-25Q01 S	1831.5	7-10-57	195.2	1636.3	4714
1N/08W-25L01 S		1860.0	7-25-57	264.2*	1595.8	3719				7-23-57	195.5	1636.0	
			8-05-57	318.0*	1542.0					8-08-57	197.0	1634.5	
			8-15-57	340.0*	1520.0					8-28-57	199.0	1632.5	
			8-26-57	348.0*	1512.0					9-10-57	201.0	1630.5	
			11-05-57	248.6	1611.4					9-26-57	202.0	1629.5	
			11-15-57	248.3	1611.7					10-23-57	204.0	1627.5	
			12-06-57	255.7*	1604.3					11-05-57	202.5	1629.0	
			1-13-58	233.5*	1626.5					11-19-57	202.5	1629.0	
			2-05-58	235.0	1625.0					12-12-57	204.5	1627.0	
			3-03-58	226.3	1633.7					12-27-57	203.0	1628.5	
			3-14-58	212.5	1647.5					1-14-58	201.0	1630.5	
			3-29-58	170.3	1689.7					1-29-58	199.5	1632.0	
			4-07-58	148.7	1711.3					2-11-58	200.3	1631.2	
			4-15-58	134.0	1726.0					2-26-58	197.5	1634.0	
			4-25-58	109.0	1751.0					3-13-58	194.5	1637.0	
			5-05-58	83.0	1777.0					3-24-58	184.0	1647.5	
			5-15-58	89.2	1770.8					4-16-58	112.5	1719.0	
			5-26-58	87.7	1772.3					5-07-58	77.0	1754.5	
						3719				5-21-58	71.3	1760.2	
										6-04-58	71.0	1760.5	
										6-18-58	73.8	1757.7	
1N/08W-25M01 S		1865.0	7-15-57	248.6*	1616.4			1N/08W-35H01 S	1677.4	10-16-57	468.4	1209.0	3100
			7-25-57	248.7*	1616.3					4-29-58	425.5	1251.9	
			8-05-57	249.2*	1615.8								
			8-15-57	249.2*	1615.8								
			8-26-57	247.2*	1617.8								
			9-05-57	248.0*	1617.0			1N/08W-35J01 S	1618.0	7-10-57	373.0	1245.0	1101
			9-16-57	249.0*	1616.0					7-23-57	388.0	1230.0	
			9-25-57	248.3*	1616.7					8-08-57	389.0	1229.0	
			10-05-57	246.5*	1618.5					8-28-57	391.0	1227.0	
			10-15-57	248.2*	1616.8					9-10-57	392.0	1226.0	
			10-25-57	241.0*	1624.0					9-26-57	393.0	1225.0	
			11-05-57	239.0	1626.0					10-23-57	391.0	1227.0	
			11-15-57	230.1	1634.9					11-05-57	381.0	1237.0	
			12-06-57	241.5*	1623.5					12-27-57	371.0	1247.0	
			1-13-58	236.0*	1629.0					1-29-58	368.0	1250.0	
			2-05-58	234.3	1630.7					2-26-58	359.0	1259.0	
			3-03-58	232.7	1632.3					3-24-58	356.0	1262.0	
			3-14-58	224.8	1640.2					4-16-58	351.0	1267.0	
			3-29-58	186.3	1678.7					5-21-58	322.0	1296.0	
			4-07-58	168.7	1696.3					6-04-58	230.0	1388.0	
			4-15-58	150.0*	1715.0					6-18-58	188.3	1429.7	
			4-25-58	103.0*	1762.0								
			5-05-58	119.0*	1746.0			1N/08W-35J02 S	1607.1	7-10-57	557.0*	1050.1	1101
			5-15-58	119.0*	1746.0					8-08-57	568.0*	1039.1	
			5-26-58	127.0*	1738.0					8-28-57	568.0*	1039.1	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
CLAREMONT HEIGHTS BASIN						80202	CLAREMONT HEIGHTS BASIN					
CLAREMONT HEIGHTS BASIN						80202	CLAREMONT HEIGHTS BASIN					
1N/08W-35J02 S	1607.1	9-10-57	568.0*	1039.1	1101	80200	1N/08W-35Q01 S	1574.4	5-05-58	348.0	1226.4	1101
CONT.		9-26-57	568.0*	1039.1			CONT.		5-12-58	334.0	1240.4	
		10-23-57	455.0	1152.1					5-15-58	355.0	1219.4	
		11-05-57	433.4	1173.7					6-16-58	166.0	1408.4	
		12-27-57	428.8	1178.3					6-23-58	157.8	1416.6	
		1-29-58	426.5	1180.6					6-30-58	153.0	1421.4	
		2-26-58	424.2	1182.9								
		3-24-58	421.9	1185.2			1N/08W-36D01 S	1760.0	7-10-57	281.0*	1479.0	1101
		4-16-58	419.0	1188.1					7-23-57	281.0	1479.0	
		5-26-58	418.4	1188.7					8-08-57	282.0	1478.0	
		6-18-58	412.6	1194.5					8-28-57	284.0	1476.0	
									9-10-57	284.0	1476.0	
1N/08W-35K01 S	1638.0	7-10-57	448.0*	1190.0	1101	80200			9-26-57	284.0	1476.0	
		7-23-57	469.0*	1169.0					11-05-57	281.0	1479.0	
		8-08-57	464.0*	1174.0					11-19-57	281.0	1479.0	
		8-28-57	478.0*	1160.0					12-12-57	281.0	1479.0	
		9-10-57	527.0*	1111.0					12-27-57	281.0	1479.0	
		9-26-57	527.0*	1111.0					1-14-58	281.0	1479.0	
		10-23-57	394.0	1244.0					1-29-58	280.0	1480.0	
		11-05-57	380.0	1258.0					2-11-58	280.0	1480.0	
		12-12-57	384.0	1254.0					2-26-58	279.8	1480.2	
		12-27-57	371.0	1267.0					3-06-58	290.0*	1470.0	
		1-29-58	369.0	1269.0					3-13-58	279.8	1480.2	
		2-26-58	367.0	1271.0					3-24-58	280.8	1479.2	
		3-24-58	361.0	1277.0					3-30-58	280.7	1479.3	
		4-16-58	354.5	1283.5					4-14-58	280.6	1479.4	
		5-21-58	343.0	1295.0					4-16-58	265.0	1495.0	
		6-04-58	325.0	1313.0					4-21-58	264.8	1495.2	
		6-18-58	231.3*	1406.7					4-28-58	232.4	1527.6	
1N/08W-35Q01 S	1574.4	7-15-57	365.0	1209.4	1101	80200			5-05-58	206.2	1553.8	
		7-30-57	365.0	1209.4					5-07-58	201.0	1559.0	
		8-15-57	365.0	1209.4					5-12-58	193.5	1566.5	
		9-15-57	367.0	1207.4					5-19-58	190.8	1569.2	
		10-15-57	368.0	1206.4					5-21-58	191.0	1569.0	
		10-25-57	418.0*	1156.4	3100	80200			5-26-58	192.9	1567.1	
		11-15-57	364.0	1210.4	1101	80200			6-02-58	196.7	1563.3	
		12-15-57	366.0	1208.4					6-04-58	198.5	1561.5	
		1-15-58	365.0	1209.4					6-09-58	201.5	1558.5	
		2-15-58	366.0	1208.4					6-16-58	205.6	1554.4	
		3-15-58	365.0	1209.4					6-18-58	206.5	1553.5	
		3-19-58	365.0	1209.4					6-23-58	211.1	1548.9	
		3-21-58	364.0	1210.4					6-30-58	216.2	1543.8	
		3-28-58	360.0	1214.4								
		4-07-58	355.0	1219.4								
4-29-58	416.0*			1158.4	3100	80200						
CUCAMONGA BASIN						80203	CUCAMONGA BASIN					
1N/07W-23J01 S	1881.0	10-17-57	375.0	1506.0	3100	80203						

# GROUND WATER LEVELS AT WELLS

[illegible]

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY												
CUCAMONGA BASIN												
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
CUCAMONGA BASIN												
1N/07W-29R04 S	1685.6	6-18-58	473.9	1211.7	4714		1N/07W-33A01 S CONT.	1541.9	1-03-58	381.0*	1160.9	3719
1N/07W-32R03 S	1496.0	7-10-57	360.0	1136.0	4714			1542.3	1-13-58	381.0*	1161.3	1101
		7-23-57	364.0	1132.0					2-05-58	385.0*	1157.3	
		8-08-57	369.0	1127.0				1541.9	2-05-58	385.0*	1156.9	3719
		9-10-57	383.0	1113.0					3-03-58	373.0*	1168.9	
		9-26-57	387.0	1109.0				1542.3	3-14-58	377.0*	1165.3	1101
		10-23-57	357.0	1139.0				1541.9	3-14-58	377.0*	1164.9	3719
		11-05-57	354.0	1142.0					3-29-58	372.0*	1169.9	
		11-19-57	354.0	1142.0				1542.3	4-07-58	369.0*	1172.9	1101
		12-12-57	354.0	1142.0				1541.9	4-15-58	369.0*	1173.3	3719
		12-27-57	354.0	1142.0					4-25-58	365.0*	1176.9	
		1-14-58	350.0	1146.0					5-05-58	392.0*	1149.9	
		1-29-58	348.0	1148.0				1542.3	5-15-58	393.0*	1149.3	1101
		2-11-58	344.0	1152.0				1541.9	5-15-58	393.0*	1148.9	3719
		2-26-58	340.0	1156.0					5-26-58	373.0*	1168.9	
		3-13-58	337.0	1159.0			1N/07W-33N01 S	1488.2	7-10-57	361.0	1127.2	4714
		3-24-58	334.0	1162.0					7-23-57	415.6*	1072.6	
		4-16-58	327.0	1169.0					8-08-57	427.2*	1061.0	
		5-07-58	320.0	1176.0					8-28-57	445.6*	1042.6	
		5-21-58	317.0	1179.0					9-10-57	451.4*	1036.8	
		6-04-58	308.5	1187.5					9-26-57	454.9*	1033.3	
		6-18-58	301.0	1195.0					10-23-57	359.0	1129.2	
1N/07W-33A01 S	1541.9	7-15-57	431.0*	1110.9	3719				11-05-57	358.0	1130.2	
	1542.3	7-15-57	431.0*	1111.3	1101				11-19-57	353.0	1135.2	
	1541.9	7-20-57	425.0*	1116.9	3719				12-12-57	357.0	1131.2	
		7-25-57	426.0*	1115.9					12-27-57	352.0	1136.2	
		8-05-57	428.0*	1113.9					1-14-58	347.0	1141.2	
	1542.3	8-15-57	396.0*	1146.3	1101				1-29-58	346.0	1142.2	
	1541.9	8-15-57	396.0*	1145.9	3719				2-11-58	340.0	1148.2	
		8-26-57	433.0*	1108.9					2-26-58	334.5	1153.7	
		9-05-57	434.0*	1107.9					3-13-58	332.0	1156.2	
	1542.3	9-16-57	435.0*	1107.3	1101				3-24-58	330.0	1158.2	
	1541.9	9-16-57	435.0*	1106.9	3719				4-16-58	324.0	1164.2	
		9-25-57	435.0*	1106.9					5-07-58	321.5	1166.7	
		10-05-57	440.0*	1101.9					5-21-58	320.0	1168.2	
	1542.3	10-15-57	441.0*	1101.3	1101				6-04-58	316.0	1172.2	
	1541.9	10-15-57	441.0*	1100.9	3719				6-18-58	314.8	1173.4	
		10-25-57	397.0*	1144.9			1N/07W-33N02 S	1483.9	7-23-57	365.0	1118.9	4714
	1542.3	11-01-57	397.0*	1145.3	1101				8-08-57	387.5	1096.4	
	1541.9	11-05-57	397.0*	1144.9	3719				8-28-57	382.0	1101.9	
	1542.3	11-15-57	394.0*	1148.3	1101				9-10-57	396.0	1087.9	
	1541.9	11-15-57	394.0*	1147.9	3719				9-26-57	379.7	1104.2	
	1542.3	12-06-57	395.0*	1147.3	1101				10-23-57	376.0	1107.9	
	1541.9	12-06-57	395.0*	1146.9	3719							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY					Water Surface Elev., in feet	Agency Supplying Data
						CUCAMONGA BASIN						
UPPER SANTA ANA VALLEY												
CUCAMONGA BASIN												
1N/07W-33N02 S	1483.9	11-05-57	367.0	1116.9	4714	1S/07W-04A01 S	1421.9	10-05-57	339.0	80200	1082.9	4702
CONT.		11-19-57	361.0	1122.9		CONT.		11-05-57	323.0		1098.9	
		12-12-57	356.0	1127.9				12-05-57	313.0		1108.9	
		12-27-57	350.0	1133.9				1-02-58	300.0		1121.9	
		1-14-58	347.5	1136.4				2-03-58	290.0		1131.9	
		1-29-58	345.5	1138.4				3-03-58	279.0		1142.9	
		2-11-58	340.0	1143.9				4-02-58	271.0		1150.9	
		2-26-58	335.0	1148.9		1S/07W-04B01 S	1428.2	7-02-57	333.0		1095.2	4702
		3-13-58	332.0	1151.9				8-05-57	403.0*		1025.2	
		3-24-58	330.0	1153.9				9-05-57	442.5*		985.7	
		4-16-58	321.0	1162.9				10-05-57	465.0*		963.2	
		5-07-58	320.0	1163.9				11-05-57	329.0		1099.2	
		5-21-58	319.5	1164.4				12-05-57	320.0		1108.2	
		6-04-58	317.8	1166.1				1-02-58	307.0		1121.2	
		6-18-58	316.0	1167.9				2-03-58	296.0		1132.2	
1N/07W-33N03 S	1490.0	8-08-57	432.6*	1057.4	4714			3-03-58	290.0		1138.2	
		8-28-57	452.3*	1037.7				4-02-58	282.0		1146.2	
		9-10-57	452.3*	1037.7				5-01-58	277.0		1151.2	
		9-26-57	467.3*	1022.7				6-01-58	312.4*		1115.8	
		10-23-57	375.0	1115.0		1S/07W-04B02 S	1432.4	8-05-57	396.0*		1036.4	4702
		11-05-57	372.0	1118.0				9-05-57	444.0*		988.4	
		11-19-57	361.0	1129.0				10-05-57	414.0*		1018.4	
		12-12-57	357.0	1133.0				11-05-57	331.0		1101.4	
		12-27-57	353.0	1137.0				12-05-57	321.0		1111.4	
		1-14-58	344.0	1146.0				1-02-58	307.0		1125.4	
		1-29-58	345.0	1145.0				2-03-58	297.0		1135.4	
		2-11-58	342.0	1148.0				3-03-58	289.0		1143.4	
		2-26-58	337.5	1152.5				4-02-58	282.0		1150.4	
		3-13-58	334.0	1156.0				5-01-58	279.0		1153.4	
		3-24-58	331.3	1158.7				6-01-58	295.0		1137.4	
		4-16-58	325.8	1164.2								
		5-07-58	321.0	1169.0		1S/07W-04B03 S	1451.5	8-05-57	421.0*		1030.5	4702
		5-21-58	319.5	1170.5				9-05-57	432.0*		1019.5	
		6-04-58	315.5	1174.5				10-05-57	447.0*		1004.5	
		6-18-58	312.8	1177.2				11-05-57	350.0		1101.5	
1N/07W-34C01 S	1544.9	11-17-57	438.9	1106.0	3100			12-05-57	342.0		1109.5	
		4-30-58	352.4	1192.5				1-02-58	336.0		1115.5	
1N/07W-34J01 S	1405.2	10-17-57	342.1	1063.1	3100			2-03-58	318.0		1133.5	
		4-28-58	263.5	1141.7				3-03-58	335.0*		1116.5	
								4-02-58	328.0*		1123.5	
1S/07W-04A01 S	1421.9	7-02-57	317.0	1104.9	4702			5-01-58	325.0*		1126.5	
		8-05-57	325.0	1096.9				6-01-58	336.0*		1115.5	
		9-05-57	325.0	1096.9		1S/07W-04E02 S	1396.1	7-02-57	286.0		1110.1	4702



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
CUCAMONGA BASIN						RIALTO BASIN						
1S/07W-04E02 S CONT.	1396.1	8-05-57 9-05-57 10-05-57 11-05-57 12-05-57 1-02-58 2-03-58 3-03-58 4-02-58 5-01-58 6-01-58	293.0 303.0 317.0 292.0 283.0 270.0 261.0 253.0 245.0 239.0 239.0	1103.1 1093.1 1079.1 1104.1 1113.1 1126.1 1135.1 1143.1 1151.1 1157.1 1157.1	4702	1N/05W-06F01 S CONT.	2507.0	2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	73.2 43.1 30.6 33.7 56.6*	80204	2433.8 2463.9 2476.4 2473.3 2450.4	4706
1S/07W-04E03 S	1417.4	7-10-57 7-23-57 8-08-57 8-28-57 9-10-57 9-26-57 10-23-57 11-05-57 11-19-57 12-12-57 12-27-57 1-14-58 1-29-58 2-11-58 2-26-58 3-13-58 3-24-58 4-16-58 5-07-58 5-21-58 6-04-58 6-18-58	346.0* 346.0* 350.0* 361.0* 372.0* 377.5* 316.0 311.0 300.0 295.0 288.0 282.0 280.0 275.0 271.5 268.0 259.0 259.8 258.0 256.5 253.0 253.0	1071.4 1071.4 1067.4 1056.4 1045.4 1039.9 1101.4 1106.4 1117.4 1122.4 1129.4 1135.4 1137.4 1142.4 1145.9 1149.4 1158.4 1157.6 1159.4 1160.9 1164.4 1164.4	4714	1N/05W-06G01 S	2244.1	7-02-57 8-06-57 8-29-57 10-02-57 11-04-57 12-04-57 1-03-58 2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	83.0 88.3 91.0 94.9 91.9 92.1 81.2 73.0 48.4 34.9 45.4 69.5	80204	2161.1 2155.8 2153.1 2149.2 2152.2 2152.0 2162.9 2171.1 2195.7 2209.2 2198.7 2174.6	4706
1S/07W-09D01 S	1269.0	4-29-58	145.1	1123.9	3100	1N/05W-07H01 S	2066.0	8-06-57 8-29-57 10-02-57 11-04-57 12-05-57 1-01-58 2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	109.0* 113.4* 118.9* 123.3* 122.9* 121.7* 98.0* 49.5* 24.1* 36.8* 56.5*	80204	1957.0 1952.6 1947.1 1942.7 1943.1 1944.3 1952.1 1995.1 2018.2 2010.1 1996.3	4706
RIALTO BASIN						1N/05W-16K01 S						
1N/05W-06F01 S	2507.0	7-02-57 8-06-57 8-29-57 10-03-57 11-04-57 12-05-57 1-02-58	85.5 88.7 91.2 92.8 92.1 92.3 81.4	2421.5 2418.3 2415.8 2414.2 2414.9 2414.7 2425.6	4706		1722.4 1722.9	7-02-57 8-06-57 8-29-57	311.5 311.7* 312.6*		1410.9 1411.2 1410.3	4706

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
80200						80200					
RIALTO BASIN						RIALTO BASIN					
80204						80204					
1N/05W-16K01 S	1722.9	10-02-57	312.6*	1410.3	4706	1N/05W-29A01 S	1628.0	8-02-57	471.0	1157.0	3100
CONT.		11-04-57	312.6*	1410.3		CONT.		9-03-57	470.2	1157.8	
		12-05-57	312.6*	1410.3				10-01-57	470.4	1157.6	
		1-01-58	312.6*	1410.3				11-13-57	471.0	1157.0	
		2-06-58	311.9*	1411.0				12-06-57	471.0	1157.0	
		3-07-58	309.3*	1413.6				1-03-58	489.7	1138.3	
		4-07-58	297.8*	1425.1				2-06-58	489.2	1138.8	
		5-05-58	213.5*	1509.4				3-04-58	471.2	1156.8	
		5-21-58	191.5*	1531.4				4-04-58	473.0	1155.0	
		6-03-58	237.0*	1485.9				5-06-58	477.0	1151.0	
								6-06-58	472.5	1155.5	
1N/05W-17K01 S	1854.1	7-02-57	56.0	1798.1	4706	1N/05W-30G02 S	1616.0	8-30-57	370.6	1245.4	4706
		8-06-57	56.0	1798.1				12-05-57	370.1	1245.9	
		8-29-57	57.9	1796.2				3-07-58	372.5	1243.5	
		10-02-57	57.0	1797.1				5-05-58	373.7	1242.3	
		11-04-57	57.1	1797.0							
		12-06-57	58.2	1795.9							
		1-01-58	59.4	1794.7							
		2-06-58	61.1	1793.0							
		3-05-58	59.8	1794.3							
		4-07-58	41.3	1812.8							
		5-05-58	35.3	1818.8							
		6-03-58	40.0	1814.1							
1N/05W-18A01 S	1934.0	8-03-57	153.4	1780.6	3100	1S/05W-02C01 S	1347.0	7-01-57	365.0*	982.0	3711
		10-12-57	157.1	1776.9				7-30-57	365.0*	981.6	4706
		11-13-57	158.7	1629.1	3400			8-30-57	356.0*	991.0	3711
	1787.8	12-06-57	158.5	1629.3				12-31-57	342.0	1004.6	4706
		1-03-58	163.2	1624.6				5-01-58	301.0*	1045.6	
		2-06-58	160.1	1627.7							
		3-04-58	160.5	1627.3							
		5-06-58	109.0	1678.8							
		6-06-58	124.0	1663.8							
1N/05W-18K01 S	1901.0	7-02-57	DRY		3100	1S/05W-03J01 S	1301.0	8-15-57	285.6*	1015.4	3400
1N/05W-19A01 S	1806.6	9-03-57	154.9	1651.7							
		10-01-57	155.8	1650.8							
		11-13-57	157.3	1649.3							
		12-06-57	157.3	1649.3							
		1-03-58	159.3	1647.3							
		2-06-58	160.4	1646.2							
		3-04-58	161.4	1645.2							
		4-04-58	160.1	1646.5							
		5-06-58	114.3	1692.3							
1N/05W-29A01 S	1628.0	7-02-57	472.6	1155.4	3100	2N/06W-21R01 S	3400.0	7-02-57	48.0	3352.0	4706
								8-06-57	48.7	3351.3	
								8-29-57	48.6	3351.4	
								10-02-57	48.6	3351.4	
								11-04-57	48.3	3351.7	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
80200						80205					
80204						80205					
UPPER SANTA ANA VALLEY											
COLTON BASIN											
80200											
80204											
2N/06W-21R01 S CONT.	3400.0	12-04-57 1-02-58 2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	48.4 48.4 46.1 46.4 41.2 44.0 46.5	3351.6 3351.6 3353.9 3353.6 3358.8 3356.0 3353.5	4706	1S/04W-07C01 S	1200.1	10-10-57 11-26-57 1-22-58 3-14-58 5-15-58	188.0 189.0 194.3 194.0 198.0	1012.1 1011.1 1005.8 1006.1 1002.1	3200
2N/06W-26L01 S	2760.0	7-02-57 8-06-57 8-29-57 10-02-57 11-04-57 12-04-57 1-03-58 2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	45.1* 71.1* 71.8* 71.9* 68.5* 71.2* 14.1 12.9 14.3 14.2 17.9 16.4	2714.9 2688.9 2688.2 2688.1 2691.5 2688.8 2745.9 2747.1 2745.7 2745.8 2742.1 2743.6	4706	1S/04W-08F07 S	1095.3	2-28-58 3-30-58 5-01-58 6-02-58	93.0 88.0 104.0 124.0	1002.3 1007.3 991.3 971.3	4201
						1S/04W-08F08 S	1094.5	2-28-58 3-30-58 5-01-58 6-02-58	93.0 89.0 104.0 122.0	1001.5 1005.5 990.5 972.5	4201
						1S/04W-08Q01 S	1075.9	2-28-58 3-30-58 5-01-58 6-02-58	70.0 66.0 80.0 87.0	1005.9 1009.9 995.9 988.9	4201
2N/06W-26L02 S	2754.1	7-02-57 8-06-57 8-29-57 10-02-57 11-04-57 12-04-57 1-03-58 2-06-58 3-05-58 4-07-58 5-05-58 6-03-58	35.1 65.1* 65.1* 65.1* 62.3* 65.1* 14.8 13.3 14.6 14.5 18.8 16.9	2719.0 2689.0 2689.0 2689.0 2691.8 2689.0 2739.3 2740.8 2739.5 2739.6 2735.3 2737.2	4706	1S/04W-08Q03 S	1074.4	7-25-57 10-10-57 11-26-57 1-22-58 3-14-58 5-15-58	118.0 104.3 89.5 74.0 65.4 97.0	956.4 970.1 984.9 1000.4 1009.0 977.4	3200
						1S/04W-08R01 S	1073.9	2-28-58 3-30-58 5-01-58 6-02-58	65.0 68.8 69.0 71.0	1008.9 1005.1 1004.9 1002.9	4201
						1S/04W-08R04 S	1075.7	2-28-58 3-30-58 5-01-58 6-02-58	70.0 67.0 78.0 88.0	1005.7 1008.7 997.7 987.7	4201
COLTON BASIN											
80205											
1N/05W-36H04 S	1274.2	7-02-57 8-02-57 9-02-57 10-02-57 11-02-57 12-02-57 3-03-58 4-02-58 5-02-58 6-02-58	317.6 320.3 323.1 322.1 316.9 308.8 300.6 306.8 307.1 311.2	956.6 953.9 951.1 952.1 957.3 965.4 973.6 967.4 967.1 963.0	3700	1S/04W-08R05 S	1074.5	2-28-58 3-30-58 5-01-58 6-02-58	62.0 64.0 69.0 79.0	1012.5 1010.5 1005.5 995.5	4201
						1S/04W-09E02 S	1070.0	2-28-58 3-30-58 5-01-58	68.5 67.0 80.0	1001.5 1003.0 990.0	4201

# GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
COLTON BASIN						COLTON BASIN					
1S/04W-09E02 S	1070.0	6-02-58	88.5	981.5	4201	1S/04W-18E01 S	1116.4	4-30-58	264.5*	851.9	3100
1S/04W-09N01 S	1063.0	2-28-58 3-30-58 5-01-58 6-02-58	32.0 32.0 41.0 71.0	1031.0 1031.0 1022.0 992.0	4201	1S/04W-18F01 S	1099.4	2-28-58 3-30-58 5-01-58 6-02-58	200.0 199.0 199.0 200.0	899.4 900.4 900.4 899.4	4201
1S/04W-09N02 S	1054.9	7-25-57 10-11-57 11-26-57 1-22-58 3-14-58 5-15-58	64.1 65.0 61.8 59.2 50.0 52.0	990.8 989.9 993.1 995.7 1004.9 1002.9	3200	1S/04W-18G01 S	1093.6	2-28-58 3-30-58 5-01-58 6-02-58	197.0 197.0 196.0 196.0	896.6 896.6 897.6 897.6	4201
1S/04W-09N06 S	1061.9	7-25-57 10-11-57 11-26-57 1-22-58 3-14-58 5-15-58	77.3 76.5 65.0 61.0 55.3 59.5	984.6 985.4 996.9 1000.9 1006.6 1002.4	3200	1S/04W-21K03 S	956.4	7-05-57 7-12-57 7-19-57 7-26-57 8-01-57 8-09-57 8-16-57 8-23-57 8-30-57 9-06-57 9-13-57 9-20-57 9-27-57 10-10-57 10-17-57 10-25-57 11-01-57 11-08-57 11-16-57 11-22-57 12-06-57 12-20-57 12-27-57 1-03-58 1-10-58 1-17-58 1-24-58 2-07-58 2-14-58 2-21-58 2-28-58 3-07-58 3-14-58 3-21-58	42.2* 43.0* 41.8* 42.4* 30.0 42.5* 42.7* 32.1 43.1* 32.3 48.2* 44.0* 44.5* 33.2 32.7 32.6 31.2 31.4 41.6* 31.0 30.9 30.1 29.6 29.4 41.3* 29.3 29.9 28.4 27.7 27.3 26.9 25.6 26.9 26.7	914.2 913.4 914.6 914.0 926.4 913.9 913.7 924.3 913.3 924.1 908.2 912.4 911.9 923.2 923.7 923.8 925.2 925.0 914.8 925.4 925.5 926.3 926.8 927.0 915.1 927.1 926.5 928.0 928.7 929.1 929.5 930.8 929.5 929.7	5720
1S/04W-09P01 S	1052.2	7-18-57 8-20-57 9-23-57 10-22-57 11-19-57 12-19-57 1-22-58 2-18-58 3-26-58 4-16-58 5-22-58 6-19-58	56.0 57.2 56.7 54.0 51.6 50.5 50.0 48.2 46.0 45.7 48.5 52.3	996.2 995.0 995.5 998.2 1000.6 1001.7 1002.2 1004.0 1006.2 1006.5 1003.7 999.9	3200						
1S/04W-18B01 S	1134.1	2-28-58 3-30-58 5-01-58 6-02-58	232.5 231.0 232.0 232.0	901.6 903.1 902.1 902.1	4201						
1S/04W-18B02 S	1105.5	7-25-57 10-10-57 11-26-57 1-22-58 3-14-58 5-15-58	211.2 218.2 219.7 221.0 223.2 225.8	894.3 887.3 885.8 884.5 882.3 879.7	3200						
1S/04W-18E01 S	1116.4	10-18-57	244.4	872.0	3100						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
COLTON BASIN						COLTON BASIN						
1S/04W-21K03 S						1S/04W-21L01 S						
CONT.						CONT.						
80200						80200						
3-28-58	956.4	3-28-58	25.7	930.7	5720	15/04W-21L01 S	957.0	2-07-58	66.0	80200	891.0	5720
4-04-58		4-04-58	24.9	931.5				2-14-58	65.0		892.0	
4-11-58		4-11-58	22.6	933.8				2-21-58	64.3		892.7	
4-19-58		4-19-58	22.6	933.8				2-28-58	63.7		893.3	
4-26-58		4-26-58	35.3*	921.1				3-07-58	64.4		892.6	
5-02-58		5-02-58	35.0*	921.4				3-14-58	63.0		894.0	3200
5-09-58		5-09-58	35.7*	920.7				3-21-58	62.1		894.9	5720
5-16-58		5-16-58	22.9	933.5				4-04-58	60.5		896.5	
5-23-58		5-23-58	35.5*	920.9				4-11-58	59.5		897.5	
5-31-58		5-31-58	36.3*	920.1				4-18-58	58.8		898.2	
6-06-58		6-06-58	36.5*	919.9				4-26-58	58.9		898.1	
6-13-58		6-13-58	36.2*	920.2				5-02-58	58.8*		898.2	
6-20-58		6-20-58	49.0*	907.4				5-02-58	58.8		898.2	
6-27-58		6-27-58	38.1*	918.3				5-09-58	142.2*		814.8	
								5-09-58	142.2*		814.8	
7-05-57	957.0	7-05-57	89.4*	867.6	5720			5-16-58	131.7*		825.3	
7-12-57		7-12-57	86.0*	871.0				5-16-58	131.7*		825.3	
7-19-57		7-19-57	86.8	870.2				5-23-58	74.6*		882.4	
7-26-57		7-26-57	86.9	870.1				5-23-58	74.6		882.4	
8-02-57		8-02-57	160.5*	796.5				5-30-58	142.6*		814.4	
8-09-57		8-09-57	159.2*	797.8				5-30-58	142.6*		814.4	
8-16-57		8-16-57	157.6*	799.4				6-06-58	142.8*		814.2	
8-23-57		8-23-57	157.1*	799.9				6-06-58	142.8*		814.2	
8-30-57		8-30-57	157.0*	800.0				6-13-58	137.0*		820.0	
9-06-57		9-06-57	156.6*	800.4				6-13-58	137.0*		820.0	
9-13-57		9-13-57	92.4	864.6				6-20-58	135.5*		821.5	
9-20-57		9-20-57	81.0	876.0	3200			6-20-58	135.5*		821.5	
9-25-57		9-25-57	79.2	877.8	5720			6-27-58	136.8*		820.2	
9-27-57		9-27-57	79.0	878.0				6-27-58	136.8*		820.2	
10-11-57		10-11-57	77.3	879.7								
10-18-57		10-18-57	72.0	885.0				7-06-57	141.0*		822.3	5717
10-25-57		10-25-57	69.0	888.0				7-13-57	157.0*		806.3	
11-01-57		11-01-57	68.9	888.1				7-20-57	158.0*		805.3	
11-08-57		11-08-57	67.9	889.1				7-27-57	162.0*		801.3	
11-15-57		11-15-57	67.6	889.4				8-03-57	173.0*		790.3	
11-22-57		11-22-57	68.6	888.4				8-10-57	170.0*		793.3	
11-27-57		11-27-57	85.0	872.0	3200			8-17-57	172.0*		791.3	
12-06-57		12-06-57	84.8	872.2	5720			8-24-57	174.0*		789.3	
12-20-57		12-20-57	79.7	877.3				9-07-57	177.0*		786.3	
12-27-57		12-27-57	67.6	889.4				9-14-57	177.0*		786.3	
1-03-58		1-03-58	66.2	890.8				9-21-57	172.0*		791.3	
1-10-58		1-10-58	69.4	887.6				9-28-57	173.0*		790.3	
1-17-58		1-17-58	68.6	888.4				10-05-57	174.0*		789.3	
1-22-58		1-22-58	82.5	874.5	3200			10-12-57	94.0		869.3	
1-24-58		1-24-58	81.9	875.1	5720			10-19-57	82.0		881.3	
1-31-58		1-31-58	67.6	889.4								

# GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
COLTON BASIN						80200						
COLTON BASIN						80205						
1S/04W-21N01 S	963.3	10-26-57	90.0	873.3	5717	1S/04W-21Q01 S	945.5	5-02-58	20.0	925.5	5720	
CONT.		11-02-57	78.0	885.3		CONT.		6-06-58	22.0	923.5		
		11-09-57	78.0	885.3								
		11-16-57	78.0	885.3								
		11-23-57	144.0*	819.3		1S/04W-21Q03 S	955.4	7-05-57	131.3*	824.1	5720	
		12-07-57	84.0	879.3				7-12-57	132.4*	823.0		
		12-14-57	168.0*	795.3				7-19-57	132.5*	822.9		
		12-21-57	80.0	883.3				7-26-57	132.3*	823.1		
		1-04-58	77.0	886.3				8-02-57	139.4*	816.0		
		1-11-58	77.0	886.3				8-09-57	138.9*	816.5		
		1-18-58	795.3	886.3				8-16-57	139.0*	816.4		
		1-25-58	169.0*	794.3				8-23-57	137.9*	817.5		
		2-01-58	78.0	885.3				8-30-57	139.1*	816.3		
		2-08-58	77.0	886.3				9-06-57	138.9*	816.5		
		2-15-58	76.0	887.3				9-13-57	132.6*	822.8		
		2-22-58	75.0	888.3				9-20-57	83.5	871.9		
		3-01-58	75.0	888.3				9-27-57	82.0	873.4		
		3-08-58	75.0	888.3				10-11-57	80.2	875.2		
		3-14-58	74.1	889.2	3200			10-18-57	73.9	881.5		
		3-15-58	74.0	889.3	5717			10-25-57	70.3	885.1		
		3-22-58	74.0	889.3				11-01-57	69.4	886.0		
		3-29-58	73.0	890.3				11-08-57	67.7	887.7		
		4-05-58	73.0	890.3				11-15-57	67.8	887.6		
		4-12-58	71.0	892.3				11-22-57	69.1	886.3		
		4-19-58	71.0	892.3				12-06-57	128.3*	827.1		
		4-26-58	70.0	893.3				12-20-57	68.9	886.5		
		5-03-58	72.0	891.3				12-27-57	67.1	888.3		
		5-10-58	80.0	883.3				1-03-58	65.2	890.2		
		5-16-58	73.6	889.7	3200			1-10-58	121.0*	834.4		
		5-17-58	76.0	887.3	5717			1-17-58	68.8	886.6		
		5-24-58	78.0	885.3				1-24-58	125.0*	830.4		
		5-31-58	82.0	881.3				1-31-58	67.2	888.2		
		6-07-58	83.0	880.3				2-07-58	65.5	889.9		
		6-14-58	80.0	883.3				2-14-58	64.4	891.0		
		6-21-58	81.0	882.3				2-21-58	63.7	891.7		
		6-28-58	81.0	882.3				2-28-58	62.9	892.5		
								3-07-58	62.8	892.6		
								3-14-58	62.3	893.1		
								3-21-58	61.5	893.9		
								3-28-58	60.9	894.5		
								4-04-58	60.0	895.4		
								4-11-58	58.5	896.9		
								4-18-58	57.7	897.7		
								4-25-58	57.9	897.5		
								5-01-58	57.5	897.9		
								5-09-58	125.1*	830.3		
								5-16-58	70.8	884.6		
1S/04W-21Q01 S	945.5	7-12-57	31.1	914.4	5720							
		9-06-57	34.4	911.1								
		10-11-57	33.3	912.2								
		11-01-57	34.0	911.5								
		12-06-57	37.0	908.5								
		1-03-58	36.1	909.4								
		2-07-58	35.3	910.2								
		3-07-58	32.4	913.1								

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
COLTON BASIN						COLTON BASIN					
80200						80205					
15/04W-21003 S	955.4	5-23-58	119.0*	836.4	5720	15/04W-28C01 S	956.0	5-02-58	52.5	903.5	5720
CONT.		5-30-58	127.4*	828.0		CONT.		5-09-58	108.0*	848.0	
		6-06-58	126.0*	829.4				5-16-58	59.6	896.4	
		6-13-58	89.1	866.3				5-23-58	107.0*	849.0	
		6-20-58	79.3	876.1				5-30-58	111.4*	844.6	
		6-27-58	78.4	877.0				6-06-58	113.0*	843.0	
15/04W-28C01 S	956.0	7-05-57	115.6*	840.4	5720			6-13-58	111.6*	844.4	
		7-12-57	115.4*	840.6				6-20-58	114.6*	841.4	
		7-19-57	116.3*	839.7		15/04W-28H01 S	969.7	6-27-58	109.1*	846.9	
		7-26-57	116.8*	839.2				7-12-57	73.0	896.7	5713
		8-02-57	120.0*	836.0				1-11-58	73.2	896.5	
		8-09-57	122.4*	833.6				3-08-58	71.7	898.0	
		8-16-57	122.9*	833.1				5-10-58	68.9	900.8	
		8-23-57	122.5*	833.5		15/04W-28K02 S	952.4	7-24-57	63.3*	889.1	3400
		8-30-57	123.7*	832.3				10-02-57	62.9	889.5	
		9-06-57	124.2*	831.8				11-05-57	64.2	888.2	
		9-13-57	122.0*	834.0				12-03-57	65.7*	886.7	
		9-20-57	117.3*	838.7				1-06-58	60.9	891.5	
		9-27-57	113.4*	842.6				2-11-58	59.6	892.8	
		10-11-57	112.4*	843.6				3-08-58	58.8	893.6	
		10-18-57	83.3	872.7				4-09-58	56.7	895.7	
		10-25-57	67.3	888.7				5-07-58	53.6	898.8	
		11-01-57	65.4	890.6				6-10-58	55.0	897.4	
		11-08-57	63.5	892.5				7-05-57	110.7*	818.6	5720
		11-15-57	98.8*	857.2		15/04W-29H01 S	929.3	7-12-57	109.5*	819.8	
		11-22-57	68.6	887.4				7-19-57	110.6*	818.7	
		12-20-57	66.6	889.4				7-26-57	110.8*	818.5	
		12-27-57	63.0	893.0				8-02-57	110.6*	818.7	
		1-03-58	61.2	894.8				8-09-57	110.8*	818.5	
		1-09-58	65.6	890.4				8-16-57	111.0*	818.3	
		1-17-58	63.7	892.3				8-23-57	111.0*	818.3	
		1-24-58	73.8	882.2				8-30-57	111.6*	817.7	
		1-31-58	63.9	892.1				9-06-57	112.2*	817.1	
		2-07-58	60.8	895.2				9-13-57	111.8*	817.5	
		2-14-58	59.2	896.8				9-20-57	77.2	852.1	
		2-21-58	58.2	897.8				9-27-57	109.3*	820.0	
		2-28-58	57.4	898.6				10-11-57	81.5	847.8	
		3-07-58	57.0	899.0				10-18-57	81.0	848.3	
		3-14-58	56.8	899.2				10-25-57	81.6	847.7	
		3-21-58	55.7	900.3				11-01-57	79.4	849.9	
		3-28-58	55.0	901.0				11-08-57	77.0	852.3	
		4-04-58	54.3	901.7				11-15-57	76.0	853.3	
		4-11-58	53.2	902.8				11-22-57	75.2	854.1	
		4-19-58	52.1	903.9							
		4-26-58	53.4	902.6							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
COLTON BASIN						COLTON BASIN					
1S/04W-29H01 S						1S/04W-29H02 S					
CONT.						CONT.					
80200						80200					
80205						80205					
12-06-57	929.3	12-06-57	75.9	853.4	5720	11-08-57	934.4	11-08-57	81.0	853.4	5720
12-20-57		12-20-57	70.2	859.1		11-15-57		11-15-57	79.5	854.9	
12-27-57		12-27-57	70.0	859.3		11-22-57		11-22-57	78.4	856.0	
1-03-58		1-03-58	70.0	859.3		12-06-57		12-06-57	79.4	855.0	
1-10-58		1-10-58	113.2*	816.1		12-20-57		12-20-57	75.5	858.9	
1-17-58		1-17-58	72.5	856.8		12-27-57		12-27-57	73.5	860.9	
1-24-58		1-24-58	71.7	857.6		1-03-58		1-03-58	74.1	860.3	
1-31-58		1-31-58	68.5	860.8		1-10-58		1-10-58	74.8	859.6	
2-07-58		2-07-58	64.0	865.3		1-17-58		1-17-58	73.8	860.6	
2-14-58		2-14-58	64.1	865.2		1-24-58		1-24-58	73.7	860.7	
2-21-58		2-21-58	63.3	866.0		1-31-58		1-31-58	73.6	860.8	
2-28-58		2-28-58	62.1	867.2		2-07-58		2-07-58	69.2	865.2	
3-07-58		3-07-58	66.2	863.1		2-14-58		2-14-58	68.4	866.0	
3-14-58		3-14-58	59.8	869.5		2-21-58		2-21-58	67.8	866.6	
3-21-58		3-21-58	66.0	863.3		2-28-58		2-28-58	66.5	867.9	
3-28-58		3-28-58	52.0	877.3		3-07-58		3-07-58	66.5	867.9	
4-04-58		4-04-58	47.1	882.2		3-14-58		3-14-58	64.1	870.3	
4-11-58		4-11-58	43.2	886.1		3-21-58		3-21-58	60.9	873.5	
4-19-58		4-19-58	43.0	886.3		3-28-58		3-28-58	57.3	877.1	
4-26-58		4-26-58	46.0	883.3		4-04-58		4-04-58	53.0	881.4	
5-02-58		5-02-58	46.6	882.7		4-11-58		4-11-58	41.8	892.6	
5-09-58		5-09-58	48.8	880.5		4-19-58		4-19-58	43.4	891.0	
5-16-58		5-16-58	48.9	880.4		4-26-58		4-26-58	44.4	890.0	
5-23-58		5-23-58	95.9*	833.4		5-02-58		5-02-58	45.4	889.0	
5-30-58		5-30-58	98.0*	831.3		5-09-58		5-09-58	69.8*	864.6	
6-06-58		6-06-58	55.6	873.7		5-16-58		5-16-58	47.9	886.5	
6-13-58		6-13-58	57.0	872.3		5-23-58		5-23-58	80.3*	854.1	
6-20-58		6-20-58	102.3*	827.0		5-30-58		5-30-58	53.3	881.1	
6-27-58		6-27-58	103.1*	826.2		6-04-58		6-04-58	53.4	881.0	
80200						80200					
80205						80205					
7-05-57	934.4	7-05-57	108.2*	826.2	5720	6-27-58		6-27-58	98.8*	835.6	
7-12-57		7-12-57	109.0*	825.4		1S/05W-05A02 S					
7-19-57		7-19-57	110.3*	824.1		1409.6					
8-02-57		8-02-57	110.5*	823.9		1407.8					
8-09-57		8-09-57	110.8*	823.6		7-03-57		7-03-57	370.5*	1039.1	4706
8-16-57		8-16-57	110.9*	823.5		7-31-57		7-31-57	370.8*	1037.0	
8-23-57		8-23-57	110.9*	823.5		8-29-57		8-29-57	370.9*	1036.9	
8-30-57		8-30-57	111.7*	822.7		10-03-57		10-03-57	371.1*	1036.7	
9-06-57		9-06-57	112.4*	822.0		11-04-57		11-04-57	334.0*	1073.8	
9-13-57		9-13-57	112.8*	821.6		12-05-57		12-05-57	336.1*	1071.7	
9-20-57		9-20-57	108.1*	826.3		1-01-58		1-01-58	330.1*	1077.7	
9-27-57		9-27-57	110.2*	824.2		2-06-58		2-06-58	325.9*	1081.9	
10-11-57		10-11-57	110.4*	824.0		3-07-58		3-07-58	323.6*	1084.2	
10-18-57		10-18-57	83.6	850.8		4-07-58		4-07-58	321.3*	1086.5	
10-25-57		10-25-57	83.5	850.9		5-05-58		5-05-58	320.1*	1087.7	
11-01-57		11-01-57	82.9	851.5		6-03-58		6-03-58	319.0*	1088.8	
80200						80200					
80205						80205					
1S/05W-12L01 S						1S/05W-12L01 S					
1177.2						1177.2					
928.8						928.8					
3700						3700					



## GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY											
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
COLTON BASIN						BUNKER HILL BASIN					
Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
1S/05W-12L01 S CONT.	1177.2	8-02-57	249.6*	927.6	3700	1N/03W-29N01 S CONT.	1291.0	4-15-58	245.0	1046.0	5051
		9-02-57	240.2*	937.0				5-15-58	244.6	1046.4	
		10-02-57	246.3*	930.9				6-15-58	244.5	1046.5	
		11-02-57	229.9	947.3							
		12-02-57	229.4	947.8							
		3-02-58	230.1	947.1				11-01-57	306.9	1061.8	
		4-02-58	226.6	950.6				1-11-58	299.3	1069.4	
		5-02-58	229.5	947.7				2-07-58	298.2	1070.5	
		6-02-58	230.9	946.3				3-07-58	297.5	1071.2	
1S/05W-12N01 S	1173.7	7-02-57	230.8*	942.9	3700	1N/03W-29R01 S	1368.7	4-10-58	296.1	1072.6	3400
		8-02-57	230.9*	942.8				4-24-58	295.2	1073.5	
		9-02-57	231.8*	941.9				5-08-58	294.9	1073.8	
		10-02-57	225.1	948.6				6-10-58	293.8	1074.9	
		11-02-57	221.4	952.3							
		12-02-57	221.3	952.4							
		3-02-58	224.6	949.1							
		4-02-58	218.9	954.8							
		5-02-58	231.1*	942.6							
1N/03W-28P01 S	1497.3	6-02-58	231.8*	941.9	3400	1N/03W-31A01 S	1269.8	9-26-57	DRY		3200
								11-26-57	DRY		
								1-17-58	DRY		
								3-12-58	221.5	1048.3	
								5-08-58	217.8	1052.0	
1N/03W-29M01 S	1346.0	1-11-58	425.9	1071.4	3400	1N/03W-31B01 S	1229.1	7-15-57	190.0	1039.1	5051
		2-07-58	422.6	1074.7				8-15-57	192.3*	1036.8	
		5-08-58	420.0	1077.3				9-15-57	197.3	1031.8	
		6-10-58	418.4	1078.9				9-26-57	205.5	1023.6	
								10-15-57	193.3	1035.8	
								11-15-57	189.3	1039.8	
								11-26-57	207.1	1022.0	
								12-15-57	188.3	1040.8	
								3-11-58	181.5	1047.6	
1N/03W-29N01 S	1291.0	7-15-57	250.0	1041.0	3200	1N/03W-31L02 S	1150.0	7-15-57	125.3*	1024.7	5051
		9-15-57	266.3*	1024.7				8-15-57	121.9*	1028.1	
		10-15-57	258.5	1032.5				9-15-57	125.3*	1024.7	
		3-15-58	245.0	1046.0				10-15-57	113.0	1037.0	
								11-15-57	108.8	1041.2	
								12-15-57	108.4	1041.6	
								1-15-58	106.0	1044.0	
								2-15-58	103.0	1046.3	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY						80200
BUNKER HILL BASIN						80206	BUNKER HILL BASIN						80206
1N/03W-31L02 S	1150.0	3-15-58	101.6	1048.4	5051	1N/03W-32N02 S	1145.0	2-10-58	DRY			3400	
		4-15-58	98.0	1052.0		CONT.		3-10-58	100.2		1044.8		
		5-15-58	99.9	1050.1				4-08-58	97.2		1047.8		
		6-15-58	102.5	1047.5				4-24-58	98.7		1046.3		
								5-08-58	95.8		1049.2		
1N/03W-31L03 S	1150.1	7-15-57	118.6*	1031.5	5051			6-10-58	95.9		1049.1		
		8-15-57	121.3*	1028.8				7-23-57	85.1		1563.5		
		9-15-57	121.3*	1028.8				8-27-57	92.5		1556.1		
		10-15-57	116.5	1033.6				10-01-57	95.3*		1553.3		
		11-15-57	112.3	1037.8				11-05-57	83.2		1565.4		
		12-15-57	112.6	1037.5				12-04-57	80.9		1567.7		
		1-15-58	108.4	1041.7				1-11-58	58.0		1590.6		
		2-15-58	106.1	1044.0				2-07-58	59.9		1588.7		
		3-15-58	102.6	1047.5				3-07-58	45.3		1603.3		
		4-15-58	98.9	1051.2				4-10-58	42.5		1606.1		
		5-15-58	101.2	1048.9				5-08-58	44.5		1604.1		
		6-15-58	104.5	1045.6				6-10-58	67.1*		1581.5		
1N/03W-31M03 S	1150.0	11-22-57	110.5	1039.5	3200	1N/04W-02B01 S	1076.2	3-13-58	48.0		1028.2	3200	
		1-16-58	106.7	1043.3				5-15-58	65.0		1011.2		
		3-11-58	102.5	1047.5									
		5-08-58	103.4	1046.6		1N/04W-14R09 S	1420.0	3-12-58	8.6		1411.4	3200	
1N/03W-31P01 S	1116.5	9-26-57	29.0	1087.5	3200			5-08-58	9.5		1410.5		
		11-22-57	30.0	1086.5		1N/04W-16E03 S	1407.1	7-19-57	220.0		1187.1	3200	
		1-16-58	30.5	1086.0				8-20-57	227.5*		1179.6		
		3-11-58	29.1	1087.4				9-24-57	230.4*		1176.7		
		5-08-58	29.7	1086.8				9-25-57	221.7		1185.4		
1N/03W-32C01 S	1282.5	7-15-57	259.3*	1023.2	5051			10-22-57	219.0		1188.1		
		8-15-57	243.9	1038.6				11-19-57	222.6*		1184.5		
		9-15-57	250.8	1031.7				12-20-57	227.8*		1179.3		
		10-15-57	266.2*	1016.3				1-16-58	230.9*		1176.2		
		11-15-57	242.0	1040.5				1-16-58	221.9		1185.2		
		12-15-57	240.7	1041.8				2-20-58	219.5*		1187.6		
		1-15-58	240.4	1042.1				3-27-58	215.6		1191.5		
		2-15-58	239.7	1042.8				4-17-58	216.6		1190.5		
		3-15-58	237.6	1044.9				5-22-58	221.9*		1185.2		
		4-15-58	234.3	1048.2				6-19-58	229.0*		1178.1		
		5-15-58	233.0	1049.5				6-19-58	221.5*		1185.6		
		6-15-58	232.0	1050.5		1N/04W-20N01 S	1330.9	7-19-57	276.0		1054.9	3200	
1N/03W-32N02 S	1145.0	7-23-57	DRY		3400			10-10-57	DRY		1056.9		
		11-05-57	DRY					11-26-57	274.0		1053.4		
		12-06-57	DRY					1-17-58	277.5		1054.2		
		1-08-58	DRY					3-13-58	276.7				

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						80200
BUNKER HILL BASIN						BUNKER HILL BASIN						80206
1N/04W-20N01 S	1330.9	5-14-58	278.0	1052.9	3200	1N/04W-25R01 S	1212.7	11-26-57	190.2	1022.5	3200	
1N/04W-23K01 S	1295.6	7-23-57	250.5	1045.1	3200	CONT.		1-17-58	186.5	1026.2		
		10-08-57	254.5	1041.1				3-12-58	166.0	1046.7		
		11-26-57	255.3	1040.3				5-08-58	167.8	1044.9		
		1-17-58	252.0	1043.6								
		3-12-58	250.7	1044.9		1N/04W-26A01 S	1243.5	5-09-58	205.2	1038.3	4104	
		5-13-58	244.0	1051.6		1N/04W-26E02 S	1236.2	7-18-57	216.0	1020.2	3200	
1N/04W-23M01 S	1295.2	7-23-57	243.4	1051.8	3200			8-20-57	221.7	1014.5		
		10-08-57	249.5	1045.7				9-23-57	221.2	1015.0		
		1-17-58	247.5	1047.7				9-26-57	210.0	1026.2		
		3-12-58	246.6	1048.6				10-22-57	208.0	1028.2		
		5-08-58	249.5	1045.7				11-19-57	203.0	1033.2		
1N/04W-25A01 S	1295.6	11-08-57	192.9	1102.7	4104			12-20-57	201.0	1035.2		
		1-03-58	191.2	1104.4				1-16-58	213.0	1023.2		
		1-14-58	190.7	1104.9				1-16-58	203.0	1033.2		
		3-15-58	189.4	1106.2				2-20-58	201.6	1034.6		
		3-28-58	204.6*	1091.0				3-27-58	195.0	1041.2		
1N/04W-25C02 S	1047.0	10-10-57	201.3	845.7	3200			4-17-58	196.0	1040.2		
		11-26-57	204.5	842.5				4-30-58	197.0	1039.2		
		3-12-58	202.8	844.2				5-22-58	209.4*	1026.8		
1N/04W-25D02 S	1242.8	7-23-57	184.5	1058.3	3200	1N/04W-26M01 S	1200.7	6-18-58	213.0*	1023.2		
		10-10-57	189.0	1053.8				6-18-58	203.8*	1032.4		
		11-26-57	194.0	1048.8				10-11-57	176.0	1024.7	3200	
		1-17-58	190.2	1052.6				11-27-57	177.9	1022.8		
		3-12-58	189.0	1053.8				1-21-58	171.5	1029.2		
		5-08-58	195.5	1047.3				3-13-58	166.0	1034.7		
1N/04W-25K01 S	1207.1	9-26-57	193.2	1013.9	3200	1N/04W-26N02 S	1193.7	5-14-58	168.0*	1032.7		
		10-02-57	173.5	1033.6				7-23-57	170.5	1023.2	3200	
		11-26-57	168.0	1039.1				10-11-57	174.0	1019.7		
		1-17-58	164.0	1043.1				11-27-57	176.0	1017.7		
		3-12-58	162.0	1045.1				1-21-58	167.4	1026.3		
		5-08-58	163.2	1043.9				3-13-58	163.0	1030.7		
1N/04W-25L01 S	1203.6	9-26-57	155.9	1047.7	3200	1N/04W-26P03 S	1173.5	5-14-58	171.6	1022.1		
		10-02-57	150.0	1053.6				7-18-57	153.0	1020.5	3200	
		11-26-57	153.0	1050.6				8-21-57	171.4*	1002.1		
		1-17-58	152.0	1051.6				9-26-57	170.0*	1003.5		
		3-12-58	151.0	1052.6				9-26-57	158.4	1015.1		
		5-08-58	151.1	1052.5				10-22-57	157.5	1016.0		
1N/04W-25R01 S	1212.7	9-26-57	194.0	1018.7	3200			11-19-57	152.0	1021.5		
								12-19-57	166.0*	1007.5		
								12-19-57	151.0	1022.5		
								1-23-58	150.4	1023.1		

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN						BUNKER HILL BASIN						
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
80200												
80206												
1N/04W-26P03 S	1173.5	2-20-58	145.4	1028.1	3200		1N/04W-27M01 S	1189.8	10-22-57	168.0	1021.8	3200
CONT.												
		3-27-58	140.0	1033.5					11-19-57	165.8	1024.0	
		4-17-58	166.6*	1006.9					12-20-57	164.0	1025.8	
		4-18-58	141.0	1032.5					1-23-58	163.0	1026.8	
		5-21-58	173.2*	1000.3					2-20-58	160.0	1029.8	
		5-21-58	148.7*	1024.8					3-27-58	156.0	1033.8	
		6-18-58	152.2	1021.3					4-16-58	158.2	1031.6	
1N/04W-27A01 S	1244.2	7-18-57	213.0	1031.2	3200				4-30-58	159.4	1030.4	
		8-20-57	217.3	1026.9					5-21-58	172.8*	1017.0	
		9-24-57	225.0*	1019.2					5-21-58	164.0	1025.8	
		9-24-57	218.5	1025.7					6-18-58	166.5	1023.3	
		10-23-57	217.7	1026.5								
		11-20-57	214.0	1030.2					7-19-57	173.5*	1020.3	3200
		12-20-57	212.7	1031.5					8-20-57	175.2*	1018.6	
		1-16-58	219.5*	1024.7					9-27-57	176.5*	1017.3	
		1-16-58	212.0	1032.2					10-22-57	162.0	1031.8	
		2-20-58	208.8	1035.4					11-19-57	160.2	1033.6	
		3-27-58	205.5	1038.7					12-20-57	157.8	1036.0	
		4-17-58	205.0	1039.2					1-23-58	156.3	1037.5	
		5-22-58	207.5	1036.7					2-20-58	153.5	1040.3	
		6-18-58	214.0	1030.2					3-27-58	149.8	1044.0	
1N/04W-27G01 S	1226.8	7-18-57	212.0*	1014.8	3200				4-16-58	150.2	1043.6	
		8-20-57	218.6*	1008.2					5-22-58	155.9	1037.9	
		9-24-57	218.4*	1008.4					6-18-58	163.7	1030.1	
		9-25-57	211.6*	1015.2					1-21-58	258.3	1045.4	3200
		10-22-57	211.0	1015.8					3-13-58	263.4	1040.3	
		11-19-57	199.5	1027.3								
		12-20-57	199.0	1027.8					11-26-57	258.0	1044.2	3200
		1-23-58	210.0*	1016.8								
		2-20-58	197.5	1029.3					7-19-57	228.0	1050.0	3200
		3-27-58	190.7	1036.1					10-10-57	232.0	1046.0	
		4-17-58	190.4	1036.4					11-21-57	233.0	1045.0	
		5-01-58	191.5	1035.3					1-21-58	233.0	1045.0	
		5-22-58	197.6	1029.2					3-13-58	234.0	1044.0	
		6-18-58	212.6*	1014.2					5-14-58	232.8	1045.2	
		6-18-58	198.7*	1028.1								
1N/04W-27L01 S	1207.0	10-11-57	169.3	1037.7	3200				7-19-57	203.5	1045.8	3200
		7-18-57	175.3*	1014.5					8-16-57	204.0	1045.3	
1N/04W-27M01 S	1189.8	7-19-57	170.5	1019.3	3200				10-10-57	206.7	1042.6	
		8-20-57	174.0	1015.8					11-21-57	206.4	1042.9	
		9-24-57	174.6	1015.2					1-21-58	205.8	1043.5	
		9-25-57	182.0*	1007.8					3-13-58	208.0	1041.3	
									5-14-58	208.4	1040.9	
									7-19-57	205.2	1042.7	3200



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
80200						UPPER SANTA ANA VALLEY						
						BUNKER HILL BASIN						
						80206						
1N/04W-29P02 S CONT.	1247.9	10-10-57 11-21-57 1-21-58 3-12-58	207.0 207.0 206.3 207.3	1040.9 1040.9 1041.6 1040.6	3200	1N/04W-32G02 S	1201.3	5-14-58	164.2		1037.1	3200
1N/04W-31A01 S	1258.4	10-10-57 11-21-57 1-21-58 3-13-58	222.0 219.0 217.0 219.3	1036.4 1039.4 1041.4 1039.1	3200	1N/04W-32Q02 S	1168.9	7-23-57 10-09-57 11-26-57 1-22-58 3-14-58 5-15-58	135.6 140.0 142.5 139.2 140.7 144.0		1033.3 1038.9 1026.4 1029.7 1028.2 1024.9	3200
1N/04W-32D03 S	1232.0	7-19-57 8-16-57 9-24-57 9-24-57 10-22-57 11-21-57 12-20-57	190.4 193.0 201.0* 192.0 192.5 192.7 193.0	1041.6 1039.0 1031.0 1040.0 1039.5 1039.3 1039.0	3200	1N/04W-33M01 S	1161.4	10-10-57 11-26-57 1-22-58 3-14-58 5-15-58	133.8 136.0 128.5 128.0 127.3		1027.6 1025.4 1032.9 1033.4 1034.1	3200
		1-21-58 2-20-58 3-28-58 4-16-58 5-22-58 6-25-58	190.8 190.3 196.0 191.7 190.6 192.0	1041.2 1041.7 1036.0 1040.3 1041.4 1040.0		1N/04W-34D01 S	1154.4	10-10-57 11-26-57 1-17-58 3-11-58 5-14-58	122.5 123.6 123.8 124.0 125.7		1031.9 1030.8 1030.6 1030.4 1028.7	3200
1N/04W-32D04 S	1236.3	7-19-57 8-16-57 9-24-57 9-24-57 10-22-57 11-21-57 12-20-57	194.5 197.8 204.5* 196.6 197.0 196.3 196.6	1041.8 1038.5 1031.8 1039.7 1039.3 1040.0 1039.7	3200	1N/04W-34G01 S	1142.7	4-29-58 5-22-58 6-18-58 6-18-58	137.8 142.0* 148.0* 130.0		1004.9 1000.7 994.7 1012.7	3200
		1-21-58 2-20-58 3-28-58 4-14-58 5-22-58 6-25-58	196.0 195.8 198.3 194.7 193.4 195.9	1040.3 1040.5 1038.0 1041.6 1042.9 1040.4		1N/04W-34G03 S	1129.4	7-18-57 8-21-57 9-23-57 9-25-57 10-22-57 11-19-57 12-23-57 12-23-57	139.2* 140.8* 126.0 140.0* 121.3 117.0 123.9* 109.5		990.2 988.6 1003.4 989.4 1008.1 1012.4 1005.5 1019.9	3200
								1-23-58 2-20-58 3-27-58 4-17-58 5-22-58 6-18-58	107.0 102.6 98.4 100.2 122.0 123.8		1022.4 1026.8 1031.0 1029.2 1007.4 1005.6	
1N/04W-32G02 S	1201.3	7-23-57 7-23-57 8-02-57 8-16-57 10-10-57 11-21-57 1-21-58 3-13-58	162.6 162.4 163.3 164.0 165.0 164.4 164.0 163.2	1038.7 1038.9 1038.0 1037.3 1036.3 1036.9 1037.3 1038.1	3200	1N/04W-34H03 S	1144.6	10-16-57 11-27-57 1-17-58 3-13-58 5-14-58	120.2 121.2 120.8 119.3 120.7		1024.4 1023.4 1023.8 1025.3 1023.9	3200

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY				Water Surface Elev., in feet	Agency Supplying Data	
						BUNKER HILL BASIN		UPPER SANTA ANA VALLEY				
BUNKER HILL BASIN						BUNKER HILL BASIN		UPPER SANTA ANA VALLEY		80200		
						80206		80206		80200		
1N/04W-35C01 S	1162.6	7-18-57	143.4	1019.2	3200	1N/04W-35E02 S CONT.	1129.8	11-27-57	112.0	1017.8	3200	
		9-26-57	150.0	1012.6				1-17-58	109.6	1020.2		
		10-22-57	144.0	1018.6				3-13-58	106.0	1023.8		
		11-19-57	140.2	1022.4				5-14-58	103.6	1026.2		
		12-19-57	154.6*	1008.0								
		12-19-57	142.3	1020.3				7-23-57	102.5	1020.9		
		1-23-58	141.8*	1020.8				9-26-57	110.5	1012.9		
		2-20-58	137.0	1025.6				11-27-57	112.3	1011.1		
		3-27-58	133.3	1029.3				1-21-58	113.6	1009.8		
		4-18-58	132.0	1030.6				3-13-58	98.7	1024.7		
1N/04W-35C02 S	1167.5	5-01-58	134.0	1028.6	3200	1N/04W-35J02 S	1123.4				3200	
		6-04-58	131.2	1022.0								
		7-18-57	148.5	1019.0				7-05-57	125.2	1005.1		5720
		8-08-57	149.0	1018.5				7-12-57	127.1	1003.2		
		8-21-57	150.7*	1016.8				7-19-57	125.6	1004.7		
		10-22-57	148.0	1019.4				7-26-57	125.5	1004.8		
		11-21-57	145.8	1021.6				8-02-57	127.0	1003.3		
		12-19-57	188.0*	979.4				8-09-57	126.8	1003.5		
		12-19-57	147.7	1019.7				8-16-57	127.8	1002.5		
		1-23-58	147.3*	1020.1				8-23-57	128.1	1002.2		
2-20-58	141.0	1026.4	8-30-57	128.0	1002.3							
1N/04W-35C03 S	1168.2	3-27-58	135.7	1031.7	3200	1N/04W-35L01 S	1130.3	9-06-57	127.5	1002.8	5720	
		4-17-58	136.8	1030.6				9-13-57	128.9	1001.4		
		4-18-58	135.6	1031.8				9-20-57	127.2	1003.1		
		5-22-58	142.0*	1025.4				9-27-57	127.8	1002.5		
		6-18-58	145.6	1021.8				9-28-57	129.3	1001.0		
		7-18-57	149.0	1019.2				10-11-57	127.0	1003.3		
		8-21-57	170.4*	997.8				10-18-57	117.0	1013.3		
		9-26-57	171.0*	997.2				10-25-57	117.1	1013.2		
		9-26-57	155.2	1013.0				11-01-57	116.8	1013.5		
		10-22-57	153.0	1015.2				11-08-57	115.9	1014.4		
11-21-57	147.8	1020.4	11-15-57	112.6	1017.7							
12-19-57	164.9*	1003.3	11-22-57	113.7	1016.6							
12-19-57	148.0	1020.2	11-27-57	116.2	1014.1	3200						
1-23-58	164.5*	1003.7	12-06-57	118.0	1012.3	5720						
2-20-58	141.0	1027.2	12-20-57	112.5	1017.8							
3-27-58	139.0	1029.2	12-27-57	110.0	1020.3							
4-17-58	154.2*	1014.0	1-03-58	110.8	1019.5							
4-18-58	135.8	1032.4	1-10-58	111.1	1019.2							
5-22-58	159.2*	1009.0	1-17-58	110.9	1019.4	3200						
6-18-58	147.3*	1020.9	1-24-58	111.5	1018.8	5720						
			1-31-58	111.8	1018.5							
			2-07-58	111.6	1018.7							
			2-14-58	110.3	1020.0							
			2-21-58	105.8	1021.4							
			2-28-58	104.4	1025.9							
1N/04W-35E02 S	1129.8	10-11-57	110.0	1019.8	3200							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						BUNKER HILL BASIN					
80200						80200					
1N/04W-35L01 S	1130.3	3-07-58	100.7	1029.6	5720	1N/04W-36F03 S	1132.2	9-26-57	DRY		3200
CONT.		3-13-58	101.2	1029.1	3200			1-22-58	DRY		
		3-14-58	100.8	1029.5	5720						
		3-21-58	98.9	1031.4		1N/04W-36F05 S	1142.7	5-08-58	110.2	1032.5	3200
		3-28-58	100.0	1030.3							
		4-04-58	101.1	1029.2		1N/04W-36F08 S	1142.9	10-04-57	108.4	1034.5	4104
		4-11-58	99.4	1030.9				11-08-57	107.8	1035.1	
		4-19-58	103.4	1026.9				2-14-58	112.2	1030.7	
		4-27-58	106.7	1023.6				3-28-58	112.0	1030.9	
		4-30-58	109.7	1020.6	3200			5-09-58	110.5	1032.4	
		5-02-58	111.0	1019.3	5720			6-13-58	108.1	1034.8	
		5-09-58	111.0	1019.3							
		5-14-58	110.1	1020.2	3200	1N/04W-36H06 S	1158.8	7-05-57	120.7	1038.1	4104
		5-16-58	111.3	1019.0	5720			8-02-57	123.7	1035.1	
		5-23-58	114.1	1016.2				9-05-57	125.6*	1033.2	
		5-30-58	118.4	1011.9				10-04-57	128.3	1030.5	
		6-06-58	119.4	1010.9				11-08-57	131.1	1027.7	
		6-13-58	119.9	1010.4				1-03-58	116.8	1042.0	
		6-20-58	122.1	1008.2				2-14-58	124.7	1034.1	
		6-27-58	124.4	1005.9				3-28-58	118.6	1040.2	
1N/04W-35M03 S	1122.7	7-19-57	136.2*	986.5	3200	1N/04W-36K04 S	1121.0	7-05-57	83.7	1037.3	4104
		8-20-57	138.6*	984.1				9-05-57	85.9	1035.1	
		9-24-57	138.4*	984.3				10-04-57	86.0	1035.0	
		9-24-57	125.0*	997.7				11-08-57	86.4	1034.6	
		10-22-57	120.2	1002.5				1-03-58	87.2	1033.8	
		11-19-57	107.0	1015.7				2-14-58	87.8	1033.2	
		12-19-57	125.0*	997.7				3-28-58	87.8	1033.2	
		12-19-57	108.3	1014.4				4-09-58	88.0	1033.0	
		1-23-58	123.6*	999.1		1N/04W-36K07 S	1120.0	5-13-58	88.0	1033.0	4104
		2-20-58	106.3	1016.4				2-14-58	137.4*	982.6	
		3-27-58	94.5	1028.2				3-28-58	130.0*	990.0	
		4-17-58	115.8*	1006.9							
		5-22-58	126.7*	996.0		1N/04W-36Q01 S	1098.0**	5-09-58	64.9	1033.1	4104
		6-18-58	133.0*	989.7							
		6-18-58	118.2*	1004.5		1S/01W-08G01 S	3570.0	7-04-57	76.0*	3494.0	5203
		7-23-57	79.4	1054.8	3400			8-03-57	76.0*	3494.0	
		8-30-57	77.9	1056.3				9-04-57	77.0*	3493.0	
		10-01-57	76.3	1057.9				10-05-57	77.0*	3493.0	
		11-22-57	81.2	1053.0				11-01-57	77.0*	3493.0	
		12-05-57	83.1	1051.1				12-02-57	79.0*	3491.0	
		2-07-58	83.3	1050.9				1-03-58	14.0	3556.0	
		3-11-58	76.7	1057.5				2-03-58	14.0	3556.0	
		5-08-58	82.4	1051.8				3-01-58	14.0	3556.0	
		6-10-58	81.8	1052.4				4-03-58	14.0	3556.0	
1N/04W-36E01 S	1134.2										

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
80200						80200					
1S/01W-08G01 S CONT.	3570.0	5-05-58 6-02-58	14.0 14.0	3556.0 3556.0	5203	1S/02W-15P02 S	2248.4	6-12-58	24.2	2224.2	3400
	4140.0	7-04-57 8-03-57 9-04-57 10-05-57 11-01-57 1-03-58 3-01-58 4-01-58 5-05-58 6-02-58	168.0* 170.0* 170.0* 173.0* 143.0 133.0 124.0 111.0 38.0 26.0	3972.0 3970.0 3970.0 3967.0 3997.0 4007.0 4016.0 4029.0 4102.0 4114.0	5203	1S/02W-16C01 S	2065.8	7-23-57 8-28-57 9-27-57 11-08-57 12-04-57 1-09-58 2-07-58 3-07-58 4-09-58 4-24-58 5-07-58 6-12-58	115.9* 95.9 156.2* 77.6 140.0* 66.8 65.2 59.3 54.0 52.0 124.7* 56.2	1949.9 1969.9 1909.6 1988.2 1925.8 1999.0 2000.6 2006.5 2011.8 2013.8 1941.1 2009.6	3400
1S/01W-11Q01 S	4575.0	7-03-57 8-03-57 9-04-57 10-04-57 11-01-57 12-03-57 1-03-58 2-07-58 3-01-58 4-01-58 5-05-58 6-02-58	120.0* 127.0* 129.0* 132.0* 135.0* 120.0* 89.0 84.0 75.0 47.0 10.0 10.0	4455.0 4448.0 4446.0 4443.0 4440.0 4455.0 4486.0 4491.0 4500.0 4528.0 4565.0 4565.0	5203	1S/02W-19D01 S	1608.3	7-11-57 7-23-57 8-28-57 9-27-57 11-08-57 12-05-57 1-09-58 2-10-58 3-10-58 4-10-58 4-24-58 5-09-58 6-12-58	351.3 352.4 356.4 356.2 358.7 358.1 357.1 349.7 347.3 346.8 342.7 344.2 346.5	1257.0 1255.9 1251.9 1252.1 1249.6 1250.2 1251.2 1258.6 1261.0 1261.5 1265.6 1264.1 1261.8	3400
1S/02W-08C02 S	1806.7	7-23-57 9-27-57 11-05-57 12-04-57 1-09-58 2-07-58 3-07-58 4-09-58 5-07-58 6-12-58	135.1* 145.2* 93.0 103.0 75.0 54.7 41.9 42.1 46.5 52.1	1671.6 1661.5 1713.7 1703.7 1731.7 1752.0 1764.8 1764.6 1760.2 1754.6	3400	1S/02W-19G01 S	1689.9	9-27-57 11-22-57 12-05-57 2-10-58	186.6 212.5* 211.9* 174.8	1503.3 1477.4 1478.0 1515.1	3400
1S/02W-15P02 S	2248.4	9-27-57 11-07-57 12-04-57 1-09-58 2-07-58 3-07-58 4-09-58 5-07-58	93.7* 24.2 93.7* 46.8 53.7 40.2 32.8 27.8	2154.7 2224.2 2154.7 2201.6 2194.7 2208.2 2215.6 2220.6	3400	1S/02W-19K01 S	1724.7	9-27-57 11-08-57 12-05-57 1-09-58 3-10-58 4-10-58 5-07-58	231.2* 186.2 189.8 175.0 170.2 169.8 179.9	1493.5 1538.5 1534.9 1549.7 1554.5 1554.9 1544.8	3400
						1S/02W-20B01 S	1881.5	7-23-57 11-22-57 12-04-57 1-09-58	DRY DRY DRY DRY		3400



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/02W-20B01 S						1S/02W-21E01 S					
CONT.						CONT.					
1881.5						2016.9					
2-10-58						10-07-57					
3-10-58						11-03-57					
4-10-58						12-02-57					
4-17-58						1-03-58					
4-24-58						2-06-58					
5-01-58						3-01-58					
5-07-58						4-03-58					
6-12-58						5-03-58					
1906.2						6-02-58					
7-23-57						7-05-57					
9-27-57						8-05-57					
11-05-57						9-12-57					
1-09-58						10-08-57					
3-10-58						11-03-57					
5-07-58						12-02-57					
6-12-58						1-03-58					
85.8						2-06-58					
1815.3						3-01-58					
7-23-57						4-03-58					
8-23-57						5-03-58					
9-27-57						6-02-58					
109.8*						72.0					
90.0						75.0					
1816.2						80.0					
1811.6						82.0					
86.4						80.0					
84.2						74.0					
81.7						71.0					
12-04-57						1946.0					
1-09-58						1955.0					
106.0						1961.0					
1791.6						1967.0					
DRY						1968.0					
2-10-58						1979.5					
3-07-58						1979.1					
4-09-58						1976.4					
5-07-58						1974.4					
6-12-58						1972.1					
1897.6						1974.4					
2091.8						1972.8					
7-05-57						1976.2					
8-02-57						1977.2					
9-06-57						1978.7					
10-07-57						1988.3					
11-02-57						1990.5					
12-02-57						1915.7					
1-03-58						1914.7					
2-06-58						1912.7					
3-01-58						1923.7					
4-03-58						1951.7					
5-02-58						1926.7					
6-01-58						1926.7					
19.0						1933.7					
19.0						1933.7					
63.0						22.0					
79.0*						22.0					
84.0*						5-03-58					
2016.9						1933.7					
7-05-57						1933.7					
8-05-57						1933.7					
9-06-57						1933.7					

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY													
BUNKER HILL BASIN													
80200													
1S/02W-21M01 S	1955.7	6-02-58	26.0*	1929.7	5203	1S/02W-30C01 S	1650.2	4-10-58	135.7	80206	1514.5	3400	
1S/02W-22C02 S	2260.0	7-04-57	86.0*	2174.0	5203	CONT.		4-17-58	135.3		1514.9		
		8-03-57	78.0*	2182.0			4-24-58	135.4		1514.8			
		9-06-57	87.0*	2173.0			5-01-58	135.0		1515.2			
		10-07-57	87.0*	2173.0			5-07-58	134.7		1515.5			
		11-02-57	68.0	2192.0			6-12-58	136.8		1513.4			
		12-03-57	75.0*	2185.0									
		1-03-58	53.0	2207.0			1S/03W-02J01 S	1397.4	10-01-57	251.2*		1146.2	3400
		2-01-58	52.0	2208.0					11-05-57	210.1		1187.3	
		3-01-58	53.0	2207.0					12-04-57	209.9		1187.5	
		4-03-58	45.0	2215.0					1-11-58	209.1		1188.3	
		5-03-58	41.0	2219.0				2-07-58	206.6		1190.8		
		6-02-58	41.0	2219.0				3-07-58	205.8		1191.6		
1S/02W-22E01 S	2198.9	7-23-57	67.2*	2131.7	3400			4-09-58	200.2		1197.2		
		9-27-57	75.3*	2123.6				4-17-58	199.5		1197.9		
		11-08-57	55.2	2143.7				4-24-58	197.8		1199.6		
		12-03-57	49.2	2149.7				5-01-58	196.2		1201.2		
		1-09-58	48.0	2150.9		1S/03W-02P02 S	1346.8	5-08-58	194.8		1202.6		
		2-07-58	43.3	2155.6				6-12-58	187.2		1210.2		
		3-07-58	35.8	2163.1									
		5-07-58	14.8	2184.1									
		6-12-58	11.2	2187.7									
1S/02W-29C01 S	1836.2	7-12-57	94.7	1741.5	3400			8-27-57	268.9*		1077.9	3400	
		7-23-57	94.4	1741.8				10-01-57	262.9*		1083.9		
		8-28-57	88.7*	1747.5				11-05-57	220.0		1126.8		
		9-27-57	93.0	1743.2				12-04-57	253.2*		1093.6		
		11-05-57	96.8	1739.4				1-11-58	211.8		1135.0		
		11-22-57	96.8	1739.4				2-07-58	206.8		1140.0		
		1-09-58	93.7	1742.5				3-07-58	204.1		1142.7		
		2-10-58	95.2	1741.0		1S/03W-03D02 S	1284.1	4-09-58	203.9		1142.9		
		3-07-58	94.9	1741.3				5-08-58	196.3		1150.5		
		4-10-58	94.3	1741.9				6-12-58	197.1		1149.7		
		5-07-58	95.5	1740.7								3200	
		6-12-58	92.8	1743.4				10-10-57	214.0		1070.1		
1S/02W-30C01 S	1650.2	7-23-57	160.9*	1489.3	3400	1S/03W-03N02 S	1257.9	3-11-58	210.0		1074.1		
		8-28-57	162.4*	1487.8				5-08-58	207.4		1076.7		
		9-27-57	166.3*	1483.9				10-08-57	186.0		1071.9	3200	
		11-08-57	150.2	1500.0				11-22-57	185.4		1072.5		
		12-05-57	152.5	1497.7				1-17-58	184.4		1073.5		
		1-09-58	141.8	1508.4				3-11-58	182.2		1075.7		
		2-10-58	138.7	1511.5				5-08-58	171.0		1086.9		
		3-07-58	137.4	1512.8		1S/03W-03N03 S	1264.1	10-08-57	191.2		1072.9	3200	
								11-22-57	190.6		1073.5		
								1-17-58	190.0		1074.1		
								3-11-58	188.2		1075.9		
								5-08-58	179.0		1085.1		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
BUNKER HILL BASIN						BUNKER HILL BASIN						
80206						80206						
1S/03W-03P01 S	1283.0	1-17-58	204.3	1078.7	3200	1S/03W-06H03 S CONT.	1148.6	2-14-58	105.6	1043.0	4104	
1S/03W-04C01 S	1286.0	11-22-57	231.7	1054.3	3200	1S/03W-06M03 S	1119.2	3-28-58	100.6	1048.0		
		3-11-58	222.0	1064.0				10-08-57	93.7	1025.5	3200	
		5-08-58	219.3	1066.7				1-16-58	82.5	1036.7		
1S/03W-04J01 S	1242.0	7-23-57	173.7	1068.3	3400	1S/03W-06P01 S	1122.6	10-08-57	79.6	1043.0	3200	
		8-27-57	250.9*	991.1				11-22-57	80.6	1042.0		
		10-01-57	251.1*	990.9				1-16-58	DRY			
		11-05-57	178.1	1063.9				3-11-58	DRY			
		2-10-58	174.3	1067.7				5-08-58	DRY			
		2-11-58	175.0	1067.0		1S/03W-10D01 S	1265.0	7-23-57	188.2	1076.8	3400	
		3-10-58	172.9	1069.1				8-27-57	190.2	1074.8		
		4-08-58	169.0	1073.0				10-01-57	192.2	1072.8		
		4-17-58	170.5*	1071.5				11-03-57	193.3	1071.7		
		4-24-58	164.2	1077.8				12-04-57	193.7	1071.3		
		5-01-58	161.5	1080.5				1-11-58	193.8	1071.2		
		5-08-58	158.4	1083.6				2-10-58	193.1	1071.9		
		6-10-58	162.5*	1079.5				3-10-58	191.2	1073.8		
1S/03W-04R02 S	1242.2	10-08-57	181.0	1061.2	3200			4-08-58	188.3	1076.7		
		1-17-58	174.0	1068.2				5-08-58	175.9	1089.1		
		3-11-58	171.5	1070.7				6-10-58	160.6	1104.4		
1S/03W-05A02 S	1225.0	1-03-58	154.8	1070.2	4104	1S/03W-13P01 S	1520.7	7-11-57	288.2	1232.5	3400	
		2-14-58	152.9	1072.1				7-23-57	315.3*	1205.4		
		3-28-58	150.0	1075.0				8-28-57	315.7*	1205.0		
		5-09-58	145.1	1079.9				10-01-57	319.5*	1201.2		
1S/03W-05J03 S	1193.0	10-08-57	146.0	1047.0	3200			12-05-57	285.6	1235.1		
		11-22-57	146.2	1046.8				1-11-58	277.6	1243.1		
		1-17-58	144.0	1049.0				2-10-58	276.9	1243.8		
		3-11-58	140.0	1053.0				3-10-58	271.3	1249.4		
		5-08-58	127.3	1065.7				4-10-58	268.7	1252.0		
1S/03W-05R01 S	1192.9	10-08-57	138.7	1054.2	3200			4-24-58	274.0	1246.7		
		11-22-57	131.3	1061.6				5-09-58	266.3	1254.4		
		1-17-58	122.0	1070.9		1S/03W-13P02 S	1534.5	6-24-58	264.8	1255.9		
		3-11-58	118.3	1074.6				7-23-57	335.6*	1198.9	3400	
1S/03W-06H03 S	1148.6	7-05-57	112.2	1036.4	4104			10-01-57	343.9*	1190.6		
		8-02-57	117.8	1030.8				11-08-57	303.7	1230.8		
		9-05-57	120.3*	1028.3				1-11-58	319.6*	1214.9		
		10-04-57	121.6	1027.0				2-10-58	292.0	1242.5		
		11-08-57	112.0	1036.6				3-10-58	286.8	1247.7		
		1-03-58	107.6	1041.0				4-10-58	284.2	1250.3		
								5-09-58	309.2*	1225.3		
								6-12-58	310.4*	1224.1		

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY									
BUNKER HILL BASIN					BUNKER HILL BASIN				
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet
1S/03W-14P01 S	1429.4	7-11-57 7-23-57 10-01-57 2-10-58 3-10-58 4-10-58	266.0 278.4* 280.7 267.2 264.1 261.3	1163.4 1151.0 1148.7 1162.2 1165.3 1168.1	3400	1S/03W-16J01 S CONT.	1303.2	8-28-57 11-07-57 12-03-57 1-11-58 2-10-58 3-10-58 4-10-58	192.8 192.0 203.2* 186.0 184.2 181.4 176.8
1S/03W-14R02 S	1481.6	7-11-57 7-23-57 8-28-57 11-22-57 12-05-57	DRY DRY DRY DRY DRY		3400	1S/03W-16K02 S	1290.7	7-24-57 10-01-57 11-07-57 12-03-57	DRY DRY DRY DRY
1S/03W-15M03 S	1334.6	3-10-58 3-31-58 4-17-58 4-24-58 5-01-58	299.7 308.9* 297.0 293.2 299.3 299.0	1181.9 1172.7 1184.6 1188.4 1182.3 1182.6	3400	1S/03W-16M01 S	1290.7	1-11-58 2-10-58 3-10-58 4-10-58 5-09-58 6-12-58	196.1 178.8 173.3 168.5 192.7* 193.5*
1S/03W-15R01 S	1397.4	7-11-57 10-01-57 11-08-57 12-05-57 1-11-58 2-10-58 3-10-58 4-10-58	245.3 262.2* 251.7 250.0 249.0 247.3 244.7 241.2 236.5 237.2	1152.1 1135.2 1145.7 1147.4 1148.4 1150.1 1152.7 1156.2 1160.9 1160.2	3400	1S/03W-17C01 S	1150.2	7-01-57 4-16-58 4-24-58 5-01-58 5-08-58 5-15-58 5-22-58 5-29-58 6-05-58 6-12-58 6-19-58 6-26-58	DRY 93.0* 87.0 82.7 79.3 76.1 73.7 73.0 72.1 71.4 71.2 71.7
1S/03W-16A01 S	1293.1 1293.2	10-02-57 11-07-57 3-10-58 4-10-58	171.2 182.5 162.5 159.2	1121.9 1110.7 1130.7 1134.0	3400	1S/03W-17H01 S	1222.4	11-07-57 1-11-58 2-10-58 3-10-58 4-10-58	162.9 158.0 155.7 152.0 144.1
1S/03W-16J01 S	1303.2	7-24-57	201.2*	1102.0	3400				



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						BUNKER HILL BASIN					
80200						80200					
1S/03W-17H01 S						1S/03W-20F01 S					
CONT.						CONT.					
1222.4						1194.6					
5-09-58						12-05-57					
6-12-58						1-10-58					
128.2						158.7*					
1094.2						146.8					
1091.1						139.5					
1094.2						137.0					
1050.7						1057.6					
1031.8						1037.4					
1046.6						1038.4					
1049.9						1016.1					
1049.9						1000.6					
1051.9						1039.8					
1053.4						1031.1					
152.2						1036.6					
149.2						1048.1					
148.0						1051.1					
149.2						1055.9					
142.4						1048.1					
132.0						1051.1					
129.8						1055.9					
128.7*						1048.1					
135.8*						1051.1					
156.8						1055.9					
152.0						1048.1					
149.7						1043.8					
146.7						1054.7					
144.1						128.7					
138.8						132.1					
134.9						127.0					
133.6						124.5					
133.9*						122.5					
133.9*						118.8					
1188.8						1064.6					
11-05-57						1058.6					
12-03-57						1056.6					
1-11-58						1048.1					
2-10-58						1043.8					
3-10-58						1054.7					
4-10-58						128.7					
5-09-58						132.1					
6-12-58						127.0					
1153.9						124.5					
8-30-57						122.5					
1153.9						118.8					
10-02-57						1064.6					
11-07-57						1058.6					
123.3						1056.6					
128.3						1048.1					
1134.4						1043.8					
7-23-57						1054.7					
10-01-57						128.6*					
11-07-57						127.9*					
12-03-57						116.5					
1-11-58						1017.9					
2-10-58						1017.7					
3-10-58						1021.4					
4-10-58						1021.7					
5-09-58						1028.8					
6-12-58						1036.1					
112.3						1024.6					
176.1*						1022.1					
180.4*						1018.5					
149.4						1014.2					
1194.6						1045.2					
7-24-57						1018.5					
10-02-57						1014.2					
11-07-57						1045.2					
190.7*						1018.5					
193.7*						1014.2					
174.3						1045.2					
173.3						1018.5					

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN						UPPER SANTA ANA VALLEY						
						BUNKER HILL BASIN			80206			
1S/03W-21G01 S CONT.	1282.5	1-11-58 2-11-58 3-10-58 4-10-58 6-12-58	168.1 165.4 162.8 159.3 160.8	1114.4 1117.1 1119.7 1123.2 1121.7	3400		1S/03W-21J01 S CONT.	1321.0	4-10-58 5-09-58	204.0 201.0	1117.0 1120.0	3400
1S/03W-21H01 S	1318.1	7-04-57 7-11-57 7-18-57 7-25-57 8-01-57 8-08-57 8-15-57 8-23-57 8-29-57 9-02-57 9-06-57 9-10-57 9-18-57 9-25-57 10-03-57 10-10-57 10-17-57 10-24-57 11-01-57 12-02-57 12-14-57 1-03-58 1-18-58 2-03-58 2-15-58 3-01-58 3-15-58 4-03-58 4-18-58 5-02-58 5-15-58 5-29-58 6-13-58	197.0 198.0 198.0 194.0 210.0* 202.0 206.0* 204.0* 203.0* 204.0 204.0* 205.0 205.0 205.0 205.0 205.0 205.0 205.0 205.0 204.0 202.0 201.0 198.0 197.0 196.0 195.0 194.0 193.0 191.0 189.0 188.0 188.0 189.0	1121.1 1120.1 1120.1 1124.1 1108.1 1116.1 1112.1 1114.1 1115.1 1114.1 1114.1 1113.1 1113.1 1113.1 1113.1 1113.1 1113.1 1114.1 1116.1 1117.1 1120.1 1121.1 1122.1 1123.1 1124.1 1125.1 1127.1 1129.1 1130.1 1130.1 1130.1 1129.1	5203		1S/03W-21P03 S	1269.1	7-24-57 8-28-57 10-02-57 11-07-57 12-05-57 1-11-58 2-11-58 3-10-58 4-10-58 5-09-58 6-12-58	146.4 149.0 158.2* 148.3 146.1 145.5 144.2 143.0 141.5 142.6 143.8	1122.7 1120.1 1110.9 1120.8 1123.0 1123.6 1124.9 1126.1 1127.6 1126.5 1125.3	3400
							1S/03W-21R01 S	1318.4	7-24-57 11-07-57 12-03-57 1-11-58 2-11-58 3-10-58 4-10-58 5-09-58 6-12-58	DRY DRY DRY DRY 197.0 192.0 189.4 192.4	1121.4 1126.4 1129.0 1126.0	3400
							1S/03W-23A02 S	1496.0	8-28-57 10-01-57 11-08-57 1-11-58 2-10-58 3-10-58 4-10-58 5-09-58	338.9* 339.5* 318.8 307.3 305.9 304.0 302.4 306.6	1157.1 1156.5 1177.2 1188.7 1190.1 1192.0 1193.6 1189.4	3400
1S/03W-21J01 S	1321.0	7-24-57 11-07-57 12-03-57 1-11-58 2-11-58 3-10-58	DRY DRY DRY DRY DRY DRY	1129.1 1130.1 1130.1 1129.1 1130.1 1129.1	3400		1S/03W-24C01 S	1519.7	7-31-57 10-01-57 11-08-57 1-11-58 2-10-58 3-10-58 4-10-58 4-24-58 5-09-58	299.5 346.6* 299.8 285.7 282.7 279.7 278.4 282.7	1220.2 1173.1 1219.9 1234.0 1237.0 1240.0 1241.3 1241.0 1237.0	3400

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						80206	BUNKER HILL BASIN					
1S/03W-24C01 S	1519.7	6-12-58	281.6	1238.1	3400		1S/03W-29B01 S	1203.7	2-11-58	113.0	1090.7	3400
1S/03W-28E02 S	1250.2	10-02-57	151.6	1098.6	3400		CONT.		3-10-58	112.8	1090.9	
		11-06-57	142.5	1107.7					4-10-58	111.0	1092.7	
		12-06-57	144.1	1106.1			1S/03W-29G01 S	1199.9	7-24-57	85.6	1114.3	3400
		1-10-58	138.6	1111.6					8-30-57	87.7	1112.2	
		2-11-58	134.0	1116.2					10-02-57	86.7	1113.2	
		3-10-58	131.4	1118.8					4-10-58	81.0	1118.9	
		4-10-58	128.4	1121.8					5-09-58	84.2	1115.7	
1S/03W-28H01 S	1312.0	8-04-57	218.0*	1094.0	5203		1S/03W-29H01 S	1237.5	6-12-58	84.0	1115.9	
		9-04-57	218.0*	1094.0					7-24-57	146.4	1091.1	3400
		10-04-57	222.0*	1090.0					8-30-57	150.2	1087.3	
		11-02-57	185.0	1127.0					10-02-57	151.3	1086.2	
		12-02-57	185.0	1127.0					11-06-57	139.5	1098.0	
		1-03-58	180.0	1132.0					12-06-57	141.1	1096.4	
		2-03-58	179.0	1133.0					1-10-58	133.9	1103.6	
		3-01-58	176.0	1136.0					2-11-58	131.5	1106.0	
		4-03-58	174.0	1138.0					3-10-58	129.0	1108.5	
		5-03-58	173.0	1139.0					4-10-58	125.2	1112.3	
		6-02-58	207.0*	1105.0					4-24-58	124.0	1113.5	
1S/03W-28M01 S	1238.2	7-24-57	DRY	1104.0	3400		1S/03W-29K03 S	1205.7	5-09-58	133.9	1103.6	
		12-05-57	134.2						6-12-58	135.1	1102.4	
		1-10-58	DRY						7-24-57	145.1*	1060.6	3400
		2-11-58	DRY						8-30-57	179.2*	1026.5	
	1238.2	3-10-58	139.6	1098.6					10-02-57	139.9	1065.8	
		5-09-58	138.0	1100.2					11-06-57	119.3	1086.4	
		6-12-58	139.3	1098.9					12-05-57	120.3	1085.4	
1S/03W-28P01 S	1266.5	7-24-57	144.1	1122.4	3400				1-10-58	114.0	1091.7	
		8-30-57	147.5	1119.0					2-11-58	107.7	1098.0	
		10-02-57	149.4	1117.1					3-11-58	104.9	1100.8	
		11-06-57	148.6	1117.9					4-10-58	101.1	1104.6	
		12-05-57	141.6	1124.9					5-09-58	192.8*	1012.9	
		1-10-58	139.8	1126.7					6-12-58	179.3*	1026.4	
		2-11-58	137.8	1128.7			1S/03W-29L01 S	1183.4	10-02-57	51.6	1131.8	3400
		3-08-58	136.0	1130.5					12-05-57	53.4	1130.0	
		4-10-58	133.4	1133.1					1-10-58	53.5	1129.9	
		5-09-58	138.7	1127.8					2-11-58	54.4	1129.0	
		6-12-58	141.2	1125.3					3-11-58	54.5	1128.9	
1S/03W-29B01 S	1203.7	7-24-57	117.5	1086.2	3400				4-10-58	54.6	1128.8	
		8-30-57	119.6	1084.1					5-09-58	56.5	1126.9	
		10-02-57	143.0*	1060.7			1S/03W-30A01 S	1163.9	6-12-58	55.6	1127.8	
		1-10-58	127.3	1076.4					7-24-57	103.1	1060.8	3400

## GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						UPPER SANTA ANA VALLEY					
80206						80206					
1S/03W-30A01 S	1163.9	8-28-57	104.6	1059.3	3400	1S/03W-32D01 S	1206.8	6-10-58	148.0	1058.8	3400
CONT.		10-02-57	105.8	1058.1		1S/03W-32J01 S	1263.9	7-24-57	148.9	1115.0	3400
		11-08-57	103.8	1060.1				11-06-57	135.8	1128.1	
		12-05-57	108.5	1055.4				1-06-58	129.7	1134.2	
		1-10-58	102.7	1061.2				2-11-58	116.3	1147.6	
		2-11-58	102.0	1061.9				3-08-58	113.9	1150.0	
		3-10-58	101.0	1062.9				4-10-58	111.1	1152.8	
		3-31-58	100.2	1063.7		1S/03W-36M01 S	1609.5	7-24-57	211.6	1397.9	3400
		4-10-58	95.5	1068.4				8-27-57	220.1	1389.4	
		5-09-58	100.9	1063.0				10-02-57	226.7	1382.8	
1S/03W-31A03 S	1202.9	7-24-57	182.0*	1020.9	3400			11-06-57	222.4	1387.1	
		8-28-57	186.4*	1016.5			1608.4	12-05-57	214.0	1394.4	
		10-02-57	187.1*	1015.8				1-06-58	207.5	1400.9	
		11-06-57	162.7	1040.2				2-07-58	202.9	1405.5	
		11-22-57	164.1	1038.8				3-07-58	197.8	1410.6	
		12-03-57	163.3	1039.6				4-09-58	192.4	1416.0	
		1-10-58	154.0	1048.9				4-17-58	191.3	1417.1	
		2-11-58	151.1	1051.8				4-24-58	195.0	1413.4	
		3-10-58	147.7	1055.2				5-01-58	193.6	1414.8	
		4-10-58	143.8	1059.1				5-07-58	194.3	1414.1	
		5-07-58	147.0	1055.9				6-12-58	193.4	1415.0	
		6-10-58	154.7	1048.2		1S/04W-01A01 S	1110.1	7-23-57	72.8	1037.3	3400
1S/03W-32A01 S	1290.1	7-24-57	182.0*	1108.1	3400			8-30-57	74.8	1035.3	
		8-30-57	189.2*	1100.9				10-01-57	76.2	1033.9	
		10-02-57	198.8*	1091.3				11-05-57	77.9	1032.2	
		11-06-57	163.8	1126.3				12-05-57	80.3	1029.8	
		12-06-57	168.0	1122.1				2-07-58	78.5	1031.6	
		1-10-58	162.8	1127.3				3-10-58	71.8	1038.3	
		2-11-58	160.5	1129.6				4-08-58	69.9	1040.2	
		3-10-58	159.0	1131.1				5-08-58	70.4	1039.7	
		4-10-58	156.6	1133.5				6-10-58	70.6	1039.5	
		5-09-58	167.0	1123.1		1S/04W-01A06 S	1094.8	6-06-58	48.1	1046.7	5720
		6-10-58	180.0	1110.1							
1S/03W-32D01 S	1206.8	7-24-57	165.5	1041.3	3400	1S/04W-01B04 S	1096.8	1-08-58	63.4	1033.4	4104
		8-28-57	170.9	1035.9				2-14-58	61.0	1035.8	
		10-02-57	173.0	1033.8				3-28-58	54.1	1042.7	
		11-06-57	163.5	1043.3				5-13-58	69.1	1027.7	
		12-03-57	162.2	1044.6							
		1-10-58	150.9	1055.9		1S/04W-01C01 S	1086.0	7-15-57	56.7	1029.3	5051
		2-11-58	147.6	1059.2				8-15-57	57.0	1029.0	
		3-10-58	143.6	1063.2				9-15-57	60.3*	1025.7	
		4-10-58	139.3	1067.5							
		5-07-58	141.8	1065.0		1S/04W-01E01 S	1068.0	7-12-57	64.5	1003.5	5720



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN												
1S/04W-01E01 S	1068.0	8-02-57	62.0	1006.0	5720		1S/04W-01K04 S	1092.0	11-08-57	66.9	1025.1	4104
CONT.	1062.0	9-06-57	59.8	1002.2			CONT.		1-03-58	67.3	1024.7	
		10-11-57	45.0	1017.0					2-14-58	67.8	1024.2	
		10-18-57	44.0	1018.0					3-28-58	67.0	1025.0	
		10-25-57	42.9	1019.1					4-09-58	66.6	1025.4	
		11-02-57	42.0	1020.0								
		11-08-57	41.0	1021.0			1S/04W-01M01 S	1073.2	10-08-57	51.0	1022.2	3200
		11-15-57	38.0	1024.0					11-22-57	52.6	1020.6	
		11-22-57	38.8	1023.2					1-16-58	53.6	1019.6	
		12-06-57	50.3*	1011.7					3-11-58	53.7	1019.5	
		12-23-57	33.8	1028.2					5-08-58	54.0	1019.2	
		12-27-57	32.6	1029.4								
		1-03-58	31.9	1030.1			1S/04W-01Q01 S	1091.0	7-15-57	102.7*	988.3	5051
		1-10-58	34.6	1027.4					8-15-57	103.7*	987.3	
		1-17-58	35.8	1026.2					9-15-57	104.7*	986.3	
		1-24-58	36.1	1025.9					10-15-57	85.5	1005.5	
		1-31-58	33.6	1028.4					11-15-57	67.5	1023.5	
		2-07-58	32.4	1029.6					12-15-57	66.5	1024.5	
		2-14-58	30.3	1037.7					1-15-58	82.3*	1008.7	
1068.0		2-21-58	32.7	1035.3					2-15-58	61.3	1029.7	
		2-28-58	32.1	1035.9					3-15-58	55.0	1036.0	
		3-07-58	28.0	1040.0					4-15-58	53.0	1038.0	
		3-14-58	25.0	1043.0					5-15-58	63.5	1027.5	
		3-21-58	22.5	1045.5					6-15-58	88.0*	1003.0	
		4-04-58	22.9	1045.1			1S/04W-02A03 S	1072.0	7-05-57	99.2*	972.8	5720
		4-11-58	20.3	1047.7					7-12-57	101.0*	971.0	
		4-19-58	23.6	1044.4					7-19-57	78.6	993.4	
		4-26-58	43.7	1024.3					7-26-57	78.8	993.2	
		5-02-58	33.3	1034.7					8-02-57	80.8	991.2	
		5-09-58	37.5	1030.5					8-09-57	81.1	990.9	
		5-16-58	39.4	1028.6					8-16-57	82.0	990.0	
		5-23-58	38.4	1029.6					8-23-57	81.6	990.4	
		5-30-58	42.0	1026.0					8-30-57	81.9	990.1	
		6-06-58	42.2	1025.8					9-06-57	81.4	990.6	
		6-13-58	43.1	1024.9					9-13-57	98.5*	973.5	
		6-20-58	45.0	1023.0					9-20-57	98.8*	973.2	
		6-27-58	46.9	1021.1					9-27-57	101.1*	970.9	
		10-01-57	76.7	1031.4					10-11-57	97.4*	974.6	
1S/04W-01H04 S	1108.1	11-22-57	78.0	1030.1	3200				10-18-57	66.0	1006.0	
		1-16-58	76.3	1031.8					10-25-57	86.4*	985.6	
		3-11-58	76.8	1031.3					11-01-57	85.5*	986.5	
		5-08-58	76.0	1032.1					11-08-57	66.0	1006.0	
									11-15-57	60.6	1011.4	
1S/04W-01J08 S	1100.0	7-05-57	70.0	1030.0	4104				11-22-57	62.3	1009.7	
1S/04W-01K04 S	1092.0	10-04-57	66.4	1025.6	4104				12-06-57	87.9*	984.1	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
UPPER SANTA ANA VALLEY													
BUNKER HILL BASIN						BUNKER HILL BASIN							
1S/04W-02A03 S CONT.	1072.0	12-23-57 12-27-57 1-03-58 1-10-58 1-17-58 1-24-58 1-31-58 2-07-58 2-14-58 2-21-58 2-28-58 3-07-58 3-14-58 3-21-58 3-28-58 4-04-58 4-11-58 4-19-58 4-25-58 5-02-58 5-09-58 5-16-58 5-23-58 6-06-58 6-13-58 6-20-58 6-27-58	56.9 56.8 57.8 58.4 59.2 59.7 58.9 57.4 55.2 52.6 51.6 53.5 46.2 44.0 46.4 47.7 40.3 49.4 55.1 80.9* 60.0 60.3 64.5 89.5* 89.3* 90.2* 93.2* 95.9*	1015.1 1015.2 1014.2 1013.6 1012.8 1012.3 1013.1 1014.6 1016.8 1019.4 1020.4 1018.5 1025.8 1028.0 1025.6 1024.3 1031.7 1022.6 1016.9 991.1 1012.0 1011.7 1007.5 982.5 982.7 981.8 978.8 976.1	5720	1S/04W-02H03 S  1S/04W-02K01 S	1065.0**  1059.3	5-09-58  7-19-57 8-21-57 9-25-57 10-23-57 11-19-57 12-26-57 1-23-58 2-20-58 3-27-58 4-17-58 5-23-58 6-19-58	37.5  54.3 55.8* 68.5* 47.8* 41.0* 37.0 38.9 33.0* 28.3 30.5 46.6* 53.6*	1027.5  1005.0 1003.5 990.8 1011.5 1018.3 1022.3 1020.4 1026.3 1031.0 1028.8 1012.7 1005.7	4104  3200		
	1S/04W-02D01 S	1093.3	7-23-57 8-30-57 10-01-57 11-07-57 12-06-57 1-10-58 2-07-58 3-10-58 4-11-58 4-17-58 4-24-58 5-01-58 5-09-58 6-10-58	70.4 72.8 74.2 74.3 76.4 73.4 73.1 72.1 70.0 69.8 69.7 69.9 70.2 72.7	1022.9 1020.5 1019.1 1019.0 1016.9 1019.9 1020.2 1021.2 1023.3 1023.5 1023.6 1023.4 1023.1 1020.6	3400	1S/04W-02K03 S	1057.3	7-19-57 8-21-57 9-25-57 10-23-57 11-19-57 12-26-57 1-23-58 2-20-58 3-27-58 4-17-58 5-23-58	65.5* 67.7* 85.0* 71.0* 72.5* 62.5* 38.7 35.2* 28.5 31.2 48.0* 57.0*	991.8 989.6 972.3 986.3 984.8 994.8 1018.6 1016.1 1022.1 1028.8 1026.1 1009.3 1000.3	3200	
		1S/04W-02D02 S	1077.9	9-26-57 11-22-57	70.3 63.0	1007.6 1014.9	3200	1S/04W-02L04 S	1047.7	9-26-57 11-22-57 1-16-58 3-11-58	29.5 32.7 33.0 29.0	1018.2 1015.0 1014.7 1018.7	3200

## GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY			UPPER SANTA ANA VALLEY			UPPER SANTA ANA VALLEY			UPPER SANTA ANA VALLEY		
BUNKER HILL BASIN			BUNKER HILL BASIN			BUNKER HILL BASIN			BUNKER HILL BASIN		
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
1S/04W-02L04 S	1047.7	5-13-58	26.3	1021.4	3200	1S/04W-02P05 S	1045.4	2-14-58	27.0*	1018.4	5720
1S/04W-02M01 S	1048.6	9-26-57	32.5	1016.1	3200	CONT.		2-21-58	25.0*	1020.4	
		11-22-57	29.8	1018.8				2-28-58	23.0*	1022.4	
		1-16-58	28.6	1020.0				3-07-58	21.0*	1024.4	
		3-11-58	26.3	1022.3				3-14-58	18.0*	1027.4	
		5-13-58	27.0	1021.6				3-21-58	19.0*	1026.4	
1S/04W-02N01 S	1039.0	7-05-57	21.9	1017.1	4104			3-28-58	12.0*	1033.4	
		8-02-57	24.0	1015.0				4-04-58	12.0*	1033.4	
		9-05-57	26.3	1012.7				4-11-58	21.0*	1024.4	
		10-04-57	22.2	1016.8				4-18-58	14.0*	1031.4	
		11-08-57	26.9	1012.1				4-26-58	23.0*	1022.4	
		1-03-58	27.6	1011.4				5-02-58	64.6*	980.8	
		2-14-58	27.1	1011.9				5-09-58	25.3	1020.1	
		3-28-58	24.6	1014.4				5-16-58	27.6	1017.8	
		5-09-58	21.0	1018.0				5-23-58	35.0*	1010.4	
		6-13-58	21.9	1017.1				5-30-58	56.0*	989.4	
1S/04W-02P05 S	1045.4	7-05-57	81.0*	964.4	5720			6-06-58	56.0*	989.4	
		7-12-57	81.0*	964.4		1S/04W-03D01 S	1096.8	10-10-57	78.5	1018.3	3200
		7-19-57	77.0*	968.4				11-26-57	76.3	1020.5	
		7-26-57	79.0*	966.4				1-17-58	75.3	1021.5	
		8-02-57	81.0*	964.4				3-14-58	73.5	1023.3	
		8-09-57	81.0*	964.4				5-15-58	73.0	1023.8	
		8-16-57	79.0*	966.4							
		8-23-57	79.0*	966.4		1S/04W-03J01 S	1045.0	10-08-57	51.0	994.0	3200
		8-31-57	79.0*	966.4				11-22-57	38.4	1006.6	
		9-06-57	79.0*	966.4				1-16-58	32.0	1013.0	
		9-13-57	49.0*	996.4							
		9-20-57	79.0*	966.4		1S/04W-03Q01 S	1042.8	9-26-57	33.7	1009.1	3200
		9-27-57	81.0*	964.4				11-22-57	30.2	1012.6	
		10-11-57	77.0*	968.4				1-16-58	30.4	1012.4	
		10-18-57	46.0*	999.4				3-11-58	28.0	1014.8	
		10-25-57	42.0*	1003.4				5-13-58	28.0	1014.8	
		11-01-57	42.0*	1003.4							
		11-08-57	44.0*	1001.4							
		11-15-57	37.0*	1008.4		1S/04W-05C03 S	1176.2	7-23-57	147.7	1028.5	3200
		11-22-57	44.0*	1001.4				10-09-57	150.0	1026.2	
		12-06-57	72.0*	973.4				11-26-57	152.3	1023.9	
		12-27-57	30.0*	1015.4				1-21-58	148.0	1028.2	
		1-03-58	27.0*	1018.4				3-14-58	149.3	1026.9	
		1-10-58	27.0*	1018.4				5-15-58	153.7	1022.5	
		1-17-58	31.0*	1014.4							
		1-24-58	29.0*	1016.4		1S/04W-05E01 S	1162.6	3-14-58	142.0	1020.6	3200
		2-07-58	35.0*	1010.4		1S/04W-06H01 S	1160.5	7-02-57	199.2*	961.3	3700

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						80206	BUNKER HILL BASIN					
1S/04W-06H01 S CONT.	1160.5	8-02-57 9-02-57 10-02-57 11-02-57 12-02-57 3-02-58 4-02-58 5-02-58 6-02-58	211.4* 222.3* 226.1* 135.2 134.4 132.9 131.6 181.1* 132.4	949.1 938.2 934.4 1025.3 1026.1 1027.6 1028.9 979.4 1028.1	3700		1S/04W-08F10 S	1106.0 1097.2 1106.0	2-28-58 3-14-58 3-30-58 5-01-58 6-02-58	92.0 83.6 86.0 104.0 124.0	1014.0 1013.6 1020.0 1002.0 982.0	4201 3200 4201
1S/04W-06J01 S	1151.6	7-02-57 8-02-57 9-02-57 11-02-57 12-02-57 4-02-58 5-02-58 6-02-58	210.1* 202.4* 220.8* 128.3 127.8 123.4 121.1 131.6 127.5	941.5 949.2 930.8 1023.3 1023.8 1028.2 1030.5 1020.0 1024.1	3700		1S/04W-09B03 S	1074.5	11-08-57 11-08-57	113.6* 67.0*	960.9 1007.5	3200
1S/04W-06J02 S	1160.8	8-02-57 9-02-57 10-02-57 11-02-57 12-02-57 3-02-58 4-02-58 5-02-58 6-02-58	179.1* 180.1* 199.6* 139.8 139.4 134.8 130.1 130.0 176.1*	981.7 980.7 961.2 1021.0 1021.4 1026.0 1030.7 1030.8 984.7	3700		1S/04W-09J01 S	1030.5	7-18-57 8-20-57 9-12-57 9-23-57 10-22-57 11-19-57 12-19-57 1-22-58 2-18-58 3-26-58 4-16-58 5-22-58 6-13-58	116.4* 118.0* 122.6* 122.5* 30.6 28.7 28.0 27.5 26.0 23.5 23.0 26.0 116.0*	914.1 912.5 907.9 908.0 999.9 1001.8 1002.5 1003.0 1004.5 1007.0 1007.5 1004.5 914.5	3200
1S/04W-08A01 S	1092.2	7-25-57 10-10-57 11-26-57 1-22-58 3-14-58 5-15-58	78.8 83.5 77.2 76.2 74.0 75.0	1013.4 1008.7 1015.0 1016.0 1018.2 1017.2	3200		1S/04W-10C01 S	1036.8	7-25-57 10-10-57 11-27-57 1-22-58 3-26-58 5-15-58	32.5 34.0 31.0 30.0 26.2 27.5	1004.3 1002.8 1005.8 1006.8 1010.6 1009.3	3200
1S/04W-08C01 S	1106.6	2-28-58 3-30-58 5-01-58 6-02-58	90.0 90.0 102.0 110.0	1016.6 1016.6 1004.6 996.6	4201		1S/04W-10F01 S	1029.7	8-20-57 9-23-57 10-23-57 11-19-57 12-19-57 1-23-58 2-20-58 3-28-58 4-16-58 5-22-58	42.5 40.0 25.5 25.5 20.0 19.4 12.0 6.3 8.0 25.0	987.2 989.7 1004.2 1004.2 1009.7 1010.3 1017.7 1023.4 1021.7 1004.7	3200
1S/04W-08F02 S	1108.7	7-25-57 10-11-57 3-14-58 5-15-58	123.0 130.0 133.0* 144.0*	985.7 978.7 975.7 964.7	3200		1S/04W-10F05 S	1029.4	7-25-57	29.4	1000.0	3200



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN											
1S/04W-10F05 S	1029.4	10-11-57	36.7	992.7	3200	1S/04W-11D03 S	1033.3	11-15-57	62.0*	971.3	5204
		11-27-57	25.5	1003.9		CONT.		11-29-57	67.0*	966.3	
1S/04W-10J03 S	1025.6	10-08-57	34.3	991.3	3200			12-13-57	59.8*	973.5	
		11-22-57	30.5	995.1				12-27-57	44.3*	989.0	
		1-16-58	28.4	997.2				1-13-58	62.0*	971.3	
		3-11-58	21.7	1003.9				1-24-58	65.5*	967.8	
		5-13-58	23.7	1001.9				2-07-58	61.8*	971.5	
1S/04W-10M02 S	1012.9	7-25-57	23.0	989.9	3200		1033.3	2-21-58	59.5*	973.8	
		10-08-57	17.5	995.4				3-14-58	FLOW		
		11-27-57	4.2	1008.7			1033.3	3-29-58	37.5*	995.8	
		1-28-58	FLOW					4-10-58	FLOW		
		3-27-58	FLOW					4-25-58	60.0*	973.3	
		5-16-58	FLOW					5-09-58	59.5*	973.8	
1S/04W-10N06 S	1001.1	7-18-57	12.1	989.0	3200			5-16-58	63.3*	970.0	
		8-20-57	82.8*	918.3		1S/04W-11E11 S	1033.6	5-23-58	63.0*	970.3	
		9-23-57	82.0*	919.1				5-30-58	63.0*	970.3	
		9-23-57	15.4	985.7				6-06-58	64.0*	969.3	
		10-22-57	10.0	991.1				6-13-58	63.3*	970.0	
		11-19-57	7.7	993.4				6-20-58	65.3*	968.0	
		12-19-57	6.7	994.4				6-27-58	69.0*	964.3	
		1-21-58	6.9	994.2				10-08-57	29.2	1004.4	3200
		2-18-58	3.7	997.4				11-22-57	29.8	1003.8	
		3-26-58	1.0	1000.1				1-26-58	29.3	1004.3	
		4-16-58	.7	1000.4				3-11-58	26.5	1007.1	
		5-22-58	5.5	995.6		1S/04W-11F02 S	1044.6	5-13-58	22.8	1010.8	
		6-19-58	7.6	993.5				10-02-57	47.0	997.6	3200
1S/04W-11D03 S	1033.3	7-05-57	73.0*	960.3	5204		1053.8	11-22-57	34.5	1019.3	3200
		7-12-57	74.0*	959.3				1-16-58	30.0	1023.8	
		7-19-57	73.0*	960.3				3-11-58	20.5	1033.3	
		7-26-57	75.0*	958.3				5-13-58	29.0	1024.8	
		8-02-57	74.6*	958.7		1S/04W-11Q01 S	1042.2	9-26-57	58.3	983.9	3200
		8-09-57	75.0*	958.3				11-27-57	54.0	988.2	
		8-16-57	75.5*	957.8				1-22-58	50.2	992.0	
		8-23-57	74.3*	959.0				3-14-58	43.8	998.4	
		8-30-57	73.8*	959.5				5-16-58	48.2	994.0	
		9-06-57	73.8*	959.5				7-23-57	53.2	1003.0	3400
		9-13-57	73.3*	960.0		1S/04W-12M03 S	1056.2	8-30-57	55.0	1001.2	
		9-20-57	70.0*	963.3				10-01-57	56.1	1000.1	
		9-28-57	75.3*	958.0				11-07-57	50.9	1005.3	
		10-04-57	73.3*	960.0				12-05-57	56.9	999.3	
		10-18-57	64.3*	969.0				1-08-58	53.4	1002.8	
		11-01-57	66.3*	967.0							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
UPPER SANTA ANA VALLEY														
BUNKER HILL BASIN														
80206														
1S/04W-12M03 S	1056.2	2-07-58	53.9	1002.3	3400	1S/04W-13F02 S	1059.0	6-28-58	81.6*	80200	977.4	3707		
CONT.		3-11-58	49.5	1006.7										
		4-09-58	46.3	1009.9								941.3	3707	
		5-09-58	47.8	1008.4			1S/04W-13M02 S	1054.0	7-06-57	112.7*		939.2		
		6-10-58	51.9	1004.3					7-18-57	114.8*		939.2		
1S/04W-13E01 S	1061.3	7-25-57	85.0	976.3	3200			8-09-57	104.0*		950.0			
		10-08-57	89.8	971.5					8-24-57	92.5*		961.5		
		11-27-57	84.0	977.3					9-04-57	93.2*		960.8		
		1-28-58	82.6	978.7					9-10-57	93.3*		960.7		
		3-14-58	59.5	1001.8					9-20-57	90.8*		963.2		
		5-16-58	70.0	991.3					9-28-57	93.8*		960.2		
1S/04W-13F02 S	1059.0	10-10-57	102.9*	956.1		3707			10-05-57	91.3*		962.7		
		10-19-57	97.2*	961.8						10-19-57	48.0		1006.0	
		10-26-57	95.5*	963.5						10-26-57	47.8		1006.2	
		11-02-57	96.2*	962.8						11-02-57	44.2		1009.8	
		11-09-57	68.8	990.2					11-09-57	41.9		1012.1		
		11-16-57	65.1	993.9					11-16-57	39.3		1014.7		
		11-23-57	86.3*	972.7					11-23-57	84.8*		969.2		
		11-30-57	66.3	992.7					11-30-57	43.5*		1010.5		
		12-07-57	65.3	993.7					12-07-57	43.8		1010.2		
		12-14-57	63.8	995.2					12-14-57	46.2		1007.8		
		12-23-57	54.5	1004.5					12-23-57	44.5		1009.5		
		1-11-58	61.3	997.7					1-04-58	31.4		1022.6		
		1-18-58	58.2	1000.8					1-11-58	37.9		1016.1		
		2-08-58	49.6	1009.4					1-18-58	35.5		1018.5		
		2-15-58	47.7	1011.3					2-08-58	31.8		1022.2		
		2-22-58	45.6	1013.4					2-15-58	44.0*		1010.0		
		3-01-58	47.2	1011.8					2-22-58	45.2*		1008.8		
		3-08-58	45.3	1013.7					3-01-58	43.6*		1010.4		
		3-15-58	42.7	1016.3					3-08-58	42.7*		1011.3		
		3-22-58	40.4	1018.6					3-15-58	28.9		1025.1		
		3-29-58	40.2	1018.8				3-22-58	18.6		1035.4			
		4-05-58	36.8	1022.2				3-29-58	38.8*		1015.2			
		4-12-58	33.9	1025.1				4-05-58	18.2		1035.8			
		4-19-58	35.3	1023.7				4-12-58	17.3		1036.7			
		4-26-58	45.3	1013.7				4-19-58	34.7*		1019.3			
		5-03-58	43.9	1015.1				4-26-58	70.4*		983.6			
		5-10-58	54.3	1004.7				5-03-58	70.2*		983.8			
		5-17-58	51.7	1007.3				5-10-58	77.9*		976.1			
		5-24-58	53.8	1005.2				5-17-58	73.1*		980.9			
		5-30-58	54.8	1004.2				5-24-58	77.3*		976.7			
		6-02-58	56.2	1002.8				5-31-58	80.8*		973.2			
		6-14-58	68.8*	990.2				6-07-58	82.7*		971.3			
		6-21-58	77.4*	981.6				6-14-58	87.5*		966.5			
								6-21-58	87.8*		966.2			
								6-28-58	89.3*		964.7			

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/04W-13N01 S	1045.0	7-06-57	80206	80200	3707	1S/04W-13R01 S	1100.9	12-03-57	80206	80200	3400
		7-18-57	98.1*	946.9		CONT.		1-11-58	110.8	990.1	
		7-26-57	103.0*	942.0				2-10-58	103.7	997.2	
		8-09-57	102.8*	942.2				3-11-58	102.4	998.5	
		8-23-57	103.9*	941.1				4-09-58	97.5	1003.4	
		9-04-57	102.2*	942.8				5-09-58	90.5	1010.4	
		9-11-57	102.8*	942.2				6-12-58	89.3	1011.6	
		9-21-57	103.8*	941.2					94.9	1006.0	
		9-27-57	103.1*	941.9					100.6	1000.3	
		10-05-57	104.0*	941.0		1S/04W-14A01 S	1057.8	7-23-57	70.8	987.0	3400
		10-19-57	103.7*	941.3				8-30-57	72.7	985.1	
		10-26-57	100.6*	944.4				11-07-57	73.7	984.1	
		11-02-57	104.4*	940.6				12-06-57	69.1	988.7	
		11-09-57	68.3	976.7					70.9	986.9	
		11-16-57	65.2	979.8				1-10-58	64.5	993.3	
		11-23-57	61.6	983.4				2-11-58	63.5	994.3	
		11-30-57	73.3	971.7				3-11-58	54.3	1003.5	
		12-07-57	78.5	966.5				4-09-58	55.1*	1002.7	
		12-14-57	85.8	959.2				4-24-58	54.4	1003.4	
		12-23-57	81.3	963.7				5-09-58	59.2	998.6	
		1-08-58	77.8	967.2				6-10-58	62.1	995.7	
		1-15-58	63.5	981.5		1S/04W-14P02 S	1026.0	7-05-57	63.0	963.0	5204
		1-22-58	59.3	985.7				7-12-57	75.3	950.7	
		3-01-58	65.6	979.4				7-19-57	64.5	962.3	
		3-08-58	63.2	981.8				7-26-57	65.0	961.8	
		3-15-58	60.6	984.4				8-02-57	67.5	959.3	
		3-22-58	54.8	990.2				8-09-57	67.3	959.5	
		3-29-58	37.5	1007.5				8-16-57	67.5	959.3	
		4-05-58	34.8	1010.2				8-23-57	67.3	959.5	
		4-12-58	33.6	1011.4				8-30-57	63.5	963.3	
		4-19-58	40.5	1004.5				9-06-57	66.5	960.3	
		4-26-58	58.9	986.1				9-13-57	78.9*	947.9	
		5-03-58	60.3	984.7				9-20-57	58.5	968.3	
		5-10-58	97.9*	947.1				9-28-57	64.8	962.0	
		5-17-58	97.3*	947.7				10-04-57	62.5	964.3	
		5-24-58	96.8*	948.2				10-18-57	41.0	985.8	
		5-31-58	67.5	977.5				11-01-57	32.0	994.8	
		6-07-58	96.3*	948.7				11-15-57	25.0	1001.8	
		6-14-58	69.9	975.1				11-29-57	42.0	984.8	
		6-21-58	74.3	970.7				12-13-57	28.8	998.0	
		6-28-58	68.4	976.6				12-27-57	24.0	1002.8	
1S/04W-13R01 S	1100.9	7-23-57	115.4*	985.5	3400			1-13-58	25.3	1001.5	
		8-30-57	111.3*	989.6				1-24-58	34.3*	992.5	
		10-01-57	114.9*	986.0				2-07-58	17.3	1009.5	
		11-07-57	110.8	990.1				2-21-58	15.5	1011.3	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						80206	BUNKER HILL BASIN					
1S/04W-14P02 S						80206	1S/04W-14P06 S					
CONT.						80206	CONT.					
	1026.8	3-14-58	6.8	1020.0	5204	80200		1027.1	6-06-58	88.3*	938.8	5204
		3-29-58	3.0	1023.8					6-13-58	93.3*	933.8	
		4-10-58	3.3	1023.5					6-20-58	94.0*	933.1	
		4-25-58	26.3	1000.5					6-27-58	93.5*	933.6	
		5-09-58	35.5	991.3								
		5-16-58	41.5	985.3					7-25-57	33.6	975.1	3200
		5-23-58	42.5	984.3					9-25-57	36.7	972.0	
		5-30-58	49.0	977.8					11-27-57	23.5	985.2	
		6-06-58	47.0	979.8					1-22-58	15.5	993.2	
		6-13-58	53.0	973.8					3-14-58	FLOW		
		6-20-58	55.3	971.5					3-28-58	FLOW		
		6-27-58	56.5	970.3					5-15-58	12.7	996.0	
1S/04W-14P06 S						80206	1S/04W-15E04 S					
	1027.1	7-05-57	97.3*	929.8	5204	80200		995.2	7-25-57	21.4	973.8	3200
		7-12-57	102.5*	924.6					10-08-57	25.5	969.7	
		7-19-57	103.0*	924.1					11-27-57	21.2	974.0	
		7-26-57	105.0*	922.1					1-22-58	17.8	977.4	
		8-02-57	100.0*	927.1					3-14-58	12.9	982.3	
		8-09-57	101.0*	926.1					5-16-58	14.5	980.7	
		8-16-57	101.8*	925.3								
		8-23-57	102.0*	925.1					7-25-57	21.2	973.3	3200
		8-25-57	67.3	959.8					10-08-57	24.0	970.5	
		8-30-57	69.0	958.1					11-27-57	19.0	975.5	
		9-06-57	102.0*	925.1					1-22-58	15.7	978.8	
		9-13-57	102.0*	925.1								
		9-20-57	64.0	963.1					7-25-57	24.7	971.6	3200
		9-28-57	114.5*	912.6					10-08-57	27.9	968.4	
		10-04-57	69.3	957.8					11-27-57	24.2	972.1	
		10-18-57	42.0	985.1					1-22-58	22.3	974.0	
		11-01-57	31.8	995.3					3-14-58	11.5	984.8	
		11-15-57	24.3	1002.8					5-15-58	15.0	981.3	
		11-29-57	39.8	987.3								
		12-13-57	31.0	996.1					7-06-57	46.0	938.9	5717
		12-27-57	24.5	1002.6					7-13-57	125.0*	859.9	
		1-13-58	29.8	997.3					7-20-57	129.0*	855.9	
		1-24-58	36.3	990.8					7-27-57	129.5*	855.4	
		2-07-58	18.3	1008.8					8-03-57	128.0*	856.9	
		2-21-58	15.5	1011.6					8-10-57	130.0*	854.9	
		3-14-58	7.0	1020.1					8-17-57	134.0*	850.9	
		3-29-58	6.0	1021.1					8-24-57	136.0*	848.9	
		4-10-58	FLOW						9-07-57	139.0*	845.9	
		4-25-58	32.3	994.8					9-14-57	141.0*	843.9	
	1027.1	5-09-58	84.3*	942.8					9-21-57	142.0*	842.9	
		5-16-58	87.0*	940.1					9-28-57	142.0*	842.9	
		5-23-58	89.5*	937.6					10-05-57	139.0*	845.9	
		5-30-58	63.0	964.1					10-12-57	137.0*	847.9	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
BUNKER HILL BASIN						BUNKER HILL BASIN						
1S/04W-15M02 S CONT.	984.9	10-19-57	133.0*	851.9	5717	1S/04W-15N05 S CONT.	980.0	7-13-57	182.0*	80206	798.0	5717
		10-26-57	128.0*	856.9				7-20-57	185.0*		795.0	
		11-02-57	125.0*	859.9				7-27-57	188.0*		792.0	
		11-09-57	49.0	935.9				8-03-57	188.0*		792.0	
		11-16-57	122.0*	862.9				8-10-57	192.0*		788.0	
		11-23-57	127.0*	857.9				8-17-57	196.0*		784.0	
		12-07-57	120.0*	864.9				8-24-57	200.0*		780.0	
		12-14-57	127.0*	857.9				9-07-57	210.0*		770.0	
		12-21-57	38.0	946.9				9-14-57	212.0*		768.0	
		12-28-57	105.0*	879.9				9-21-57	220.0*		760.0	
		1-04-58	100.0*	884.9				9-28-57	220.0*		760.0	
		1-11-58	105.0*	879.9				10-05-57	220.0*		760.0	
		1-18-58	118.0*	866.9				10-12-57	120.0		860.0	
		1-25-58	121.0*	863.9				10-19-57	109.0		871.0	
		2-01-58	30.0	954.9				10-26-57	100.0		880.0	
		2-08-58	24.0	960.9				11-02-57	99.0		881.0	
		2-15-58	22.0	962.9				11-09-57	73.0		907.0	
		2-22-58	19.0	965.9				11-16-57	74.0		906.0	
		3-01-58	16.0	968.9				12-14-57	208.0*		772.0	
		3-08-58	15.0	969.9				12-21-57	80.0		900.0	
984.8		3-14-58	13.5	971.3	3200			12-28-57	72.0		908.0	
984.9		3-15-58	14.0	970.9	5717			1-04-58	63.0		917.0	
		3-22-58	12.0	972.9				1-11-58	63.0		917.0	
		3-29-58	11.0	973.9				2-01-58	50.0		930.0	
		4-05-58	10.0	974.9				2-08-58	40.0		940.0	
		4-12-58	10.0	974.9				2-15-58	36.0		944.0	
		4-19-58	9.5	975.4				2-22-58	28.0		952.0	
		4-26-58	10.0	974.9				3-01-58	22.0		958.0	
		5-03-58	19.0	965.9				3-08-58	19.0		961.0	
		5-10-58	24.0	960.9				3-15-58	15.0		965.0	
984.8		5-16-58	17.7	967.1	3200			3-22-58	13.0		967.0	
984.9		5-17-58	17.0	967.9	5717			3-29-58	10.0		970.0	
		5-24-58	27.0	957.9				4-05-58	8.0		972.0	
		5-31-58	29.0	955.9				4-12-58	7.0		973.0	
		6-07-58	105.0*	879.9				4-19-58	6.0		974.0	
		6-14-58	108.0*	876.9				4-26-58	6.0		974.0	
		6-21-58	112.0*	872.9				5-17-58	26.0		954.0	
		6-28-58	115.0	869.9				5-24-58	90.0*		890.0	
1S/04W-15N02 S	996.3	7-25-57	20.9	975.4	3200			5-31-58	95.0*		885.0	
		10-08-57	25.3	971.0				6-07-58	160.0*		820.0	
		11-27-57	20.5	975.8				6-14-58	169.0*		811.0	
		1-22-58	17.0	979.3				6-21-58	175.0*		805.0	
		3-14-58	8.7	987.6				6-28-58	178.0		802.0	
1S/04W-15N05 S	980.0	5-16-58	9.7	986.6								
		7-06-57	174.0*	806.0	5717	1S/04W-16G02 S	1027.8	7-25-57	30.5	DRY	997.3	3200

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN						80200	UPPER SANTA ANA VALLEY					
						80206	BUNKER HILL BASIN					
						80200						
1S/04W-16G02 S CONT.	1027.8	11-26-57	32.7	995.1	3200		1S/04W-22B02 S CONT.	998.2	5-16-58	49.0	949.2	5204
		1-22-58	32.4	995.4					5-23-58	115.0*	883.2	
		3-14-58	30.3	997.5					5-30-58	129.0*	869.2	
		5-15-58	28.8	999.0					6-06-58	125.0*	873.2	
1S/04W-21A01 S	968.2	7-18-57	110.8*	857.4	3200				6-13-58	113.5*	884.7	
		7-18-57	107.8*	860.4					6-20-58	129.3*	868.9	
		9-11-57	141.8*	826.4					6-27-58	131.3*	866.9	
		9-12-57	137.8*	830.4								
		10-10-57	142.5*	825.7					7-05-57	62.4*	939.6	5720
		10-21-57	117.0*	851.2					7-12-57	63.9*	938.1	
		10-21-57	113.0	855.2					7-19-57	64.1*	937.9	
		11-06-57	103.0*	865.2					7-26-57	64.8*	937.2	
		11-06-57	99.0*	869.2					8-01-57	65.7*	936.3	
		1-28-58	81.0	887.2					8-16-57	66.4*	935.6	
		3-26-58	13.0	955.2					8-23-57	67.1*	934.9	
		5-16-58	35.5*	932.7					8-30-57	67.5*	934.5	
1S/04W-22B02 S	998.2	7-19-57	111.5*	886.7	5204		1S/04W-22B03 S	1002.0	9-06-57	66.9*	935.1	
		7-26-57	147.5*	850.7					9-13-57	68.2*	933.8	
		8-02-57	145.0*	853.2					9-20-57	68.3*	933.7	
		8-09-57	146.5*	851.7					9-27-57	68.7*	933.3	
		8-16-57	153.0*	845.2					10-11-57	68.6*	933.4	
		8-19-57	154.0*	844.2					10-18-57	51.0	951.0	
		8-23-57	154.5*	843.7					10-25-57	57.0	945.0	
		8-30-57	157.0*	841.2					11-01-57	49.3	952.7	
		9-06-57	156.0*	842.2					11-08-57	36.7	965.3	
		9-13-57	163.3*	834.9					11-15-57	50.4*	951.6	
		9-20-57	162.8*	835.4					11-22-57	55.2*	946.8	
		9-28-57	157.8*	840.4					12-06-57	61.4*	940.6	
		10-04-57	141.0*	857.2					12-20-57	34.6	967.4	
		10-18-57	157.3*	840.9					12-27-57	30.0	972.0	
		11-01-57	94.0	904.2					1-03-58	27.3	974.7	
		11-15-57	73.3	924.9					1-10-58	32.0	970.0	
		11-29-57	151.0*	847.2					1-17-58	42.0*	960.0	
		12-13-57	92.0	906.2					1-24-58	58.0*	944.0	
		12-27-57	64.5	933.7					1-31-58	32.0	970.0	
		1-13-58	62.8	935.4					2-07-58	21.1	980.9	
		1-24-58	122.0*	876.2					2-14-58	22.0	980.0	
		2-07-58	53.5	944.7					2-21-58	19.4	982.6	
		2-21-58	42.5	955.7					2-28-58	17.4	984.6	
		3-14-58	30.8	967.4					3-07-58	16.0	986.0	
		3-29-58	23.5	974.7					3-14-58	10.8	992.1	3200
		4-10-58	23.5	974.7					3-14-58	14.5	987.5	5720
		4-25-58	23.0	975.2					3-21-58	13.0	989.0	
		5-09-58	51.0	947.2					3-28-58	12.1	989.9	
									4-04-58	10.8	991.2	
									4-11-58	9.0	993.0	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/04W-22B03 S CONT.	1002.0	4-19-58	80206	80200	5720	1S/04W-22B05 S CONT.	1000.0	3-28-58	80206	80200	5720
		4-26-58						4-04-58			
		5-02-58						4-11-58			
		5-09-58						4-19-58			
		5-16-58						4-26-58			
		5-23-58						5-02-58			
		6-06-58						5-09-58			
		6-13-58						5-16-58			
		6-20-58						5-23-58			
		6-27-58						6-06-58			
								6-13-58			
								6-20-58			
								6-27-58			
1S/04W-22B05 S	1000.0	7-05-57	80206	80200	5720	1S/04W-22G01 S	989.7	7-06-57	80206	80200	5720
		7-12-57						7-12-57			
		7-19-57						7-19-57			
		8-02-57						7-26-57			
		8-09-57						8-02-57			
		8-16-57						8-09-57			
		8-23-57						8-16-57			
		9-06-57						8-23-57			
		9-13-57						9-06-57			
		9-20-57						9-13-57			
		9-27-57						9-20-57			
		10-11-57						9-27-57			
		10-18-57						10-11-57			
		11-01-57						10-18-57			
		11-08-57						11-01-57			
		11-15-57						11-08-57			
		11-22-57						11-15-57			
		12-06-57						11-22-57			
		12-20-57						12-06-57			
		12-27-57						12-20-57			
		1-03-58						12-27-57			
		1-10-58						1-03-58			
		1-17-58						1-10-58			
		1-24-58						1-17-58			
		2-07-58						1-24-58			
		2-21-58						2-07-58			
		2-28-58						2-21-58			
		3-07-58						2-28-58			
		3-14-58						3-07-58			
		3-21-58						3-14-58			
								3-21-58			

# GROUND WATER LEVELS AT WELLS

UPPER SANTA ANA VALLEY													
BUNKER HILL BASIN													
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY													
BUNKER HILL BASIN													
1S/04W-22G01 S	989.7	2-28-58	12.2	977.5	5720	1S/04W-22G06 S	992.0	2-07-58	21.7	970.3	5720		
CONT.		3-07-58	10.9	978.8				2-14-58	19.4	972.6			
		3-14-58	9.2	980.5				2-21-58	16.0	976.0			
		3-21-58	7.6	982.1				2-28-58	14.4	977.6			
		3-28-58	6.8	982.9				3-07-58	11.1	980.9			
		4-04-58	5.4	984.3				3-14-58	10.1	981.9			
		4-11-58	3.9	985.8				3-21-58	9.0	983.0			
		4-19-58	4.9	984.8				3-28-58	8.2	983.8			
		4-26-58	11.3	978.4				4-04-58	6.8	985.2			
		5-02-58	66.0*	923.7				4-11-58	5.8	986.2			
		5-09-58	69.0*	920.7				4-19-58	6.4	985.6			
		5-16-58	71.2*	918.5				4-26-58	13.1	978.9			
		5-23-58	73.1*	916.6				5-02-58	40.1*	951.9			
		5-30-58	74.9*	914.8				5-09-58	46.0*	946.0			
		6-06-58	76.5*	913.2			983.1	5-16-58	46.8*	936.3			
	6-13-58	76.6*	913.1				5-23-58	49.1*	934.0				
	6-20-58	78.5*	911.2				5-30-58	51.0*	932.1				
	6-27-58	79.9*	909.8				6-06-58	52.6*	930.5				
							6-13-58	52.7*	930.4				
							6-20-58	54.8*	928.3				
							6-27-58	56.0*	927.1				
1S/04W-22G06 S	992.0	7-06-57	63.2*	928.8	5720			7-05-57	60.3*	923.7	5720		
		7-12-57	62.5*	929.5				7-12-57	62.5*	921.5			
		7-19-57	62.7*	929.3				7-19-57	62.6*	921.4			
		7-26-57	63.9*	928.1				7-26-57	63.0*	921.0			
		8-09-57	65.0*	927.0				8-02-57	63.6*	920.4			
		8-16-57	65.5*	926.5				8-09-57	64.4*	919.6			
		8-23-57	66.0*	926.0				8-16-57	64.2*	919.8			
		8-30-57	66.4*	925.6				8-23-57	65.6*	918.4			
		9-06-57	66.6*	925.4				8-30-57	66.0*	918.0			
		9-13-57	67.2*	924.8				9-06-57	66.3*	917.7			
		9-20-57	67.0*	925.0				9-13-57	66.9*	917.1			
		9-27-57	67.6*	924.4				9-20-57	66.8*	917.2			
		10-11-57	67.7*	924.3				9-27-57	67.1*	916.9			
		10-18-57	51.6	940.4				10-11-57	67.0*	917.0			
		10-25-57	57.5*	934.5				10-18-57	51.3	932.7			
		11-01-57	55.9*	936.1				10-24-57	57.8*	926.2			
		11-08-57	38.1	953.9				11-01-57	55.4*	928.6			
		11-15-57	37.0	955.0				11-08-57	38.3	945.7			
		11-22-57	39.0	953.0				11-15-57	36.7	947.3			
		12-06-57	51.1	940.9				11-22-57	45.2	938.8			
		12-20-57	31.2	960.8				12-06-57	50.2	933.8			
		12-27-57	27.3	964.7				12-20-57	31.3	952.7			
		1-03-58	24.5	967.5				12-27-57	27.2	956.8			
		1-10-58	36.7	955.3				1-03-58	24.6	959.4			
		1-17-58	50.3*	941.7									
		1-24-58	59.1*	932.9									
		1-31-58	30.0	962.0									



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/04W-22G07 S	984.0	1-10-58	41.7*	942.3	5720	1S/04W-22G09 S	986.0	12-20-57	31.0	955.0	5720
CONT.		1-17-58	49.9*	934.1		CONT.		12-27-57	27.2	958.8	
		1-24-58	56.3*	927.7				1-03-58	24.2	961.8	
		1-31-58	29.3	954.7				1-10-58	34.7	951.3	
		2-07-58	22.4	961.6				1-17-58	48.1*	937.9	
		2-14-58	18.9	965.1				1-24-58	55.7*	930.3	
		2-21-58	15.5	968.5				1-31-58	29.1	956.9	
		2-28-58	13.4	970.6				2-07-58	21.2	964.8	
		3-07-58	10.8	973.2				2-14-58	18.7	967.3	
		3-14-58	10.2	973.8				2-21-58	15.4	970.6	
		3-21-58	8.4	975.6				2-28-58	13.5	972.5	
		3-28-58	7.8	976.2				3-07-58	11.9	974.1	
		4-04-58	6.4	977.6				3-14-58	10.3	975.7	
		4-11-58	5.2	978.8				3-21-58	8.9	977.1	
		4-19-58	5.8	978.2				3-26-58	12.7	973.3	
		4-26-58	11.6	972.4				4-04-58	6.5	979.5	
		5-02-58	39.0*	945.0				4-11-58	5.3	980.7	
		5-09-58	43.4*	940.6				4-19-58	6.0	980.0	
		5-16-58	45.7*	938.3				4-26-58	12.7	973.3	
		5-23-58	48.4*	935.6				5-02-58	38.4*	947.6	
		5-30-58	50.8*	933.2				5-09-58	40.7*	945.3	
		6-06-58	52.4*	931.6				5-16-58	44.1*	941.9	
		6-13-58	52.4*	931.6				5-23-58	47.4*	938.6	
		6-20-58	54.3*	929.7				5-30-58	49.7*	936.3	
		6-27-58	55.4*	928.6				6-06-58	51.4*	934.6	
					5720			6-13-58	51.4*	934.6	
								6-20-58	53.0*	933.0	
								6-27-58	54.5*	931.5	
1S/04W-22G09 S	986.0	7-05-57	60.0*	926.0							
		7-12-57	61.9*	924.1							
		7-19-57	62.0*	924.0							
		7-26-57	62.8*	923.2							
		8-09-57	63.9*	922.1							
		8-16-57	64.0*	922.0							
		8-23-57	64.4*	921.6							
		8-30-57	64.9*	921.1							
		9-06-57	65.0*	921.0							
		9-12-57	65.5*	920.5							
		9-20-57	65.3*	920.7							
		9-27-57	66.0*	920.0							
		10-11-57	65.8*	920.2							
		10-18-57	50.1	935.9							
		10-25-57	51.2	934.8							
		11-01-57	49.7	936.3							
		11-08-57	37.5	948.5							
		11-15-57	37.4	948.6							
		11-22-57	49.7*	936.3							
		12-06-57	49.2	936.8							
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/04W-22G09 S	988.0	7-05-57	36.0*	952.0							
		7-12-57	34.0*	954.0							
		7-19-57	57.0*	931.0							
		7-26-57	57.0*	931.0							
		8-02-57	59.0*	929.0							
		8-16-57	59.0*	929.0							
		8-23-57	62.0*	926.0							
		8-30-57	62.0*	926.0							
		9-06-57	62.0*	926.0							
		9-13-57	64.0*	924.0							
		9-20-57	64.0*	924.0							
		9-27-57	62.0*	926.0							
		10-11-57	62.0*	926.0							
		10-18-57	39.0*	949.0							
		10-25-57	55.0*	933.0							
		11-01-57	50.0*	938.0							
		11-08-57	48.0*	940.0							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN											
1S/04W-22G11 S CONT.	988.0	11-15-57	41.0*	947.0	5720	1S/04W-22G14 S CONT.	984.0	11-01-57	56.2	927.8	5720
		11-22-57	43.0*	945.0							
		12-06-57	46.0*	942.0							
		12-20-57	24.0*	964.0							
		12-27-57	24.0*	964.0							
		1-03-58	22.0*	966.0							
		1-10-58	32.0*	956.0							
		1-17-58	50.0*	938.0							
		1-24-58	31.0*	957.0							
		1-31-58	32.0*	956.0							
		2-07-58	20.0*	968.0							
		2-14-58	32.0*	956.0							
		2-28-58	20.0*	968.0							
		3-07-58	18.0*	970.0							
		3-14-58	18.0*	970.0							
		3-21-58	12.0*	976.0							
		3-28-58	11.0*	977.0							
		4-04-58	12.0*	976.0							
		4-11-58	30.0*	958.0							
		4-19-58	36.0*	952.0							
		4-26-58	35.0*	953.0							
		5-02-58	36.0*	952.0							
		5-09-58	43.0*	945.0							
		5-16-58	50.0*	938.0							
		5-23-58	52.0*	936.0							
		5-31-58	50.0*	938.0							
		6-06-58	55.0*	933.0							
		6-13-58	48.0*	940.0							
		6-20-58	50.0*	938.0							
		6-27-58	50.0*	938.0							
1S/04W-22G14 S	984.0	7-05-57	74.2*	909.8	5720	1S/04W-22G16 S	985.0	7-05-57	60.5*	924.5	5720
		7-12-57	73.7*	910.3							
		7-19-57	74.3*	909.7							
		7-26-57	75.1*	908.9							
		8-09-57	76.4*	907.6							
		8-16-57	76.4*	907.6							
		8-23-57	77.0*	907.0							
		8-30-57	77.6*	906.4							
		9-06-57	78.0*	906.0							
		9-13-57	78.5*	905.5							
		9-20-57	78.8*	905.2							
		9-27-57	79.1*	904.9							
		10-11-57	79.7*	904.3							
		10-18-57	59.4	924.6							
		10-25-57	58.3	925.7							
		7-05-57	60.5*	924.5							
		7-12-57	63.4*	921.6							
		7-19-57	63.6*	921.4							
		7-26-57	64.1*	920.9							
		8-02-57	64.9*	920.1							
		8-09-57	65.5*	919.5							
		8-16-57	66.0*	919.0							
		8-23-57	66.0*	919.0							
		8-30-57	67.1*	917.9							
		9-06-57	67.3*	917.7							
		9-13-57	67.8*	917.2							
		9-20-57	67.8*	917.2							
		9-27-57	68.3*	916.7							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
15/04W-22G16 S						15/04W-22H01 S					
CONT.						CONT.					
80200						80200					
10-11-57	985.0		70.0*	915.0	5720	9-06-57	1004.3		138.8*	865.5	5204
10-18-57			52.0	933.0		9-13-57			140.3*	864.0	
10-25-57			57.9*	927.1		9-20-57			136.5*	867.8	
11-01-57			55.5	929.5		9-28-57			137.8*	866.5	
11-08-57			38.3	946.7		10-04-57			55.8	948.5	
11-15-57			37.0	948.0		10-18-57			109.0*	895.3	
11-22-57			51.1*	933.9		11-01-57			44.3	960.0	
12-06-57			50.7*	934.3		11-15-57			35.3	969.0	
12-20-57			33.4	951.6		11-29-57			49.0	955.3	
12-27-57			27.4	957.6		12-13-57			126.0*	878.3	
1-03-58			24.5	960.5		12-27-57			26.8	977.5	
1-10-58			42.4*	942.6		1-13-58			32.5	971.8	
1-17-58			50.9*	934.1		1-24-58			44.0	960.3	
1-24-58			57.0*	928.0		2-07-58			22.8	981.5	
2-07-58			22.0	963.0		2-21-58			18.3	986.0	
2-14-58			19.2	965.8		3-14-58			13.3	991.0	
2-21-58			15.7	969.3		3-29-58			8.5	995.8	
2-28-58			13.8	971.2		4-10-58			8.3	996.0	
3-07-58			11.0	974.0		4-25-58			17.0	987.3	
3-14-58			10.5	974.5		5-09-58			33.8	970.5	
3-21-58			8.9	976.1		5-16-58			115.0*	889.3	
3-28-58			7.0	978.0		5-23-58			116.0*	888.3	
4-04-58			5.8	979.2		5-30-58			115.8*	888.5	
4-11-58			4.5	980.5		6-06-58			118.8*	885.5	
4-19-58			6.1	978.9		6-13-58			119.8*	884.5	
4-26-58			12.6	972.4		6-20-58			118.8*	885.5	
5-02-58			39.8*	945.2		6-27-58			112.0*	892.3	
5-09-58			44.7*	940.3							
5-16-58			47.0*	938.0		7-05-57	1005.2		124.5*	880.7	5204
5-23-58			49.5*	935.5		7-12-57			124.5*	880.7	
5-30-58			51.8*	933.2		7-19-57			125.8*	879.4	
6-06-58			53.5*	931.5		7-26-57			126.5*	878.7	
6-13-58			48.1	936.9		8-02-57			126.0*	879.2	
6-20-58			50.4	934.6		8-09-57			126.3*	878.9	
6-27-58			51.9	933.1		8-16-57			126.5*	878.7	
						8-23-57			127.8*	877.4	
						8-25-57			127.5*	875.2	
						8-30-57			127.5*	877.7	
						9-06-57			126.5*	878.7	
						9-13-57			124.5*	880.7	
						9-20-57			125.0*	880.2	
						9-28-57			125.5*	879.7	
						10-04-57			126.0*	879.2	
						10-18-57			FLOW		
						11-01-57	1005.2		115.8*	889.4	
						11-15-57			FLOW		
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN						BUNKER HILL BASIN					
15/04W-22H01 S						15/04W-22H02 S					
CONT.						CONT.					
80200						80200					
7-05-57	1004.3		102.3*	902.0	5204	7-05-57			124.5*	880.7	
7-12-57			104.0*	900.3		7-12-57			124.5*	880.7	
7-19-57			104.3*	900.0		7-19-57			125.8*	879.4	
7-26-57			105.5*	898.8		7-26-57			126.5*	878.7	
8-02-57			102.0*	902.3		8-02-57			126.0*	879.2	
8-09-57			101.0*	903.3		8-09-57			126.3*	878.9	
8-16-57			105.0*	899.3		8-16-57			126.5*	878.7	
8-23-57			105.0*	899.3		8-23-57			127.8*	877.4	
8-25-57			54.8	949.5		8-25-57			127.5*	875.2	
8-30-57			105.8*	898.5		8-30-57			127.5*	877.7	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
BUNKER HILL BASIN						BUNKER HILL BASIN						
1S/04W-22H02 S CONT.	1005.2	11-29-57	117.3*	887.9	5204	1S/04W-22H03 S CONT.	1004.9	3-14-58	8.5	996.4	5204	
		12-13-57	FLOW									
		12-27-57	FLOW									
	1005.2	1-13-58	108.3*	896.9								
		1-24-58	108.8*	896.4								
		2-07-58	108.0*	897.2								
		2-21-58	FLOW									
		3-14-58	FLOW									
		3-18-58	FLOW									
		3-29-58	FLOW									
		4-10-58	FLOW									
	1005.2	4-25-58	107.0*	898.2								
		5-09-58	113.5*	891.7								
		5-16-58	120.5*	884.7								
		5-23-58	118.3*	886.9								
1S/04W-22H03 S	1003.9	5-30-58	118.0*	887.2	5204	1S/04W-23C02 S	1025.0	7-05-57	105.8*	919.2	5204	
		6-06-58	118.0*	887.2								
		6-13-58	118.5*	886.7								
		6-20-58	118.0*	887.2								
		6-27-58	118.0*	887.2								
		7-05-57	161.5*	842.4								
		7-12-57	164.0*	839.9								
	1004.9	7-19-57	164.5*	840.4								
		7-26-57	163.0*	841.9								
		8-02-57	165.5*	839.4								
		8-09-57	165.5*	839.4								
		8-16-57	169.8*	835.1								
		8-23-57	159.3*	845.6								
		8-25-57	56.3	948.6								
		8-30-57	163.8*	841.1								
	9-06-57	163.5*	841.4									
	9-13-57	162.8*	842.1									
	9-20-57	54.0	950.9									
	9-28-57	57.3	947.6									
	10-04-57	55.8	949.1									
	10-18-57	47.3	957.6									
	11-01-57	40.3	964.6									
	11-15-57	31.5	973.4									
	11-29-57	48.0	956.9									
	12-13-57	41.5	963.4									
	12-27-57	23.0	981.9									
	1-13-58	35.3	969.6									
	1-24-58	42.8	962.1									
	2-07-58	19.0	985.9									
	2-21-58	14.8	990.1									



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
BUNKER HILL BASIN						BUNKER HILL BASIN					
1S/04W-23C02 S CONT.	1025.0	5-30-58	99.8*	925.2	5204	1S/04W-23K02 S CONT.	1041.0	7-18-57	82.9	958.1	3707
		6-06-58	100.0*	925.0				7-26-57	82.7	958.3	
		6-13-58	100.0*	925.0				8-09-57	101.5*	939.5	
		6-20-58	101.8*	923.2				8-24-57	109.5*	931.5	
		6-27-58	97.1*	927.7				9-04-57	111.0*	930.0	
		7-05-57	78.6*	944.2				9-10-57	111.5*	929.5	
		7-12-57	91.0*	931.8				9-21-57	113.7*	927.3	
		7-19-57	77.3*	945.5				9-28-57	114.4*	926.6	
		7-26-57	78.6*	944.2				10-05-57	116.0*	925.0	
		8-02-57	80.5*	942.3				10-19-57	114.5*	926.5	
1S/04W-23C03 S	1022.8	8-09-57	80.0*	942.8	10-26-57	87.4	953.6				
		8-16-57	79.3*	943.5	11-02-57	82.2	958.8				
		8-23-57	79.0*	943.8	11-09-57	82.9	958.1				
		8-25-57	62.5*	960.3	11-16-57	79.3	961.7				
		8-30-57	76.5*	946.3	11-23-57	112.9*	928.1				
		9-06-57	75.3*	947.5	11-30-57	117.5*	923.5				
		9-13-57	78.8*	944.0	12-07-57	116.3*	924.7				
		9-20-57	58.5*	964.3	12-14-57	112.3*	928.7				
		9-28-57	77.0*	945.8	12-23-57	76.3	964.7				
		10-04-57	74.3*	948.5	1-04-58	69.8	971.2				
S/04W-23K02 S	1041.0	10-18-57	55.3*	967.5	1-11-58	92.3*	948.7				
		11-01-57	27.0	995.8	2-08-58	54.8	986.2				
		11-15-57	20.3	1002.5	2-15-58	51.3	989.7				
		11-29-57	38.5	984.3	2-22-58	56.8	984.2				
		12-13-57	26.0	996.8	3-01-58	56.2	984.8				
		12-27-57	39.8*	983.0	3-08-58	54.7	986.3				
		1-13-58	24.3	998.5	3-15-58	49.1	991.9				
		1-24-58	31.3	991.5	3-22-58	51.5	989.5				
		2-07-58	13.3	1009.5	3-29-58	41.1	999.9				
		2-21-58	10.9	1011.9	4-05-58	36.3	1004.7				

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN						UPPER SANTA ANA VALLEY						
80206						80200						
1S/04W-23N01 S						1S/04W-24R01 S						
CONT.												
3-11-58						7-24-57						
4-09-58						8-30-57						
5-07-58						10-02-57						
6-10-58						11-07-57						
11-22-57						12-03-57						
1-10-58						1-10-58						
2-10-58						2-10-58						
3-11-58						3-10-58						
4-11-58						3-31-58						
5-07-58						4-09-58						
6-10-58						5-09-58						
8-30-57						6-12-58						
10-02-57						10-02-57						
11-07-57						11-06-57						
12-03-57						12-03-57						
1-10-58						1-10-58						
2-10-58						2-10-58						
3-10-58						3-10-58						
4-09-58						4-09-58						
5-09-58						5-09-58						
6-12-58						6-12-58						
7-24-57						8-16-57						
10-02-57						8-23-57						
12-06-57						8-30-57						
1-10-58						9-06-57						
2-10-58						9-13-57						
3-10-58						9-20-57						
4-09-58						9-28-57						
5-09-58						10-04-57						
6-12-58						10-18-57						
7-05-57						11-01-57						
8-05-57						11-15-57						
9-04-57						11-29-57						
10-03-57						12-13-57						
11-02-57						12-27-57						
12-03-57						1-13-58						
1-03-58						1-24-58						
2-03-58						2-07-58						
3-01-58						2-21-58						
4-03-58						3-14-58						
5-02-58						3-29-58						
6-01-58						4-10-58						
						4-25-58						
						1015.0						
						FLOW						
						53.3*						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						
						961.7						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BUNKER HILL BASIN				80200			BUNKER HILL BASIN				80200	
1S/04W-27A07 S				80206			1S/04W-27A10 S				80206	
CONT.	1015.0	5-09-58	35.8	979.2	5204			1015.7	6-27-58	90.0*	925.7	5204
		5-16-58	76.3*	938.7								
		5-23-58	78.8*	936.2								
		5-30-58	61.0	954.0			1S/04W-27A11 S	1016.0	7-05-57	93.3*	922.7	5204
		6-06-58	57.3	957.7				1015.5	7-12-57	93.5*	922.5	
		6-13-58	77.0	938.0					7-19-57	95.3*	920.2	
		6-20-58	87.3	927.7					7-26-57	94.8*	920.7	
		6-24-58	88.0	927.0					8-02-57	101.0*	914.5	
									8-09-57	100.5*	915.0	
									8-16-57	101.0*	914.5	
1S/04W-27A10 S				80206					8-23-57	105.8*	909.7	
	1015.7	7-05-57	92.5	923.2	5204				8-25-57	70.5	945.0	
		7-12-57	94.3	921.4					8-30-57	106.8*	908.7	
		7-19-57	93.3*	922.4					9-06-57	102.0*	913.5	
		7-26-57	93.3*	922.4					9-13-57	105.8*	909.7	
		8-02-57	94.8*	920.9					9-20-57	79.5	936.0	
		8-09-57	94.0*	921.7					9-28-57	65.0	950.5	
		8-16-57	95.5*	920.2					10-04-57	73.8	941.7	
		8-23-57	95.8*	919.9					10-18-57	54.0	961.5	
		8-25-57	69.5	946.2					11-01-57	30.0	985.5	
		8-30-57	94.0*	921.7					11-15-57	42.0	973.5	
		9-06-57	95.5*	920.2					11-29-57	53.0	962.5	
		9-13-57	94.5*	921.2					12-13-57	56.0	959.5	
		9-20-57	78.3*	937.4					12-27-57	51.8	963.7	
		9-28-57	64.8	950.9					1-13-58	42.5	973.0	
		10-04-57	75.0*	940.7					1-24-58	49.5	966.0	
		10-18-57	53.5	962.2					2-07-58	15.0	1000.5	
		11-01-57	29.8	985.9					2-21-58	47.0*	968.5	
		11-15-57	38.5	977.2					3-14-58	1.3	1014.2	
		11-29-57	52.8*	962.9					3-29-58	3.0	1012.5	
		12-13-57	63.3*	952.4					4-10-58	FLOW		
		12-27-57	56.3*	959.4					4-25-58	55.3*	960.2	
		1-13-58	42.0*	973.7				1015.5	5-09-58	34.8	980.7	
		1-24-58	49.0*	966.7					5-16-58	82.3*	933.2	
		2-07-58	14.5	1001.2					5-23-58	79.0	936.5	
		2-21-58	33.5*	982.2					5-30-58	60.3	955.2	
		3-14-58	1.0	1014.7					6-06-58	60.0	955.5	
		3-18-58	FLOW						6-13-58	77.3	938.2	
		3-28-58	FLOW						6-20-58	92.3*	923.2	
		4-10-58	FLOW						6-27-58	95.5*	920.0	
	1015.7	4-25-58	60.0*	955.7								
		5-09-58	33.8	981.9			1S/04W-27A13 S	1018.0	7-05-57	81.0	937.0	5204
		5-16-58	88.8*	926.9					7-12-57	83.0	935.0	
		5-23-58	73.5*	942.2				1017.3	7-19-57	83.5	933.8	
		5-30-58	59.3	956.4					7-26-57	82.0	935.3	
		6-06-58	60.5	955.2					8-02-57	84.5	932.8	
		6-13-58	81.0*	934.7					8-09-57	83.5	933.8	
		6-20-58	88.3*	927.4								

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BUNKER HILL BASIN											
1S/04W-27A13 S CONT.	1017.3	8-16-57	84.0	933.3	5204	1S/04W-30J03 S CONT.	921.2	1-02-58	64.4	856.8	3100
		8-23-57	85.8	931.5				2-05-58	61.1	860.1	
		8-30-57	84.3	933.0				3-03-58	58.3	862.9	
		9-06-57	85.3	932.0				4-08-58	51.3	869.9	
		9-13-57	84.3	933.0				5-05-58	46.7	874.5	
		9-20-57	76.8	940.5				6-05-58	48.3	872.9	
		9-28-57	82.5	934.8							
		10-04-57	73.3	944.0				7-01-57	303.0*	984.0	
		10-18-57	56.5	960.8				8-01-57	304.5*	982.5	
		11-01-57	35.3	982.0				8-30-57	305.0*	982.0	
		11-15-57	39.5	977.8				9-30-57	305.5*	981.5	
		11-29-57	55.0	962.3				11-01-57	289.0	998.0	
		12-13-57	46.5	970.8				11-30-57	284.0	1003.0	
		12-27-57	34.5	982.8				12-30-57	283.0	1004.0	
		1-13-58	43.0	974.3				1-30-58	283.0	1004.0	
1-24-58	51.3	966.0	2-28-58	281.0	1006.0						
2-07-58	18.0	999.3	3-31-58	281.0	1006.0						
2-21-58	28.8	988.5	5-01-58	281.0	1006.0						
3-14-58	4.8	1012.5	5-31-58	301.0*	986.0						
3-29-58	5.0	1012.3									
4-10-58	2.0	1015.3									
4-25-58	41.0	976.3									
5-09-58	37.8	979.5									
5-16-58	61.3	956.0									
5-23-58	60.3	957.0									
5-30-58	59.5	957.8									
6-06-58	60.3	957.0									
6-13-58	67.0	950.3									
6-20-58	78.5	938.8									
6-27-58	75.8	941.5									
LYTLE BASIN											
1S/04W-27H08 S	1020.2	10-02-57	77.9*	942.3	3400	1N/04W-31P03 S	1208.8	7-02-57	295.2*	913.6	3700
		11-06-57	53.1	967.1				8-02-57	298.6*	910.2	
		12-03-57	62.6*	957.6				9-02-57	302.1*	906.7	
		1-06-58	47.2	973.0				10-02-57	300.1*	908.7	
		2-11-58	48.6	971.6				11-02-57	250.2	958.6	
		3-08-58	27.2	993.0				12-02-57	249.7	959.1	
		4-09-58	21.8	998.4				2-15-58	227.6	981.2	
		5-07-58	44.0	976.2				3-02-58	246.3	962.5	
		6-10-58	46.2	974.0				3-15-58	222.4	986.4	
								4-02-58	239.2	969.6	
								4-15-58	227.4	981.4	
								5-02-58	255.6	953.2	
								6-02-58	301.3*	907.5	
								6-15-58	221.8	987.0	
		UPPER SANTA ANA VALLEY									
BUNKER HILL BASIN											
1S/04W-30J03 S	921.2	7-02-57	59.0	862.2	3100	1N/04W-32N01 S	1186.9	7-19-57	157.6	1029.3	3200
		8-02-57	62.0	859.2				8-02-57	159.8	1027.1	
		9-03-57	66.0	855.2				8-16-57	160.3	1026.6	
		11-04-57	67.6	853.6				10-10-57	161.0	1025.9	
		12-04-57	67.5	853.7				11-21-57	160.7	1026.2	
								1-21-58	155.4	1031.5	
								3-14-58	153.6	1033.3	
								5-15-58	154.0	1032.9	
		UPPER SANTA ANA VALLEY									
BUNKER HILL BASIN											
1N/05W-15K01 S	1598.9	7-02-57	368.2	1230.7	4706						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY						80200
LYTLE BASIN						80207	LYTLE BASIN						80207
1N/05W-15K01 S CONT.	1599.6	8-07-57	366.0	1233.6	4706	1N/05W-22A01 S CONT.	1549.8	4-07-58	361.8*	4706	1188.0		
		8-29-57	366.4	5-05-58				327.2*	1222.6				
		10-03-57	366.5	5-21-58				314.0*	1235.8				
		11-04-57	366.9	6-03-58				311.0*	1238.8				
		12-05-57	367.1										
		1-01-58	366.9	8-06-57				353.8*	1237.5				
		2-06-58	365.8	8-29-57				358.4*	1232.9				
		3-07-58	364.7	10-03-57				356.1*	1235.2				
		4-07-58	360.0	11-04-57				356.1*	1235.2				
		5-05-58	365.2	12-05-57				358.9*	1232.4				
		6-03-58	362.6	1-01-58				355.0*	1236.3				
									2-06-58		349.2*	1242.1	
1N/05W-15Q01 S	1595.3	8-06-57	DRY	4706	1N/05W-22C02 S	1591.3	3-07-58	342.3*	4706	1249.0			
		8-29-57	DRY				4-07-58	319.2*		1272.1			
		10-03-57	DRY				5-05-58	296.1*		1295.2			
		11-04-57	DRY				5-21-58	281.1*		1310.2			
		12-05-57	DRY				6-03-58	292.6*		1298.7			
		1-01-58	DRY										
		2-06-58	DRY										
		3-07-58	DRY										
		4-08-58	DRY										
		5-05-58	360.0										
		6-03-58	356.4										
		1N/05W-15Q02 S	1590.9				7-03-57	409.6		4706	1N/05W-22F01 S	1597.6	7-03-57
8-06-57	413.7			8-06-57	339.0*	1258.6							
8-29-57	416.2			8-29-57	343.8*	1253.8							
10-03-57	418.0			10-02-57	336.2*	1261.4							
11-04-57	418.9			11-04-57	281.9*	1315.7							
12-05-57	421.2			12-04-57	335.9*	1261.7							
1-01-58	420.5			1-01-58	272.7*	1324.9							
2-06-58	416.7			2-06-58	323.0*	1274.6							
3-07-58	413.8			3-07-58	252.6*	1345.0							
4-07-58	406.8			4-04-58	290.0*	1307.6							
5-05-58	361.7			5-05-58	212.1*	1385.5							
6-03-58	353.0			5-21-58	188.0*	1409.6							
				6-03-58	174.5*	1423.1							
1N/05W-22A01 S	1549.8	7-02-57	419.6*	4706	1N/05W-22F02 S	1583.2	7-03-57	352.2*	4706	1231.0			
		8-06-57	422.6*				8-06-57	365.8*		1217.4			
		8-29-57	422.6*				8-29-57	373.8*		1209.4			
		10-03-57	422.6*				10-03-57	367.6*		1215.6			
		11-04-57	375.7*				11-04-57	349.1*		1234.1			
		12-04-57	421.6*				12-04-57	371.1*		1212.1			
		1-02-58	375.2*				1-01-58	346.8*		1236.4			
		2-06-58	372.0*				2-06-58	341.0*		1242.2			
		3-07-58	369.9*				3-07-58	337.6*		1245.6			
							4-07-58	311.0*		1272.2			
							5-05-58	290.2*		1293.0			
							6-03-58	269.4*		1313.8			
				7-03-57	251.9	1325.8	4706						

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
LYTLE BASIN												
80207												
1N/05W-22F03 S CONT.	1577.7	8-06-57 8-29-57 10-03-57 11-04-57 12-04-57 1-01-58 2-06-58 3-07-58 4-07-58 5-05-58 6-03-58	250.2* 261.8* 261.3* 262.9* 261.8* 253.7* 249.1* 247.4* 242.0* 207.5* 192.9*	1327.5 1315.9 1316.4 1314.8 1315.9 1324.0 1328.6 1330.3 1335.7 1370.2 1384.8	4706		1N/05W-25E01 S CONT.	1383.4	8-30-57 9-30-57 11-01-57 11-30-57 12-30-57 1-30-58 2-28-58 3-31-58 5-01-58 5-31-58	303.0 325.0* 318.0 319.0 283.0 282.0 275.5 266.5 224.0 219.0	1080.4 1058.4 1065.4 1064.4 1100.4 1101.4 1107.9 1116.9 1159.4 1164.4	3711
1N/05W-23H01 S	1496.4	7-23-57 10-10-57 11-21-57 1-21-58 3-13-58	119.7 123.0 112.4 104.3 100.0	1376.7 1373.4 1384.0 1392.1 1396.4	3200		1N/05W-25E02 S	1367.5	7-02-57 8-02-57 9-02-57 10-02-57 11-02-57 12-02-57 3-02-58 4-02-58 5-02-58 6-02-58	365.1* 301.5 300.4 294.4 282.9 283.5 275.2 256.6 301.5* 250.1	1002.4 1066.0 1067.1 1073.1 1084.6 1084.0 1092.3 1110.9 1066.0 1117.4	3700
1N/05W-23K01 S	1455.9 1454.2	7-02-57 8-06-57 8-29-57 10-03-57 11-04-57 12-04-57 1-01-58 2-06-58 3-07-58 4-07-58 5-05-58 6-03-58	307.2* 317.3* 319.9* 324.5* 294.5* 320.8* 292.6* 288.7* 282.9* 274.8* 247.1* 236.7*	1148.7 1136.9 1134.3 1129.7 1159.7 1133.4 1161.6 1165.5 1171.3 1179.4 1207.1 1217.5	4706		1N/05W-26A01 S	1402.0	7-01-57 8-01-57 8-30-57 9-30-57 11-01-57 11-30-57 12-30-57 1-30-58 2-28-58 3-31-58 5-01-58 5-31-58	256.0* 269.0* 275.0* 240.0 248.0 235.0 234.0 233.5 230.5 229.0 201.0 191.0	1146.0 1133.0 1127.0 1162.0 1154.0 1167.0 1168.0 1168.5 1171.5 1173.0 1201.0 1211.0	3711
1N/05W-23P04 S	1470.0	7-01-57 8-01-57 8-30-57 9-30-57 11-01-57 11-30-57 12-30-57 1-30-58 2-28-58 3-31-58 5-01-58 5-31-58	326.0* 357.0* 370.0* 381.0* 297.0 247.0 232.0 241.0* 225.0 205.0 187.0 178.0	1144.0 1113.0 1100.0 1089.0 1173.0 1223.0 1238.0 1229.0 1245.0 1265.0 1283.0 1292.0	3711		1N/05W-26A03 S	1398.0	7-01-57 8-01-57 8-30-57 9-30-57 11-01-57 11-30-57 12-30-57 1-30-58 2-28-58 3-30-58 5-01-58	265.0 278.0* 310.0* 319.0* 326.0* 322.0* 293.0* 268.0 264.5 257.5 221.0	1133.0 1120.0 1088.0 1079.0 1072.0 1076.0 1105.0 1130.0 1133.5 1140.5 1177.0	3711
1N/05W-25E01 S	1383.4	7-01-57 8-01-57	327.0* 334.0*	1056.4 1049.4	3711							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
LYTLE BASIN						DEVIL CANYON BASIN					
80207						80210					
1N/05W-26A03 S	1398.0	5-31-58	232.0*	1166.0	3711	1N/04W-07F01 S	1622.0	1-22-58	262.8*	1359.2	3200
1N/05W-36J03 S	1262.4	7-02-57	320.3	942.1	3700	CONT.		2-20-58	228.5	1393.5	
		8-02-57	310.1	952.3				3-28-58	214.0	1408.0	
		9-02-57	322.5*	939.9				4-17-58	178.5	1443.5	
		10-02-57	319.6*	942.8				5-07-58	159.0	1463.0	
		11-02-57	305.9	956.5				5-22-58	157.5	1464.5	
		12-02-57	306.4	956.0				6-18-58	185.8*	1436.2	
		3-02-58	299.1	963.3				6-18-58	167.0	1455.0	
		4-02-58	300.8	961.6		1N/04W-08M01 S	1531.2	10-08-57	233.8	1297.4	3200
		5-02-58	313.7*	948.7				11-26-57	234.2	1297.0	
		6-02-58	320.4*	942.0				1-17-58	234.8	1296.4	
								3-13-58	234.0	1297.2	
1N/05W-36R01 S	1248.2	7-19-57	301.0	947.2	3200			5-09-58	218.5	1312.7	
		8-22-57	300.0	948.2				10-08-57	242.6	1235.6	3200
		9-27-57	300.0	948.2		1N/04W-08P01 S	1478.2	11-26-57	243.0	1235.2	
		10-23-57	294.0	954.2				1-27-58	243.7	1234.5	
		11-20-57	292.0	956.2				3-13-58	243.0	1235.2	
		12-23-57	290.0	958.2				5-08-58	242.0	1236.2	
		1-21-58	287.0	961.2							
		2-20-58	285.0	963.2		1N/04W-14R08 S	1409.1	10-08-57	12.1	1397.0	3200
		3-28-58	281.0	967.2				11-26-57	10.2	1398.9	
		4-16-58	279.0	969.2				1-17-58	9.8	1399.3	
		4-30-58	275.0	969.2				3-12-58	8.7	1400.4	
	1248.5	4-30-58	278.8	969.4				5-08-58	15.5	1393.6	
		5-22-58	281.0	967.5							
LOWER CAJON BASIN											
80209						80210					
1N/05W-03H01 S	1879.0	10-10-57	167.0	1712.0	3200	1N/04W-16E01 S	1412.0	7-19-57	219.0	1193.0	3200
		3-12-58	159.0	1720.0				8-20-57	219.0	1193.0	
								9-24-57	230.2*	1181.8	
2S/08W-16A01 S	679.2	10-16-57	91.0	588.2	3100			9-25-57	222.5	1189.5	
2S/08W-16C01 S	684.0	10-16-57	83.4	600.6	3100			10-22-57	219.2	1192.8	
		4-28-58	52.7	631.3				11-19-57	219.5	1192.5	
								12-20-57	225.0	1187.0	
								1-14-58	224.0*	1188.0	
								3-27-58	218.6	1193.4	
								4-17-58	218.3	1193.7	
								4-30-58	218.7	1193.3	
								6-04-58	221.5*	1190.5	
								6-19-58	222.7*	1189.3	
1N/04W-07F01 S	1622.0	7-19-57	221.0	1401.0	3200	1N/04W-16E02 S	1404.8	7-19-57	214.4	1190.4	3200
		8-21-57	266.0*	1356.0				8-20-57	215.7*	1189.1	
		9-24-57	250.0*	1372.0				9-24-57	231.0*	1173.8	
		9-24-57	220.3	1401.7				9-25-57	217.8	1187.0	
		10-22-57	221.0	1401.0				10-22-57	215.0	1189.8	
		11-19-57	220.5	1401.5							
		12-20-57	259.4*	1362.6							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
DEVIL CANYON BASIN						BEAUMONT BASIN						
80210						80212						
1N/04W-16E02 S CONT.	1404.8	11-19-57 12-20-57 1-16-58 1-16-58 2-20-58 3-27-58 4-17-58 5-22-58 6-19-58	215.5 216.0* 229.0* 218.6* 217.0* 217.8 217.4 220.0* 228.2*	1189.3 1188.8 1175.8 1186.2 1187.8 1187.0 1187.4 1184.8 1176.6	3200	2S/01W-02J01 S CONT.	4300.0	8-26-57 9-17-57 10-03-57 10-10-57 10-17-57 11-04-57 11-18-57 12-03-57 12-16-57 1-02-58 1-21-58 2-01-58 2-17-58 3-02-58 3-15-58 4-01-58 4-14-58 5-02-58 5-19-58 6-02-58 6-16-58	124.1* 127.3* 32.2 45.3 30.2 42.1* 27.0 26.2 24.3 19.3 17.0 14.6 12.3 10.3 8.3 6.3 37.0* 38.1* 34.3* 29.3* 38.0*	4175.9 4172.7 4267.8 4254.7 4269.8 4257.9 4273.0 4273.8 4275.7 4280.7 4283.0 4285.4 4287.7 4289.7 4291.7 4293.7 4263.0 4261.9 4265.7 4270.7 4262.0	5401	
BEAUMONT BASIN						UPPER SANTA ANA VALLEY						
80212						80212						
3S/01E-06M01 S	2588.8	12-13-57 2-07-58 4-11-58 6-11-58	319.7 318.2 318.6 326.7*	2269.1 2270.6 2270.2 2262.1	5713	2S/01W-02K01 S	4235.0	7-03-57 7-17-57 7-31-57 8-26-57 9-17-57 10-03-57 10-10-57 10-17-57 11-04-57 11-18-57 12-03-57 12-16-57 1-02-58 1-21-58 2-01-58 2-17-58 3-02-58 3-15-58 4-01-58 4-14-58 5-02-58 5-19-58 6-02-58 6-16-58	54.7* 59.6* 68.0* 79.0* 63.6 55.2 62.0 60.1 60.1 59.5 59.3 57.7 53.3 49.8 44.3 27.3 20.5 21.4* 23.3* 26.1* 21.1* 37.0*	4180.3 4175.4 4167.0 4156.0 4171.4 4179.8 4173.0 4174.9 4174.9 4175.5 4175.7 4177.3 4181.7 4185.2 4190.7 4207.7 4214.5 4213.6 4211.7 4208.9 4213.9 4198.0	5401	
2S/01W-01E02 S	4350.0	7-03-57 7-17-57 7-31-57 8-26-57 9-17-57 10-03-57 10-10-57 10-17-57 11-04-57 11-18-57 12-03-57 12-16-57 1-02-58 1-21-58 2-01-58 2-17-58 3-02-58 3-15-58 4-01-58 4-14-58 5-02-58 5-16-58 6-01-58 6-16-58	135.6* 146.4* 160.0* 160.0* 172.1* 174.2* 177.5* 50.3 48.1* 44.6 39.8 36.2 30.0* 26.4* 25.7* 17.4* 14.8* 10.3* 3.5* 46.3* 50.2* 46.3* 17.6* 46.5* 75.3*	4214.4 4203.6 4190.0 4190.0 4177.9 4175.8 4172.5 4299.7 4301.9 4305.4 4310.2 4313.8 4320.0 4323.6 4324.3 4332.6 4335.2 4339.7 4346.5 4303.7 4299.8 4303.7 4332.4 4303.5 4274.7	5401	2S/01W-02K02 S	4080.0	7-03-57 7-17-57 7-31-57	137.1 97.2* 103.5*	3942.9 4202.8 4196.5	5401	
2S/01W-02J01 S	4300.0	7-03-57 7-17-57 7-31-57	90.1* 97.2* 103.5*	4209.9 4202.8 4196.5	5401	2S/01W-02K02 S	4080.0	7-03-57	137.1	3942.9	5401	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BEAUMONT BASIN						80200	UPPER SANTA ANA VALLEY					
						80212	BEAUMONT BASIN					
2S/01W-02K02 S	4080.0	7-17-57	260.6*	3819.4	5401	25/01W-02P01 S	4160.0	6-16-58	26.6*	80200	4133.4	5401
CONT.		7-31-57	168.2	3911.8		2S/01W-10J01 S	3660.3	7-03-57	178.3*		3482.0	5401
		8-26-57	424.5*	3655.5				7-17-57	176.1*		3484.2	
		9-16-57	422.3*	3657.7				8-08-57	167.7		3492.6	
		10-03-57	351.7	3728.3				8-26-57	176.1		3484.2	
		10-17-57	472.7*	3607.3				9-16-57	188.3*		3472.0	
		11-04-57	296.3	3783.7				10-03-57	197.4*		3462.9	
		11-18-57	248.6	3831.4				10-17-57	202.1*		3458.2	
		12-03-57	205.5	3874.5				11-04-57	172.1		3488.2	
		12-16-57	203.7	3876.3				11-18-57	165.2		3495.1	
		1-02-58	159.5	3920.5				12-03-57	162.8		3497.5	
		1-21-58	145.5	3934.5				12-16-57	158.2		3502.1	
		2-01-58	138.7	3941.3				1-02-58	153.5		3506.8	
		2-17-58	133.1	3946.9				1-20-58	149.0		3511.3	
		3-02-58	126.6	3953.4				2-01-58	142.1		3518.2	
		3-15-58	120.5	3959.5				2-17-58	143.7		3516.6	
		4-01-58	108.0	3972.0				3-01-58	140.0		3520.3	
		4-14-58	90.4	3989.6				3-15-58	138.0		3522.3	
		5-02-58	80.2	3999.8				4-01-58	135.0		3525.3	
		5-15-58	76.3	4003.7				4-15-58	132.0		3528.3	
		6-01-58	74.0	4006.0				5-02-58	137.1*		3523.2	
		6-16-58	73.3	4006.7				5-15-58	127.0		3533.3	
2S/01W-02P01 S	4160.0	7-03-57	49.2*	4110.8	5401	2S/01W-22H01 S	3160.0	7-03-57	227.0*		2933.0	5401
		7-17-57	54.1*	4105.9				7-17-57	226.1		2933.9	
		7-31-57	59.5*	4100.5				8-02-57	218.0*		2942.0	
		8-26-57	61.2	4098.8				8-08-57	212.3*		2947.7	
		9-16-57	63.8	4096.2				8-26-57	227.0*		2933.0	
		10-03-57	51.3	4108.7				9-16-57	210.0*		2950.0	
		10-10-57	51.6	4108.4				10-03-57	197.0*		2963.0	
		10-17-57	50.2	4109.8				10-17-57	99.2		3060.8	
		11-04-57	44.1	4115.9				11-04-57	105.5*		3054.5	
		11-18-57	41.4	4118.6				11-18-57	102.7		3057.3	
		12-03-57	37.4	4122.6				12-02-57	105.6		3054.4	
		12-16-57	37.4	4122.6				12-16-57	104.7		3055.3	
		1-02-58	31.4	4128.6				1-02-58	103.2		3056.8	
		1-21-58	27.3	4132.7				1-20-58	196.1*		2963.9	
		2-01-58	24.6	4135.4				2-01-58	182.2*		2977.8	
		2-17-58	19.5	4140.5				2-17-58	189.3*		2970.7	
		3-02-58	17.3	4142.7				3-01-58	105.0		3055.0	
		3-15-58	13.4	4146.6				3-15-58	95.0		3065.0	
		4-01-58	12.2	4147.8				4-01-58	80.0		3080.0	
		4-14-58	12.8	4147.2				4-15-58	88.0		3072.0	
		5-02-58	13.4	4146.6								
		5-16-58	16.1	4143.9								
		6-01-58	16.5	4143.5								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
BEAUMONT BASIN						UPPER SANTA ANA VALLEY						
BEAUMONT BASIN						BEAUMONT BASIN						
2S/01W-22H01 S CONT.	3160.0	5-02-58 5-15-58 6-01-58 6-16-58	187.5* 127.5 179.5* 190.3*	2972.5 3032.5 2980.5 2969.7	5401	2S/01W-23D01 S CONT.	3200.0	7-17-57 8-26-57 9-16-57 10-03-57 10-17-57 11-04-57 11-18-57 12-03-57 12-16-57 1-02-58 1-20-58 2-01-58 2-19-58 3-01-58 3-15-58 4-01-58 4-15-58 5-02-58 5-15-58 6-01-58 6-16-58	191.3 201.2* 172.8 166.0 160.2 157.7 157.4 157.3 157.3 156.8 164.3* 158.0 156.2 147.6 145.0 134.8 133.4 160.0* 154.6* 160.1* 162.3*	3008.7 2998.8 3027.2 3034.0 3039.8 3042.3 3042.6 3042.7 3042.7 3043.2 3035.7 3042.0 3043.8 3052.4 3055.0 3065.2 3066.6 3040.0 3045.4 3039.9 3037.7	5401	
2S/01W-22H02 S	3120.0	7-03-57 7-17-57 8-02-57 8-12-57 8-26-57 9-16-57 10-03-57 10-17-57 11-04-57 11-18-57 12-03-57 12-16-57 1-02-58 1-20-58 2-01-58 2-19-58 3-01-58 3-15-58 4-01-58 4-15-58 5-02-58 5-15-58 6-01-58 6-16-58	157.6 315.2* 149.7 212.3* 235.8* 144.8 110.2 99.2 105.5 102.7 105.6 104.7 103.2 127.6 104.5 110.3 105.0 95.0 80.0 88.0 272.6* 122.3 249.5* 229.7*	2962.4 2804.8 2970.3 2907.7 2884.2 2975.2 3009.8 3020.8 3014.5 3017.3 3014.4 3015.3 3016.8 2992.4 3015.5 3009.7 3015.0 3025.0 3040.0 3032.0 2847.4 2997.7 2870.5 2890.3	5401	2S/01W-34M01 S	2657.8	8-01-57 10-02-57 12-13-57 2-07-58 4-11-58 6-11-58	359.0 359.9 359.8 359.2 359.8 360.8	2298.8 2297.9 2298.0 2298.6 2298.0 2297.0	5713	
2S/01W-22M01 S	2955.0	7-05-57 8-05-57 9-10-57 10-29-57 12-10-57 1-10-58 2-18-58 3-12-58 4-29-58 6-06-58 6-30-58	128.8 124.8 125.3 124.8 124.0 123.8 122.8 122.6 122.1 122.4 123.7	2826.2 2830.2 2829.7 2830.2 2831.0 2831.2 2832.2 2832.4 2832.9 2832.6 2831.3	4103	2S/01W-34Q01 S	2672.0	7-03-57 7-08-57 7-20-57 8-01-57 8-02-57 8-27-57 9-16-57 10-01-57 10-02-57 10-17-57 11-04-57 11-18-57 12-16-57 1-06-58 2-21-58 3-01-58 3-15-58	395.5* 402.4 396.7 406.7* 402.6* 407.2* 406.1* 406.8* 390.1 406.6* 378.3 377.1 376.5 406.5* 380.0 380.0 380.0	2276.5 2269.6 2275.3 2265.3 2269.4 2264.8 2265.9 2265.2 2281.9 2265.4 2293.7 2294.9 2295.5 2265.5 2292.0 2292.0 2292.0	5401	
2S/01W-22M02 S	2942.9	10-29-57 4-29-58	120.8 117.2	2822.1 2825.7	4103	2S/01W-23D01 S	3200.0	7-03-57	179.7	3020.3	5401	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
BEAUMONT BASIN						BEAUMONT BASIN					
80200						80200					
80212						80212					
2S/01W-34Q01 S CONT.	2672.0	4-01-58	380.0	2292.0	5401	3S/01W-06F02 S	2350.0	4-29-58	93.3	2256.7	4103
		4-11-58	378.3	2293.7							
		5-05-58	402.5*	2269.5		3S/01W-07C01 S	2335.6	10-29-57	49.0	2286.6	4103
		5-15-58	405.5*	2266.5				4-29-58	46.7	2288.9	
		6-16-58	407.4*	2264.6		3S/01W-09Q01 S	2555.0	7-05-57	73.8	2481.2	4103
2S/02W-25B01 S	2299.1	10-29-57	64.9	2234.2	4103			8-05-57	74.0	2481.0	
		4-29-58	62.6	2236.5				9-10-57	77.9	2477.1	
2S/02W-25D01 S	2248.5	10-29-57	70.4	2178.1	4103			10-29-57	74.3	2480.7	
		4-29-58	46.3	2202.2				12-10-57	73.0	2482.0	
3S/01W-03K01 S	2643.0	7-03-57	412.0*	2231.0	5401			1-10-58	71.7	2483.3	
		7-08-57	423.3*	2219.7				2-18-58	72.2	2482.8	
		7-20-57	425.6*	2217.4				3-12-58	72.1	2482.9	
		8-02-57	425.6*	2217.4				4-29-58	71.6	2483.4	
		8-26-57	423.3*	2219.7				6-06-58	80.9	2474.1	
		9-16-57	411.8*	2231.2				6-30-58	74.8	2480.2	
		10-03-57	421.1*	2221.9		3S/01W-10R01 S	2584.5	10-29-57	25.6	2558.9	4103
		10-17-57	387.2	2255.8				4-30-58	24.2	2560.3	
		11-04-57	369.3	2273.7		3S/01W-12A01 S	2552.9	8-01-57	300.3	2252.6	5713
		11-18-57	402.5*	2240.5				10-02-57	300.2	2252.7	
		12-02-57	372.5*	2270.5				12-13-57	299.0	2253.9	
	2642.8	12-13-57	366.8	2276.0	5713			2-07-58	299.7	2253.2	
	2643.0	12-16-57	366.7	2276.3	5401			4-11-58	296.8*	2256.1	
		1-02-58	368.6	2274.4				6-11-58	302.7*	2250.2	
		1-20-58	368.6	2274.4		3S/01W-12C01 S	2570.6	8-01-57	287.7	2282.9	5713
		2-01-58	358.0	2285.0				10-02-57	288.0	2282.6	
		2-07-58	364.2	2278.8				12-13-57	288.7	2281.9	
	2642.8	2-07-58	364.2	2278.6	5713			2-07-58	289.2	2281.4	
	2643.0	2-17-58	370.3*	2272.7	5401			4-11-58	289.5	2281.1	
		3-01-58	364.0	2279.0				6-11-58	290.0	2280.6	
		3-15-58	381.0	2262.0							
		4-01-58	385.0	2258.0		3S/01W-12N01 S	2544.5	8-01-57	258.0*	2286.5	5713
		4-11-58	356.6	2286.4				10-02-57	260.9*	2283.6	
	2642.8	4-11-58	356.7	2286.1	5713			12-13-57	259.2	2285.3	
	2643.0	5-05-58	402.5*	2240.5	5401			2-08-58	258.9	2285.6	
		5-15-58	372.0*	2271.0				4-11-58	259.4	2285.1	
		6-01-58	370.5	2272.5				6-11-58	259.9	2284.6	
		6-16-58	379.0*	2264.0							
80200						80200					
80212						80212					
3S/01W-04Q02 S	2572.5	2-07-58	292.5	2280.0	5713	SAN TIMOTEO BASIN					
		4-11-58	292.0	2280.5							
		6-11-58	298.9	2273.6		1S/02W-29N01 S	1898.4	7-23-57	389.0*	1509.4	3400
3S/01W-06F02 S	2350.0	10-23-57	92.9	2257.1	4103			9-27-57	401.0*	1497.4	
								5-07-58	299.0	1599.4	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
SAN TIMOTEO BASIN						UPPER SANTA ANA VALLEY					
80213						80213					
1S/02W-29N01 S	1898.4	6-12-58	302.6	1595.8	3400	1S/03W-35G08 S	1565.8	9-05-57	221.0	1344.8	5203
1S/02W-29P01 S	1902.2	11-08-57	161.6	1740.6	3400	CONT.		10-05-57	221.0	1344.8	
		12-04-57	146.0	1756.2				11-03-57	176.0	1389.8	
		5-07-58	128.8	1773.4				12-02-57	190.0	1375.8	
		6-12-58	130.1	1772.1				1-03-58	161.0	1404.8	
1S/02W-30B03 S	1710.5	7-23-57	231.9*	1478.6	3400			2-01-58	152.0	1413.8	
		8-28-57	232.4*	1478.1				3-17-58	143.0	1422.8	
		10-31-57	155.1	1555.4				3-28-58	142.0	1423.8	
		11-08-57	152.5	1558.0				5-02-58	147.0	1418.8	
		11-22-57	149.1	1561.4				6-02-58	153.0	1412.8	
		11-27-57	148.5	1562.0		1S/03W-35G09 S	1577.2	7-06-57	239.0*	1338.2	5203
		12-04-57	221.2*	1489.3				7-07-57	215.0	1362.2	
		12-11-57	147.5	1563.0				8-07-57	249.0*	1328.2	
		12-20-57	146.6	1563.9				9-03-57	256.0*	1321.2	
		12-27-57	145.5	1565.0				10-04-57	258.0*	1319.2	
		1-09-58	143.8	1566.7				11-03-57	203.0	1374.2	
		2-10-58	143.0	1567.5				12-03-57	201.0	1376.2	
		3-07-58	137.0	1573.5				1-03-58	189.0	1388.2	
		4-09-58	133.0	1577.5				2-03-58	183.0	1394.2	
		4-17-58	133.0	1577.5				3-01-58	175.0	1402.2	
		4-24-58	131.2	1579.3				4-03-58	170.0	1407.2	
		5-01-58	132.5	1578.0				5-03-58	175.0	1402.2	
		5-07-58	130.5	1580.0				6-02-58	175.0	1402.2	
		6-02-58	127.8	1582.7		1S/03W-35G11 S	1560.0	7-07-57	221.0*	1339.0	5203
1S/02W-31B01 S	1881.0	7-23-57	379.7*	1501.3	3400			8-03-57	236.0*	1324.0	
		9-27-57	342.4	1538.6				9-05-57	247.0*	1313.0	
		11-08-57	355.6	1525.4				11-02-57	169.0	1391.0	
		12-11-57	337.1	1543.9				12-10-57	170.0	1390.0	
		1-09-58	230.8*	1650.2				1-03-58	149.0	1411.0	
		5-07-58	296.3	1584.7				2-03-58	143.0	1417.0	
		6-12-58	297.1	1583.9				3-01-58	138.0	1422.0	
1S/03W-24R01 S	1585.1	8-28-57	362.6*	1222.5	3400			4-03-58	132.0	1428.0	
		12-05-57	341.7	1243.4				5-03-58	134.0	1426.0	
		1-08-58	339.5	1245.6		1S/03W-35H04 S	1585.3	6-02-58	136.0	1424.0	
		2-10-58	337.3	1247.8				7-06-57	212.0*	1373.3	5203
		3-10-58	333.8	1251.3				7-12-57	203.0	1382.3	
		4-10-58	334.3	1250.8				8-06-57	236.0*	1349.3	
		5-07-58	330.7	1254.4				9-03-57	244.0*	1341.3	
		6-12-58	328.6	1256.5				10-04-57	247.0*	1338.3	
								11-03-57	196.0	1389.3	
								12-03-57	194.0	1391.3	
1S/03W-35G08 S	1565.8	7-21-57	203.0*	1362.8	5203			1-03-58	182.0	1403.3	
		8-06-57	216.0	1349.8				2-03-58	177.0	1408.3	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
SAN TIMOTEO BASIN						SAN TIMOTEO BASIN					
1S/03W-35H04 S CONT.	1585.3	3-01-58	80213	1414.3	5203	2S/03W-10F01 S	1478.2	7-24-57	80213	1347.5	3400
		4-03-58		1419.3				8-28-57		130.7	
		5-03-58		169.0				10-02-57		163.5*	
		6-01-58		1414.3				11-08-57		131.1	
				171.0				12-03-57		131.3	
								1-06-58		130.3	
1S/03W-35L02 S	1614.9	7-24-57	3400	1409.5				1-06-58		1347.9	
		8-28-57		1402.1				2-11-58		128.9	
		10-01-57		216.9				3-08-58		128.6	
		11-06-57		211.5				4-10-58		128.1	
		1-06-58		205.5				4-24-58		127.9	
		2-07-58		203.0				5-07-58		127.6	
3-07-58	199.1	4-14-58	3400	1411.9				6-12-58		1350.6	
		4-14-58		196.0						1350.0	
		5-07-58		194.5							
		6-12-58		193.2							
1S/04W-36J01 S	1310.5	7-24-57	3400	1035.5		2S/03W-10F02 S	1438.6	7-24-57		1338.2	3400
		10-29-57		2191.6				8-28-57		100.4	
2S/02W-15R01 S	2287.1	4-29-58	4103	2191.8				10-02-57		1336.6	
				95.5				11-06-57		101.3	
2S/02W-20K01 S	1878.3	10-23-57	4103	1842.2				12-03-57		1337.9	
		4-29-58		34.2				1-06-58		100.7	
2S/03W-01D01 S	1792.5	11-13-57	3400	1594.2		2S/03W-23H01 S	2387.1	2-11-58	80214	1339.2	4103
		12-06-57		213.4				3-08-58		99.0	
		1-06-58		189.5				4-10-58		98.6	
		2-07-58		186.0				5-07-58		98.1	
		3-07-58		181.8				6-12-58		99.3	
		6-12-58		169.8							
2S/03W-04E01 S	1291.0	1-06-58	3400	1170.3		1S/03W-32G03 S	1240.6	7-24-57		1070.6	3400
		2-11-58		107.8				10-02-57		170.0*	
		3-08-58		106.2				11-06-57		171.2*	
		4-10-58		103.9				12-03-57		155.0	
		4-24-58		102.2						171.1*	
		5-07-58		131.9*				1-10-58		150.6	
2S/03W-10B01 S	1491.8	7-24-57	3400	1417.5		RIVERSIDE BASIN		2-11-58		1095.6	
		8-28-57		74.3				3-08-58		145.0	
		10-01-57		74.7				4-10-58		140.9	
		11-06-57		74.7				5-07-58		136.1	
		12-03-57		74.8				6-12-58		243.1*	
		1-06-58		74.8						242.7*	
2S/03W-10B01 S	1491.8	7-24-57	3400	1417.5		RIVERSIDE BASIN		8-28-57		997.5	
		8-28-57		74.3				10-01-57		997.9	
		10-01-57		74.7							
		11-06-57		74.7							
		12-03-57		74.8							
		1-06-58		74.8							
2S/03W-10B01 S	1491.8	7-24-57	3400	1417.0		1S/04W-29Q01 S	924.4	7-05-57		815.3	5720
		8-28-57		74.8				7-12-57		109.1*	
		10-01-57		74.8				7-12-57		111.1*	
		11-06-57		74.8				7-19-57		115.5*	
		12-03-57		74.8				7-26-57		11.8*	
		1-06-58		74.8							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
RIVERSIDE BASIN						RIVERSIDE BASIN					
15/04W-29001 S	924.4	8-02-57	117.1*	807.3	5720	15/04W-29003 S	924.4	7-12-57	110.4*	814.0	5720
CONT.		8-09-57	118.0*	806.4		CONT.		7-19-57	112.3*	812.1	
		8-16-57	117.5*	806.9				7-26-57	112.9*	811.5	
		8-23-57	118.0*	806.4				8-02-57	112.1*	812.3	
		8-30-57	118.2*	806.2				8-09-57	112.8*	811.6	
		9-06-57	119.0*	805.4				8-16-57	110.8*	813.6	
		9-13-57	119.9*	804.5				8-23-57	111.0*	813.4	
		9-20-57	119.9*	804.5				8-30-57	111.3*	813.1	
		9-27-57	120.6*	803.8				9-06-57	111.2*	813.2	
		10-11-57	88.9	835.5				9-13-57	112.0*	812.4	
		10-18-57	116.2*	808.2				9-20-57	111.5*	812.9	
		10-25-57	85.0	839.4				9-27-57	112.6*	811.8	
		11-01-57	82.1	842.3				10-11-57	114.0*	810.4	
		11-08-57	79.4	845.0				10-18-57	112.9*	811.5	
		11-15-57	76.7	847.7				10-25-57	86.1	838.3	
		11-22-57	78.1	846.3				11-01-57	83.0	841.4	
		12-06-57	76.2	848.2				11-08-57	80.3	844.1	
		12-20-57	72.8	851.6				11-15-57	78.6	845.8	
		12-27-57	70.8	853.6				11-22-57	105.8*	818.6	
		1-03-58	69.8	854.6				12-06-57	77.2	847.2	
		1-10-58	69.3	855.1				12-20-57	72.5	851.9	
		1-17-58	69.1	855.3				12-27-57	71.8	852.6	
		1-24-58	73.1	851.3				1-03-58	71.1	853.3	
		1-31-58	69.4	855.0				1-10-58	70.8	853.6	
		2-07-58	65.7	858.7				1-17-58	70.4	854.0	
		2-14-58	65.1	859.3				1-24-58	104.0*	820.4	
		2-21-58	64.4	860.0				1-31-58	70.6	853.8	
		2-28-58	63.1	861.3				2-07-58	66.4	858.0	
		3-07-58	62.3	862.1				2-14-58	66.3	858.1	
		3-14-58	61.2	863.2				2-21-58	66.3	858.1	
		3-21-58	57.7	866.7				2-28-58	64.0	860.4	
		3-28-58	53.4	871.0				3-07-58	63.0	861.4	
		4-04-58	49.3	875.1				3-14-58	61.9	862.5	
		4-11-58	45.2	879.2				3-21-58	57.9	866.5	
		4-19-58	46.9	877.5				3-28-58	53.3	871.1	
		4-26-58	81.6*	842.8				4-04-58	49.0	875.4	
		5-02-58	50.3	874.1				4-11-58	44.3	880.1	
		5-09-58	52.2	872.2				4-19-58	47.7	876.7	
		5-16-58	52.7	871.7				4-26-58	86.4*	838.0	
		5-23-58	54.2	870.2				5-01-58	51.2	873.2	
		5-30-58	86.5*	837.9				5-09-58	86.6*	837.8	
		6-06-58	90.8*	833.6				5-16-58	53.6	870.8	
		6-13-58	93.6*	830.8				5-23-58	55.5	868.9	
		6-20-58	100.2*	824.2				5-30-58	90.2*	834.2	
		6-27-58	101.3*	823.1				6-06-58	63.0	861.4	
15/04W-29003 S	924.4	7-05-57	106.5*	817.9	5720			6-13-58	63.1	861.3	

## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
RIVERSIDE BASIN						RIVERSIDE BASIN						
80200						80200						
1S/04W-29Q03 S	924.4	6-20-58	99.6*	824.8	5720	1S/04W-29R01 S	923.3	5-23-58	56.1	867.2	5720	
CONT.		6-27-58	100.5*	823.9		CONT.		5-30-58	59.5	863.8		
1S/04W-29R01 S	923.3	7-05-57	121.0*	802.3	5720			6-06-58	94.3*	829.0		
		7-12-57	112.6*	810.7				6-13-58	93.1*	830.2		
		7-19-57	113.1*	810.2				6-20-58	99.6*	823.7		
		7-26-57	113.4*	809.9				6-27-58	70.7	852.6		
		8-02-57	112.2*	811.1		1S/04W-30J03 S	921.2	7-12-57	59.8	861.4	5713	
		8-09-57	113.0*	810.3				8-14-57	63.7	857.5		
		8-16-57	113.0*	810.3				9-12-57	66.9	854.3		
		8-23-57	111.3*	812.0				10-18-57	68.5	852.7		
		8-30-57	111.9*	811.4				11-15-57	67.0	854.2		
		9-06-57	111.7*	811.6				12-14-57	65.5	855.7		
		9-13-57	112.7*	810.6				1-11-58	62.6	858.6		
		9-20-57	85.9	837.4				2-08-58	60.6	860.6		
		9-27-57	111.2*	812.1				3-08-58	58.0	863.2		
		10-11-57	111.4*	811.9				4-19-58	48.2	873.0		
		10-18-57	88.3	835.0				5-10-58	46.8	874.4		
		10-25-57	88.6	834.7				6-14-58	49.6	871.6		
		11-01-57	83.9	839.4								
		11-08-57	81.6	841.7		1S/04W-31J01 S	935.5	7-02-57	99.3	836.2	3718	
		11-15-57	79.0	844.3				8-01-57	103.5	832.0		
		11-22-57	105.4*	817.9				9-03-57	108.5	827.0		
		12-06-57	79.8	843.5				10-04-57	110.0	825.5		
		12-20-57	74.6	848.7				11-07-57	105.5	830.0		
		12-27-57	72.6	850.7				12-06-57	103.8	831.7		
		1-03-58	73.0	850.3				1-04-58	98.7	836.8		
		1-10-58	71.6	851.7				2-05-58	96.4	839.1		
		1-17-58	71.7	851.6				4-08-58	85.1	850.4		
		1-24-58	110.0*	813.3				5-06-58	82.0	853.5		
		1-31-58	71.6	851.7				6-05-58	86.7	848.8		
		2-07-58	66.5	856.8								
		2-14-58	67.2	856.1		1S/04W-32E04 S	903.0**	6-14-58	46.8	856.2	5713	
		2-21-58	66.2	857.1								
		2-28-58	64.6	858.7		1S/04W-32E07 S	905.6	7-02-57	70.6	835.0	3718	
		3-07-58	64.4	858.9				8-01-57	70.9	834.7		
		3-14-58	62.0	861.3				9-03-57	79.7	825.9		
		3-21-58	58.4	864.9				10-04-57	81.0	824.6		
		3-28-58	53.6	869.7				11-07-57	72.4	833.2		
		4-04-58	49.1	874.2				12-06-57	69.0	836.6		
		4-11-58	45.5	877.8				1-04-58	62.6	843.0		
		4-19-58	48.3	875.0				2-05-58	60.2	845.4		
		4-26-58	52.7	870.6				3-07-58	55.2	850.4		
		5-02-58	51.8	871.5				4-08-58	42.6	863.0		
		5-09-58	55.1	868.2				5-06-58	46.4*	859.2		
		5-16-58	54.0	869.3				6-05-58	78.0*	827.6		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	UPPER SANTA ANA VALLEY					Water Surface Elev., in feet	Agency Supplying Data
						RIVERSIDE BASIN						
1S/04W-32Q02 S	1012.4	7-02-57 8-01-57 9-03-57 10-04-57 11-07-57 12-06-57 1-04-58 2-05-58 3-07-58 4-08-58 5-06-58 6-05-58	178.4 181.5 185.1 186.4 183.1 182.0 179.0 176.2 172.2 168.0 165.6 168.0	834.0 830.9 827.3 826.0 829.3 830.4 833.4 836.2 840.2 844.4 846.8 844.4	3718	1S/05W-34F01 S	965.4	10-14-57 4-18-58	139.2 134.8	826.2 830.6	3100	
						1S/05W-34L01 S	960.4	10-14-57 4-18-58	135.1 134.1	825.3 826.3	3100	
						1S/05W-35A01 S	970.6	10-14-57 4-18-58	140.7 140.6	829.9 830.0	3100	
						1S/05W-35B01 S	967.6	10-14-57	137.7	829.9	3100	
						1S/05W-35D01 S	968.5	10-14-57	138.4	830.1	3100	
1S/05W-23N01 S	1037.6	7-02-57 8-02-57 9-02-57 10-02-57 11-02-57 12-02-57 3-02-58 4-02-58 5-02-58 6-02-58	216.6 215.1* 210.1 216.4 219.8* 202.3 199.2 198.1 215.5* 216.8*	821.0 822.5 827.5 821.2 817.8 835.3 838.4 839.5 822.1 820.8	3700	1S/05W-35R01 S	887.5	10-17-57 4-16-58	63.3 70.3	824.2 817.2	3100	
						1S/05W-36B03 S	877.6	10-17-57 4-16-58	36.9 26.0	840.7 851.6	3100	
						1S/05W-36C04 S	870.1	10-17-57	34.3	835.8	3100	
						2S/03W-18D01 S	1662.0	10-23-57 4-29-58	58.8 51.7	1603.2 1610.3	4103	
1S/05W-23Q01 S	1022.0	10-14-57 4-17-58	176.3 173.4	845.7 848.6	3100	2S/03W-20D01 S	2000.0	10-23-57	66.2	1933.8	4103	
1S/05W-24R01 S	1040.0	10-14-57 4-17-58	184.5 180.6	855.5 859.4	3100	2S/04W-05A01 S	1026.1	7-02-57 8-01-57 9-03-57 10-04-57 11-07-57 12-06-57 1-04-58 2-05-58 3-07-58 4-08-58 5-06-58 6-05-58	189.8 192.0 194.1 195.7* 194.9 194.0 192.0 190.7 188.0 185.0 182.9 183.5	836.3 834.1 832.0 830.4 831.2 832.1 834.1 835.4 838.1 841.1 843.2 842.6	3718	
1S/05W-25B02 S	998.7	10-14-57 4-18-58	150.3 139.4	848.4 859.3	3100							
1S/05W-25M01 S	955.0	4-16-58	112.8	842.2	3100							
1S/05W-25P01 S	901.7	10-17-57 4-16-58	63.9 56.1	837.8 845.6	3100							
1S/05W-26R01 S	975.0	10-14-57 4-15-58	138.6 132.5	836.4 842.5	3100	2S/04W-05C01 S	976.4	7-06-57 7-14-57 7-20-57 7-27-57 8-03-57 8-10-57 8-17-57	166.8* 169.4* 170.4* 171.4* 173.2* 176.3* 179.4*	809.6 807.0 806.0 805.0 803.2 800.1 797.0	3707	
1S/05W-34B01 S	997.8	10-14-57 4-18-58	168.7 168.0	829.1 829.8	3100							
1S/05W-34D01 S	998.2	10-14-57 4-18-58	170.5 173.4*	827.7 824.8	3100							



State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						RIVERSIDE BASIN						
80200						80215						
2S/04W-05C01 S	976.4	8-24-57	180.4*	796.0	3707	2S/04W-05F01 S	983.5	9-03-57	155.0	80200	828.5	3718
CONT.		8-31-57	182.9*	793.5		CONT.		10-04-57	157.0*		826.5	
		9-07-57	185.0*	791.4				11-07-57	154.4		829.1	
		9-14-57	187.3*	789.1				12-06-57	154.0		829.5	
		9-23-57	149.5	826.9				1-04-58	151.2*		832.3	
		9-28-57	179.6*	796.8				2-05-58	148.4		835.1	
		10-05-57	180.3*	796.1				3-07-58	146.5		837.0	
		10-12-57	182.4*	794.0				4-08-58	143.0		840.5	
		10-18-57	149.6	826.8				5-06-58	142.2		841.3	
		10-26-57	148.9	827.5				6-05-58	143.1*		840.4	
		11-02-57	148.0	828.4		2S/04W-05P01 S	992.7	7-02-57	162.7*		830.0	3718
		11-09-57	147.4	829.0				8-01-57	165.2*		827.5	
		11-16-57	146.8	829.6				9-03-57	162.7		830.0	
		11-23-57	171.7*	804.7				10-04-57	163.9		828.8	
		11-29-57	147.0	829.4				11-07-57	163.4		829.3	
		12-07-57	146.6	829.8				12-06-57	162.7		830.0	
		12-14-57	145.3	831.1				1-04-58	161.1		831.6	
		12-21-57	145.1	831.3				2-05-58	160.1		832.6	
		1-04-58	143.2	833.2				3-07-58	157.9		834.8	
		1-12-58	142.5	833.9				4-08-58	155.4		837.3	
		1-19-58	165.4*	811.0				5-06-58	153.9		838.8	
		1-25-58	166.0*	810.4				6-05-58	154.2		838.5	
		2-07-58	141.3	835.1		2S/04W-06A01 S	952.9	8-01-57	123.9		829.0	3718
		2-15-58	140.6	835.8				11-07-57	126.5		826.4	
		2-22-58	139.6	836.8				12-06-57	123.5		829.4	
		3-01-58	138.8	837.6				1-04-58	118.4		834.5	
		3-07-58	138.2	838.2				2-05-58	116.6		836.3	
		3-15-58	137.7	838.7				3-07-58	112.3		840.6	
		3-22-58	136.9	839.5				4-08-58	107.7		845.2	
		3-29-58	135.9	840.5				5-06-58	105.0		847.9	
		4-05-58	134.9	841.5				6-05-58	108.0		844.9	
		4-13-58	133.9	842.5								
		4-20-58	132.9	843.5								
		4-27-58	132.2	844.2		2S/04W-06A03 S	950.2	10-19-57	128.0		822.2	5717
		5-04-58	150.4*	826.0				10-26-57	127.0		823.2	
		5-10-58	152.0*	824.4				11-02-57	127.0		823.2	
		5-17-58	141.1*	835.3				11-09-57	134.0		816.2	
		5-24-58	152.6*	823.8				11-16-57	134.0		816.2	
		5-31-58	134.4	842.0				12-07-57	121.0		829.2	
		6-07-58	153.5*	822.9				12-21-57	119.0		831.2	
		6-14-58	152.6*	823.8				12-28-57	110.0		840.2	
		6-21-58	154.3*	822.1				1-04-58	116.0		834.2	
		6-28-58	154.5*	821.9				1-11-58	115.0		835.2	
								2-08-58	114.0		836.2	
								2-15-58	113.0		837.2	
2S/04W-05F01 S	983.5	7-02-57	150.4*	833.1	3718							
		8-01-57	152.5*	831.0								

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
RIVERSIDE BASIN						UPPER SANTA ANA VALLEY						
80215						RIVERSIDE BASIN						
80200						80215						
2S/04W-06A03 S CONT.	950.2	2-22-58	112.0	838.2	5717	2S/04W-06Q03 S CONT.	904.6	3-07-58	71.0	833.6	3718	
		3-01-58	111.0	839.2				4-08-58	68.5	836.1		
		3-08-58	110.0	840.2				5-06-58	67.6	837.0		
		3-15-58	110.0	840.2				6-05-58	68.0	836.6		
		3-22-58	109.0	841.2								
		3-29-58	108.0	842.2			2S/04W-06R04 S	948.8	7-02-57	112.0*	836.8	3718
		4-05-58	107.0	843.2					9-03-57	115.4*	833.4	
		4-12-58	105.0	845.2					10-04-57	116.8*	832.0	
		4-19-58	104.0	846.2					11-07-57	115.3	833.5	
		5-31-58	107.0	843.2					12-06-57	114.8	834.0	
2S/04W-06J01 S	946.6	6-14-58	108.0	842.2				1-04-58	113.0	835.8		
		7-02-57	116.0*	830.6	3718			2-05-58	112.0	836.8		
		8-01-57	118.0*	828.6				3-07-58	109.1	839.7		
		9-03-57	119.6*	827.0				4-08-58	111.0*	837.8		
		10-04-57	121.6*	825.0				5-06-58	110.2*	838.6		
		11-07-57	119.5*	827.1				6-05-58	106.0*	842.8		
		12-06-57	118.9*	827.7			2S/04W-06R05 S	946.9	7-02-57	116.3*	830.6	3718
		1-04-58	117.0*	829.6					8-01-57	118.6*	828.3	
		2-05-58	115.5*	831.1					9-03-57	121.1*	825.8	
		3-07-58	113.1*	833.5					10-04-57	120.9*	826.0	
2S/04W-06K02 S	920.9	4-08-58	110.2*	836.4				11-07-57	119.2	827.7		
		5-06-58	109.1*	837.5				12-06-57	118.6	828.3		
		6-05-58	109.8*	836.8				1-04-58	117.0	829.9		
		7-02-57	89.3	831.6	3718			2-05-58	116.0	830.9		
		8-01-57	91.0	829.9				3-07-58	113.1	833.8		
		9-03-57	93.2	827.7				4-08-58	110.5	836.4		
		10-04-57	94.7	826.2				5-06-58	109.8	837.1		
		11-07-57	93.9	827.0				6-05-58	110.2*	836.7		
		12-06-57	93.0	827.9			2S/04W-06R06 S	945.4	7-02-57	117.0*	828.4	3718
		1-04-58	91.1	829.8					8-01-57	120.2*	825.2	
2S/04W-06Q03 S	904.6	2-05-58	90.0	830.9				9-03-57	118.0*	827.4		
		3-07-58	87.2	833.7				10-04-57	119.1*	826.3		
		4-08-58	84.4	836.5				11-07-57	117.8	827.6		
		5-06-58	82.7	838.2				12-06-57	117.0	828.4		
		6-05-58	83.2	837.7				1-04-58	115.3	830.1		
		7-02-57	77.3	827.3	3718			2-05-58	114.3	831.1		
		8-01-57	75.0	829.6				3-07-58	111.8	833.6		
		9-03-57	77.3	827.3				4-08-58	109.0	836.4		
		10-04-57	78.2	826.4				5-06-58	108.4	837.0		
		11-07-57	77.2	827.4				6-05-58	109.0*	836.4		
2S/04W-06L01 S		12-06-57	76.2	828.4								
		1-04-58	74.7	829.9			2S/04W-07L01 S	883.1	7-05-57	80.5	802.6	5720
		2-05-58	73.7	830.9					7-11-57	124.0*	759.1	
									7-19-57	120.1*	763.0	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
80200						RIVERSIDE BASIN						
80215						UPPER SANTA ANA VALLEY						
2S/04W-07L01 S	883.1	7-26-57	122.0*	761.1	5720	2S/04W-07M01 S	883.5	7-31-57	80215	DRY	770.5	5720
CONT.		8-02-57	123.6*	759.5				9-04-57		DRY	766.4	
		8-09-57	125.0*	758.1				10-07-57		DRY	766.3	4103
		8-16-57	125.9*	757.2				12-03-57		DRY	764.6	
		8-23-57	126.0*	757.1				1-02-58		DRY	766.6	
		8-30-57	126.2*	756.9				2-10-58		DRY	762.2	
		9-06-57	125.9*	757.2				3-04-58		DRY	760.8	
		9-13-57	124.0*	759.1				4-09-58		DRY	761.3	5713
		9-20-57	123.2*	759.9				6-04-58		DRY	765.3	4103
		9-27-57	123.0*	760.1				6-14-58		DRY	784.4	
		10-11-57	81.3	801.8				6-26-58		DRY	799.7	
		10-18-57	80.2	802.9							801.0	
		10-25-57	79.0	804.1							801.8	
		11-01-57	78.2	804.9							802.5	
		11-08-57	77.2	805.9							803.3	
		11-15-57	76.8	806.3							803.7	
		11-22-57	76.6	806.5							804.0	
		12-06-57	76.2	806.9							804.3	
		12-20-57	75.4	807.7							804.6	
		12-27-57	75.1	808.0							804.7	
		1-03-58	74.8	808.3		2S/04W-07N01 S	874.3	7-05-57	103.8*		770.5	
		1-10-58	74.5	808.6				7-12-57	107.9*		766.4	
		1-17-58	74.3	808.8				7-19-57	108.0*		766.3	
		1-24-58	74.4	808.7				7-26-57	109.7*		764.6	
		1-31-58	73.7	809.4				8-02-57	107.7*		766.6	
		2-07-58	73.5	809.6				8-09-57	112.1*		762.2	
		2-14-58	73.4	809.7				8-16-57	113.5*		760.8	
		2-21-58	73.2	809.9				8-23-57	113.0*		761.3	
		2-28-58	72.8	810.3				8-30-57	109.0		765.3	
		3-07-58	72.7	810.4				9-06-57	89.9		784.4	
		3-14-58	73.8	809.3				9-13-57	78.2		796.1	
		3-21-58	74.0	809.1				9-20-57	77.4		796.9	
		3-28-58	72.3	810.8				9-27-57	77.6		796.7	
		4-04-58	72.0	811.1				10-11-57	74.6		799.7	
		4-11-58	71.5	811.6				10-18-57	73.3		801.0	
		4-19-58	71.2	811.9				10-25-57	72.5		801.8	
		4-26-58	71.1	812.0				11-01-57	71.8		802.5	
		5-02-58	70.9	812.2				11-08-57	71.0		803.3	
		5-09-58	71.2	811.9				11-16-57	70.6		803.7	
		5-16-58	70.8	812.3				11-22-57	70.3		804.0	
		5-23-58	70.8	812.3				12-06-57	70.0		804.3	
		5-30-58	70.3	812.8				12-20-57	69.7		804.6	
		6-06-58	70.7	812.4				12-27-57	69.6		804.7	
		6-13-58	70.9	812.2				1-03-58	68.7		805.6	
		6-20-58	107.6*	775.5				1-10-58	68.5		805.8	
		6-27-58	72.4	810.7				1-17-58	68.0		806.3	
								1-24-58	68.1		806.2	
								1-31-58	67.7		806.6	
								2-07-58	67.3		807.0	
								2-14-58	67.1		807.2	
								2-21-58	65.8		808.5	
								2-28-58	66.4		807.9	
								3-07-58	66.4		807.9	
								3-14-58	67.7		806.6	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
RIVERSIDE BASIN						UPPER SANTA ANA VALLEY						
80215						RIVERSIDE BASIN						
2S/04W-07N01 S	874.3	3-21-58	67.8	806.5	5720	2S/04W-19P01 S	998.0	6-04-58	180.3	80200	817.7	4103
CONT.		3-28-58	66.1	808.2								
		4-04-58	65.8	808.5		2S/04W-30B01 S	1016.0	10-07-57	183.1		832.9	4103
		4-11-58	65.0	809.3				4-09-58	180.2		835.8	
		4-19-58	65.0	809.3		2S/04W-33R01 S	1500.0	9-30-57	53.2		1446.8	4103
		4-26-58	64.9	809.4				4-17-58	52.4		1447.6	
		5-02-58	64.0	810.3								
		5-09-58	65.2	809.1		2S/05W-01J01 S	843.2	7-12-57	33.7		809.5	5713
		5-16-58	64.9	809.4				10-18-57	36.5		806.7	
		5-23-58	64.3	810.0				11-15-57	35.2		808.0	
		5-30-58	76.2*	798.1				12-14-57	34.9		808.3	
		6-06-58	65.4	808.9				1-11-58	33.7		809.5	
		6-13-58	67.4	806.9				2-08-58	31.7		811.5	
		6-20-58	78.6*	795.7				3-08-58	30.3		812.9	
		6-27-58	66.4	807.9				4-19-58	27.2		816.0	
2S/04W-07R01 S	964.4	10-07-57	138.0	826.4	4103	2S/05W-01J02 S	848.0**	5-10-58	22.2		825.8	5713
		4-09-58	133.5	830.9				6-14-58	23.2		824.8	
2S/04W-08E01 S	988.0	7-02-57	158.5	829.5	3718	2S/05W-01M01 S	862.6	4-19-58	20.7		841.9	5713
		8-01-57	161.9*	826.1								
		9-03-57	161.2	826.8		2S/05W-02L01 S	896.2	7-12-57	91.8		804.4	5713
		10-04-57	161.7	826.3				10-18-57	94.5		801.7	
		11-06-57	159.5	828.5				12-14-57	93.9		802.3	
		12-06-57	159.1	828.9				1-11-58	94.4		801.8	
		1-04-58	162.4*	825.6				2-08-58	93.1		803.1	
		2-05-58	157.2	830.8				3-08-58	90.2		806.0	
		3-07-58	155.4	832.6		2S/05W-02L03 S	902.0	9-12-57	99.7		802.3	5713
		4-08-58	153.5	834.5				10-18-57	99.3		802.7	
		5-06-58	152.2	835.8				11-15-57	99.2		802.8	
		6-05-58	156.6*	831.4				12-14-57	99.2		802.8	
2S/04W-12P02 S	1502.0	10-23-57	73.2	1428.8	4103			1-11-58	99.0		803.0	
2S/04W-18E01 S	907.7	10-07-57	102.7	805.0	4103			2-08-58	97.7		804.3	
		4-09-58	95.8	811.9				3-08-58	96.9		805.1	
2S/04W-19P01 S	998.0	7-01-57	181.9	816.1	4103	2S/05W-02R01 S	823.0	7-02-57	40.4*		782.6	5720
		7-31-57	181.0	817.0				7-07-57	40.8*		782.2	
		9-05-57	181.8	816.2				7-14-57	41.0*		782.0	
		10-07-57	185.4	812.6				7-22-57	41.9*		781.1	
		12-03-57	181.2	816.8				7-28-57	41.5*		781.5	
		1-02-58	185.3	812.7				8-04-57	41.2*		781.8	
		2-11-58	182.3	815.7				8-11-57	41.6*		781.4	
		3-04-58	181.7	816.3				8-18-57	41.7*		781.3	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
RIVERSIDE BASIN						RIVERSIDE BASIN					
2S/05W-02R01 S CONT.	823.0	8-25-57	43.1*	779.9	5720	2S/05W-02R03 S CONT.	826.8	7-19-57	36.1*	790.7	5720
		9-02-57	44.4*	778.6				7-26-57	35.5*	791.3	
		9-08-57	42.5*	780.5				8-04-57	36.2*	790.6	
		9-13-57	41.6*	781.4				8-11-57	36.5*	790.3	
		9-20-57	43.4*	779.6				8-18-57	36.6*	790.2	
		9-27-57	45.5*	777.5				9-02-57	36.9*	789.9	
		10-06-57	44.5*	778.5				9-08-57	37.3*	789.5	
		10-12-57	44.0*	779.0				9-13-57	37.6*	789.2	
		10-21-57	42.5*	780.5				9-20-57	37.2*	789.6	
		10-28-57	41.9*	781.1				9-27-57	37.8*	789.0	
		11-04-57	25.6	797.4				10-06-57	37.6*	789.2	
		11-10-57	25.1	797.9				10-12-57	36.9*	789.9	
		11-17-57	24.4	798.6				10-21-57	26.0	800.8	
		11-24-57	24.0	799.0				10-28-57	35.7*	791.1	
		11-30-57	23.6	799.4				11-04-57	24.2	802.6	
		12-08-57	41.0*	782.0				11-10-57	23.5	803.3	
		12-16-57	39.6*	783.4				11-17-57	23.0	803.8	
		12-29-57	22.7	800.3				11-24-57	23.2	803.6	
		1-05-58	22.5	800.5				11-30-57	26.7	800.1	
		1-12-58	22.4	799.6				12-08-57	34.4*	792.4	
		1-18-58	23.4	799.6				12-16-57	24.6	802.2	
		1-25-58	38.4*	784.6				12-29-57	21.3	805.5	
		2-02-58	22.2	800.8				1-05-58	21.2	805.6	
		2-09-58	20.0	803.0				1-12-58	21.0	805.8	
		2-16-58	20.3	802.7				1-18-58	19.7	807.1	
		2-23-58	19.7	803.3				1-25-58	33.5	793.3	
		3-02-58	19.6	803.4				2-02-58	21.7	805.1	
		3-16-58	17.2	805.8				2-09-58	18.5	808.3	
		3-28-58	16.8	806.2				2-23-58	18.0	808.8	
		4-04-58	13.4	809.6				3-02-58	18.2	808.6	
		4-11-58	12.5	810.5				3-16-58	15.9	810.9	
		4-19-58	14.5	808.5				3-28-58	15.4	811.4	
		4-26-58	34.0*	789.0				4-04-58	13.0	813.8	
		5-02-58	33.9*	789.1				4-11-58	12.0	814.8	
		5-10-58	33.6*	789.4				4-19-58	13.1	813.7	
		5-18-58	33.9*	788.5				4-26-58	27.3*	799.5	
		5-25-58	34.5*	788.5				5-02-58	29.4*	797.4	
		6-01-58	35.1*	787.9				5-09-58	29.4*	797.4	
		6-09-58	35.6*	787.4				5-18-58	29.4*	797.4	
		6-15-58	36.9*	786.1				5-25-58	29.8*	797.0	
		6-22-58	37.1*	785.9				6-01-58	30.2*	796.6	
		6-30-58	37.3*	785.7				6-08-58	30.7*	796.1	
								6-15-58	30.9*	795.9	
								6-22-58	31.1*	795.7	
2S/05W-02R03 S	826.8	7-02-57	35.1*	791.7	5720			10-14-57	110.4	820.5	3100
		7-07-57	35.3*	791.5							
		7-14-57	35.8*	791.0		2S/05W-03C01 S	930.9				

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY							
RIVERSIDE BASIN						RIVERSIDE BASIN							
2S/05W-08F01 S	919.0	10-22-57 4-16-58	80215 142.3 137.5	80200 776.7 781.5	4103	2S/05W-11A01 S CONT.	825.8	1-18-58 1-25-58 2-02-58 2-09-58 2-16-58 2-23-58 3-02-58 3-16-58 3-28-58 4-04-58 4-11-58 4-19-58 4-26-58 5-02-58 5-09-58 5-18-58 5-25-58 6-01-58 6-09-58 6-15-58 6-22-58 6-30-58	80215 20.5 33.2* 21.9 18.7 19.1 18.5 18.4 16.3 15.7 13.5 12.2 13.4 16.1 19.0 18.2 18.8 19.4 19.8 20.6 20.7 21.0 31.5*	805.3 792.6 803.9 807.1 806.7 807.3 807.4 809.5 810.1 812.3 813.6 812.4 809.7 806.8 807.6 807.0 806.4 806.0 805.2 805.1 804.8 794.3	5720		
2S/05W-10G01 S	851.0	7-12-57 8-14-57 9-12-57 10-17-57 10-18-57 11-15-57 12-14-57 1-11-58 2-08-58 3-08-58 4-16-58 4-19-58 5-10-58 6-14-58	61.7 63.2 63.2 62.8 63.6 62.4 62.8 62.8 61.8 58.8 57.3 57.8 58.2 59.3	789.3 787.8 787.8 788.2 787.4 788.6 788.2 788.2 789.2 792.2 793.7 793.2 792.8 791.7	5713   3100 5713			836.4	7-05-57 7-12-57 7-19-57 7-26-57 8-02-57 8-09-57 8-16-57 8-23-57 8-25-57 9-06-57 9-13-57 9-20-57 9-28-57 10-04-57 10-18-57 11-01-57 11-15-57 11-29-57 12-13-57 12-27-57 1-13-58 1-24-58 2-07-58	61.5* 63.0* 34.5 39.5 36.5 36.8 63.0* 39.8 37.5 38.5 37.3 33.3 38.0 31.8 31.0 805.4 805.9 807.9 805.9 781.1 809.4 808.4 810.1	5204		
2S/05W-11A01 S	825.8	7-02-57 7-07-57 7-14-57 7-21-57 7-28-57 8-04-57 8-11-57 8-18-57 8-25-57 9-02-57 9-08-57 9-12-57 9-19-57 9-26-57 10-06-57 10-12-57 10-21-57 10-28-57 11-04-57 11-10-57 11-17-57 11-24-57 11-30-57 12-08-57 12-16-57 12-29-57 1-05-58 1-12-58	34.3* 35.1* 35.7* 36.2* 36.1* 36.7* 37.0* 37.3* 37.8* 37.8* 38.1* 38.2* 38.2* 38.6* 38.6* 37.8* 26.2 26.5 18.8 23.8 23.3 23.0 22.8 25.2 23.7 21.4 21.0	791.5 790.7 790.1 789.6 789.7 789.1 788.8 788.5 788.0 787.7 787.6 787.6 787.2 787.2 788.0 799.6 799.3 807.0 802.0 802.5 802.8 803.0 800.6 802.1 804.4 804.8	5720	2S/05W-12A01 S							

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data					
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY										
RIVERSIDE BASIN						RIVERSIDE BASIN										
80200						80200										
2S/05W-12A01 S CONT.	836.4	2-21-58	25.8	810.6	5204	2S/05W-12B01 S CONT.	834.6	6-20-58	23.5	811.1	5204					
		3-14-58	58.3*	778.1				6-27-58	42.0*	792.6						
		4-10-58	57.3*	779.1												
		4-25-58	23.3	813.1												
		5-09-58	22.5	813.9												
		5-16-58	22.8	813.6												
		5-23-58	23.5	812.9												
		5-30-58	23.0	813.4												
		6-06-58	25.0	811.4												
		6-13-58	26.0	810.4												
		6-20-58	26.0	810.4												
		6-27-58	57.3*	779.1												
2S/05W-12B01 S	834.6	7-05-57	46.3*	788.3	5204	2S/05W-14G01 S	796.0	10-04-57	13.5	782.5	4103					
		7-12-57	44.5*	790.1				4-09-58	9.1	786.9						
		7-19-57	30.0	804.6												
		7-26-57	30.8	803.8												
		8-02-57	30.5	804.1												
		8-09-57	31.3	803.3												
		8-16-57	48.0*	786.6												
		8-23-57	33.5	801.1												
		8-30-57	31.8	802.8												
		9-06-57	33.5	801.1												
		9-13-57	32.5	802.1												
		9-20-57	29.3	805.3												
		9-28-57	32.8	801.8												
		10-04-57	28.5	806.1												
10-18-57	27.5	807.1														
11-01-57	27.0	807.6														
11-15-57	26.0	808.6														
11-29-57	26.5	808.1														
12-13-57	38.5*	796.1														
12-27-57	24.5	810.1														
1-13-58	25.0	809.6														
1-24-58	24.8	809.8														
2-07-58	22.8	811.8														
2-21-58	22.5	812.1														
3-14-58	41.8*	792.8														
4-10-58	38.5*	796.1														
4-25-58	19.3	815.3														
5-09-58	19.8	814.8														
5-16-58	19.8	814.8														
5-23-58	21.0	813.6														
5-30-58	21.5	813.1														
6-06-58	23.5	811.1														
6-13-58	22.0	812.6														
2S/05W-16M01 S	770.7	7-12-57	17.0	753.7	5713	2S/05W-20A01 S	771.7	10-17-57	25.6*	746.1	3100					
		9-12-57	17.8	752.9				4-16-58	25.3	746.4						
		11-15-57	17.7	753.0												
		1-11-58	17.7	753.0												
		3-08-58	17.4	753.3												
		5-10-58	16.3	754.4												

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
RIVERSIDE BASIN						RIVERSIDE BASIN					
80200						80200					
2S/05W-20A02 S	752.0	7-01-57 7-31-57 9-05-57 10-04-57 12-03-57 1-02-58 2-11-58 3-04-58 4-09-58 6-04-58 6-26-58	6.9 7.3 7.0 7.4 6.9 7.0 6.5 6.8 5.7 6.8 7.2	745.1 744.7 745.0 744.6 745.1 745.0 745.5 745.2 746.3 745.2 744.8	4103	2S/05W-23Q01 S CONT.	855.5	11-22-57 12-06-57 12-20-57 12-27-57 1-03-58 1-10-58 1-17-58 1-24-58 1-31-58 2-07-58 2-14-58 2-21-58 2-28-58 3-07-58 3-14-58 3-21-58 3-28-58 4-04-58 4-11-58 4-19-58 4-26-58 5-02-58 5-09-58 5-16-58 5-23-58 5-30-58 6-06-58 6-13-58 6-21-58 6-27-58	83.1 83.7 83.2 82.8 82.7 82.3 82.2 82.8 82.7 82.1 81.9 81.5 81.2 81.0 80.7 80.5 80.2 80.0 80.0 79.4 79.3 79.7 79.7 80.0 80.0 80.5 80.9 81.3	772.4 771.8 772.3 772.7 772.8 773.2 773.3 772.7 772.8 773.4 773.6 774.0 774.3 774.5 774.8 775.0 775.3 775.5 776.1 776.2 775.8 775.8 775.5 775.6 775.5 775.4 775.0 774.6 774.2	5720
2S/05W-20K01 S	760.9	10-04-57 4-09-58	30.0 28.7	730.9 732.2	4103						
2S/05W-23F01 S	831.2	7-01-57 7-31-57 9-04-57 10-07-57 12-03-57 1-02-58 2-11-58 3-04-58 4-09-58 6-04-58 6-26-58	57.9 59.4 60.9 61.5 59.4 58.4 57.6 56.9 55.6 54.6 55.7	773.3 771.8 770.3 769.7 771.8 772.8 773.6 774.3 775.6 776.6 775.5	4103						
2S/05W-23Q01 S	855.5	7-05-57 7-12-57 7-19-57 7-26-57 8-02-57 8-09-57 8-16-57 8-23-57 8-30-57 9-06-57 9-13-57 9-20-57 9-27-57 10-11-57 10-18-57 10-25-57 11-01-57 11-08-57 11-15-57	109.0* 75.3 111.1* 110.4* 112.4* 110.2* 88.0 88.2 88.6 88.0 89.5 87.4 87.3 86.9 86.3 85.8 85.2 83.8 83.3	746.5 780.2 744.4 745.1 743.1 745.3 767.5 767.3 766.9 767.5 766.0 768.1 768.2 768.6 769.2 769.7 770.3 771.7 772.2	5720	2S/05W-23R01 S	864.2	7-05-57 7-12-57 7-19-57 7-26-57 8-02-57 8-09-57 8-16-57 8-23-57 8-30-57 9-06-57 9-13-57 9-20-57 9-27-57 10-11-57 10-18-57	109.0* 75.3 131.6* 131.9* 133.0* 106.2 130.4* 107.0 106.2 105.8 107.1 106.0 105.3 105.0 104.4	755.2 788.9 732.6 732.3 731.2 758.0 733.8 757.2 758.0 758.4 757.1 758.2 758.9 759.2 759.8	5720



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
RIVERSIDE BASIN											
80215											
2S/05W-23R01 S CONT.	864.2	10-25-57	103.9	760.3	5720	2S/05W-24D01 S CONT.	873.9	9-20-57	129.9*	744.0	5720
		11-01-57	103.2	761.0				9-27-57	130.4*	743.5	
		11-08-57	102.7	761.5				10-11-57	130.9*	743.0	
		11-16-57	102.3	761.9				10-18-57	99.9	774.0	
		11-22-57	102.0	762.2				10-25-57	99.3	774.6	
		12-06-57	101.6	762.6				11-01-57	98.9	775.0	
		12-20-57	101.0	763.2				11-08-57	98.4	775.5	
		12-27-57	100.8	763.4				11-15-57	98.0	775.9	
		1-03-58	100.4	763.8				11-22-57	97.8	776.1	
		1-10-58	100.2	764.0				12-06-57	97.2	776.7	
		1-17-58	100.1	764.1				12-20-57	96.7	777.2	
		1-24-58	100.6	763.6				12-27-57	96.5	777.4	
		1-31-58	100.5	763.7				1-03-58	96.2	777.7	
		2-07-58	100.0	764.2				1-10-58	96.0	777.9	
		2-14-58	99.8	764.4				1-17-58	95.7	778.2	
		2-21-58	99.4	764.8				1-24-58	95.8	778.1	
		2-28-58	99.0	765.2				1-31-58	95.5	778.4	
		3-07-58	98.8	765.4				2-06-58	95.0	778.9	
		3-14-58	98.5	765.7				2-14-58	94.8	779.1	
		3-21-58	98.3	765.9				2-21-58	94.4	779.5	
		3-28-58	98.2	766.0				2-28-58	94.0	779.9	
		4-04-58	98.0	766.2				3-07-58	93.9	780.0	
		4-11-58	97.2	767.0				3-14-58	93.8	780.1	
		4-19-58	97.3	766.9				3-21-58	93.7	780.2	
		4-26-58	97.1	767.1				3-28-58	93.3	780.6	
5-02-58	97.4	766.8	4-04-58	93.0	780.9						
5-09-58	97.7	766.5	4-11-58	92.8	781.1						
5-16-58	97.9	766.3	4-19-58	92.3	781.6						
5-23-58	97.7	766.5	4-26-58	92.2	781.7						
5-30-58	97.8	766.4	5-02-58	92.0	781.9						
6-06-58	98.0	766.2	5-09-58	92.1	781.8						
6-13-58	98.3	765.9	5-16-58	92.0	781.9						
6-20-58	98.7	765.5	5-23-58	92.0	781.9						
6-27-58	99.1	765.1	5-30-58	92.1	781.8						
2S/05W-24D01 S	873.9	7-05-57	95.3	778.6	5720	2S/05W-25A01 S	948.4	6-06-58	92.0	781.9	4103
		7-12-57	96.0	777.9				6-13-58	92.0	781.9	
		7-18-57	96.4	777.5				6-20-58	120.4*	753.5	
		7-26-57	96.8	777.1				6-27-58	93.3	780.6	
		8-01-57	97.2	776.7				10-07-57	167.1	781.3	
		8-09-57	96.8	777.1				4-09-58	162.2	786.2	
		8-16-57	97.4	776.5				7-01-57	80.0	766.2	
		8-23-57	97.5	776.4				7-01-57	80.0	766.2	
		8-30-57	98.3	775.6				7-12-57	81.0	765.3	
		9-06-57	127.8*	746.1				8-14-57	DRY	5713	
9-13-57	129.3*	746.6									
RIVERSIDE BASIN											
80215											
2S/05W-23R01 S CONT.	864.2	10-25-57	103.9	760.3	5720	2S/05W-24D01 S CONT.	873.9	9-20-57	129.9*	744.0	5720
		11-01-57	103.2	761.0				9-27-57	130.4*	743.5	
		11-08-57	102.7	761.5				10-11-57	130.9*	743.0	
		11-16-57	102.3	761.9				10-18-57	99.9	774.0	
		11-22-57	102.0	762.2				10-25-57	99.3	774.6	
		12-06-57	101.6	762.6				11-01-57	98.9	775.0	
		12-20-57	101.0	763.2				11-08-57	98.4	775.5	
		12-27-57	100.8	763.4				11-15-57	98.0	775.9	
		1-03-58	100.4	763.8				11-22-57	97.8	776.1	
		1-10-58	100.2	764.0				12-06-57	97.2	776.7	
		1-17-58	100.1	764.1				12-20-57	96.7	777.2	
		1-24-58	100.6	763.6				12-27-57	96.5	777.4	
		1-31-58	100.5	763.7				1-03-58	96.2	777.7	
		2-07-58	100.0	764.2				1-10-58	96.0	777.9	
		2-14-58	99.8	764.4				1-17-58	95.7	778.2	
		2-21-58	99.4	764.8				1-24-58	95.8	778.1	
		2-28-58	99.0	765.2				1-31-58	95.5	778.4	
		3-07-58	98.8	765.4				2-06-58	95.0	778.9	
		3-14-58	98.5	765.7				2-14-58	94.8	779.1	
		3-21-58	98.3	765.9				2-21-58	94.4	779.5	
		3-28-58	98.2	766.0				2-28-58	94.0	779.9	
		4-04-58	98.0	766.2				3-07-58	93.9	780.0	
		4-11-58	97.2	767.0				3-14-58	93.8	780.1	
		4-19-58	97.3	766.9				3-21-58	93.7	780.2	
		4-26-58	97.1	767.1				3-28-58	93.3	780.6	
5-02-58	97.4	766.8	4-04-58	93.0	780.9						
5-09-58	97.7	766.5	4-11-58	92.8	781.1						
5-16-58	97.9	766.3	4-19-58	92.3	781.6						
5-23-58	97.7	766.5	4-26-58	92.2	781.7						
5-30-58	97.8	766.4	5-02-58	92.0	781.9						
6-06-58	98.0	766.2	5-09-58	92.1	781.8						
6-13-58	98.3	765.9	5-16-58	92.0	781.9						
6-20-58	98.7	765.5	5-23-58	92.0	781.9						
6-27-58	99.1	765.1	5-30-58	92.1	781.8						
2S/05W-24D01 S	873.9	7-05-57	95.3	778.6	5720	2S/05W-25A01 S	948.4	6-06-58	92.0	781.9	4103
		7-12-57	96.0	777.9				6-13-58	92.0	781.9	
		7-18-57	96.4	777.5				6-20-58	120.4*	753.5	
		7-26-57	96.8	777.1				6-27-58	93.3	780.6	
		8-01-57	97.2	776.7				10-07-57	167.1	781.3	
		8-09-57	96.8	777.1				4-09-58	162.2	786.2	
		8-16-57	97.4	776.5				7-01-57	80.0	766.2	
		8-23-57	97.5	776.4				7-01-57	80.0	766.2	
		8-30-57	98.3	775.6				7-12-57	81.0	765.3	
		9-06-57	127.8*	746.1				8-14-57	DRY	5713	
9-13-57	129.3*	746.6									

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		
UPPER SANTA ANA VALLEY														
RIVERSIDE BASIN														
80200														
80215														
2S/05W-26E01 S CONT.	846.2	10-07-57	81.6	764.6	4103		2S/05W-26F01 S CONT.	810.0	2-22-58	41.4	768.6	3707		
		12-04-57	78.7	767.5					3-01-58	41.1	768.9			
	846.3	12-14-57	78.2	768.1	5713				3-08-58	40.8	769.2			
	846.2	1-03-58	77.5	768.7	4103				3-15-58	40.6	769.4			
	846.3	1-11-58	77.2	769.1	5713				3-22-58	40.3	769.7			
		2-08-58	78.2	768.1					3-29-58	40.0	770.0			
	846.2	2-13-58	77.6	768.6	4103				4-05-58	39.9	770.1			
		3-05-58	76.5	769.7					4-12-58	39.7	770.3			
	846.3	3-08-58	76.2	770.1	5713				4-19-58	39.5	770.5			
	846.2	4-09-58	75.4	770.8	4103				4-26-58	39.4	770.6			
	846.3	4-19-58	75.2	771.1	5713				5-10-58	53.5*	756.5			
		5-10-58	76.1	770.2					5-18-58	41.4	768.6			
	846.2	6-05-58	76.8	769.4	4103				5-24-58	53.5*	756.5			
	846.3	6-14-58	77.5	768.8	5713				5-31-58	41.1	768.9			
	846.2	6-27-58	77.1	769.1	4103				6-07-58	53.3*	756.7			
	2S/05W-26F01 S	810.0	7-06-57	56.6*	753.4	3707			2S/05W-28K01 S	801.5	7-01-57	62.3	739.2	4103
			7-14-57	58.2*	751.8						7-31-57	62.6	738.9	
		7-20-57	58.7*	751.3				9-05-57		63.2	738.3			
		7-27-57	59.6*	750.4				10-07-57		63.1	738.4			
		8-03-57	59.4*	750.6				12-04-57		63.0	738.5			
		8-10-57	60.7*	749.3				1-03-58		62.7	738.8			
		8-17-57	61.2*	748.8				2-13-58		62.4	739.1			
		8-24-57	61.8*	748.2				3-05-58		62.4	739.1			
		8-29-57	49.7	760.3				4-10-58		61.3	740.2			
		8-31-57	48.5	761.5				6-05-58		61.7	739.8			
		9-07-57	61.0*	749.0				6-27-58		62.1	739.4			
		9-14-57	59.7*	750.3										
		9-21-57	47.2	762.8										
		9-28-57	46.2	763.8										
		10-12-57	46.0	764.0				2S/05W-29D02 S		745.0	7-12-57	15.0	730.0	5713
		10-18-57	45.3	764.7						9-12-57	15.0	730.0		
		10-26-57	44.8	765.2						11-15-57	13.2	731.8		
	11-02-57	44.4	765.6					1-11-58	15.7	729.3				
	11-09-57	44.1	765.9					3-08-58	16.1	728.9				
	11-16-57	43.6	766.4					5-10-58	14.1	730.9				
	11-23-57	43.2	766.8											
	12-07-57	43.1	766.9					7-01-57	9.8	709.2	4103			
	12-14-57	42.7	767.3					7-31-57	10.8	708.2				
	12-21-57	42.4	767.6					9-05-57	11.1	707.9				
	1-04-58	42.0	768.0					10-04-57	11.2	707.8				
	1-12-58	41.0	769.0					12-03-57	10.5	708.5				
	1-19-58	55.8*	754.2					1-02-58	10.1	708.9				
	1-25-58	56.5*	753.5					2-11-58	9.9	709.1				
	2-08-58	42.6	767.4					3-04-58	10.0	709.0				
	2-15-58	41.9	768.1											

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
RIVERSIDE BASIN						RIVERSIDE BASIN					
80200						80200					
80215						80215					
2S/05W-29E02 S	719.0	4-09-58	9.0	710.0	4103	3S/06W-24J01 S	829.2	10-07-57	7.5	821.7	4103
CONT.		6-04-58	8.4	710.6				4-09-58	7.4	821.8	
		6-26-58	8.8	710.2							
2S/05W-36A01 S	938.0	10-07-57	52.8	885.2	4103	3S/06W-24Q01 S	813.2	10-07-57	6.8	806.4	4103
		4-09-58	53.2	884.8				4-09-58	6.1	807.1	
2S/06W-15C01 S	740.6	10-17-57	90.0	650.6	3100	5S/05W-02B02 S	887.5	10-17-57	63.3	824.2	3100
		4-16-58	88.3	652.3				4-16-58	70.3	817.2	
3S/06W-03L01 S	802.0	7-01-57	17.9*	784.1	4103	ARLINGTON BASIN					
		9-05-57	16.7	785.3		2S/05W-31N01 S	737.4	7-01-57	7.2	730.2	4103
		1-03-58	14.6	787.4			736.6	7-31-57	7.6	729.0	
		2-13-58	13.8	788.2				9-05-57	7.7	728.9	
		3-05-58	12.7	789.3				10-07-57	6.8	729.8	
		4-10-58	11.2	790.8				12-04-57	8.1	728.5	
		6-05-58	15.6	786.4				1-03-58	7.7	728.9	
		6-27-58	16.8	785.2				2-13-58	7.4	729.2	
3S/06W-10L01 S	764.0	7-01-57	21.1	742.9	4103			3-05-58	7.0	729.6	
		10-07-57	19.6	744.4				4-10-58	4.2	732.4	
		12-04-57	20.3	743.7				6-05-58	7.1	729.5	
		1-03-58	20.5	743.5				6-27-58	5.9	730.7	
		2-13-58	21.0	743.0		2S/06W-35Q01 S	789.4	7-01-57	17.7	771.7	4103
		3-05-58	21.1	742.9				7-31-57	18.0	771.4	
		4-09-58	21.2	742.8				9-05-57	18.3	771.1	
		6-05-58	20.4	743.6				10-07-57	18.4	771.0	
		6-27-58	21.2	742.8				12-04-57	18.5	770.9	
3S/06W-11M02 S	719.0	10-07-57	10.0	709.0	4103			1-03-58	18.3	771.1	
		4-09-58	3.7	715.3				2-13-58	18.1	771.3	
3S/06W-12D01 S	783.0	7-01-57	34.4	748.6	4103			3-05-58	17.8	771.6	
		7-31-57	35.6	747.4				4-10-58	16.7	772.7	
		9-05-57	35.7	747.3				6-05-58	15.5	773.9	
		10-07-57	36.6	746.4				6-27-58	15.4	774.0	
		12-04-57	36.4	746.6		3S/05W-05M03 S	756.8	7-01-57	11.7	745.1	4103
		1-03-58	31.9	751.1				7-31-57	12.9	743.9	
		2-13-58	32.1	750.9				9-05-57	13.0	743.8	
		3-05-58	32.2	750.8				10-07-57	13.2	743.6	
		4-10-58	29.8	753.2				12-04-57	12.4	744.4	
		6-05-58	28.1	754.9				1-03-58	11.9	744.9	
		6-27-58	28.0	755.0				2-13-58	11.5	745.3	
3S/06W-24G01 S	805.2	10-07-57	7.9	797.3	4103			3-05-58	11.3	745.5	
		4-09-58	8.3	796.9				4-10-58	10.6	746.2	
								6-05-58	12.2	744.6	
								6-27-58	12.9	743.9	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
ARLINGTON BASIN						TEMESCAL BASIN					
3S/05W-17Q01 S	892.7	10-07-57 4-09-58	70.1 68.4	822.6 824.3	4103	3S/06W-29H01 S	668.6	10-15-57 5-29-58	52.6 49.0	616.0 619.6	3102
3S/06W-13A01 S	757.2	7-01-57 7-31-57 9-05-57 10-07-57 12-04-57 1-03-58 2-13-58 3-05-58 4-10-58 6-05-58	42.1* 44.8* 45.0* 45.1 45.4 40.9 41.1 41.2* 40.8 43.5	715.1 712.4 712.2 712.1 711.8 716.3 716.1 716.0 716.4 713.7	4103	3S/06W-29N01 S	634.6	5-29-58	49.3	585.3	3102
3S/06W-13F01 S	732.6	10-15-57 5-29-58	34.2 29.5	698.4 703.1	3102	3S/06W-30G01 S	616.0	10-10-57 10-14-57 4-15-58 5-27-58	DRY DRY 44.4 44.0	571.6 571.5	3102 4103
3S/06W-13M02 S	720.6	10-15-57 3-05-58 4-09-58 5-29-58	DRY 25.5* 23.9* DRY	695.1 696.7	3102 4103	3S/06W-30K01 S	614.0	10-10-57 10-11-57 4-15-58 5-27-58	53.6 52.6 44.8 57.5*	560.4 561.4 569.2 556.5	3102 4103
3S/06W-13N01 S	725.4	10-15-57	36.0	689.4	3102	3S/06W-30Q02 S	626.1	10-15-57 5-29-58	63.0* 52.8*	563.1 573.3	3102
3S/06W-13P01 S	738.5	10-07-57 4-09-58	41.6 35.4	696.9 703.1	4103	3S/06W-31D02 S	690.0	7-06-57 7-13-57 7-20-57 7-27-57 8-03-57 8-10-57 8-17-57 8-24-57 8-31-57 9-07-57 9-14-57 9-21-57 9-28-57 10-05-57 10-12-57 10-19-57 10-26-57 11-02-57 11-09-57 11-16-57 11-23-57 11-30-57 12-07-57 12-14-57 12-21-57	135.8 136.4 142.6* 143.1* 143.7* 144.0* 137.2 145.2* 145.8* 146.5 146.9 146.9 147.2 139.8 139.8 147.3* 146.6* 139.0 139.0 146.4* 146.1* 137.8 146.2* 143.9* 142.9*	554.2 553.6 547.4 546.9 546.3 546.0 552.8 544.8 544.2 543.5 543.1 543.1 542.8 550.2 550.2 542.7 543.4 551.0 551.0 543.6 543.9 552.2 543.8 546.1 547.1	5717
3S/06W-14P01 S	700.8	10-15-57	25.1	675.7	3102						
3S/06W-23H01 S	749.0	10-07-57 10-25-57 4-09-58	53.1 52.4 49.5	695.9 696.6 699.5	4103						
TEMESCAL BASIN											
3S/06W-28H01 S	705.0	7-01-57 10-09-57 1-03-58 2-13-58 3-05-58 4-10-58	82.7 84.9 81.2 80.0 79.1 77.4	622.3 620.1 623.8 625.0 625.9 627.6	4103						
3S/06W-28N01 S	671.4	5-29-58	49.9	621.5	3102						



State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
TEMESCAL BASIN						TEMESCAL BASIN					
80200						80200					
3S/06W-31D02 S	690.0	12-28-57	136.6	553.4	5717	3S/07W-13K02 S	599.2	5-27-58	46.0	553.2	3102
CONT.		1-04-58	141.7*	548.3							
		1-11-58	141.9*	548.1		3S/07W-14N01 S	566.6	10-10-57	54.6	512.0	3102
		1-18-58	141.7*	548.3				10-10-57	54.6	512.0	4103
		1-25-58	135.9	554.1				5-27-58	47.8	518.8	3102
		2-01-58	140.9*	549.1							
		2-08-58	140.3*	549.7		3S/07W-14Q01 S	584.0	10-10-57	53.0	531.0	3102
		2-15-58	135.7	554.3			583.8	10-10-57	52.9	530.9	4103
		2-22-58	135.1	554.9				4-11-58	48.6	535.2	
		3-01-58	140.1*	549.9			584.0	5-27-58	48.7	535.3	3102
		3-08-58	133.3	556.7							
		3-15-58	133.0	557.0		3S/07W-20H01 S	485.2	10-03-57	5.8	479.4	3102
		3-22-58	132.6	557.4				5-15-58	1.1	484.1	
		3-29-58	132.2	557.8							
		4-05-58	131.5	558.5		3S/07W-20H02 S	486.7	10-03-57	5.7	481.0	3102
		4-12-58	130.6	559.4							
		4-19-58	130.2	559.8		3S/07W-20K01 S	481.6	7-03-57	9.3	472.3	3102
		4-26-58	129.9	560.1				7-10-57	9.4	472.2	
80201						80201					
		5-03-58	129.4	560.6							
		5-10-58	133.8	556.2		3S/07W-20K02 S	483.0	7-03-57	11.1	471.9	3102
		5-17-58	134.2	555.8				7-10-57	11.1	471.9	
		5-24-58	134.3	555.7				7-17-57	11.2	471.8	
		5-31-58	130.5	559.5							
		6-07-58	134.3*	555.7							
		6-14-58	130.7	559.3							
		6-21-58	135.3*	554.7							
		6-28-58	135.6*	554.4		3S/07W-20L03 S	481.6	7-17-57	9.6	472.0	3102
3S/06W-31J01 S	649.4	10-15-57	64.9	584.5	3102			7-24-57	9.6	472.0	
		5-29-58	56.0	593.4				7-31-57	9.7	471.9	
3S/06W-32H01 S	664.3	5-29-58	61.0	603.3	3102			8-07-57	9.7	471.9	
		4-10-58	63.1	601.2	4103			8-14-57	9.8	471.8	
3S/07W-04J01 S	544.4	7-11-57	15.2	529.2	3100			8-21-57	9.9	471.7	
		7-25-57	15.5	528.9				8-28-57	9.9	471.7	
		11-04-57	16.0	528.4				9-04-57	9.8	471.8	
		1-02-58	15.3	529.1				9-11-57	9.8	471.8	
		2-05-58	15.0	529.4				9-18-57	9.7	471.9	
		3-03-58	14.5	529.9				9-25-57	9.7	471.9	
		4-04-58	13.2	531.2				10-02-57	9.7	471.9	
								10-09-57	9.6	472.0	
								10-16-57	9.3	472.3	
								10-23-57	9.2	472.4	
								10-30-57	9.1	472.5	
								11-06-57	8.9	472.7	
								11-13-57	8.7	472.9	
								11-20-57	8.7	472.9	
3S/07W-13H01 S	605.0	10-11-57	42.1	562.9	4103			11-27-57	8.6	473.0	
		4-15-58	39.5	565.5				12-04-57	8.5	473.1	
3S/07W-13K02 S	599.2	10-10-57	49.4	549.8	3102			12-11-57	8.4	473.2	
								12-18-57	8.1	473.5	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY				80200		UPPER SANTA ANA VALLEY				80200		
TEMESCAL BASIN				80217		TEMESCAL BASIN				80217		
3S/07W-20L03 S	481.6	12-26-57	8.2	473.4	3102	3S/07W-20L04 S	483.0	12-26-57	10.3	472.7	3102	
CONT.		1-02-58	8.2	473.4		CONT.		1-02-58	10.3	472.7		
		1-08-58	8.2	473.4				1-08-58	10.4	472.6		
		1-15-58	8.2	473.4				1-15-58	10.4	472.6		
		1-22-58	8.2	473.4				1-22-58	10.4	472.6		
		1-29-58	8.1	473.5				1-29-58	10.3	472.7		
		2-12-58	5.3	476.3				2-12-58	6.9	476.1		
		2-26-58	5.9	475.7				2-26-58	9.2	473.8		
		3-05-58	6.4	475.2				3-05-58	9.5	473.5		
		3-12-58	6.6	475.0				3-12-58	9.5	473.5		
		3-19-58	3.9	477.7				3-19-58	7.4	475.6		
		3-26-58	5.1	476.5				3-26-58	8.2	474.8		
		4-16-58	3.5	478.1				4-16-58	6.4	476.6		
		4-23-58	4.6	477.0				4-23-58	7.5	475.5		
		4-30-58	5.2	476.4				4-30-58	7.7	475.3		
		5-07-58	5.2	476.4				5-07-58	5.2	477.8		
		5-14-58	5.9	475.7				5-14-58	8.2	474.8		
		5-21-58	6.1	475.5				5-21-58	8.5	474.5		
		5-28-58	6.5	475.1				5-21-58	8.7	474.3		
		6-04-58	6.7	474.9				6-04-58	9.0	474.0		
		6-11-58	6.7	474.9				6-11-58	8.8	474.2		
		6-18-58	6.8	474.8				6-18-58	8.9	474.1		
		6-25-58	7.0	474.6				6-25-58	9.0	474.0		
UPPER SANTA ANA VALLEY				80200		UPPER SANTA ANA VALLEY				80200		
3S/07W-20L04 S	483.0	7-24-57	11.2	471.8	3102	3S/07W-20L01 S	491.8	7-03-57	10.9	480.9	3102	
		7-31-57	11.3	471.7				7-10-57	11.0	480.8		
		8-07-57	11.3	471.7				7-17-57	11.1	480.7		
		8-14-57	11.4	471.6				7-24-57	11.1	480.7		
		8-21-57	11.4	471.6				7-31-57	11.3	480.5		
		8-28-57	11.4	471.6				8-07-57	11.3	480.5		
		9-04-57	11.3	471.7				8-14-57	11.4	480.4		
		9-11-57	11.3	471.7				8-21-57	11.4	480.4		
		9-18-57	11.2	471.8				8-28-57	11.4	480.4		
		9-25-57	11.3	471.7				9-04-57	11.3	480.5		
		10-02-57	11.2	471.8				9-11-57	11.3	480.5		
		10-09-57	11.1	471.9				9-18-57	11.2	480.6		
		10-16-57	11.0	472.0				9-25-57	11.3	480.5		
		10-23-57	10.9	472.1				10-02-57	11.2	480.6		
		10-30-57	10.8	472.2				10-09-57	11.2	480.6		
		11-06-57	10.7	472.3				10-16-57	11.0	480.8		
		11-13-57	10.6	472.4				10-23-57	10.8	481.0		
		11-20-57	10.6	472.4				10-30-57	10.8	481.0		
		11-27-57	10.4	472.6				11-06-57	10.6	481.2		
		12-04-57	10.3	472.7				11-13-57	10.6	481.2		
		12-11-57	10.3	472.7				11-20-57	10.6	481.2		
		12-18-57	10.0	473.0				11-27-57	10.5	481.3		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
TEMESCAL BASIN						TEMESCAL BASIN					
80200						80217					
35/07W-20Q01 S	491.8	12-04-57	10.5	481.3	3102	35/07W-21B05 S	496.1	5-15-58	3.2	492.9	3102
CONT.		12-11-57	10.4	481.4							
		12-18-57	10.1	481.7		35/07W-21C02 S	493.8	10-03-57	4.9	488.9	3102
		12-26-57	10.3	481.5				5-15-58	2.3	491.5	
		1-02-58	10.3	481.5							
		1-08-58	10.3	481.5		35/07W-21C03 S	494.0	10-03-57	5.0	489.0	3102
		1-15-58	10.3	481.5				5-15-58	3.1	490.9	
		1-22-58	10.3	481.5							
		1-29-58	10.1	481.7		35/07W-21D03 S	486.1	7-16-57	3.1	483.0	3102
		2-05-58	7.8	484.0				8-13-57	3.2	482.9	
		2-12-58	9.5	482.3				10-03-57	3.2	482.9	
		2-26-58	9.5	482.3				11-14-57	2.7	483.4	
		3-05-58	9.7	482.1				12-19-57	2.4	483.7	
		3-12-58	9.7	482.1				1-14-58	2.6	483.5	
		3-19-58	9.0	482.8							
		3-26-58	9.3	482.5		35/07W-21E03 S	486.0	10-03-57	3.5	482.5	3102
		4-09-58	6.3	485.5							
		4-16-58	8.2	483.6		35/07W-21G01 S	507.6	10-03-57	12.8	494.8	3102
		4-23-58	9.5	482.3			506.2	10-10-57	13.6	492.6	4103
		4-30-58	8.6	483.2				4-11-58	8.1	498.1	
		5-07-58	8.7	483.1			507.6	5-14-58	8.7	498.9	3102
		5-14-58	8.8	483.0							
		5-21-58	8.9	482.9		35/07W-21G03 S	499.5	10-03-57	7.2	492.3	3102
		5-28-58	9.0	482.8				5-15-58	3.8	495.7	
		6-04-58	9.0	482.8							
		6-11-58	9.0	482.8		35/07W-21H01 S	506.3	10-03-57	11.9	494.4	3102
		6-18-58	9.0	482.8							
		6-25-58	9.1	482.7		35/07W-21K01 S	512.4	7-16-57	15.7	496.7	3102
35/07W-21A01 S	508.9	10-03-57	11.1	497.8	3102			8-13-57	16.4	496.0	
								10-03-57	16.8	495.6	
35/07W-21B02 S	501.6	10-03-57	8.2	493.4	3102			11-14-57	16.5	495.9	
		4-11-58	4.2	497.4	4103			12-19-57	15.9	496.5	
		5-15-58	5.2	496.4	3102			1-14-58	15.7	496.7	
								2-18-58	14.8	497.6	
35/07W-21B04 S	497.4	7-16-57	6.6	490.8	3102			4-22-58	12.5	499.9	
		8-13-57	6.9	490.5				5-14-58	12.5	499.9	
		10-03-57	6.9	490.5				6-17-58	12.7	499.7	
		11-14-57	6.5	490.9							
		12-19-57	6.0	491.4		35/07W-21K02 S	511.8	10-03-57	15.9	495.9	3102
		1-14-58	6.1	491.3				5-14-58	11.7	500.1	
		2-18-58	5.5	491.9							
		4-22-58	3.9	493.5		35/07W-21L01 S	497.1	7-16-57	10.0	487.1	3102
		5-15-58	4.1	493.3				8-13-57	10.6	486.5	
		6-17-58	4.2	493.2				10-03-57	10.3	486.8	
								11-14-57	9.9	487.2	
								12-19-57	9.5	487.6	
35/07W-21B05 S	496.1	10-03-57	5.3	490.8	3102						

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
TEMESCAL BASIN						TEMESCAL BASIN					
80200						80200					
80217						80217					
3S/07W-21L01 S	497.1	1-14-58	9.5	487.6	3102	3S/07W-21N01 S	508.3	8-13-57	18.8	489.5	3102
CONT.		2-18-58	8.9	488.2		CONT.		10-03-57	19.1	489.2	
		4-22-58	7.3	489.8				11-14-57	18.7	489.6	
		5-14-58	7.5	489.6				12-19-57	18.3	490.0	
		6-17-58	7.7	489.4				1-14-58	18.2	490.1	
								2-18-58	17.5	490.8	
3S/07W-21L05 S	500.3	10-03-57	8.3	492.0	3102			4-22-58	15.3	493.0	
		5-14-58	3.8	496.5				5-15-58	15.6	492.7	
								6-17-58	15.7	492.6	
3S/07W-21M01 S	494.0	10-03-57	8.6	485.4	3102	3S/07W-22G02 S	529.4	10-10-57	24.0	505.4	3102
		10-10-57	6.8	487.2	4103			5-22-58	15.9	513.5	
		4-11-58	5.9	488.1							
		5-15-58	6.5	487.5	3102	3S/07W-22H01 S	536.9	10-10-57	30.5	506.4	3102
								5-27-58	21.6	515.3	
3S/07W-21M02 S	494.6	7-01-57	8.4	486.2	4103						
		7-31-57	8.8*	485.8		3S/07W-22H03 S	537.3	5-27-58	20.5	516.8	3102
		9-05-57	8.9*	485.7							
	492.6	10-03-57	8.9	483.7	3102						
494.6		10-10-57	8.7*	485.9	4103	3S/07W-22J02 S	533.8	10-09-57	27.7	506.1	3102
494.9		11-14-57	10.6	484.3	3102			10-10-57	25.7	508.1	4103
494.6		12-03-57	8.8*	485.8	4103			4-11-58	18.2	515.6	
494.9		12-19-57	10.2	484.7	3102			5-22-58	16.8	517.0	3102
494.6		1-03-58	7.3	487.3	4103						
494.9		1-14-58	10.3	484.6	3102	3S/07W-22L01 S	527.8	10-03-57	23.8	504.0	3102
496.9		2-13-58	9.5	487.4	4103			4-11-58	17.1	510.8	4103
494.9		2-18-58	9.7	485.2	3102			5-13-58	16.5	511.3	3102
496.9		3-05-58	9.4	487.5	4103						
		4-10-58	8.6	488.3		3S/07W-23C02 S	545.8	10-10-57	35.4	510.4	3102
494.9		4-22-58	8.2	486.7	3102			5-22-58	24.4	521.4	
492.7		5-15-58	5.7	487.0							
496.9		6-05-58	8.6	488.3	4103	3S/07W-23C03 S	547.8	10-10-57	37.4	510.4	4103
494.9		6-17-58	8.7	486.2	3102			4-11-58	27.4	520.4	
496.9		6-27-58	8.7	488.2	4103			5-22-58	26.7	521.1	3102
3S/07W-21M03 S	487.8	10-03-57	3.7	484.1	3102	3S/07W-23D01 S	535.1	10-10-57	28.0	507.1	3102
		5-15-58	1.8	486.0				5-27-58	19.3	515.8	
3S/07W-21M04 S		10-03-57	DRY		3102	3S/07W-23J01 S	563.1	10-10-57	DRY		3102
3S/07W-21M06 S	496.3	10-03-57	8.4*	487.9	3102			10-10-57	DRY		4103
		5-14-58	5.4*	490.9				4-11-58	28.0	535.1	3102
								5-22-58	DRY		
3S/07W-21M07 S	492.7	10-03-57	7.5	485.2	3102	3S/07W-23M01 S	555.1	10-10-57	44.8*	510.3	3102
		5-15-58	4.8	487.9				5-22-58	35.4	519.7	
3S/07W-21N01 S	508.3	7-16-57	18.4	489.9	3102	3S/07W-23M02 S	552.1	10-10-57	37.6	514.5	3102



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
TEMESCAL BASIN						80217	TEMESCAL BASIN					
3S/07W-23M02 S CONT.	552.1	10-10-57 4-11-58 5-22-58	43.0 33.8* 32.6	509.1 518.3 519.5	4103 3102		3S/07W-25A01 S CONT.	595.9	10-11-57 12-04-57 1-03-58 2-13-58 3-05-58 4-15-58 5-29-58 6-05-58 6-27-58	60.1 57.3 55.4 53.2 52.0 48.3 49.5 50.3 51.1	535.8 538.6 540.5 542.7 543.9 547.6 546.4 545.6 544.8	4103
3S/07W-23M03 S	549.6	10-09-57	39.8	509.8	3102							
3S/07W-23N01 S	592.2	10-09-57 5-22-58	79.5 69.7	512.7 522.5	3102							3102 4103
3S/07W-24C04 S	590.5	10-10-57 10-11-57 4-15-58 4-15-58 5-27-58	56.9 56.4 52.8 52.8 50.4	533.6 534.1 537.7 540.1	3102 4103		3S/07W-25D01 S	582.0	7-09-57 8-14-57 9-11-57 10-08-57 11-13-57 12-10-57 1-14-58 2-13-58 3-12-58 4-09-58 5-14-58 6-10-58	58.2* 58.0* 56.3 56.9 52.2 52.0 49.6 48.5 46.9 44.6 45.7 47.5	523.8 524.0 525.7 525.1 529.8 530.0 532.4 533.5 535.1 537.4 536.3 534.5	4701
3S/07W-24D01 S	597.3	10-10-57	68.4	528.9	3102							
3S/07W-24K01 S	594.6	10-11-57 4-15-58	68.3 54.9	526.3 539.7	4103							
3S/07W-24L01 S	584.0	10-10-57 10-11-57 4-15-58 5-27-58	58.4 58.2 44.5 48.3	525.6 525.8 539.5 535.7	3102 4103		3S/07W-25E01 S	604.0	7-09-57 8-14-57 9-11-57 10-08-57 11-13-57 12-10-57 1-14-58 2-13-58 3-12-58 4-09-58 5-14-58 6-10-58	80.8* 86.2* 88.2* 89.6* 73.7 73.5 71.0 69.8 68.0 65.8 77.5* 79.0*	523.2 517.8 515.8 514.4 530.3 530.5 533.0 534.2 536.0 538.2 526.5 525.0	4701
3S/07W-24P02 S	581.6	10-10-57 5-27-58	54.7 44.7	526.9 536.9	3102							
3S/07W-24R01 S	593.5	7-01-57 7-31-57 9-05-57 10-10-57 10-11-57 12-04-57 1-03-58 2-13-58 3-05-58 4-15-58 5-27-58 6-05-58 6-27-58	57.3 60.5 61.0 63.6 62.7 59.5 57.2 55.0 53.6 50.1 52.5 53.1 54.1	536.2 533.0 532.5 529.9 530.8 534.0 536.3 538.5 539.9 543.4 541.0 540.4 539.4	4103 3102 4103		3S/07W-25H01 S	606.9	10-10-57 10-11-57 4-15-58 5-29-58	82.2* 66.2 61.0 68.4*	524.7 540.7 545.9 538.5	3102 4103 3102
3S/07W-25A01 S	595.9	7-01-57 7-31-57 9-05-57 10-10-57	55.1 57.9 59.7 60.3	540.8 538.0 536.2 535.9	4103 3102		3S/07W-25J01 S	642.0	7-06-57 7-13-57 7-20-57 7-27-57 8-03-57	102.3* 103.3* 103.1* 103.6* 103.2*	539.7 538.7 538.9 538.4 538.8	5717

# GROUND WATER LEVELS AT WELLS

State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
TEMESCAL BASIN												
3S/07W-25J01 S	642.0	8-10-57	103.0	539.0	5717	3S/07W-25K01 S	629.2	7-06-57	89.0	80217	540.2	5717
CONT.		8-17-57	103.8*	538.2				7-13-57	89.4		539.8	
		8-24-57	106.1*	535.9				7-20-57	90.1		539.1	
		8-31-57	101.5	540.5				7-27-57	90.3		538.9	
		9-07-57	102.5	539.5				8-03-57	90.8		538.4	
		9-14-57	102.4	539.6				8-17-57	91.1		538.1	
		9-21-57	101.9	540.1				8-24-57	92.2		537.0	
		10-05-57	103.9	538.1				8-31-57	92.4		536.8	
		10-12-57	102.2	539.8				9-07-57	92.9		536.3	
		10-19-57	101.9	540.1				9-14-57	92.9		536.3	
		10-26-57	101.5	540.5				9-21-57	93.0		536.2	
		11-02-57	101.1	540.9				9-28-57	93.2		536.0	
		11-09-57	100.4	541.6				10-05-57	93.4		535.8	
		11-16-57	100.0	542.0				10-12-57	93.4		535.8	
		11-23-57	99.6	542.4				10-19-57	93.4		535.8	
		11-30-57	99.2	542.8				10-26-57	92.1		537.1	
		12-07-57	99.3	542.7				11-02-57	91.0		538.2	
		12-14-57	99.0	543.0				11-09-57	90.4		538.8	
		12-21-57	98.7	543.3				11-16-57	89.8		539.4	
		12-28-57	98.3	543.7				11-23-57	89.3		539.9	
		1-04-58	98.2	543.8				11-30-57	89.2		540.0	
		1-11-58	97.1	544.9				12-07-57	89.0		540.2	
		1-18-58	97.0	545.0				12-14-57	89.0		540.2	
		1-25-58	97.1	544.9				12-21-57	89.0		540.2	
		2-01-58	96.9	545.1				12-28-57	88.9		540.3	
		2-08-58	96.4	545.6				1-04-58	87.5		541.7	
		2-15-58	95.9	546.1				1-11-58	87.2		542.0	
		2-22-58	95.3	546.7				1-18-58	87.2		542.0	
		3-01-58	94.8	547.2				1-25-58	87.4		541.8	
		3-08-58	94.4	547.6				2-01-58	86.9		542.3	
		3-15-58	94.0	548.0				2-08-58	86.4		542.8	
		3-22-58	93.5	548.5				2-15-58	86.0		543.2	
		3-29-58	93.0	549.0				2-22-58	86.4		542.8	
		4-05-58	92.6	549.4				3-01-58	84.8		544.4	
		4-12-58	91.9	550.1				3-08-58	84.3		544.9	
		4-19-58	91.2	550.8				3-15-58	84.0		545.2	
		4-26-58	90.7	551.3				3-22-58	83.4		545.8	
		5-03-58	90.6	551.4				3-29-58	83.0		546.2	
		5-10-58	92.2	549.8				4-05-58	82.4		546.8	
		5-17-58	91.5	550.5				4-12-58	81.8		547.4	
		5-24-58	92.2	549.8				4-19-58	81.1		548.1	
		5-31-58	91.5	550.5				4-26-58	80.8		548.4	
		6-07-58	91.8	550.2				6-07-58	82.8		546.4	
		6-14-58	92.0	550.0				6-14-58	83.0		546.2	
		6-21-58	92.2	549.8				6-21-58	83.1		546.1	
		6-28-58	92.6	549.4				6-28-58	83.8		545.4	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
TEMESCAL BASIN						80217	TEMESCAL BASIN					
3S/07W-25M01 S	582.0	8-14-57 9-11-57 10-08-57 11-13-57 12-10-57 1-14-58 2-13-58 3-12-58 4-09-58 5-14-58 6-10-58	107.2* 110.5* 111.0* 97.0 96.7 94.2 93.1 91.2 89.2 100.0* 101.7*	474.8 471.5 471.0 485.0 485.3 487.8 488.9 490.8 492.8 482.0 480.3	4701		3S/07W-25M02 S CONT.	661.0	12-15-57 12-21-57 12-22-57 12-28-57 12-29-57 1-04-58 1-11-58 1-18-58 1-25-58 2-01-58 2-08-58 2-15-58 2-22-58 3-01-58 3-08-58 3-15-58 3-22-58 3-29-58 4-05-58 4-12-58 4-19-58 4-26-58 5-03-58 5-10-58 5-17-58 5-24-58 5-31-58 6-07-58 6-14-58 6-21-58 6-28-58	133.6 129.0 141.3* 128.4 141.2* 128.0 127.8 141.8* 127.8 127.7 127.0 126.2 125.8 125.2 125.1 124.5 123.9 123.8 122.8 122.4 121.8 121.6 122.4 123.2 139.1* 124.2 124.2 138.4* 140.8* 140.9* 141.1*	5717	
3S/07W-25M02 S	661.0	7-06-57 7-13-57 7-20-57 7-27-57 8-03-57 8-10-57 8-17-57 8-24-57 8-31-57 9-07-57 9-14-57 9-21-57 9-28-57 10-05-57 10-06-57 10-12-57 10-13-57 10-19-57 10-20-57 10-26-57 10-27-57 11-02-57 11-03-57 11-09-57 11-10-57 11-16-57 11-17-57 11-23-57 11-24-57 11-30-57 12-01-57 12-07-57 12-08-57 12-14-57	143.6* 144.4* 145.7* 147.2* 146.1* 146.3* 146.1* 148.3* 148.9* 149.5* 150.0* 150.1* 149.4* 150.1* 135.6 134.0 134.7 142.6* 132.6 141.6* 131.6 141.2* 130.8 141.4* 130.2 141.1* 147.4* 142.3* 148.1* 142.6* 141.8* 141.8* 149.8*	517.4 516.6 515.3 513.8 514.9 514.7 514.9 512.7 512.1 511.5 511.0 510.9 511.6 510.9 525.4 510.9 527.0 526.3 518.4 528.4 519.4 529.4 519.8 530.2 519.6 530.8 519.9 513.6 518.7 512.9 518.4 512.8 519.2 511.2	5717		3S/07W-26K01 S	677.8	7-09-57 8-14-57 9-11-57 10-08-57 11-13-57 12-10-57 1-14-58 2-13-58 3-12-58 4-09-58 5-14-58 6-10-58 7-09-57	121.0* 124.1* 125.2* 125.2* 113.7 113.5 111.6 111.0 108.2 106.2 114.4* 114.8* 152.6*	4701	
3S/07W-26K01 S	640.0						3S/07W-26G01 S	640.0	7-09-57 8-14-57 9-11-57 10-08-57 11-13-57 12-10-57 1-14-58 2-13-58 3-12-58 4-09-58 5-14-58 6-10-58 7-09-57	121.0* 124.1* 125.2* 125.2* 113.7 113.5 111.6 111.0 108.2 106.2 114.4* 114.8* 152.6*	4701	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
TEMESCAL BASIN						TEMESCAL BASIN						
3S/07W-26K01 S CONT.	677.8	8-14-57	155.0*	522.8	4701	3S/07W-28F02 S CONT.	573.7	11-14-57	73.0	500.7	3102	
		9-11-57	157.4*	520.4				12-19-57	72.7	501.0		
		10-08-57	153.5	524.3				1-14-58	72.3	501.4		
		11-13-57	149.5	528.3				2-18-58	71.5	502.2		
		12-10-57	149.0	528.8				4-22-58	69.1	504.6		
		1-14-58	145.8	532.0				5-22-58	68.7	505.0		
		2-13-58	145.8	532.0				6-17-58	68.8	504.9		
		3-12-58	142.9	534.9								
		4-09-58	141.6	536.2								
		5-14-58	145.4*	532.4								
3S/07W-27A01 S	632.0 631.7	6-10-58	144.7*	533.1	4103	3S/07W-28F03 S	564.1	10-09-57	63.7	500.4	3102	
		7-01-57	111.8	520.2				5-22-58	58.2	505.9		
		7-31-57	113.8	517.9								
		9-05-57	114.0	517.7				10-09-57	103.3	507.8		
		10-09-57	117.7	514.3				10-10-57	103.4	507.7		
		10-09-57	117.7	514.3				11-14-57	103.1	508.0		
		10-09-57	117.7	514.3				12-19-57	102.6	508.5		
		10-10-57	115.6	516.1				1-14-58	102.2	508.9		
		12-03-57	114.9	516.8				2-18-58	101.2	509.9		
		1-02-58	112.5	519.2				4-22-58	98.6	512.5		
3S/07W-27H01 S	662.2	2-13-58	110.9	520.8	3102	3S/07W-28J01 S	611.1	5-22-58	97.9	513.2	3102	
		3-04-58	110.7	521.0				6-17-58	98.9	512.2		
		4-11-58	107.8	523.9								
		5-22-58	107.3	524.7				7-09-57	200.7*	529.3		
		5-22-58	107.3	524.7				8-14-57	205.2*	524.8		
		6-05-58	107.9	523.8				9-11-57	206.2*	523.8		
		6-27-58	109.1	522.6				10-08-57	205.8*	524.2		
		10-09-57	148.4	513.8				11-13-57	193.8	536.2		
		10-10-57	144.9	517.3				12-10-57	193.3	536.7		
		3S/07W-28F01 S	573.7	4-10-58				137.0	525.2	4103		3S/07W-35C01 S
5-22-58	136.7			525.5	2-13-58	189.6	540.4					
7-01-57	76.9			496.8	3-12-58	188.2	541.8					
7-31-57	72.1			501.6	4-09-58	187.0	543.0					
9-05-57	72.8			500.9	5-14-58	194.1*	535.9					
10-10-57	75.1			498.6	6-10-58	195.5*	534.5					
12-03-57	75.0			498.7								
1-03-58	72.5			501.2	10-15-57	142.6	808.5					
2-13-58	71.7			502.0	5-29-58	161.8*	789.3					
3-05-58	71.2			502.5								
4-11-58	69.6	504.1	10-10-57	144.0*	825.9							
6-05-58	68.8	504.9	10-15-57	135.8	834.1							
3S/07W-28F02 S	573.7	6-27-58	68.9	504.8	3102	4S/07W-03L02 S	981.6	4-10-58	137.4	844.2	4103	
		10-09-57	73.3	500.4				5-29-58	151.7	829.9		
						BEDFORD BASIN						
3S/07W-28F02 S	573.7	10-09-57	73.3	500.4	3102	4S/06W-16C01 S	781.0	7-06-57	62.4	718.6	5717	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
BEDFORD BASIN						80218	BEDFORD BASIN					
4S/06W-16C01 S CONT.	781.0	7-13-57	62.7	718.3	5717	80200	4S/06W-16C01 S CONT.	781.0	5-31-58	39.2	741.8	5717
		7-20-57	62.6	718.4					6-07-58	38.7	742.3	
		7-27-57	62.2	718.8					6-14-58	37.5	743.5	
		8-03-57	62.8	718.2					6-21-58	34.7	746.3	
		8-10-57	62.5	718.5					6-28-58	33.6	747.4	
		8-17-57	62.9	718.1								
		8-24-57	63.0	718.0				790.0	7-06-57	72.4*	717.6	5717
		8-31-57	62.4	718.6					7-13-57	72.2*	717.8	
		9-07-57	63.0	718.0					7-20-57	70.0*	720.0	
		9-14-57	62.9	718.1					7-27-57	69.7*	720.3	
		9-21-57	62.8	718.2					8-03-57	71.7*	718.3	
		9-28-57	62.9	718.1					8-10-57	70.1*	719.9	
		10-05-57	63.0	718.0					8-17-57	70.6*	719.4	
		10-12-57	64.0	717.0					8-24-57	70.2*	719.8	
		10-19-57	63.5	717.5					8-31-57	71.8*	718.2	
		10-26-57	62.7	718.3					9-07-57	70.2*	719.8	
		11-02-57	62.9	718.1					9-14-57	70.0*	720.0	
		11-09-57	64.0	717.0					9-21-57	70.9*	719.1	
		11-16-57	63.9	717.1					9-28-57	70.4*	719.6	
		11-23-57	63.1	717.9					10-05-57	71.4*	718.6	
		11-30-57	63.2	717.8					10-12-57	73.3*	716.7	
		12-07-57	62.9	718.1					10-19-57	67.5*	722.5	
		12-14-57	62.8	718.2					10-26-57	68.6*	721.4	
		12-21-57	63.0	718.0					11-02-57	68.8*	721.2	
		12-28-57	69.3*	711.7					11-09-57	72.4*	717.6	
		1-04-58	64.4	716.6					11-16-57	70.9*	719.1	
		1-11-58	63.8	717.2					11-23-57	69.9*	720.1	
		1-18-58	63.4	717.6					11-30-57	72.0*	718.0	
		1-25-58	63.1	717.9					12-07-57	69.9*	720.1	
		2-01-58	61.3	719.7					12-14-57	68.8*	721.2	
		2-08-58	58.1	722.9					12-21-57	69.7*	720.3	
		2-15-58	66.4*	714.6					12-28-57	63.5	726.5	
		2-22-58	56.4	724.6					1-04-58	75.2*	714.8	
		3-01-58	55.1	725.9					1-11-58	72.3*	717.7	
		3-08-58	54.4	726.6					1-18-58	69.6*	720.4	
		3-15-58	53.8	727.2					1-25-58	70.1*	719.9	
		3-22-58	51.2	729.8					2-01-58	61.0	729.0	
		3-29-58	50.3	730.7					2-08-58	55.0	735.0	
		4-05-58	43.7	737.3					2-15-58	55.8	734.2	
		4-12-58	41.6	739.4					2-22-58	54.6	735.4	
		4-19-58	41.2	739.8					3-01-58	53.4	736.6	
		4-26-58	41.0	740.0					3-08-58	52.6	737.4	
		5-03-58	40.9	740.1					3-15-58	51.9	738.1	
		5-10-58	40.3	740.7					3-22-58	49.0	741.0	
		5-17-58	39.9	741.1					3-29-58	48.0	742.0	
		5-24-58	39.6	741.4					4-05-58	37.6	752.4	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						80200	UPPER SANTA ANA VALLEY					
BEDFORD BASIN						80218	BEDFORD BASIN					
4S/06W-16C02 S	790.0	4-12-58	37.6	752.4	5717		4S/06W-16F01 S	800.0	2-22-58	51.4	748.6	5717
CONT.		4-19-58	38.1	751.9			CONT.		3-01-58	50.2	749.8	
		4-26-58	38.2	751.8					3-08-58	49.5	750.5	
		5-03-58	38.0	752.0					3-15-58	49.0	751.0	
		5-10-58	38.0	752.0					3-22-58	48.4	754.6	
		5-17-58	37.6	752.4					3-29-58	44.5	755.5	
		5-24-58	37.4	752.6					4-05-58	32.4	767.6	
		5-31-58	37.2	752.8					4-12-58	32.7	767.3	
		6-07-58	36.8	753.2					4-19-58	33.5	766.5	
		6-14-58	35.6	754.4					4-26-58	33.6	766.4	
		6-21-58	33.5	756.5					5-03-58	34.1	765.9	
		6-28-58	39.6*	750.4					5-10-58	34.0	766.0	
4S/06W-16F01 S	800.0	7-06-57	63.0	737.0	5717				5-17-58	33.9	766.1	
		7-13-57	62.8	737.2					5-24-58	33.5	766.5	
		7-20-57	62.4	737.6					5-31-58	33.4	766.6	
		7-27-57	61.8	738.2					6-07-58	33.0	767.0	
		8-03-57	62.7	737.3					6-14-58	32.1	767.9	
		8-10-57	62.2	737.8					6-21-58	30.2	769.8	
		8-17-57	62.4	737.6					6-28-58	30.0	770.0	
		8-24-57	62.4	737.6			4S/06W-35G01 S	956.0	7-06-57	88.0*	868.0	5717
		8-31-57	62.2	737.8					7-13-57	88.0*	868.0	
		9-07-57	62.2	737.8					7-20-57	88.0*	868.0	
		9-14-57	62.2	737.8					7-27-57	88.0*	868.0	
		9-21-57	62.2	737.8					8-03-57	88.0*	868.0	
		9-28-57	62.0	738.0					8-10-57	88.0*	868.0	
		10-05-57	62.0	738.0					8-17-57	88.0*	868.0	
		10-12-57	63.5	736.5					8-24-57	88.0*	868.0	
		10-19-57	61.9	738.1					8-31-57	88.0*	868.0	
		10-26-57	61.7	738.3					9-07-57	88.0*	868.0	
		11-02-57	61.6	738.4					9-14-57	88.0*	868.0	
		11-09-57	63.0	737.0					9-21-57	88.0*	868.0	
		11-16-57	62.9	737.1					9-28-57	88.0*	868.0	
		11-23-57	62.3	737.7					10-05-57	88.0*	868.0	
		11-30-57	62.7	737.3					10-12-57	67.7	888.3	
		12-07-57	61.6	738.4					10-19-57	42.9	913.1	
		12-14-57	61.6	738.4					10-26-57	41.1	914.9	
		12-21-57	61.7	738.3					11-02-57	40.0	916.0	
		12-28-57	60.1	739.9					11-09-57	39.7	916.3	
		1-04-58	64.6	735.4					11-16-57	39.4	916.6	
		1-11-58	63.6	736.4					11-23-57	80.6*	875.4	
		1-18-58	62.8	737.2					11-30-57	87.0*	869.0	
		1-25-58	61.9	738.1					12-07-57	45.8	910.2	
		2-01-58	58.4	741.6					12-14-57	87.0*	869.0	
		2-08-58	54.2	745.8					12-21-57	44.9	911.1	
		2-15-58	52.0	748.0					12-28-57	40.1	915.9	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY											
BEDFORD BASIN						BEDFORD BASIN					
4S/06W-35G01 S	956.0	1-04-58	39.5	916.5	5717	4S/06W-35G02 S	956.0	11-16-57	39.0	917.0	5717
CONT.		1-11-58	39.2	916.8		CONT.		11-23-57	72.5*	883.5	
		1-18-58	88.0*	868.0				11-30-57	72.6*	883.4	
		1-25-58	88.0*	868.0				12-07-57	45.3	910.7	
		2-01-58	41.1	914.9				12-14-57	72.6*	883.4	
		2-08-58	39.6	916.4				12-21-57	44.5	911.5	
		2-15-58	38.9	917.1				12-28-57	39.7	916.3	
		2-22-58	38.6	917.4				1-04-58	39.0	917.0	
		3-01-58	38.4	917.6				1-11-58	38.7	917.3	
		3-08-58	38.2	917.8				1-18-58	72.6*	883.4	
		3-15-58	38.0	918.0				1-25-58	72.6*	883.4	
		3-22-58	37.4	918.6				2-01-58	40.6	915.4	
		3-29-58	37.3	918.7				2-08-58	39.1	916.9	
		4-05-58	31.8	924.2				2-15-58	38.4	917.6	
		4-12-58	28.5	927.5				2-22-58	38.2	917.8	
		4-19-58	28.1	927.9				3-01-58	38.0	918.0	
		4-26-58	43.4*	912.6				3-08-58	37.8	918.2	
		5-03-58	48.6*	907.4				3-15-58	37.6	918.4	
		5-10-58	51.5*	904.5				3-22-58	37.0	919.0	
		5-17-58	32.3	923.7				3-29-58	36.8	919.2	
		5-23-58	39.8	916.2				4-05-58	31.3	924.7	
		5-30-58	60.4*	895.6				4-12-58	28.0	928.0	
		6-07-58	61.4*	894.6				4-19-58	27.6	928.4	
		6-14-58	61.8*	894.2				4-26-58	43.0*	913.0	
		6-21-58	62.4*	893.6				5-03-58	48.2*	907.8	
		6-28-58	63.1	892.9				5-10-58	51.0*	905.0	
4S/06W-35G02 S	956.0	7-06-57	72.6*	883.4	5717			5-17-58	31.8	924.2	
		7-13-57	72.6*	883.4				5-24-58	39.4*	916.6	
		7-20-57	72.6*	883.4				5-31-58	59.9*	896.1	
		7-27-57	72.6*	883.4				6-07-58	60.0*	896.0	
		8-03-57	72.6*	883.4				6-14-58	61.4*	894.6	
		8-10-57	71.8*	884.2				6-21-58	61.9*	894.1	
		8-17-57	72.6*	883.4				6-28-58	62.7*	893.3	
		8-24-57	72.6*	883.4							
		8-31-57	72.6*	883.4							
		9-07-57	72.6*	883.4							
		9-14-57	72.6*	883.4							
		9-21-57	72.6*	883.4							
		9-28-57	72.6*	883.4							
		10-05-57	72.6*	883.4							
		10-12-57	67.1*	888.9							
		10-19-57	42.4	913.6							
		10-26-57	40.7	915.3							
		11-02-57	39.6	916.4							
		11-09-57	39.2	916.8							
COLDWATER BASIN											
5S/06W-02P01 S	1110.3	7-06-57	112.6	997.7							
		7-13-57	113.0	997.3							
		7-20-57	113.0	997.3							
		7-27-57	113.2	997.1							
		8-03-57	113.3	997.0							
		8-10-57	113.5	996.8							
		8-17-57	113.6	996.7							
		8-24-57	113.8	996.5							
		8-31-57	113.8	996.5							
		9-07-57	114.0	996.3							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
COLDWATER BASIN												
80200												
5S/06W-02P01 S CONT.	1110.3	9-14-57	114.3	996.0	5717	5S/06W-03C01 S CONT.	1121.0	8-03-57	168.2	80200	952.8	5717
		9-21-57	114.5	995.8				8-10-57	169.1		951.9	
		9-28-57	114.6	995.7				8-17-57	170.4		950.6	
		10-05-57	114.8	995.5				8-24-57	171.8		949.2	
		10-12-57	115.0	995.3				8-31-57	172.7		948.3	
		10-19-57	115.2	995.1				9-07-57	173.7		947.3	
		10-26-57	115.5	994.8				9-14-57	174.9		946.1	
		11-02-57	115.6	994.7				9-21-57	175.6		945.4	
		11-09-57	115.8	994.5				9-28-57	176.6		944.4	
		11-16-57	116.0	994.3				10-05-57	177.0		944.0	
		11-23-57	116.0	994.3				10-12-57	178.3		942.7	
		11-30-57	116.1	994.2				10-19-57	178.4		942.6	
		12-07-57	116.2	994.1				10-26-57	177.6		943.4	
		12-14-57	116.5	993.8				11-02-57	177.6		943.4	
		12-21-57	116.0	994.3				11-09-57	177.6		943.4	
		12-28-57	116.8	993.5				11-16-57	177.8		943.2	
		1-04-58	116.8	993.5				11-23-57	177.6		943.4	
		1-11-58	116.9	993.4				11-30-57	177.4		943.6	
		1-18-58	117.0	993.3				12-07-57	178.2		942.8	
		1-25-58	117.0	993.3				12-14-57	178.2		942.8	
		2-01-58	117.2	993.1				12-21-57	177.8		943.2	
		2-08-58	117.2	993.1				12-28-57	176.5		944.5	
		2-15-58	117.2	993.1				1-04-58	175.9		945.1	
		2-22-58	117.2	993.1				1-11-58	175.1		945.9	
		3-01-58	117.4	992.9				1-18-58	174.8		946.2	
		3-08-58	117.4	992.9				1-25-58	175.6		945.4	
3-15-58	117.4	992.9	2-01-58	174.9	946.1							
3-22-58	117.4	992.9	2-08-58	173.9	947.1							
3-29-58	117.0	993.3	2-15-58	169.0	952.0							
4-05-58	116.8	993.5	2-22-58	167.8	953.2							
4-12-58	116.6	993.7	3-01-58	166.2	954.8							
4-19-58	107.6	1002.7	3-08-58	165.0	956.0							
5-03-58	103.9	1006.4	3-15-58	163.8	957.2							
5-10-58	102.8	1007.5	3-22-58	158.4	962.6							
5-17-58	101.9	1008.4	3-29-58	152.8	968.2							
5-24-58	100.9	1009.4	4-05-58	143.2	977.8							
5-31-58	100.2	1010.1	4-12-58	118.9	1002.1							
6-07-58	99.5	1010.8	4-19-58	111.2	1009.8							
6-14-58	99.2	1011.1	4-26-58	108.1	1012.9							
6-22-58	98.6	1011.7	5-03-58	107.7	1013.3							
6-28-58	98.2	1012.1	5-10-58	108.2	1012.8							
5S/06W-03C01 S	1121.0	7-06-57	165.6	955.4	5717	5-17-58	109.4	1011.6				
		7-13-57	166.0	955.0		5-24-58	109.9	1011.1				
		7-20-57	166.8	954.2		5-31-58	110.4	1010.6				
		7-27-57	167.4	953.6		6-07-58	111.0	1010.0				
							6-14-58	111.0	1010.0			



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY					
COLDWATER BASIN						COLDWATER BASIN					
80200						80200					
55/06W-03G01 S	1121.0	6-21-58	111.2	1009.8	5717	55/06W-03G01 S	1100.0	5-03-58	88.3	1011.7	5717
CONT.		6-28-58	111.8	1009.2		CONT.		5-10-58	88.8	1011.2	
55/06W-03G01 S	1100.0	7-06-57	150.0	950.0	5717			5-17-58	93.4	1006.6	
		7-13-57	151.0	949.0				5-24-58	94.0	1006.0	
		7-20-57	151.3	948.7				5-31-58	94.4	1005.6	
		7-27-57	151.8	948.2				6-07-58	95.2	1004.8	
		8-03-57	153.2	946.8				6-14-58	95.2	1004.8	
		8-10-57	154.2	945.8				6-21-58	95.6	1004.4	
		8-17-57	155.3	944.7				6-28-58	96.0	1004.0	
		8-24-57	156.5	943.5							
		8-31-57	157.4	942.6				7-06-57	162.2	942.8	5717
		9-07-57	158.6	941.4				7-13-57	163.0	942.0	
		9-14-57	159.6	940.4				7-20-57	163.4	941.6	
		9-21-57	160.4	939.6				7-27-57	163.9	941.1	
		9-28-57	161.2	938.8				8-03-57	165.3	939.7	
		10-05-57	162.0	938.0				8-10-57	167.2	937.8	
		10-12-57	163.0	937.0				8-17-57	168.4	936.6	
		10-19-57	163.2	936.8				8-24-57	169.6	935.4	
		10-26-57	162.8	937.2				8-31-57	170.6	934.4	
		11-02-57	162.7	937.3				9-07-57	171.8	933.2	
		11-09-57	162.8	937.2				9-14-57	171.9	933.1	
		11-16-57	163.0	937.0				9-21-57	172.6	932.4	
		11-23-57	162.2	937.8				9-28-57	173.3	931.7	
		11-30-57	162.3	937.7				10-05-57	174.4	930.6	
		12-07-57	163.2	936.8				10-12-57	175.2	929.8	
		12-14-57	163.6	936.4				10-19-57	175.4	929.6	
		12-21-57	163.4	936.6				11-02-57	174.9	930.1	
		12-28-57	161.7	938.3				11-09-57	175.0	930.0	
		1-04-58	160.7	939.3				11-16-57	174.9	930.1	
		1-11-58	160.1	939.9				11-23-57	174.1	930.9	
		1-18-58	159.7	940.3				11-30-57	174.2	930.8	
		1-25-58	160.6	939.4				12-07-57	175.0	930.0	
		2-01-58	160.0	940.0				12-14-57	175.4	929.6	
		2-08-58	158.0	942.0				12-21-57	175.3	929.7	
		2-15-58	152.9	947.1				12-28-57	173.5	931.5	
		2-22-58	151.2	948.8				1-04-58	172.6	932.4	
		3-01-58	149.8	950.2				1-11-58	172.0	933.0	
		3-08-58	148.3	951.7				1-18-58	171.6	933.4	
		3-15-58	147.2	952.8				1-25-58	172.4	932.6	
		3-22-58	139.6	960.4				2-01-58	172.0	933.0	
		3-29-58	134.2	965.8				2-08-58	170.3	934.7	
		4-05-58	122.7	977.3				2-15-58	166.0	939.0	
		4-12-58	98.9	1001.1				2-22-58	164.2	940.8	
		4-19-58	92.4	1007.6				3-01-58	162.7	942.3	
		4-26-58	86.4	1013.6				3-08-58	161.0	944.0	
								3-15-58	159.8	945.2	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						UPPER SANTA ANA VALLEY						
COLDWATER BASIN						COLDWATER BASIN						
5S/06W-03G02 S	1105.0	3-22-58	151.8	953.2	5717	5S/06W-03J04 S	1115.0	2-01-58	192.5	80200	922.5	5717
CONT.		3-29-58	146.3	958.7		CONT.		2-08-58	190.4		924.6	
		4-05-58	135.8	969.2				2-15-58	184.6		930.4	
		4-12-58	116.8	988.2				2-22-58	184.6		930.4	
		4-19-58	109.4	995.6				3-01-58	183.0		932.0	
		4-26-58	103.0	1002.0				3-08-58	181.8		933.2	
		5-03-58	102.6	1002.4				3-15-58	180.7		934.3	
		5-10-58	103.2	1001.8				3-22-58	169.7		945.3	
		5-17-58	104.1	1000.9				3-29-58	164.0		951.0	
		5-24-58	104.8	1000.2				4-05-58	137.0		978.0	
		5-31-58	105.4	999.6				4-12-58	115.5		999.5	
		6-07-58	106.2	998.8				4-19-58	116.6		998.4	
		6-14-58	107.0	998.0				4-26-58	118.8		996.2	
		6-21-58	107.0	998.0				5-03-58	121.0		994.0	
		6-28-58	107.5	997.5				5-10-58	126.0*		989.0	
5S/06W-03J04 S	1115.0	7-06-57	186.4*	928.6	5717			5-17-58	125.8		989.2	
		7-13-57	187.4*	927.6				5-24-58	126.3		988.7	
		7-20-57	188.0*	927.0				5-31-58	131.8*		983.2	
		7-27-57	189.2*	925.8				6-07-58	128.4		986.6	
		8-03-57	192.4*	922.6				6-14-58	128.4		986.6	
		8-10-57	193.4*	921.6				6-21-58	128.6		986.4	
		8-17-57	198.2*	916.8				6-28-58	130.6*		984.4	
		8-24-57	195.8*	919.2								
		8-31-57	200.7*	914.3		5S/06W-03K01 S	1122.0	7-06-57	208.6*		913.4	5717
		9-07-57	201.6*	913.4				7-13-57	209.4*		912.6	
		9-14-57	201.8*	913.2				7-20-57	208.6*		913.4	
		9-21-57	204.4*	910.6				7-27-57	209.6*		912.4	
		9-28-57	206.3*	908.7				8-03-57	212.6*		909.4	
		10-05-57	208.1*	906.9				8-10-57	213.8*		908.2	
		10-12-57	198.9	916.1				8-17-57	216.2*		905.8	
		10-19-57	197.2	917.8				8-24-57	216.6*		905.4	
		10-26-57	196.2	918.8				8-31-57	220.2*		901.8	
		11-02-57	196.9	918.1				9-07-57	221.0*		901.0	
		11-09-57	196.2	918.8				9-14-57	222.0*		900.0	
		11-16-57	195.5	919.5				9-21-57	221.4*		900.6	
		11-23-57	195.4	919.6				9-28-57	221.8*		900.2	
		11-30-57	206.2*	908.8				10-05-57	223.4*		898.6	
		12-07-57	197.9	917.1				10-12-57	223.0*		899.0	
		12-14-57	205.7*	909.3				10-19-57	219.0*		903.0	
		12-21-57	196.0	919.0				10-26-57	219.9*		902.1	
		12-28-57	200.1*	914.9				11-02-57	223.6*		898.4	
		1-04-58	198.4*	916.6				11-09-57	218.0*		904.0	
		1-11-58	197.9*	917.1				11-16-57	217.8*		904.2	
		1-18-58	197.9*	917.1				11-23-57	217.8*		904.2	
		1-25-58	200.0*	915.0				11-30-57	222.2*		899.8	
								12-07-57	221.0*		901.0	

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY												
COLDWATER BASIN												
80200												
55/06W-03K01 S	1122.0	12-14-57	220.7*	901.3	5717	COLDWATER BASIN	55/06W-03Q001 S	1285.0	10-26-57	225.6	1059.4	5717
CONT.		12-21-57	211.1	910.9			CONT.		11-02-57	226.0	1059.0	
		12-28-57	210.0	912.0					11-09-57	225.7	1059.3	
		1-04-58	209.2	912.8					11-16-57	225.0	1060.0	
		1-11-58	208.6	913.4					11-23-57	225.0	1060.0	
		1-18-58	214.4*	907.6					11-30-57	226.3	1058.7	
		1-25-58	215.9*	906.1					12-07-57	226.9	1058.1	
		2-01-58	207.8	914.2					12-14-57	227.4	1057.6	
		2-08-58	205.8	916.2					12-21-57	225.6	1059.4	
		2-15-58	200.0	922.0					12-28-57	224.2	1060.8	
		2-22-58	200.0	922.0					1-04-58	223.4	1061.6	
		3-01-58	198.2	923.8					1-11-58	222.8	1062.2	
		3-08-58	197.1	924.9					1-18-58	223.0	1062.0	
		3-15-58	196.0	926.0					1-25-58	223.4	1061.6	
		3-22-58	197.6*	924.4					2-01-58	222.4	1062.6	
		3-29-58	188.4*	933.6					2-08-58	219.6	1065.4	
		4-05-58	162.0*	960.0					2-15-58	215.2	1069.8	
		4-12-58	135.0	987.0					2-22-58	214.8	1070.2	
		4-19-58	134.0	988.0					3-01-58	213.3	1071.7	
		4-26-58	135.1	986.9					3-08-58	212.2	1072.8	
		5-03-58	137.0	985.0					3-15-58	210.9	1074.1	
		5-10-58	139.4	982.6					3-22-58	203.2	1081.8	
		5-17-58	141.2	980.8					3-29-58	196.3	1088.7	
		5-24-58	141.9	980.1					4-05-58	179.6	1105.4	
		5-31-58	143.0	979.0					4-12-58	154.9	1130.1	
		6-07-58	154.0*	968.0					4-19-58	151.1	1133.9	
		6-14-58	148.0*	974.0					4-26-58	151.3	1133.7	
		6-21-58	149.8*	972.2					5-03-58	152.5	1132.5	
		6-28-58	143.9	978.1					5-10-58	155.0	1130.0	
55/06W-03Q01 S	1285.0	7-06-57	214.2	1070.8	5717	LEE LAKE BASIN	55/06W-07C01 S	1095.0	7-06-57	34.9*	1060.1	5717
		7-13-57	214.9	1070.1					7-13-57	33.6*	1061.4	
		7-20-57	215.2	1069.8					7-20-57	34.1*	1060.9	
		7-27-57	216.2	1068.8					7-27-57	30.4*	1064.6	
		8-03-57	217.2	1067.8					8-03-57	32.2*	1062.8	
		8-10-57	218.2	1066.8					8-10-57	33.8*	1061.2	
		8-17-57	219.4	1065.6					8-17-57	32.4*	1062.6	
		8-24-57	220.4	1064.6								
		8-31-57	222.0	1063.0								
		9-07-57	223.0	1062.0								
		9-14-57	224.0	1061.0								
		9-21-57	224.7	1060.3								
		9-28-57	229.7	1059.3								
		10-05-57	226.6	1058.4								
		10-12-57	227.5	1057.5								
		10-19-57	226.1	1058.9								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY							UPPER SANTA ANA VALLEY					
LEE LAKE BASIN							LEE LAKE BASIN					
5S/05W-07C01 S	1095.0	8-24-57	32.6*	1062.4	5717		5S/05W-08N01 S	1175.0	10-19-57	62.0	1113.0	5717
CONT.							CONT.					
		8-31-57	30.4*	1064.6					10-26-57	61.3	1113.7	
		9-07-57	30.6*	1064.4					11-02-57	60.8	1114.2	
		9-14-57	29.3*	1065.7					11-09-57	60.2	1114.8	
		9-21-57	29.6*	1065.4					11-16-57	59.6	1115.4	
		9-28-57	27.6*	1067.4					12-07-57	61.2	1113.8	
		10-05-57	27.7*	1067.3					12-21-57	59.8	1115.2	
		10-12-57	21.4	1073.6					12-28-57	59.4	1115.6	
		10-19-57	17.1	1077.9					1-04-58	58.8	1116.2	
		10-26-57	15.1	1079.9					1-11-58	58.4	1116.6	
		11-02-57	14.7	1080.3					2-01-58	58.9	1116.1	
		11-09-57	14.1	1080.9					2-08-58	57.9	1117.1	
		11-16-57	13.6	1081.4					2-15-58	57.2	1117.8	
		11-23-57	31.6*	1063.4					2-22-58	56.4	1118.6	
		11-30-57	34.4*	1060.6					3-01-58	55.7	1119.3	
		12-07-57	18.1	1076.9					3-08-58	55.1	1119.9	
		12-14-57	25.8*	1069.2					3-15-58	54.6	1120.4	
		12-21-57	15.4	1079.6					3-22-58	54.2	1120.8	
		12-28-57	14.6	1080.4					3-29-58	52.0	1123.0	
		1-04-58	14.4	1080.6					4-05-58	49.3	1125.7	
		1-11-58	13.5	1081.5					4-12-58	46.4	1128.6	
		1-18-58	32.0*	1063.0					4-19-58	44.5	1130.5	
		1-25-58	34.5*	1060.5					4-26-58	76.4*	1098.6	
		2-01-58	15.0	1080.0					5-03-58	46.1	1128.9	
		2-08-58	13.6	1081.4					5-10-58	44.2	1130.8	
		2-15-58	12.9	1082.1					5-17-58	45.6	1129.4	
		2-22-58	12.8	1082.2					5-24-58	72.3*	1102.7	
		3-01-58	11.7	1083.3					5-31-58	74.2*	1100.8	
		3-08-58	11.4	1083.6					6-07-58	85.6*	1089.4	
		3-15-58	11.3	1083.7					6-14-58	84.9*	1090.1	
		3-22-58	3.8	1091.2					6-21-58	85.1*	1089.9	
		3-29-58	1.0	1094.0					6-28-58	52.1	1122.9	
		4-05-58	5.6	1089.4								
		4-12-58	5.3	1089.7					7-06-57	90.8*	1099.2	5717
		4-19-58	6.0	1089.0					7-13-57	90.9*	1099.1	
		4-26-58	6.0	1089.0					7-20-57	90.8*	1099.2	
		5-03-58	6.0	1089.0					7-27-57	90.9*	1099.1	
		5-10-58	6.0	1089.0					8-03-57	91.0*	1099.0	
		5-17-58	6.3	1088.7					8-10-57	91.1*	1098.9	
		5-24-58	6.1	1088.9					8-17-57	91.0*	1099.0	
		5-31-58	6.2	1088.8					8-24-57	91.1*	1098.9	
		6-07-58	6.1	1088.9					8-31-57	91.2*	1098.8	
		6-14-58	6.2	1088.8					9-07-57	91.0*	1099.0	
		6-21-58	6.2	1088.8					9-14-57	91.0*	1099.0	
		6-28-58	6.4	1088.6					9-21-57	91.0*	1099.0	
5S/05W-08N01 S	1175.0	10-12-57	63.4	1111.6	5717		5S/05W-08P01 S	1190.0	7-06-57	90.8*	1099.2	



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER SANTA ANA VALLEY						ELSINORE VALLEY					
80200						80400					
LEE LAKE BASIN											
55/05W-08P01 S	1190.0	10-05-57	91.0*	1099.0	5717	55/04W-30N01 S	1300.0	7-02-57	54.5	1245.5	4103
CONT.		10-12-57	73.0	1117.0				8-01-57	54.2	1245.8	
		10-19-57	71.0	1119.0				9-04-57	55.0	1245.0	
		10-26-57	70.6	1119.4				10-09-57	55.3	1244.7	
		11-02-57	70.0	1120.0				12-05-57	54.6	1245.4	
		11-09-57	69.6	1120.4				1-07-58	55.0	1245.0	
		11-16-57	69.1	1120.9				2-14-58	54.9	1245.1	
		11-23-57	88.1*	1101.9				3-06-58	54.6	1245.4	
		11-30-57	90.1*	1099.9				4-18-58	56.2	1243.8	
		12-07-57	70.4	1119.6				5-27-58	55.5	1244.5	
		12-14-57	89.3*	1100.7				6-25-58	57.7	1242.3	
		12-21-57	69.4	1120.6							
		12-28-57	68.6	1121.4							
		1-04-58	68.1	1121.9		55/04W-31A01 S	1335.0	11-16-57	40.4	1294.6	5050
		1-11-58	67.6	1122.4				3-25-58	39.3	1295.7	
		1-18-58	89.3*	1100.7		55/04W-31D01 S	1285.0	11-16-57	68.6	1216.4	5050
		1-25-58	90.1*	1099.9				3-25-58	67.0	1218.0	
		2-01-58	68.1	1121.9		55/04W-31H01 S	1320.0	11-16-57	57.5	1262.5	5050
		2-08-58	67.4	1122.6		55/04W-31K01 S	1280.0	11-16-57	38.6	1241.4	5050
		2-15-58	66.4	1123.6				3-25-58	34.1	1245.9	
		2-22-58	65.6	1124.4		55/04W-31L01 S	1265.0	11-16-57	31.0	1234.0	5050
		3-01-58	65.4	1124.6							
		3-08-58	64.8	1125.2		55/04W-31P01 S	1255.0	11-16-57	26.3	1228.7	5050
		3-15-58	64.2	1125.8							
		3-22-58	63.6	1126.4		55/04W-31R01 S	1300.0	11-16-57	43.0	1257.0	5050
		3-29-58	62.1	1127.9				3-25-58	40.8	1259.2	
		4-05-58	59.4	1130.6		55/05W-25L01 S	1260.0	11-16-57	23.3	1236.7	5050
		4-12-58	57.1	1132.9				3-25-58	23.1	1236.9	
		4-19-58	55.0	1135.0							
		4-26-58	87.8*	1102.2		55/05W-34G02 S	1433.2	1-07-58	272.7*	1160.5	4103
		5-03-58	56.7	1133.3				2-14-58	273.8*	1159.4	
		5-10-58	81.2*	1108.8				3-06-58	273.8*	1159.4	
		5-17-58	57.4	1132.6				3-24-58	278.5	1154.7	5050
		5-24-58	83.8*	1106.2				4-18-58	272.8*	1160.4	4103
		5-31-58	85.4*	1104.6							
		6-07-58	86.9*	1103.1							
		6-14-58	59.0	1131.0		55/05W-34K01 S	1391.5	3-24-58	326.0	1065.5	5050
		6-21-58	60.1	1129.9		55/05W-34Q01 S	1378.4	11-15-57	DRY		5050
		6-28-58	86.9*	1103.1				3-25-58	DRY		
						55/05W-34Q02 S	1385.0	3-25-58	360.0	1025.0	5050
						55/05W-34R01 S	1351.7	3-25-58	289.0	1062.7	5050
						55/05W-35M01 S	1355.0	3-25-58	254.0	1100.5	5050

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ELSINORE VALLEY						ELSINORE VALLEY					
5S/05W-35N01 S	1329.2	11-21-57	DRY	804.00	5050	6S/04W-08K02 S	1264.7	3-25-58	94.0	804.00	5050
5S/05W-35N02 S	1324.8	11-21-57 3-25-58	216.9 212.0	1107.9 1112.8	5050	6S/04W-08L01 S	1273.1	11-19-57 3-25-58	77.4 81.7	1195.7 1191.4	5050
5S/05W-35P01 S	1321.4	11-21-57 3-24-58	217.2 211.3	1104.2 1110.1	5050	6S/04W-09Q01 S	1274.3	11-19-57 3-25-58	90.1 91.7	1184.2 1182.6	5050
5S/05W-35Q01 S	1301.8	3-25-58	216.0	1085.8	5050	6S/04W-16C02 S	1260.0	7-10-57 8-09-57	90.2 89.6	1169.8 1170.4	5716
5S/05W-36H01 S	1262.0	10-09-57 4-18-58	31.1 29.0	1230.9 1233.0	4103			11-11-57 12-06-57	90.8 90.8	1169.2 1169.2	
5S/05W-36H02 S	1255.0	4-18-58	23.3	1231.7	4103			2-10-58 5-12-58	90.2 64.0	1169.8 1196.0	
5S/05W-36J01 S	1260.0	11-16-57 3-25-58	23.4 20.8	1236.6 1239.2	5050	6S/04W-16D01 S	1262.0	10-08-57 4-18-58	94.8 85.8	1167.2 1176.2	4103
6S/04W-05N01 S	1280.0	7-02-57 8-01-57 9-04-57 2-14-58 3-06-58 4-12-58 5-27-58 6-25-58	118.0* 118.7 122.2 117.0 112.7 105.9 103.5 102.1	1162.0 1161.3 1157.8 1163.0 1167.3 1174.1 1176.5 1177.9	4103	6S/04W-16H01 S	1273.4	3-25-58	56.0	1217.4	5050
6S/04W-05Q01 S	1395.0	11-16-57 3-25-58	22.0 21.4	1373.0 1373.6	5050	6S/04W-19D01 S	1275.7	11-21-57 3-26-58	63.4 62.3	1212.3 1213.4	5050
6S/04W-06G01 S	1270.0	7-02-57 8-01-57 9-04-57 10-09-57 12-05-57 1-07-58 2-14-58 3-06-58 4-18-58 5-27-58 6-25-58	37.9 38.2 36.7 36.3 36.7 36.6 37.0 37.0 36.5 36.3 35.2	1232.1 1231.8 1233.3 1233.7 1233.3 1233.4 1233.0 1233.0 1233.5 1233.7 1234.8	4103	6S/04W-19J01 S	1275.0	11-21-57 3-26-58	48.9 47.7	1226.1 1227.3	5050
						6S/04W-19K01 S	1284.2	11-21-57 3-26-58	33.9 32.3	1250.3 1251.9	5050
6S/04W-06J01 S	1280.0	11-20-57 3-25-58	134.1 111.9	1145.9 1168.1	5050	6S/04W-20J01 S	1251.1	7-02-57 8-01-57 9-04-57 10-08-57 12-05-57 1-07-58 2-14-58 3-06-58 4-18-58 5-27-58 6-25-58	62.4 62.3 61.5 64.1 64.0 62.2 61.6 63.3 60.8 60.6 59.8	1188.7 1188.8 1189.6 1187.0 1187.1 1188.9 1189.5 1187.8 1190.3 1190.5 1191.3	4103
6S/04W-06J02 S	1280.0	11-20-57 3-25-58	133.2 111.0	1146.8 1169.0	5050	6S/04W-20N01 S	1302.1	11-21-57 3-26-58	46.5 43.9	1255.6 1258.2	5050
6S/04W-08K02 S	1264.7	11-19-57	94.0	1170.7	5050	6S/04W-20Q01 S	1290.0	10-08-57	26.9	1263.1	4103

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
ELSINORE VALLEY						ELSINORE VALLEY					
6S/04W-20Q01 S	1290.0	4-18-58	18.4	1271.6	4103	6S/04W-29G01 S	1328.3	3-26-58	54.4	80400	5050
6S/04W-22F01 S	1290.4	11-19-57 3-24-58	21.9 22.2	1268.5 1268.2	5050	6S/04W-29H04 S	1325.5	3-26-58	46.0	1273.9	5050
6S/04W-22G01 S	1422.8	11-19-57 3-24-58	38.4 40.1	1384.4 1382.7	5050	6S/04W-33A02 S	1305.0	10-08-57 4-18-58	60.4 60.4	1279.5	4103
6S/04W-22M01 S	1272.8	11-20-57 3-24-58	181.3 186.2	1091.5 1086.6	5050	6S/05W-02B01 S	1290.0	3-25-58	180.0	1244.6	5050
6S/04W-22M02 S	1278.2	11-11-57 12-06-57 2-10-58 5-12-58 6-10-58	190.0 183.8 175.8 178.4 178.0	1088.2 1094.4 1102.4 1099.8 1100.2	5716	6S/05W-02G01 S	1277.7	11-14-57 4-08-58	83.4 97.7	1110.0	5050
6S/04W-22M04 S	1285.0	7-03-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 3-20-58 4-20-58 5-16-58 5-28-58	200.0 208.0 212.0 206.0 198.0 188.0 174.0 170.0 195.0 190.0	1085.0 1077.0 1073.0 1079.0 1087.0 1097.0 1111.0 1115.0 1090.0 1095.0	5704	6S/05W-02G03 S	1279.7	11-15-57 3-24-58	89.9 88.3	1194.3 1180.0	5050
6S/04W-27H01 S	1340.0	3-24-58	147.3	1192.7	5050	6S/05W-02L01 S	1278.1	11-14-57 3-24-58	85.9 85.5	1189.8 1191.4	5050
6S/04W-28D01 S	1269.2	7-02-57 8-01-57 9-04-57 10-08-57 12-05-57 1-07-58 2-14-58 3-06-58 4-18-58 5-27-58 6-25-58	11.6 10.1 10.8 11.1 11.1 11.1 10.6 10.2 6.3 7.5 7.9	1257.6 1259.1 1258.4 1258.1 1258.1 1258.1 1258.6 1259.0 1262.9 1261.7 1261.3	4103	6S/05W-02L02 S	1268.0	9-04-57 10-08-57 12-05-57 1-07-58 2-14-58 3-06-58 4-18-58 5-27-58 6-25-58	82.5 78.6 78.1 77.6 77.3 76.9 77.1 76.7 78.7	1192.2 1192.6 1185.5 1189.4 1189.9 1190.4 1190.7 1191.1 1190.9 1191.3 1189.3	4103
6S/04W-28L01 S	1279.2	11-21-57 3-26-58	15.6 12.7	1263.6 1266.5	5050	6S/05W-02M02 S	1295.2	11-15-57 3-24-58	132.1 131.8	1163.1 1163.4	5050
6S/04W-28P03 S	1300.0	3-26-58	33.8	1266.2	5050	6S/05W-02N01 S	1268.8	11-14-57 3-25-58	69.5 70.8	1199.3 1198.0	5050
6S/04W-29G01 S	1328.3	11-21-57	55.7	1272.6	5050	6S/05W-03G01 S	1345.4	11-15-57 3-25-58	DRY DRY	5050	5050
						6S/05W-03L02 S		3-25-58	DRY	5050	5050
						6S/05W-03M01 S	1419.3	9-04-57	75.2	1344.1	4103
						6S/05W-03N01 S	1375.8	9-04-57 10-09-57 11-21-57 12-05-57 1-07-58 2-14-58 3-06-58	75.2 71.9 70.5 70.3 69.9 70.0 69.6	1300.6 1303.9 1305.3 1305.5 1305.9 1305.8 1306.2	4103 5050 4103

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface in feet	Water Surface Elev. in feet	Agency Supplying Data
ELSINORE VALLEY					ELSINORE VALLEY							
6S/05W-03N01 S	1375.8	4-08-58	69.9	1305.9	5050	6S/05W-14A01 S	1271.3	4-08-58	55.3	80400	1216.0	5050
CONT.		4-18-58	67.6	1308.2	4103	CONT.		4-17-58	58.6		1212.7	4103
6S/05W-03P01 S	1327.8	11-15-57	104.5	1223.3	5050	6S/05W-14E01 S	1507.6	11-15-57	54.7		1452.9	5050
		4-08-58	86.3	1241.5				4-08-58	53.2		1454.4	
6S/05W-03P02 S	1353.1	11-15-57	70.2	1282.9	5050	6S/05W-14E02 S	1507.6	11-15-57	DRY			5050
6S/05W-03Q01 S	1324.0	11-15-57	253.0	1071.0	5050			3-24-58	DRY			
6S/05W-10A01 S	1266.0	11-15-57	133.2	1131.8	5050	6S/05W-14G01 S	1311.0	11-15-57	90.0		1221.0	5050
		4-08-58	122.6	1142.4				4-08-58	86.4		1224.6	
6S/05W-10B01 S	1286.0	11-15-57	48.0	1238.0	5050	6S/05W-24B01 S	1320.0	4-08-58	127.9		1192.1	5050
		4-08-58	45.0	1241.0		6S/05W-24H01 S	1330.0	11-22-57	113.5		1216.5	5050
6S/05W-10C01 S	1332.3	11-15-57	DRY		5050							
		3-26-58	DRY									
6S/05W-10D01 S	1388.8	3-26-58	DRY		5050							
6S/05W-10J01 S	1305.0	4-08-58	93.4	1211.6	5050							
6S/05W-10J02 S	1280.0	11-15-57	60.8	1219.2	5050							
6S/05W-11M01 S	1281.6	11-15-57	65.2	1216.4	5050							
		4-08-58	53.5	1228.1								
6S/05W-11M02 S	1290.0	11-15-57	77.0	1213.0	5050							
		4-08-58	69.9	1220.1								
6S/05W-11Q01 S	1267.3	7-02-57	57.7	1209.6	4103							
		8-01-57	63.9	1203.4								
		9-04-57	56.6	1210.7								
		10-09-57	58.1	1209.2								
		12-05-57	52.6	1214.7								
		1-07-58	51.8	1215.5								
		2-14-58	51.2	1216.1								
		3-06-58	50.8	1216.5								
		4-18-58	50.3	1217.0								
		5-27-58	50.5	1216.8								
		6-25-58	53.7	1213.6								
6S/05W-13P01 S	1338.1	11-15-57	122.5	1215.6	5050							
		4-08-58	123.3	1214.8								
6S/05W-13Q01 S	1280.6	4-08-58	71.6	1209.0	5050							
6S/05W-14A01 S	1271.3	10-09-57	66.6	1204.7	4103							





# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
SAN JACINTO VALLEY						SAN JACINTO VALLEY						
80500						80500						
5S/01E-09J02 S CONT.	1784.2	10-29-57	127.8	1656.4	4103	5S/01E-17D01 S	1762.0	4-22-58	305.5	1456.5	4103	
		11-04-57	127.7	1656.5								
		11-11-57	127.6	1656.6								
		11-18-57	127.6	1656.6								
		11-25-57	127.5	1656.7								
		12-02-57	127.5	1656.7								
		12-09-57	127.8	1656.4								
		12-16-57	127.9	1656.3								
		12-23-57	128.0	1656.2								
		12-30-57	127.9	1656.3								
		1-06-58	127.8	1656.4		5S/01E-20G03 S	1877.9	7-03-57	286.8	1591.1	4103	
		1-13-58	127.7	1656.5								
		1-20-58	127.9	1656.3								
		1-27-58	128.0	1656.2								
		2-03-58	128.1	1656.1								
		2-10-58	128.1	1656.1								
		2-17-58	127.8	1656.4								
		2-24-58	127.0	1657.2								
		3-03-58	126.1	1658.1								
		3-10-58	125.2	1659.0								
		3-17-58	123.8	1660.4		5S/01E-21F01 S	1919.6	4-22-58	312.8	1606.8	4103	
		3-24-58	122.3	1661.9								
		3-31-58	119.7	1664.5								
		4-07-58	113.9	1670.3								
		4-14-58	107.7	1676.5								
		4-21-58	102.8	1681.4								
		4-28-58	98.7	1685.5								
		5-05-58	95.4	1688.8								
		5-12-58	92.9	1691.3								
		5-19-58	91.3	1692.9								
		5-26-58	90.0	1694.2		5S/01E-26E01 S	1460.0	10-04-57	46.5	1413.5	4103	
		6-02-58	89.0	1695.2								
		6-09-58	88.2	1696.0								
		6-16-58	87.5	1696.7								
		6-23-58	86.7	1697.5								
		6-30-58	86.4	1697.8								
		10-03-57	73.5	1686.3								
		4-22-58	74.7	1685.1								
		12-06-57	170.6	1700.3								
		1-08-58	148.8	1722.1								
		2-17-58	150.5	1720.4		2S/03W-36E01 S	1950.0	10-04-57	112.0	1838.0	4103	
		3-07-58	143.0	1727.9								
		4-22-58	131.7	1739.2								
		5-27-58	159.0	1711.9								
		10-01-57	307.6	1454.4								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/02W-08E01 S	1676.5	10-04-57	131.6	1544.9	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/02W-26E01 S	1460.0	10-04-57	46.5	1413.5	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/02W-29D01 S	1427.6	7-03-57	23.1	1404.5	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-06D01 S	1650.5	9-30-57	224.8	1425.7	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-13D01 S	1596.4	7-03-57	145.4	1451.0	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-15F01 S	1527.0	10-04-57	148.6	1378.4	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-18K01 S	1553.4	9-30-57	100.3	1453.1	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-31C01 S	1480.0	9-30-57	130.1	1349.9	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4		3S/03W-31C01 S	1480.0	9-30-57	130.1	1349.9	4103	
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								
		10-04-57	148.6	1378.4								
		4-28-58	140.7	1386.3								
		9-30-57	100.3	1453.1								
		9-30-57	130.1	1349.9								
		9-30-57	130.1	1349.9								

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
SAN JACINTO VALLEY						80500	SAN JACINTO VALLEY						80500
3S/03W-31C01 S	1480.0	4-17-58	130.8	1349.2	4103		4S/02W-01M01 S	1436.7	4-24-58	106.7	1330.0	4103	
4S/01W-09Q02 S	1478.0	12-06-57 2-17-58 3-07-58	29.7* 25.8 26.1	1448.3 1452.2 1451.9	4103		4S/02W-02N01 S	1430.7	7-03-57 8-02-57 9-03-57 10-04-57 12-06-57 1-08-58 2-17-58 3-07-58 4-24-58 5-29-58 6-24-58	73.1 74.3 75.4 76.1 73.8 71.9 72.0 71.0 16.6* 55.9 64.5	1357.6 1356.4 1355.3 1354.6 1356.9 1358.8 1358.7 1359.7 1414.1 1374.8 1366.2	4103	
4S/01W-15Q01 S	1501.0	10-03-57 4-24-58	122.5 95.7	1378.5 1405.3	4103								
4S/01W-18L01 S	1450.0	7-03-57 8-02-57 9-03-57 10-03-57 12-06-57 1-08-58 2-17-58 3-07-58 4-24-58 5-29-58 6-24-58	9.7 9.9 9.5 9.2 9.1 9.0 9.4 9.0 7.6 7.6 7.2	1440.3 1440.1 1440.5 1440.8 1440.9 1441.0 1440.6 1441.0 1442.4 1442.4 1442.8	4103		4S/02W-03P01 S	1436.4	7-03-57 8-02-57 9-03-57 10-04-57 12-06-57 1-08-58 2-17-58 3-07-58 4-24-58 5-29-58 6-24-58	88.5 88.4 89.7 89.6 90.3 89.8 91.2 91.4 90.9 91.3 92.3	1347.9 1348.0 1346.7 1346.8 1346.1 1346.6 1345.2 1345.0 1345.5 1345.1 1344.1	4103	
4S/01W-21L01 S	1492.4	7-03-57 8-02-57 9-03-57 10-03-57 12-06-57 1-08-58 2-17-58 3-07-58 4-24-58 5-28-58 6-24-58	73.2* 67.8 73.6 74.7 67.9 64.4 62.4 61.7 59.7 68.7 69.2	1419.2 1424.6 1418.8 1417.7 1424.5 1428.0 1430.0 1430.7 1432.7 1423.7 1423.2	4103		4S/02W-07J01 S	1445.3	10-04-57 4-24-58	91.2 90.0	1354.1 1355.3	4103	
							4S/02W-07J02 S	1441.0	4-24-58	145.8	1295.2	4103	
4S/01W-25B01 S	1569.4	4-23-58	95.1	1474.3	4103		4S/02W-19J01 S	1581.2	10-04-57 4-24-58	25.1 25.5	1556.1 1555.7	4103	
4S/01W-28F01 S	1500.2	10-03-57 4-24-58	108.3 77.6	1391.9 1422.6	4103		4S/03W-09N01 S	1446.0	7-02-57 9-04-57 9-30-57 12-04-57 1-07-58 2-14-58 3-06-58 4-17-58 5-27-58 6-25-58	182.0 180.6 181.0 180.2 179.3 178.6 173.7 176.7 179.0 177.5	1264.0 1265.4 1265.0 1265.8 1266.7 1267.4 1272.3 1269.3 1267.0 1268.5	4103	
4S/01W-31D01 S	1496.0	10-03-57 4-24-58	64.3* 60.5	1431.7 1435.5	4103		4S/03W-19F01 S	1478.2	9-30-57 4-17-58	81.9 81.3	1396.3 1396.9	4103	
4S/01W-35Q01 S	1576.0	7-03-57 12-06-57 1-08-58 3-07-58 4-23-58 5-28-58	192.3 171.5 167.8 171.7 171.2 176.9	1383.7 1404.5 1408.2 1404.3 1404.8 1399.1	4103		4S/03W-24P02 S	1442.0	7-03-57	175.1*	1266.9	4103	
4S/02W-01M01 S	1436.7	10-04-57	116.9	1319.8	4103								

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data	
SAN JACINTO VALLEY						80500	SAN JACINTO VALLEY						80500
4S/03W-24P02 S CONT.	1442.2	8-02-57 9-03-57 10-04-57 12-06-57 1-08-58 2-17-58 3-07-58 4-24-58 5-29-58 6-24-58	175.9 180.0 180.7 179.1 174.8 176.0 175.4 173.3 175.4 178.0	1266.3 1262.2 1261.5 1263.1 1267.4 1266.2 1266.8 1268.9 1266.8 1264.2	4103		5S/01W-09L02 S CONT.	1556.0	10-01-57 12-06-57 1-08-58 2-17-58 3-07-58 4-22-58 5-27-58 6-23-58	152.8 150.5 140.5 139.1 138.3 138.3 146.3 147.5	1403.2 1405.5 1415.5 1416.9 1417.7 1417.7 1409.7 1408.5	4103	
	4S/03W-31Q01 S	1454.9	9-30-57 4-17-58	45.4 44.9	1409.5 1410.0	4103		5S/01W-10B01 S	1583.4	7-03-57 8-02-57 9-03-57 10-01-57 12-05-57 1-08-58 2-17-58 3-07-58 4-22-58 5-27-58 6-23-58	175.6 178.3 177.4 175.1 174.9 169.5 169.4 165.4 166.5 170.0 175.8	1407.8 1405.1 1406.0 1408.3 1408.5 1413.9 1414.0 1418.0 1416.9 1413.4 1407.6	4103
	4S/03W-32E01 S	1434.8	7-02-57 8-01-57 9-04-57 9-30-57 12-05-57 1-07-58 2-14-58 3-06-58 4-17-58 5-27-58 6-25-58	75.1 73.5 73.9 73.9 73.8 74.0 74.1 74.0 74.2 79.7 74.4	1359.7 1361.3 1360.9 1360.9 1361.0 1360.8 1360.7 1360.8 1360.6 1355.1 1360.4	4103		5S/01W-13C01 S	1690.7	2-17-58 3-07-58 4-22-58	257.6 253.0 252.8	1433.1 1437.7 1437.9	4103
	4S/03W-33D01 S	1415.0	7-02-57 8-01-57 9-04-57 9-30-57 12-05-57 1-07-58 2-14-58 3-06-58 4-17-58 5-27-58 6-25-58	187.1 187.1 187.5 188.0 184.4 185.5 185.3 184.2 183.7 182.9 183.4	1227.9 1227.9 1227.5 1227.0 1230.6 1229.5 1229.7 1230.8 1231.3 1232.1 1231.6	4103		5S/02W-12Q01 S	1501.1	4-24-58	32.1	1469.0	4103
								5S/02W-27E02 S	1476.9	7-02-57 8-01-57 9-04-57 9-30-57 12-04-57 1-03-58 2-14-58 3-06-58 4-22-58 5-27-58 6-25-58	53.1 53.4 54.0 53.9 54.5 54.7 53.7 53.7 53.4 53.7 54.7	1423.8 1423.5 1422.9 1423.0 1422.4 1422.2 1423.2 1423.2 1423.5 1423.2 1422.2	4103
	4S/03W-34Q01 S	1418.9	10-03-57 4-24-58	DRY DRY		4103		5S/02W-35C01 S	1474.8	9-30-57 4-22-58	80.2 75.9	1394.6 1398.9	4103
	4S/03W-35F01 S	1428.4	10-04-57 4-24-58	177.6 167.3	1250.8 1261.1	4103		5S/03W-08J01 S	1412.4	9-30-57 4-17-58	162.8 91.4*	1249.6 1321.0	4103
	5S/01W-01H01 S	1643.8	10-03-57 4-22-58	178.3 178.4	1465.5 1465.4	4103		5S/03W-13N01 S	1474.2	7-02-57 8-01-57 9-04-57	49.6 49.8 49.7	1424.6 1424.4 1424.5	4103
	5S/01W-09L02 S	1556.0	9-03-57	156.4	1399.6	4103							







## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JACINTO VALLEY						SAN JACINTO VALLEY					
5S/03W-13N01 S	1474.2	9-30-57	49.8	80500	4103	6S/03W-14N01 S	1501.0	12-04-57	18.8	80500	4103
CONT.		12-04-57	48.5	1424.4				1-03-58	22.8*	1482.2	
		1-03-58	48.8	1425.7				2-14-58	21.1	1478.2	
		2-14-58	49.4	1425.4				3-06-58	17.5	1479.9	
		3-06-58	51.3	1424.8				4-17-58	15.8	1483.5	
		4-17-58	49.4	1422.9				5-27-58	9.9	1485.2	
				1424.8				6-25-58	9.5	1491.1	
5S/03W-25K01 S	1446.9	9-30-57	36.5	1410.4	4103					1491.5	
		4-17-58	35.3	1411.6							
5S/03W-29B01 S	1457.0	9-30-57	168.0	1289.0	4103						
		4-17-58	163.9	1293.1							
6S/01W-02D01 S	1672.0	7-03-57	89.5	1582.5	4103						
		8-02-57	89.6	1582.4							
		9-03-57	89.8	1582.2							
		9-30-57	89.9	1582.1							
		12-06-57	90.2	1581.8							
		1-07-58	90.3	1581.7							
		2-17-58	90.5	1581.5							
		3-06-58	90.5	1581.5							
		4-22-58	90.7	1581.3							
		5-28-58	90.9	1581.1							
		6-23-58	90.8	1581.2							
6S/01W-10A01 S	1710.0	9-30-57	94.5	1615.5	4103						
		4-22-58	94.0	1616.0							
6S/02W-06R01 S	1438.5	9-04-57	112.7	1325.8	4103						
		9-30-57	114.4	1324.1							
		12-04-57	108.3	1330.2							
		1-03-58	108.0	1330.5							
		2-14-58	107.8	1330.7							
		3-06-58	106.0	1332.5							
		4-17-58	107.2	1331.3							
6S/03W-03H02 S	1428.0	1-03-58	135.2	1292.8	4103						
		2-14-58	133.7	1294.3							
		3-08-58	129.4	1298.6							
		4-17-58	126.6	1301.4							
6S/03W-05D01 S	1399.0	9-30-57	61.7	1337.3	4103						
		4-17-58	51.0	1348.0							
6S/03W-14N01 S	1501.0	7-02-57	16.5	1484.5	4103						
		8-01-57	17.2	1483.8							
		9-04-57	18.1	1482.9							
		9-30-57	18.6	1482.4							






LEGEND

-  GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
-  REGION BOUNDARY
-  GROUND WATER VALLEY BOUNDARY
-  GROUND WATER BASIN BOUNDARY

NOTE: ALL TOWNSHIP AND RANGE LINES  
ARE REFERENCED TO  
SAN BERNARDINO BASE AND  
MERIDIAN



STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN  
CALIFORNIA DURING 1957-58

LOCATION OF GROUND WATER BASINS  
SANTA ANA REGION NO. 8



NUMERICAL DESIGNATIONS OF  
GROUND WATER BASINS

- |        |                                  |
|--------|----------------------------------|
| 8-1.00 | Coastal Plain (Orange County)    |
| 8-1.01 | East Coastal Plain Pressure Area |
| 8-1.02 | Santa Ana Forebay Area           |
| 8-1.03 | Irvine Basin                     |
| 8-1.04 | La Habra Basin                   |
| 8-1.05 | Yorba Linda Basin                |
| 8-1.06 | Santa Ana Narrows Basin          |
| 8-1.07 | Santiago Basin                   |
| 8-2.00 | Upper Santa Ana Valley           |
| 8-2.01 | Chino Basin                      |
| 8-2.02 | Claremont Heights Basin          |
| 8-2.03 | Cucamonga Basin                  |
| 8-2.04 | Rialto Basin                     |
| 8-2.05 | Colton Basin                     |
| 8-2.06 | Bunker Hill Basin                |
| 8-2.07 | Lytle Basin                      |
| 8-2.08 | Upper Cajon Basin                |
| 8-2.09 | Lower Cajon Basin                |
| 8-2.10 | Devil Canyon Basin               |
| 8-2.11 | Yucaipa Basin                    |
| 8-2.12 | Beaumont Basin                   |
| 8-2.13 | San Timoteo Basin                |
| 8-2.14 | Reche Canyon Basin               |
| 8-2.15 | Riverside Basin                  |
| 8-2.16 | Arlington Basin                  |
| 8-2.17 | Temescal Basin                   |
| 8-2.18 | Bedford Basin                    |
| 8-2.19 | Coldwater Basin                  |
| 8-2.20 | Lee Lake Basin                   |
| 8-3.00 | Cajalco Valley                   |
| 8-4.00 | Elsinore Valley                  |
| 8-5.00 | San Jacinto Valley               |
| 8-6.00 | Hemet Lake Valley                |
| 8-7.00 | Big Meadows Valley               |
| 8-8.00 | Seven Oaks Valley                |
| 8-9.00 | Bear Valley                      |



LEGEND

GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN

REGION BOUNDARY

GROUND WATER VALLEY BOUNDARY

GROUND WATER BASIN BOUNDARY

NOTE: ALL TOWNSHIP AND RANGE LINES ARE REFERENCED TO SAN BERNARDINO BASE AND MERIDIAN

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN CALIFORNIA DURING 1957-58  
LOCATION OF GROUND WATER BASINS  
SANTA ANA REGION NO. 8

SCALE OF MILES  
1960



APPENDIX H

RECORDS OF GROUND WATER LEVELS AT WELLS  
SAN DIEGO REGION NO. 9



APPENDIX H

RECORDS OF GROUND WATER LEVELS AT WELLS  
SAN DIEGO REGION NO. 9





## TABLE OF CONTENTS

	<u>Page</u>
San Juan Valley 90100 . . . . .	H- 1
Aliso Creek Basin 90101 . . . . .	H- 1
San Juan Creek Basin 90102 . . . . .	H- 2
Temecula Valley 90500 . . . . .	H-10
Murrieta Basin 90501 . . . . .	H-10
Pala Basin 90502 . . . . .	H-11
Wolf Basin 90503 . . . . .	H-11
San Luis Rey Valley 90700 . . . . .	H-12
Mission Basin 90701 . . . . .	H-12
Bonsall Basin 90702 . . . . .	H-14
Warner Valley 90800 . . . . .	H-25
Escondido Valley 90900 . . . . .	H-34
San Pasqual Valley 91000 . . . . .	H-35
Lake Hodges Basin 91001 . . . . .	H-35
San Pasqual Basin 91002 . . . . .	H-35
Felicita Basin 91003 . . . . .	H-46
Green Basin 91004 . . . . .	H-46
Highland Basin 91005 . . . . .	H-48
Pano Basin 91006 . . . . .	H-43
Santa Ysabel Basin 91008 . . . . .	H-48
Santa Maria Valley 91100 . . . . .	H-49
Ramona Basin 91101 . . . . .	H-49
Lower Hatfield Basin 91102 . . . . .	H-50
Wash Hollow Basin 91103 . . . . .	H-50
Upper Hatfield Basin 91104 . . . . .	H-50

Santa Maria Valley (continued)

Santa Teresa Basin 91105 . . . . .	H-51
Ballena Basin 91106 . . . . .	H-51
San Dieguito Valley 91200 . . . . .	H-51
San Dieguito Basin 91201 . . . . .	H-51
San Diego River Valley 91500 . . . . .	H-53
Sweetwater Valley 91700 . . . . .	H-61
Tia Juana Valley 91900 . . . . .	H-65

PLATE

Plate No.

H-1

Bound at end of  
Appendix H

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY						SAN JUAN VALLEY					
ALISO CREEK BASIN						ALISO CREEK BASIN					
6S/08W-23J01 S	507.8	11-19-57 12-03-57 1-07-58 1-28-58 3-06-58 5-08-58	38.1 39.7 36.3 35.6 33.4 29.6	469.7 468.1 471.5 472.2 474.4 478.2	5102	6S/08W-26C01 S	438.0	3-06-58 5-08-58	34.6 25.4	403.4 412.6	5102
6S/08W-23Q01 S	459.0	11-19-57 3-06-58 5-08-58	32.5 25.9 19.6	426.5 433.1 439.4	5102	6S/08W-26D01 S	436.6	8-02-57 11-19-57 3-06-58 5-08-58	56.4 56.7 56.0 55.6	380.2 379.9 380.6 381.0	5102
6S/08W-23Q02 S	451.9	5-08-58	11.6	440.3	5102	6S/08W-26D02 S	434.8	8-02-57 11-19-57 3-06-58 5-08-58	63.3 63.5 63.5 62.0	371.5 371.3 371.3 372.8	5102
6S/08W-23R01 S	461.0	8-02-57 11-19-57 3-06-58 5-08-58	24.3 13.4 11.2 7.5	436.7 447.6 449.8 453.5	5102	6S/08W-26D03 S	440.0	8-02-57 11-19-57 5-08-58	DRY DRY 55.7	384.3	5102
6S/08W-24M01 S	508.8	8-02-57 11-19-57 3-06-58 5-08-58	16.6 12.4 10.1 10.3	492.2 496.4 498.7 498.5	5102	6S/08W-26F01 S	423.0	8-02-57 11-18-57 3-06-58 5-08-58	69.6 70.2 69.7 66.5	353.4 352.8 353.3 356.5	5102
6S/08W-26A02 S	470.9	8-02-57 11-19-57 5-08-58	DRY DRY 14.5	456.4	5102	6S/08W-26F03 S	423.2	8-02-57 11-19-57 3-06-58 5-08-58	77.2* 77.6* 69.7 61.3	346.0 345.6 353.5 361.9	5102
6S/08W-26B01 S	441.0	11-19-57 3-06-58 5-08-58	29.7 24.4 14.4	411.3 416.6 426.6	5102	6S/08W-26F04 S	421.9	3-06-58 5-08-58	70.2 62.2	351.7 359.7	5102
6S/08W-26B02 S	455.5	8-02-57 3-06-58 5-08-58	59.6 40.9 26.5	395.9 414.6 429.0	5102	6S/08W-26F05 S	431.3	8-02-57 11-19-57 3-06-58 5-08-58	70.2 70.8 70.5 68.4	361.1 360.5 360.8 362.9	5102
6S/08W-26B03 S	444.0	8-02-57 8-26-57 9-03-57 11-19-57 12-03-57 12-17-57 1-07-58 1-21-58 1-28-58 3-06-58 5-08-58	44.3 44.6 45.6 45.0 44.8 45.6 44.7 44.5 45.5 43.9 33.0	399.7 399.4 398.4 399.0 399.2 398.4 399.3 399.5 398.5 400.1 411.0	5102	6S/08W-26G01 S	439.6	11-19-57 3-06-58 5-08-58	47.2 43.0 34.6	392.4 396.6 405.0	5102
						6S/08W-26M03 S	414.0	8-02-57 11-19-57 3-06-58 5-08-58	50.0 50.4 50.2 43.1	364.0 363.6 363.8 370.9	5102
						6S/08W-27J01 S	398.0	8-02-57 11-19-57	39.5 37.8	358.5 360.2	5102

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY					90100	SAN JUAN VALLEY						
ALISO CREEK BASIN					90101	SAN JUAN CREEK BASIN						
6S/08W-27J01 S	398.0	3-06-58	36.6	361.4	5102	6S/07W-11N01 S	984.0	6-05-58	12.4	971.6	5102	5102
CONT.		5-08-58	21.0	377.0		6S/07W-11N02 S	994.0	7-11-57	17.8	976.2	5102	5102
6S/08W-27J02 S	402.9	8-02-57	34.7*	368.2	5102			8-08-57	23.2	970.8		
		11-19-57	31.6	371.3				9-12-57	31.2	962.8		
		3-06-58	32.2	370.7				10-07-57	34.6	959.4		
		5-08-58	29.7	373.2				10-10-57	32.9	961.1		
6S/08W-27Q01 S	379.7	8-02-57	45.1	334.6	5102			1-09-58	30.3	963.7		
		11-19-57	45.7	334.0				2-06-58	6.5	987.5		
		3-06-58	45.4	334.3				3-06-58	6.8	987.2		
		5-08-58	44.7	335.0				5-08-58	7.1	986.9		
								6-05-58	7.7	986.3		
6S/08W-27Q02 S	384.0	3-06-58	44.7	339.3	5102	6S/07W-11P01 S	1016.6	7-11-57	23.0	993.6	5102	5102
6S/08W-27Q03 S	384.2	8-02-57	44.9	339.3	5102			8-08-57	29.2	987.4		
		11-19-57	45.2	339.0				9-12-57	32.6	984.0		
		3-06-58	44.8	339.4				10-12-57	33.5	983.1		
		5-08-58	43.0	341.2				11-07-57	33.6	983.0		
6S/08W-34C01 S	362.0	11-19-57	41.5	320.5	5102			1-09-58	31.0	985.6		
		1-07-58	41.4	320.6				2-06-58	8.6	1008.0		
		1-28-58	42.9	319.1				3-06-58	9.1	1007.5		
		3-06-58	40.9	321.1				5-08-58	9.2	1007.4		
		5-08-58	38.5	323.5				6-05-58	9.7	1006.9		
SAN JUAN CREEK BASIN					90102	6S/07W-12B01 S	1195.8	7-11-57	40.2	1155.6	5102	5102
6S/07W-11J01 S	1085.4	7-11-57	33.0	1052.4	5102			8-08-57	40.3	1155.5		
		8-08-57	45.4	1040.0				9-12-57	40.2	1155.6		
		9-12-57	45.5	1039.9				10-10-57	40.4	1155.4		
		11-07-57	42.2	1043.2				11-07-57	40.6	1155.2		
		1-09-58	17.5	1067.9				1-09-58	31.2	1164.6		
		2-06-58	8.3	1077.1				2-06-58	14.9	1180.9		
		3-06-58	8.5	1076.9				3-06-58	16.7	1179.1		
		5-08-58	8.6	1076.8				5-08-58	18.0	1177.8		
		6-05-58	12.3	1073.1				6-05-58	20.7	1175.1		
6S/07W-11N01 S	984.0	7-11-57	19.9	964.1	5102	6S/07W-12B02 S	1190.6	7-11-57	40.3	1150.3	5102	5102
		8-08-57	24.0	960.0				8-08-57	49.2	1141.4		
		9-12-57	30.1	953.9				9-12-57	49.1	1141.5		
		10-10-57	31.7	952.3				10-10-57	49.1	1141.5		
		11-07-57	30.5	953.5				11-07-57	48.5	1142.1		
		2-06-58	11.0	973.0				1-09-58	25.4	1165.2		
		3-06-58	11.3	972.7				2-06-58	9.2	1181.4		
		5-08-58	11.5	972.5				3-06-58	11.2	1179.4		
								5-08-58	12.5	1178.1		
								6-05-58	15.4	1175.2		
								7-11-57	27.4	1144.9	5102	5102



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY											
SAN JUAN CREEK BASIN						SAN JUAN CREEK BASIN					
6S/07W-12C01 S CONT.	1172.3	8-08-57	26.5	1145.8	5102	6S/07W-15F01 S CONT.	961.7	11-07-57	26.4	935.3	5102
		9-12-57		1145.1				1-09-58		937.0	
		10-10-57		1144.8				2-06-58		953.2	
		11-07-57		1144.7				3-06-58		954.6	
		1-09-58		1150.9				5-08-58		953.8	
		2-06-58		1165.2				6-05-58		950.8	
		3-06-58		1164.1							
		5-08-58		1163.8							
		6-05-58		1160.2							
		7-11-57		1072.3							
6S/07W-12M01 S	1102.5	8-08-57	36.3	1066.2	5102	6S/07W-15F02 S	961.2	7-11-57	16.6	944.6	5102
		9-12-57		1064.6				8-08-57		941.4	
		10-10-57		1059.0				9-12-57		936.4	
		11-07-57		1063.4				10-10-57		935.1	
		1-09-58		1087.0				11-07-57		934.6	
		2-06-58		1096.2				1-09-58		936.2	
		3-06-58		1095.5				2-06-58		952.8	
		5-08-58		1094.9				3-06-58		954.2	
		6-05-58		1092.5				5-08-58		953.3	
		7-11-57		1079.1				6-05-58		952.4	
6S/07W-12M02 S	1106.9	7-11-57	27.8	1071.2	5102	6S/07W-15L01 S	929.6	10-10-57	36.1	893.5	5102
		8-08-57		1069.1				11-07-57		903.4	
		9-12-57		1066.9				1-09-58		903.0	
		10-10-57		1067.8				2-06-58		911.8	
		11-07-57		1089.1				3-06-58		919.6	
		1-09-58		1089.1				5-08-58		919.3	
		2-06-58		1098.3				6-05-58		918.9	
		3-06-58		1097.7							
		5-08-58		1097.0							
		6-05-58		1094.6							
6S/07W-15A01 S	974.7	7-11-57	19.0*	955.7	5102	7S/07W-19D01 S	307.0	7-18-57	24.4	282.6	5102
		8-08-57		951.9				8-29-57		282.9	
		9-12-57		946.3				9-26-57		282.0	
		10-10-57		943.9				10-24-57		282.1	
		11-07-57		944.2				11-19-57		282.4	
		1-09-58		946.6				12-19-57		282.8	
		2-06-58		964.3				1-23-58		283.6	
		5-08-58		964.0				2-27-58		288.4	
		6-05-58		962.9				4-24-58		296.6	
		6S/07W-15F01 S		961.7				7-11-57		18.9*	
8-08-57	939.8		9-26-57		283.5						
9-12-57	934.8		10-24-57		283.7						
10-10-57	932.3		11-19-57		283.9						
7-11-57	942.8		12-19-57		284.3						
8-08-57	939.8		1-23-58		285.0						
9-12-57	934.8		2-27-58		289.2						
10-10-57	932.3		4-24-58		297.4						
7-19-57	106		140.9		5102						

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY												
SAN JUAN CREEK BASIN						SAN JUAN VALLEY						
SAN JUAN CREEK BASIN						SAN JUAN CREEK BASIN						
75/07W-32R01 S						75/08W-14H01 S						
CONT.						CONT.						
151.5						5102						
8-30-57						139.9						
9-27-57						139.9						
10-25-57						141.2						
11-21-57						142.1						
12-20-57						140.8						
1-24-58						140.7						
2-28-58						143.1						
3-21-58						143.1						
4-25-58						142.0						
6-27-58						141.4						
200.0						5102						
7-19-57						188.7						
8-30-57						188.6						
9-27-57						188.2						
10-25-57						188.9						
11-21-57						189.0						
12-20-57						189.1						
1-24-58						188.9						
2-28-58						189.2						
3-21-58						189.8						
4-25-58						189.6						
6-27-58						188.8						
160.0						5102						
7-19-57						140.6						
8-30-57						150.3						
9-27-57						150.3						
10-25-57						150.5						
11-21-57						150.7						
12-20-57						150.7						
1-24-58						150.5						
2-28-58						151.2						
3-21-58						152.1						
4-25-58						151.1						
6-27-58						139.8						
300.0						5102						
7-18-57						291.1						
8-29-57						289.8						
9-26-57						289.2						
10-24-57						289.0						
11-19-57						288.5						
12-19-57						291.1						
1-23-58						291.6						
2-27-58						296.0						
3-20-58						295.9						
4-24-58						296.2						
280.0						5102						
7-18-57						13.7						
8-29-57						14.4						
9-26-57						14.4						
10-24-57						14.5						
11-19-57						14.8						
12-19-57						14.8						
1-23-58						14.3						
2-27-58						13.0						
3-20-58						11.7						
4-24-58						9.6						
230.0						5102						
7-18-57						13.7						
8-29-57						15.8						
9-26-57						15.9						
2-27-58						14.7						
3-20-58						12.8						
4-24-58						7.0						
6-26-58						8.2						
248.3						5102						
7-18-57						61.3						
8-29-57						65.9						
9-26-57						68.4						
10-24-57						69.2						
11-19-57						69.2						
12-19-57						69.5						
1-23-58						71.7						
2-27-58						51.9						
3-20-58						35.6						
230.0						5102						
7-18-57						57.8						
8-29-57						62.9						
9-26-57						65.6						
10-24-57						65.1						
11-19-57						64.1						
12-19-57						64.7						
75/08W-14H01 S						5102						
7-18-57						172.2						
8-29-57						167.1						
9-26-57						164.4						
10-24-57						164.9						
11-19-57						165.9						
12-19-57						165.3						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY											
SAN JUAN CREEK BASIN						SAN JUAN VALLEY					
90100						90102					
7S/08W-25B01 S	230.0	1-23-58	67.4	162.6	5102	7S/08W-25P01 S	210.7	4-24-58	30.0	180.7	5102
CONT.		2-27-58	56.2	173.8				10-24-57	48.7	153.6	5102
		3-20-58	41.5	188.5		7S/08W-36C01 S	202.3	12-19-57	48.9	153.4	
		4-24-58	29.2	200.8				2-27-58	44.5	157.8	
7S/08W-25B02 S	240.7	7-18-57	63.8*	176.9	5102			3-20-58	39.0	163.3	
		8-29-57	68.1*	172.6		7S/08W-36L01 S	171.6	4-24-58	30.0	172.3	
		9-26-57	70.9*	169.8				7-18-57	34.9	136.7	5102
		10-24-57	70.6*	170.1				8-29-57	32.6	139.0	
		11-19-57	65.7	175.0				9-26-57	34.7	136.9	
		12-19-57	66.4	174.3				10-24-57	33.5	138.1	
		1-23-58	71.2*	169.5				11-19-57	39.1	132.5	
		2-27-58	57.8	182.9				12-19-57	33.2	138.4	
		3-20-58	42.9	197.8				1-23-58	33.0	138.6	
		4-24-58	30.6	210.1				2-27-58	28.1	143.5	
		6-26-58	31.6	209.1				3-20-58	24.8	146.8	
7S/08W-25K01 S	225.0	7-18-57	50.9	174.1	5102			4-24-58	22.2	149.4	
		8-29-57	55.5	169.5		7S/08W-36L02 S	158.8	6-26-58	28.6	143.0	
		9-26-57	57.4	167.6				8-29-57	19.5	139.3	5102
		10-24-57	59.6	165.4				9-26-57	21.6	137.2	
		11-19-57	59.1	165.9				10-24-57	20.5	138.3	
		12-19-57	59.9	165.1				12-19-57	20.2	138.6	
		1-23-58	59.1	165.9				1-23-58	20.0	138.8	
		2-27-58	54.9	170.1				2-27-58	15.2	143.6	
		3-20-58	45.3	179.7				3-20-58	11.9	146.9	
		4-24-58	31.3	193.7				4-24-58	9.4	149.4	
		6-26-58	32.3	192.7				6-26-58	15.8	143.0	
7S/08W-25N01 S	202.0	10-24-57	50.2	151.8	5102	7S/08W-36P01 S	144.7	7-18-57	11.9	132.8	5102
		11-19-57	51.2	150.8				8-29-57	12.1	132.6	
		12-19-57	50.5	151.5				9-26-57	14.9	129.8	
		1-23-58	50.7	151.3				10-24-57	12.9	131.8	
		2-27-58	46.0	156.0				11-19-57	15.8	128.9	
		3-20-58	40.6	161.4				12-11-57	18.7*	1C2.0	5102
		4-24-58	30.6	171.4		7S/08W-CFP01 S	144.7				
7S/08W-25P01 S	210.7	7-18-57	46.9	163.8	5102	7S/08W-36P01 S	144.7	1-23-58	11.8	132.9	5102
		8-29-57	51.2	159.5				2-27-58	7.4	137.3	
		9-26-57	53.1	157.6				3-20-58	4.9	139.8	
		10-24-57	53.8	156.9				4-24-58	3.0	141.7	
		11-19-57	53.3	157.4				7-18-57	13.4	132.1	5102
		12-19-57	54.0	156.7				8-29-57	13.7	131.8	
		1-23-58	53.5	157.2		7S/08W-36P02 S	145.5	9-26-57	16.6	128.9	
		2-27-58	49.0	161.7							
		3-20-58	42.0	168.7							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY												
SAN JUAN CREEK BASIN						90100	SAN JUAN VALLEY					
CONT.						90102	SAN JUAN CREEK BASIN					
7S/08W-36P02 S	145.5	10-24-57	14.4	131.1	5102		8S/07W-05C02 S	128.7	10-25-57	19.4	109.3	5102
		11-19-57	17.1	128.4			CONT.		12-20-57	12.0	116.7	
		12-19-57	14.2	131.3					1-24-58	15.8	112.9	
		1-23-58	13.3	132.2					2-28-58	5.4	123.3	
		2-27-58	8.9	136.6					3-21-58	5.0	123.7	
		3-20-58	6.1	139.4					4-25-58	4.6	124.1	
		4-24-58	4.6	140.9								
		6-26-58	19.7	125.8			8S/07W-06H01 S	115.0	7-19-57	11.7	103.3	5102
									11-21-57	13.9	101.1	
7S/08W-36P03 S	140.0	7-18-57	24.9	115.1	5102				1-24-58	15.5	99.5	
		8-29-57	28.8	111.2					2-28-58	9.6	105.4	
		9-26-57	36.0	104.0					4-25-58	8.6	106.4	
		10-24-57	27.6	112.4					6-27-58	10.3	104.7	
		11-19-57	27.0	113.0								
		12-19-57	25.7	114.3			8S/07W-06H02 S	113.0	7-19-57	12.1	100.9	5102
		1-23-58	24.8	115.2					8-30-57	12.8	100.2	
		2-27-58	20.3	119.7					9-27-57	14.4	98.6	
		3-20-58	17.9	122.1					10-25-57	14.9	98.1	
		4-24-58	17.4*	122.6					11-21-57	15.3	97.7	
		6-26-58	25.7	114.3					12-20-57	12.4	100.6	
									1-24-58	15.4	97.6	
									2-28-58	10.6	102.4	
									6-27-58	9.7	103.3	
7S/08W-36P04 S	138.1	7-18-57	17.3	120.8	5102							
		8-29-57	20.5	117.6					7-19-57	7.2	92.8	5102
		9-26-57	26.7	111.4					8-30-57	8.1	91.9	
		10-24-57	19.2	118.9					9-27-57	8.9	91.1	
		11-19-57	19.8	118.3					11-21-57	9.8	90.2	
		12-19-57	19.0	119.1					12-20-57	10.4	89.6	
		1-23-58	17.0	121.1					1-24-58	10.5	89.5	
		2-27-58	12.7	125.4					2-28-58	5.9	94.1	
		3-20-58	11.2	126.9					3-21-58	5.3	94.7	
		4-24-58	10.0	128.1					4-25-58	4.0	96.0	
8S/07W-05B01 S	130.0	7-19-57	20.9	109.1	5102				7-19-57	15.4	90.6	5102
		10-25-57	23.3	106.7					8-30-57	16.4	89.6	
		12-20-57	13.4	116.6					9-27-57	17.5	88.5	
		1-24-58	13.6	116.4					10-25-57	17.8	88.2	
		2-28-58	9.4	120.6					11-21-57	18.9	87.1	
		3-21-58	9.2	120.8					12-20-57	17.2	88.8	
		4-25-58	8.9	121.1					1-24-58	18.9	87.1	
									2-28-58	15.1	90.9	
8S/07W-05C01 S	132.5	7-19-57	115.8	16.7	5102				3-21-58	13.4	92.6	
		1-24-58	113.9	18.6					4-25-58	12.0	94.0	
		2-28-58	124.6	7.9					6-27-58	12.6	93.4	
		4-25-58	125.6	6.9								
8S/07W-05C02 S	128.7	9-27-57	10.2	118.5	5102				7-19-57	14.9	75.1	5102



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY												
SAN JUAN CREEK BASIN						SAN JUAN VALLEY						
90100						90102						
8S/07W-06P02 S	90.0	8-30-57	25.6*	64.4	5102	8S/08W-01K02 S	105.0	10-24-57	31.8*	10-24-57	73.2	5102
CONT.		9-27-57	25.4*	64.6		CONT.		11-19-57	20.3	11-19-57	84.7	
		10-25-57	17.1	72.9				12-19-57	19.8	12-19-57	85.2	
		11-21-57	19.0	71.0				1-23-58	18.8	1-23-58	86.2	
		12-20-57	14.5	75.5				2-27-58	12.3	2-27-58	92.7	
		1-24-58	15.0	75.0				3-20-58	15.0*	3-20-58	90.0	
		2-28-58	7.5	82.5				4-24-58	18.2*	4-24-58	86.8	
		3-21-58	6.8	83.2				6-26-58	36.2*	6-26-58	68.8	
		4-25-58	7.0	83.0								
		6-27-58	8.9	81.1								
8S/07W-07C01 S	110.0	10-25-57	19.5	90.5	5102	8S/08W-01L01 S	100.0	11-19-57	16.2	11-19-57	83.8	5102
		11-21-57	19.6	90.4				12-19-57	15.7	12-19-57	84.3	
		12-20-57	14.6	95.4				1-23-58	14.7	1-23-58	85.3	
		1-24-58	15.1	94.9				2-27-58	9.8	2-27-58	90.2	
		2-28-58	8.3	101.7				3-20-58	6.0	3-20-58	94.0	
		3-21-58	6.7	103.3				4-24-58	10.1	4-24-58	89.9	
		4-25-58	6.8	103.2								
8S/07W-07C02 S	91.5	7-19-57	17.3	74.2	5102	8S/08W-01Q01 S	91.4	7-18-57	24.8	7-18-57	66.6	5102
		8-30-57	19.9	71.6				8-29-57	22.9	8-29-57	68.5	
		9-27-57	19.8	71.7				9-26-57	31.2	9-26-57	60.2	
		10-25-57	19.7	71.8				10-24-57	16.2	10-24-57	75.2	
		11-21-57	19.9	71.6				11-19-57	14.4	11-19-57	77.0	
		12-20-57	16.3	75.2				12-19-57	13.9	12-19-57	77.5	
		1-24-58	16.6	74.9				1-23-58	14.1	1-23-58	77.3	
		2-28-58	11.0	80.5				2-27-58	9.5	2-27-58	81.9	
		3-21-58	9.5	82.0				3-20-58	8.6	3-20-58	82.8	
		4-25-58	9.2	82.3				4-24-58	12.6	4-24-58	78.8	
		6-27-58	11.2	80.3				6-26-58	26.0	6-26-58	65.4	
8S/08W-01F01 S	138.4	7-18-57	33.9	104.5	5102	8S/08W-01Q02 S	96.8	7-18-57	29.3*	7-18-57	67.5	5102
		10-24-57	34.6	103.8				8-29-57	25.6*	8-29-57	71.2	
		11-19-57	33.3	105.1				9-26-57	32.2*	9-26-57	64.6	
		12-19-57	32.9	105.5				10-24-57	23.1	10-24-57	73.7	
		2-27-58	28.2	110.2				11-19-57	21.2	11-19-57	75.6	
		3-20-58	23.8	114.6				12-19-57	20.3	12-19-57	76.5	
		4-24-58	23.6	114.8				1-23-58	28.8*	1-23-58	68.0	
								2-27-58	18.2	2-27-58	78.6	
								3-20-58	15.1	3-20-58	81.7	
								4-24-58	18.3*	4-24-58	78.5	
								6-26-58	30.3*	6-26-58	66.5	
8S/08W-01K01 S	110.0	10-24-57	30.9	79.1	5102	8S/08W-01Q03 S	95.8	7-18-57	45.2	7-18-57	50.6	5102
		3-20-58	15.3	94.7				8-29-57	39.0	8-29-57	56.8	
		4-24-58	19.2	90.8				10-24-57	27.4	10-24-57	68.4	
8S/08W-01K02 S	105.0	7-18-57	37.6*	67.4	5102			11-19-57	23.1	11-19-57	72.7	
		8-29-57	38.3*	66.7				12-19-57	22.3	12-19-57	73.5	
		9-26-57	47.7*	57.3				2-27-58	20.1	2-27-58	75.7	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY												
SAN JUAN CREEK BASIN						SAN JUAN VALLEY						
SAN JUAN CREEK BASIN						90100						
8S/08W-01003 S						90102						
CONT.	95.8	3-20-58	19.2	76.6	5102	8S/08W-12L01 S	62.0	10-24-57	14.2	47.8	5102	5102
		4-24-58	30.4	65.4				11-19-57	12.9	49.1		
8S/08W-01004 S	104.0	7-18-57	47.4	56.6	5102	8S/08W-12P02 S	50.0	12-19-57	11.7	50.3	5102	5102
		8-29-57	41.3	62.7				1-23-58	14.2	47.8		
		9-26-57	47.1	56.9				2-27-58	10.3	51.7		
		10-24-57	27.9	76.1				9-27-57	14.2	35.8		
		11-19-57	25.9	78.1				10-25-57	12.5	37.5		
		12-19-57	24.7	79.3				11-21-57	10.7	39.3		
		1-23-58	29.6	74.4				12-20-57	8.8	41.2		
		2-27-58	20.1	83.9				1-24-58	8.7	41.3		
		3-20-58	19.4	84.6				2-28-58	7.5	42.5		
		4-24-58	32.3	71.7				4-25-58	10.8	39.2		
8S/08W-11H01 S	114.1	6-26-58	46.7	57.3	5102	8S/08W-12P03 S	54.8	7-18-57	18.5	36.3	5102	5102
		7-18-57	56.8	57.3				8-29-57	26.4	28.4		
		8-29-57	55.0	59.1				9-26-57	22.5	32.3		
		9-26-57	55.0	59.1				10-24-57	7.7	47.1		
		10-24-57	56.6	57.5				11-19-57	6.5	48.3		
		11-19-57	56.8	57.3				12-19-57	5.5	49.3		
		12-19-57	56.9	57.2				1-23-58	12.2	42.6		
		1-23-58	56.8	57.3				2-27-58	4.8	50.0		
		2-27-58	57.0	57.1				3-20-58	3.5	51.3		
		3-20-58	56.7	57.4				4-24-58	15.7	39.1		
8S/08W-12B01 S	85.8	4-24-58	51.6	62.5	5102	8S/08W-13D01 S	43.8	6-26-58	24.2	30.6	5102	5102
		6-26-58	52.2	61.9				9-27-57	9.7	34.1		
		7-18-57	38.0*	47.8				10-25-57	7.2	36.6		
		8-29-57	25.4	60.4				11-21-57	6.3	37.5		
		9-26-57	30.3	55.5				12-20-57	4.4	39.4		
		10-24-57	17.7	68.1				1-24-58	4.4	39.4		
		11-19-57	15.8	70.0				2-28-58	3.2	40.6		
		12-19-57	14.8	71.0				4-25-58	5.3	38.5		
		1-23-58	19.7	66.1				6-27-58	10.1	33.7		
		2-27-58	13.2	72.6				7-19-57	9.1	38.9		
8S/08W-12C01 S	105.9	3-20-58	11.1	74.7	5102	8S/08W-13E01 S	48.0	8-30-57	10.2	37.8	5102	5102
		4-24-58	17.5	68.3				9-27-57	10.4	37.6		
		6-26-58	36.8*	49.0				10-25-57	8.2	39.8		
		10-24-57	38.3	67.6				11-21-57	7.9	40.1		
		11-19-57	39.0	66.9				12-20-57	6.9	41.1		
		12-19-57	38.3	67.6				1-24-58	7.7	40.3		
		1-23-58	38.8	67.1				2-28-58	6.4	41.6		
		2-27-58	38.1	67.8				4-25-58	6.5	41.5		
		3-20-58	37.9	68.0				6-27-58	8.4	39.6		
		4-24-58	33.2	72.7				7-18-57	17.6	14.4		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN JUAN VALLEY												
SAN JUAN CREEK BASIN				90100			SAN JUAN VALLEY					
				90102			SAN JUAN CREEK BASIN					
8S/08W-14H02 S	32.0	8-29-57	18.1	13.9	5102	8S/08W-23A06 S		18.6	12-20-57	13.0	5.6	5102
CONT.		10-24-57	14.3	17.7								
		11-19-57	14.3	17.7								
		12-19-57	14.2	17.8								
		1-23-58	14.1	17.9								
		2-27-58	14.0	18.0								
		4-24-58	11.4	20.6								
		6-26-58	14.1	17.9								
8S/08W-14H03 S	30.1	7-18-57	10.2	19.9	5102							
		8-29-57	10.3	19.8								
		9-26-57	10.6	19.5								
		10-24-57	8.7	21.4								
		11-19-57	8.7	21.4								
		12-19-57	8.6	21.5								
		1-23-58	8.5	21.6								
		2-27-58	8.4	21.7								
		4-24-58	6.3	23.8								
		6-26-58	8.6	21.5								
8S/08W-23A04 S	25.0	7-19-57	21.3	3.7	5102							
		8-30-57	24.2	.8								
		10-25-57	22.0	3.0								
		12-20-57	19.7	5.3								
		1-24-58	19.6	5.4								
		2-28-58	18.8	6.2								
		3-21-58	18.1	6.9								
		4-25-58	18.1	6.9								
		6-27-58	19.0	6.0								
8S/08W-23A05 S	20.9	7-19-57	17.1	3.8	5102							
		8-30-57	19.9	1.0								
		9-27-57	19.8	1.1								
		10-25-57	17.9	3.0								
		11-21-57	17.7	3.2								
		12-20-57	15.5	5.4								
		1-24-58	15.5	5.4								
		2-28-58	14.9	6.0								
		3-21-58	14.3	6.6								
		4-25-58	14.0	6.9								
		6-27-58	14.8	6.1								
8S/08W-23A06 S	18.6	7-19-57	14.4	4.2	5102							
		9-27-57	17.1	1.5								
		10-25-57	15.3	3.3								
		11-21-57	15.3	3.3								

# GROUND WATER LEVELS AT WELLS

State Well Number	R P Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
TEMECULA VALLEY												
MURRIETA BASIN												
90501												
6S/04W-23N01 S	1410.0	11-19-57 3-24-58	41.1 39.1	1368.9 1370.9	5050		6S/04W-34B01 S	1286.3	3-26-58	88.8	1197.5	5050
6S/04W-26B01 S	1409.1	7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 6-15-58	58.2 58.0 58.2 58.3 57.8 57.6 57.3 57.1 57.4 50.2 49.3 48.3	1350.9 1351.1 1350.9 1350.8 1351.3 1351.5 1351.8 1352.0 1351.7 1358.9 1359.8 1360.8	5709		6S/04W-34E04 S	1287.5	11-22-57 3-26-58	73.1 73.0	1214.4 1214.5	5050
							6S/04W-35D01 S	1306.1	11-20-57 3-24-58	73.2 79.8	1232.9 1226.3	5050
							6S/04W-35F02 S	1280.0	7-02-57 8-01-57 8-01-57 9-04-57 9-04-57 10-08-57 10-08-57 12-04-57 12-04-57 12-04-57 1-07-58 1-07-58 2-14-58 2-14-58 3-06-58 3-06-58 4-18-58 4-18-58	72.3 64.4 64.4 70.0 70.0 72.2 72.2 50.8 50.8 49.7 49.7 49.4 49.4 48.8 48.8 47.6 47.6	1207.7 1215.6 1215.6 1210.0 1210.0 1207.8 1207.8 1229.2 1229.2 1230.3 1230.3 1230.6 1230.6 1231.2 1231.2 1232.4 1232.4	4103
6S/04W-26E01 S	1362.0	11-19-57 3-24-58	58.2 57.0	1303.8 1305.0	5050							
6S/04W-26L01 S	1391.3	11-20-57 3-24-58	58.6 61.1	1332.7 1330.2	5050							
6S/04W-26M01 S	1351.0	7-02-57 8-01-57 8-01-57 9-04-57 9-04-57 10-08-57 10-08-57 12-05-57 12-05-57 1-07-58 1-07-58 2-14-58 2-14-58 3-06-58 3-06-58 4-18-58 4-18-58	46.1* 43.4* 49.4* 40.6 40.6 48.1 48.1* 39.7 39.7 38.6 38.6 38.4 38.4 39.0 39.0 40.7* 40.7*	1304.9 1307.6 1301.6 1310.4 1310.4 1302.9 1302.9 1311.3 1311.3 1312.4 1312.4 1312.6 1312.6 1312.0 1312.0 1310.3 1310.3	4103		6S/04W-35M01 S	1255.9	7-02-57 8-01-57 8-01-57 9-04-57 9-04-57 10-08-57 10-08-57 12-04-57 12-04-57 1-07-58 1-07-58 2-14-58 2-14-58 3-06-58 3-06-58 4-18-58 4-18-58	98.3 106.1 106.1 111.2 111.2 102.1 102.1 78.3 78.3 75.2 75.2 72.6 72.6 72.6 72.6 90.1 97.5	1157.6 1149.8 1149.8 1144.7 1144.7 1153.8 1153.8 1177.6 1177.6 1180.7 1180.7 1183.3 1183.3 1183.7 1183.7 1187.4 1187.4 1165.8 1165.8 1158.4	4103
6S/04W-27M01 S	1309.4	11-20-57 3-26-58	139.6 137.5	1169.8 1171.9	5050							
6S/04W-27N02 S	1292.2	11-20-57 3-02-58	77.7 76.8	1214.5 1215.4	5050							
6S/04W-34B01 S	1286.3	11-20-57	93.3	1193.0	5050							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TEMECULA VALLEY						TEMECULA VALLEY					
MURRIETA BASIN						MURRIETA BASIN					
90500						90501					
6S/04W-35M01 S	1255.9	6-25-58	97.5	1158.4	4103	8S/03W-13K01 S	993.2	3-06-58	14.1	979.1	4103
7S/03W-17P10 S	1094.0	7-02-57	30.9	1063.1	4103	CONT.		4-18-58	13.2	980.0	
		8-01-57	31.2	1062.8				5-27-58	14.8*	978.4	
		9-04-57	34.2	1059.8				6-25-58	14.1	979.1	
		10-08-57	35.2*	1058.8							
		12-04-57	34.8*	1059.2							
		2-14-58	32.5	1061.5		PAUBA BASIN			90502		
		3-06-58	32.1	1061.9		8S/02W-11J02 S	1182.3	7-31-57	42.0	1140.3	5708
		4-18-58	31.2	1062.8				8-31-57	42.6	1139.7	
		5-27-58	30.6	1063.4				9-30-57	42.4	1139.9	
		6-25-58	30.7	1063.3				10-31-57	42.2	1140.1	
								11-30-57	42.1	1140.2	
								12-31-57	41.8	1140.5	
7S/04W-03A01 S	1270.0	3-26-58	72.0	1198.0	5050			1-31-58	42.4	1139.9	
								2-28-58	42.0	1140.3	
		7-02-57	24.8	985.5				3-29-58	41.7	1140.6	
8S/03W-12M06 S	1010.3	8-01-57	24.9	985.4	4103			4-30-58	41.3	1141.0	
		9-04-57	24.9	985.4				5-31-58	43.1	1139.2	
		10-08-57	24.8	985.5				6-30-58	42.1	1140.2	
		12-04-57	24.7	985.6		8S/02W-11L01 S	1163.0	9-21-57	33.1	1129.9	5708
		1-07-58	24.7	985.6				10-31-57	32.8	1130.2	
		2-14-58	24.3	986.0				11-27-57	32.1	1130.9	
		3-06-58	24.2	986.1				12-31-57	32.0	1131.0	
		4-18-58	23.3	987.0				1-31-58	32.6	1130.4	
		5-27-58	24.0	986.3				2-28-58	31.8	1131.2	
		6-25-58	24.2	986.1				3-29-58	31.4	1131.6	
8S/03W-12P08 S	1002.5	7-02-57	18.4	984.1	4103			4-30-58	31.2	1131.8	
		8-01-57	18.6	983.9				5-24-58	34.2	1128.8	
		9-04-57	18.6	983.9				6-30-58	33.2	1129.8	
		10-08-57	18.4	984.1		8S/02W-12H01 S	1216.2	7-31-57	59.2	1157.0	5708
		12-04-57	18.4	984.1				8-31-57	60.3	1155.9	
		1-30-58	23.9	978.6				9-28-57	61.0	1155.2	
		2-14-58	18.2	984.3				10-30-57	59.0	1157.2	
		3-06-58	17.9	984.6				11-27-57	58.6	1157.6	
		4-18-58	17.1	985.4				12-27-57	57.5	1158.7	
		6-04-58	17.9	984.6				1-31-58	59.6	1156.6	
		6-25-58	17.9	984.6				2-27-58	59.2	1157.0	
8S/03W-13K01 S	993.2	7-02-57	14.4	978.8	4103			3-26-58	59.2	1157.0	
		8-01-57	15.3*	977.9				4-15-58	59.1	1157.1	
		9-04-57	14.5	978.7				5-09-58	62.2	1154.0	
		10-08-57	15.3*	977.9				6-04-58	62.6	1153.6	
		12-04-57	14.6	978.6							
		1-07-58	14.6	978.6		WOLF BASIN			90503		
		2-14-58	14.3	978.9		8S/02W-20E01 S	1030.5	7-31-57	16.6	1013.9	5708

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
TEMECULA VALLEY						90500	SAN LUIS REY VALLEY						90700
WOLF BASIN						90503	MISSION BASIN						90701
8S/02W-20E01 S	1030.5	8-31-57	16.7	1013.8	5708	11S/04W-05G01 S	59.6	7-01-57	53.0	6.6	5202		
CONT.		9-30-57	17.0	1013.5				8-05-57	54.2	5.4			
		10-31-57	17.0	1013.5				9-03-57	55.0	4.6			
		11-30-57	17.2	1013.3				10-09-57	55.1	4.5			
		12-31-57	17.3	1013.2				11-04-57	55.1	4.5			
		1-31-58	17.4	1013.1				12-02-57	55.6	4.0			
		2-28-58	17.4	1013.1				1-09-58	55.8	3.8			
		3-29-58	17.5	1013.0				2-07-58	54.0	5.6			
		4-30-58	17.5	1013.0				3-03-58	53.5	6.1			
		5-31-58	17.6	1012.9				5-06-58	51.8	7.8			
		6-30-58	17.6	1012.9				6-02-58	51.9	7.7			
						11S/04W-09E01 S	68.6	7-01-57	68.8	.2	5202		
								8-05-57	70.3	1.7			
								9-03-57	71.3	2.7			
								10-07-57	72.0	3.4			
								11-04-57	70.0	1.4			
								12-02-57	74.9	6.3			
								1-06-58	77.8	9.2			
								2-03-58	71.0	2.4			
								3-03-58	71.2	2.6			
								4-07-58	69.0	.4			
								5-05-58	64.8	3.8			
								6-02-58	65.3	3.3			
						11S/04W-18C04 S	38.0**	7-01-57	83.4*	45.4	5204		
								7-07-57	85.4*	47.4			
								7-15-57	86.4*	48.4			
								7-22-57	86.9*	48.9			
								7-29-57	88.0*	50.0			
								8-05-57	89.9*	51.9			
								8-12-57	73.5	35.5			
								8-19-57	88.3*	50.3			
								9-02-57	88.1*	50.1			
								9-09-57	88.8*	50.8			
								11-27-57	80.7*	42.7			
								12-26-57	59.9	21.9			
								4-07-58	50.9	12.9			
								4-14-58	47.9	9.9			
								4-22-58	47.1	9.1			
								4-28-58	50.2	12.2			
								5-02-58	70.0*	32.0			
								5-12-58	49.1	11.1			
								5-19-58	50.3	12.3			
								5-26-58	52.4	14.4			
								6-02-58	52.2	14.2			

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY						SAN LUIS REY VALLEY					
MISSION BASIN						MISSION BASIN					
11S/04W-18C04 S CONT.	38.0**	6-10-58 6-16-58 6-22-58	53.1 53.8 53.1	- 15.1 - 15.8 - 15.1	5204	11S/04W-18C06 S CONT.	31.0**	5-12-58 5-19-58 5-26-58 6-02-58 6-10-58 6-16-58 6-22-58	47.0 48.4 50.2 51.9 50.9 47.2 52.3	- 16.0 - 17.4 - 19.2 - 20.9 - 19.9 - 16.2 - 21.3	5204
11S/04W-18C05 S	40.0**	7-01-57 7-07-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 9-02-57 9-09-57 11-27-57 12-26-57 4-07-58 4-22-58 5-02-58 5-12-58 6-10-58 6-16-58 6-22-58	79.8* 81.4* 82.7* 82.4* 83.7* 84.6* 74.5 84.7* 84.7* 85.6* 76.7* 59.9 50.1 48.4 49.4 50.4 49.3 49.0 52.5 53.5 53.3 53.8 54.5	- 39.8 - 41.4 - 42.7 - 42.4 - 43.7 - 46.7 - 34.5 - 44.6 - 44.7 - 45.6 - 36.7 - 19.9 - 10.1 - 8.4 - 9.4 - 10.4 - 25.6 - 9.3 - 12.5 - 13.5 - 13.3 - 13.8 - 14.5	5204	11S/04W-18C09 S	35.0**	7-01-57 7-07-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 9-02-57 9-09-57 11-27-57 12-26-57 4-07-58 4-14-58 4-22-58 4-28-58 5-02-58 5-12-58 5-19-58 5-26-58 6-02-58 6-10-58 6-16-58 6-22-58	80.4* 85.4* 83.1* 83.6* 84.9* 90.3* 72.5 85.2* 85.0* 85.1* 76.7* 58.9 49.7 46.3 47.6 50.9 52.3 47.9 49.0 51.1 52.2 51.7 52.2 53.1	- 45.4 - 50.4 - 48.1 - 48.6 - 49.9 - 55.3 - 37.5 - 50.2 - 50.1 - 41.7 - 23.9 - 14.7 - 11.3 - 12.6 - 15.9 - 17.3 - 12.9 - 14.0 - 16.1 - 17.2 - 17.2 - 18.1	5204
11S/04W-18C06 S	31.0**	7-01-57 7-07-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 9-02-57 9-09-57 11-27-57 12-26-57 4-07-58	69.5* 69.7 69.1 69.5 71.7 73.0 71.8 72.4 72.7 72.7 62.6* 58.1 48.6 44.7 46.5 48.3 50.5	- 38.5 - 38.7 - 38.1 - 38.5 - 40.7 - 42.0 - 40.8 - 41.4 - 41.7 - 31.6 - 27.1 - 17.6 - 13.7 - 15.5 - 17.3 - 19.5	5204	11S/04W-18E01 S	34.5	7-01-57 7-07-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 9-02-57 9-09-57 11-27-57 12-26-57 4-07-58	59.2 65.0 DRY DRY 65.0 DRY DRY DRY DRY 58.9 54.0 45.0	- 24.7 - 30.5   30.5       24.4 19.5 10.5	5204

# GROUND WATER LEVELS AT WELLS

SAN LUIS REY VALLEY				SAN LUIS REY VALLEY				SAN LUIS REY VALLEY			
MISSION BASIN				MISSION BASIN				BONSALL BASIN			
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
11S/04W-18E01 S CONT.	34.5	4-14-58 4-22-58 4-28-58 5-02-58 5-12-58 5-19-58 5-26-58 6-02-58 6-10-58 6-16-58 6-22-58	36.5 36.7 40.5 44.2 42.1 42.1 43.9 45.1 46.2 47.2 48.3	- 2.0 2.2 6.0 7.6 7.6 9.4 10.6 11.7 12.7 13.8	5204	11S/05W-13P02 S CONT.	24.5	11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-08-58 5-05-58 6-02-58	35.6 36.6 38.8 33.2 34.6 21.3 24.4 24.4	11.1 12.1 14.3 8.7 10.1 3.2 1 1	5202
11S/04W-18L03 S	38.0	7-01-57 8-05-57 9-03-57 10-07-57 11-04-57 12-02-57 1-06-58 2-06-58 3-03-58 4-07-58 5-05-58 6-11-58	66.9 79.5 75.2 68.8 60.8 66.0 77.6* 56.2 54.2 47.7 96.0* 97.0*	- 28.9 41.5 37.2 30.8 22.8 28.0 39.6 18.2 16.2 9.7 58.0 59.0	5202	11S/05W-24B01 S	27.1	7-01-57 8-05-57 9-03-57 10-07-57 11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-07-58 5-05-58 6-02-58	44.3 46.6 46.8 45.8 43.1 42.8 45.4 40.6 39.0 32.8 31.7 32.4	17.2 19.5 19.7 18.7 16.0 15.7 18.3 13.5 11.9 5.7 4.6 5.3	5202
11S/04W-18L04 S	32.0**	8-12-57 11-27-57 12-26-57	71.5 72.4* 52.6	- 39.5 40.4 20.6	5204	10S/02W-06F01 S	280.9	7-15-57 8-15-57 9-16-57 10-15-57 3-17-58 3-31-58 4-15-58 5-15-58 6-16-58	23.3 25.2 25.7 27.3 10.7 8.0 7.3 7.8 7.8	257.6 255.7 255.2 253.6 270.2 272.9 273.6 273.1 273.1	5408
11S/05W-13N02 S	20.7	7-01-57 8-05-57 9-03-57 10-07-57 11-04-57 12-02-57 1-06-58 2-03-58 3-03-58 4-08-58 5-05-58 6-02-58	31.1 31.9 32.8 32.3 31.4 32.2 35.0 29.9 28.6 16.9 20.7 20.7	- 10.4 11.2 12.1 11.6 10.7 11.5 14.3 9.2 7.9 3.8 0 0	5202	10S/02W-06F02 S	282.0**	11-15-57 12-16-57 1-14-58 2-17-58	25.8 25.8 25.8 20.0	256.2 256.2 256.2 262.0	5408
11S/05W-13P02 S	24.5	7-01-57 8-05-57 9-03-57 10-07-57	35.5 36.4 36.7 36.6	- 11.0 11.9 12.2 12.1	5202	10S/03W-01G01 S		7-15-57 8-15-57 9-16-57 10-15-57 11-15-57 12-16-57 1-14-58	DRY DRY DRY DRY DRY DRY DRY		5408



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY											
BONSALL BASIN						BONSALL BASIN					
10S/03W-01G01 S CONT.	270.0**	2-17-58	DRY		5408	10S/03W-11N01 S	226.0**	7-15-57	39.0	187.0	5408
		3-17-58	DRY					186.7	5050		
		3-31-58	14.5	255.5				186.3	5408		
		4-15-58	11.6	258.4				184.9	5050		
		5-15-58	11.8	258.2				185.7	5408		
		6-16-58	12.3	257.7				184.2	5050		
		7-15-57	32.0	191.0				184.5	5408		
		8-15-57	32.8	190.2				184.5	5050		
		9-16-57	DRY					184.3	5408		
		10-15-57	DRY					184.5	5050		
10S/03W-10R01 S	223.0**	11-15-57	DRY			184.2	5408				
		12-16-57	DRY			184.7	5050				
		1-14-58	DRY			184.1	5408				
		2-17-58	DRY			184.0	5050				
		3-17-58	34.8	188.2		184.1	5408				
		3-31-58	33.1	189.9		185.0	5050				
		4-09-58	23.8	199.2		186.5	5408				
		4-15-58	11.8	211.2		201.4	5050				
		5-15-58	4.5	218.5		207.2	5408				
		6-16-58	7.1	215.9		213.2	5050				
10S/03W-11G01 S	240.1	7-15-57	37.2	202.9	5408	10S/03W-11N02 S	223.0**	7-15-57	33.8	189.2	5408
		7-31-57	37.3	202.8	5050			8-15-57	34.7	188.3	
		8-15-57	38.5	201.6	5408			9-16-57	35.3	187.7	
		8-29-57	39.2	200.9	5050			10-15-57	36.3	186.7	
		9-16-57	38.8	201.3	5408			11-15-57	36.2	186.8	
		10-01-57	39.7	200.4	5050			12-16-57	36.3	186.7	
		10-15-57	39.3	200.8	5408			1-14-58	36.5	186.5	
		11-01-57	39.2	200.9	5050			2-17-58	36.5	186.5	
		11-15-57	38.7	201.4	5408			3-17-58	36.3	186.7	
		12-02-57	39.0	201.1	5050			3-31-58	34.8	188.2	
10S/03W-11G01 S	240.1	12-16-57	38.6	201.5	5408	10S/03W-11N03 S	220.0**	4-09-58	17.6	205.4	5408
		12-31-57	38.1	202.0	5050			4-15-58	9.8	213.2	
		1-14-58	39.3	200.8	5408			5-15-58	6.3	216.7	
		2-01-58	38.6	201.5	5050			6-16-58	9.2	213.8	
		2-17-58	37.9	202.2	5408						
		2-28-58	38.2	201.9	5050						
		3-17-58	36.8	203.3	5408						
		3-31-58	31.8	208.3							
		4-09-58	24.8	215.3							
		4-15-58	20.3	219.8							
10S/03W-11G01 S	240.1	5-15-58	13.3	226.8	5050	10S/03W-11N03 S	220.0**	7-15-57	38.5	181.5	5408
		6-02-58	14.7	225.4	5408			8-15-57	39.7	180.3	
		6-16-58	14.5	225.6	5408			9-16-57	40.3	179.7	
								10-15-57	41.5	178.5	
								11-15-57	41.8	178.2	
								12-16-57	4.8	178.2	

# GROUND WATER LEVELS AT WELLS

[illegible]

## GROUND WATER LEVELS AT WELLS

SAN LUIS REY VALLEY													
Slate Well Number		R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY													
BONSALL BASIN													
10S/03W-15C02 S CONT.	212.0	6-02-58	25.0	187.0	5050		10S/03W-15E02 S	206.0	6-02-58	37.3	168.7	5050	
	210.6	6-16-58	24.8	185.8	5408		10S/03W-15E03 S	206.5	5-01-58 6-02-58	38.0 38.2	168.5 168.3	5050	
10S/03W-15C03 S	208.8	7-15-57	42.6	166.2	5408		10S/03W-15F01 S	212.0	7-31-57	46.0	166.0	5050	
	211.0	7-31-57	42.5	168.5	5050			8-29-57	46.6	165.4			
		8-15-57	DRY		5408			10-01-57	52.4*	159.6			
		9-16-57	DRY					11-01-57	47.6	164.4			
		10-15-57	DRY		5050			12-02-57	47.1	164.9			
		11-01-57	DRY		5408			12-31-57	46.8	165.2			
		11-15-57	DRY		5050			2-01-58	46.1	165.9			
		12-02-57	DRY		5408			2-28-58	46.0	166.0			
		12-16-57	DRY		5050			4-09-58	44.9	167.1			
		12-31-57	DRY		5408			5-01-58	37.2	174.8			
		1-14-58	DRY		5050			6-02-58	38.0	174.0			
		2-01-58	DRY		5408								
		2-17-58	DRY		5050								
10S/03W-15E01 S	208.8	2-28-58	42.7	166.1	5408		10S/03W-15F02 S		10-15-57	DRY		5408	
		3-17-58	39.5	169.3					11-15-57	DRY			
		3-31-58	21.8	187.0					12-16-57	DRY			
		4-09-58	21.8						1-14-58	DRY			
	211.0	4-09-58	21.9	189.1	5050				2-17-58	DRY			
		5-01-58	23.0	188.0					3-17-58	DRY			
	208.8	5-15-58	23.0	185.8	5408				3-31-58	DRY			
	211.0	6-02-58	23.2	187.8	5050				4-09-58	41.3	166.8		
	208.8	6-16-58	23.5	185.3	5408				4-15-58	38.8	169.3		
									5-15-58	35.8	172.3		
									6-16-58	36.6	171.5		
		205.3	8-29-57	44.3	161.0	5050							
	10S/03W-15E02 S	206.0	8-29-57	44.7	161.3	5050		10S/03W-16C01 S	202.0**	1-06-58	67.2*	134.8	4750
		10-01-57	45.7	160.3					1-07-58	61.7*	140.3		
		11-01-57	45.1	160.9					1-18-58	47.1	154.9		
		12-02-57	44.8	161.2					1-28-58	46.3	155.7		
		12-31-57	44.6	161.4					2-05-58	45.7	156.3		
		2-01-58	44.3	161.0					2-12-58	45.0	157.0		
		2-28-58	44.5	160.8					2-20-58	44.3	157.7		
		4-09-58	40.6	164.7					2-26-58	43.9	158.1		
		5-01-58	38.0*	167.3					3-11-58	42.9	159.1		
		6-02-58	38.2*	167.1					3-19-58	42.3	159.7		
									3-25-58	41.3	160.7		
									3-31-58	41.2	160.8		
									4-09-58	37.4	164.6		
								4-12-58	35.0	167.0			
								4-16-58	31.7	170.3			
								4-21-58	30.2	171.8			
								4-28-58	60.0*	142.0			

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY												
BONSALL BASIN												
10S/03W-16C01 S CONT.	202.0**	4-28-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	43.0 36.5 36.5 32.7 47.7 48.0 70.0 66.2 71.8 71.9 68.0	159.0 165.5 165.5 169.3 154.3 154.0 132.0 135.8 130.2 130.1 134.0	4750		10S/03W-16E02 S CONT.	191.0**	3-19-58 3-25-58 3-31-58 4-09-58 4-12-58 4-16-58 4-21-58 4-24-58 4-28-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	41.3 40.9 40.5 31.6 22.5 26.1 27.5 35.9 39.3 45.9 49.1 50.0 60.0 62.3 63.0 65.4 66.0 66.5	149.7 150.1 150.5 159.4 168.5 164.9 163.5 155.1 151.7 145.1 141.9 141.0 136.0 131.0 128.7 128.0 125.6 125.0 124.5	4750
10S/03W-16E01 S	191.0**	1-14-58 1-18-58 1-23-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58 4-09-58 4-12-58 4-16-58 4-21-58 5-01-58 5-07-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	47.8 48.7 49.1 47.3 44.8 43.2 42.2 41.7 40.5 39.8 39.2 39.0 33.3 27.4 25.0 25.6 31.5 31.3 32.8 33.4 35.6 36.9 39.8 38.1 39.0 39.3	143.2 142.3 141.9 143.7 146.2 147.8 148.8 149.3 150.5 151.2 151.8 152.0 157.7 163.6 166.0 165.4 159.5 159.7 158.2 157.6 155.4 154.1 151.2 152.9 152.0 151.7	4750		10S/03W-16E03 S	192.0**	1-07-58 1-18-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58 4-07-58 4-09-58 4-12-58 4-16-58 4-21-58 4-28-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	50.6 52.6 44.6 43.2 42.2 41.4 41.9 40.0 39.6 39.1 38.7 36.0 25.4 20.2 22.3 24.9 34.1 35.7 37.7 37.6 41.9 43.0 44.0 43.3 45.9 47.0	141.4 139.4 147.4 148.8 149.8 150.6 150.1 152.0 152.4 152.9 153.3 156.0 166.6 171.8 169.7 167.1 157.9 156.3 154.3 154.4 150.1 149.0 148.0 148.7 146.1 145.0	4750
10S/03W-16E02 S	191.0**	1-07-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58 4-07-58 4-09-58 4-12-58 4-16-58 4-21-58 4-28-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	63.3 47.7 45.2 44.2 43.3 42.9 41.9	127.7 143.3 145.8 146.8 147.7 148.1 149.1	4750							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY												
BONSALL BASIN						90700	SAN LUIS REY VALLEY					
BONSALL BASIN						90702	BONSALL BASIN					
10S/03W-16E03 S	192.0**	6-25-58	46.5	145.5	4750	10S/03W-16E05 S CONT.	10S/03W-16E05 S	194.0**	5-07-58	68.2	125.8	4750
10S/03W-16E04 S	192.0**	1-06-58	47.8	144.2	4750				5-10-58	63.2	130.8	
		1-07-58	49.8	142.2					5-14-58	72.2	121.8	
		1-18-58	52.1	139.9					5-21-58	76.0	118.0	
		1-28-58	42.0	150.0					5-28-58	76.0	118.0	
		2-05-58	40.9	151.1					6-04-58	73.0	121.0	
		2-12-58	39.9	152.1					6-11-58	75.7	118.3	
		2-20-58	39.4	152.6					6-19-58	71.0	123.0	
		2-26-58	39.0	153.0					6-25-58	76.0	118.0	
		3-11-58	38.2	153.8			10S/03W-16F01 S	193.0	7-31-57	53.9	139.1	5050
		3-19-58	38.8	153.2					8-28-57	55.6	137.4	
		3-25-58	38.4	153.6					10-01-57	56.4	136.6	
		3-31-58	37.9	154.1					11-01-57	54.6	138.4	
		4-09-58	20.4	171.6					12-02-57	54.4	138.6	
		4-12-58	15.8	176.2					12-31-57	54.0	139.0	4750
		4-16-58	20.0	172.0					1-06-58	47.7	145.3	
		4-21-58	22.5	169.5					1-07-58	48.8	144.2	
		4-24-58	36.0	156.0					1-14-58	50.7	142.3	
		4-28-58	38.3	153.7					1-18-58	51.4	141.6	
		5-01-58	39.2	152.8					1-23-58	51.6	141.4	
		5-07-58	44.0	148.0					1-28-58	50.1	142.9	
		5-10-58	45.1	146.9					2-01-58	48.7	144.3	5050
		6-04-58	56.0	136.0					2-05-58	47.5	145.5	4750
		6-11-58	57.2	134.8					2-12-58	46.0	147.0	
		6-19-58	59.0	133.0					2-20-58	45.0	148.0	
		6-25-58	58.0	134.0					2-26-58	44.4	148.6	
10S/03W-16E05 S	194.0**	1-06-58	75.4	118.6	4750				2-28-58	44.0	149.0	5050
		1-07-58	47.2	146.8					3-11-58	43.1	149.9	4750
		1-18-58	75.5	118.5					3-19-58	42.6	150.4	
		1-28-58	48.0	146.0					3-25-58	42.0	151.0	
		2-05-58	45.1	148.9					3-31-58	41.6	151.4	
		2-12-58	43.8	150.2					4-07-58	39.0	154.0	
		2-20-58	42.7	151.3					4-09-58	37.0	156.0	5050
		2-26-58	42.0	152.0					4-09-58	37.1	155.9	4750
		3-11-58	40.8	153.2					4-12-58	35.2	157.8	
		3-19-58	39.9	154.1					4-16-58	31.1	161.9	
		3-25-58	39.2	154.8					4-21-58	29.8	163.2	
		3-31-58	39.2	154.8					4-24-58	31.4	161.6	
		4-09-58	29.2	164.8					4-28-58	33.0	160.0	
		4-12-58	28.0	166.0					5-01-58	34.5	158.5	5050
		4-16-58	25.7	168.3					5-01-58	34.2	158.8	4750
		4-21-58	26.2	167.8					5-07-58	35.0	158.0	
		4-28-58	70.0	124.0					5-10-58	35.2	157.8	
		5-01-58	71.5	122.5					5-14-58	35.4	157.6	
									5-21-58	37.5	155.5	

## GROUND WATER LEVELS AT WELLS

State Well Number	RP Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	RP Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY												
BONSALL BASIN						SAN LUIS REY VALLEY						
10S/03W-16F01 S						BONSALL BASIN						
CONT.						10S/03W-16F03 S						
193.0**						CONT.						
5-28-58						4750						
6-02-58						5050						
6-04-58						4750						
6-11-58												
6-19-58												
6-25-58												
1-07-58						4750						
1-18-58												
1-28-58												
2-05-58												
2-12-58												
2-20-58												
2-26-58												
3-11-58												
3-19-58												
3-25-58												
3-31-58												
4-09-58												
4-12-58												
4-16-58												
4-21-58												
4-28-58												
5-01-58												
5-07-58												
5-10-58												
5-14-58												
5-21-58												
5-28-58												
6-04-58												
6-11-58												
6-19-58												
6-25-58												
193.0**												
1-07-58												
1-18-58												
1-28-58												
2-05-58												
2-12-58												
2-20-58												
2-26-58												
3-11-58												
3-19-58												
3-25-58												
3-31-58												
4-09-58												
4-12-58												
4-16-58												
4-21-58												
4-28-58												
5-01-58												
5-07-58												
5-10-58												
5-14-58												
5-21-58												
5-28-58												
6-04-58												
6-11-58												
6-19-58												
6-25-58												
198.0**												
1-07-58						4750						
1-14-58												
1-18-58												
1-23-58												
1-28-58												
2-05-58												
2-12-58												
2-20-58												
2-26-58												
3-11-58												
3-19-58												
3-25-58												
3-31-58												
4-09-58												
4-12-58												
4-16-58												
4-21-58												
4-28-58												
5-01-58												
5-07-58												
5-10-58												
5-14-58												
5-21-58												
5-28-58												
6-04-58												
6-11-58												
6-19-58												
6-25-58												
198.0**												
1-07-58						4750						
1-14-58												
1-18-58												
1-23-58												
1-28-58												
2-05-58												
2-12-58												
2-20-58												
2-26-58												
3-11-58												
3-19-58												
3-25-58												
3-31-58												
4-09-58												
4-12-58												
4-16-58												
4-21-58												
4-28-58												
5-01-58												
5-07-58												
5-10-58												
5-14-58												
5-21-58												
5-28-58												
6-04-58												
6-11-58												
6-19-58												
6-25-58												
193.0**												
1-07-58						4750						
1-14-58												
1-18-58												
1-23-58												
1-28-58												
2-05-58												
2-12-58												
2-20-58												
2-26-58												
3-11-58												
3-19-58												
3-25-58												
3-31-58												
4-09-58												
4-12-58												
4-16-58												
4-21-58												
4-28-58												
5-01-58												
5-07-58												
5-10-58												
5-14-58												
5-21-58												
5-28-58												
6-04-58												
6-11-58												
6-19-58												
6-25-58												
193.0**												
1-18-58						4750						

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY												
BONSALL BASIN												
10S/03W-16F05 S CONT.	193.0**	1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 4-09-58 4-12-58 4-16-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	46.9 46.3 45.7 44.1 44.6 43.7 43.3 42.8 39.5 28.7 30.5 30.5 31.3 31.7 31.9 32.1 32.8 33.7 34.3 34.9 35.6 36.7	146.1 146.7 147.3 148.9 148.4 149.3 149.7 150.2 153.5 164.3 162.5 161.7 161.3 161.1 160.9 160.2 159.3 158.7 158.1 157.4 156.3	4750		10S/03W-16F06 S CONT.	192.0**	5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	35.0 35.0 35.5 36.3 37.0	157.0 157.0 156.5 155.7 155.0	4750
10S/03W-16F06 S	192.0**	1-14-58 1-18-58 1-23-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 4-07-58 4-09-58 4-12-58 4-16-58 4-21-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	46.8 47.0 47.1 46.8 45.9 45.0 44.2 43.7 42.6 42.1 41.7 41.2 39.5 39.1 34.3 30.9 30.0 31.1 32.0 32.5 32.6 33.5	145.2 145.0 144.9 145.2 146.1 147.0 147.8 148.3 149.4 149.9 150.3 152.5 152.9 157.7 161.1 162.0 160.9 160.0 159.5 159.4 158.5	4750		10S/03W-16F07 S	192.0**	1-06-58 1-07-58 1-18-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58 4-09-58 4-12-58 4-16-58 4-21-58 4-24-58 4-28-58 5-01-58 5-07-58 5-10-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-19-58 6-25-58	52.1 54.7 56.0 47.5 46.2 44.9 44.4 43.8 42.7 42.3 41.8 41.3 37.4 29.5 29.5 29.5 35.5 37.6 39.7 40.0 40.7 42.1 45.5 47.7 47.0 46.8 52.2 53.0	139.9 137.3 136.0 144.5 145.8 147.1 147.6 148.2 149.3 149.7 150.2 150.7 154.6 162.5 162.5 162.5 156.5 154.4 152.3 152.0 151.3 149.9 146.5 144.3 145.0 145.2 139.8 139.0	4750
10S/03W-16F08 S	193.0**	1-18-58 1-23-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58	49.2 49.3 48.5 47.0 45.9 44.9 44.4 43.2 42.8 42.3 41.8	143.8 143.7 144.5 146.0 147.1 148.1 148.6 149.8 150.2 150.7 151.2			10S/03W-16F08 S	193.0**	1-18-58 1-23-58 1-28-58 2-05-58 2-12-58 2-20-58 2-26-58 3-11-58 3-19-58 3-25-58 3-31-58	49.2 49.3 48.5 47.0 45.9 44.9 44.4 43.2 42.8 42.3 41.8	143.8 143.7 144.5 146.0 147.1 148.1 148.6 149.8 150.2 150.7 151.2	4750

# GROUND WATER LEVELS AT WELLS

State Well Number	SAN LUIS REY VALLEY				SAN LUIS REY VALLEY				90700				90700			
	BONSALL BASIN				BONSALL BASIN				90700				90700			
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet
10S/03W-16F08 S CONT.	193.0**	4-09-58	38.8	154.2	4750	10S/03W-16F10 S CONT.	196.0**	2-05-58	48.3	147.7	4750	10S/03W-16G01 S	194.0**	1-06-58	54.8	139.2
		4-12-58	35.0	158.0				2-12-58	45.4	150.6				1-07-58	48.0	146.0
		4-16-58	31.6	161.4				2-20-58	45.5	150.5				1-18-58	46.7	147.3
		4-21-58	30.0	163.0				2-26-58	44.8	151.2				1-28-58	46.0	148.0
		5-01-58	32.2	160.8				3-11-58	43.4	152.6				2-12-58	45.3	148.7
		5-07-58	32.9	160.1				3-19-58	42.4	153.6				2-05-58	45.7	148.3
		5-10-58	33.2	159.8				3-25-58	41.6	154.4				2-20-58	45.0	149.0
		5-14-58	33.4	159.6				3-31-58	41.7	154.3				2-26-58	44.7	149.3
		5-21-58	34.8	158.2				4-09-58	36.4	159.6				3-11-58	44.1	149.9
		5-28-58	35.8	157.2				4-12-58	35.0	161.0				3-19-58	43.7	150.3
		6-04-58	36.3	156.7				4-16-58	32.1	163.9				3-25-58	43.2	150.8
		6-11-58	37.2	155.8				4-21-58	30.6	165.4				3-31-58	42.8	151.2
		6-19-58	38.0	155.0				4-24-58	65.3*	130.7				4-07-58	33.3	160.7
		6-25-58	38.8	154.2				4-28-58	64.3*	131.7				4-09-58	29.3	164.7
10S/03W-16F09 S	193.0**	1-07-58	48.9	144.1	4750	10S/03W-16F10 S	196.0**	5-01-58	65.8*	130.2		10S/03W-16G01 S	194.0**	4-12-58	24.3	169.7
		1-18-58	46.8	146.2				5-07-58	74.0*	122.0				4-16-58	26.8	167.2
		1-28-58	46.2	146.8				5-10-58	56.6*	139.4				4-21-58	29.0	165.0
		2-05-58	45.8	147.2				5-14-58	64.1*	131.9				4-28-58	30.3	163.7
		2-12-58	45.4	147.6				5-21-58	80.0*	116.0				5-01-58	30.6	163.4
		2-20-58	45.1	147.9				5-28-58	83.1*	112.9				5-07-58	31.0	163.0
		2-26-58	44.7	148.3				6-04-58	70.0*	126.0				5-10-58	31.3	162.7
		3-11-58	44.0	149.0				6-11-58	85.0*	111.0						
		3-19-58	43.6	149.4				6-19-58	86.5*	109.5						
		3-25-58	43.2	149.8				6-25-58	82.4*	113.6						
		3-31-58	42.7	150.3												
		4-09-58	33.3	159.7												
		4-12-58	26.7	166.3												
		4-16-58	28.2	164.8												
		4-21-58	29.8	163.2												
10S/03W-16F10 S	196.0**	4-24-58	34.8	158.2		10S/03W-16F10 S	196.0**	1-06-58	63.8*	132.2	4750			1-06-58	63.8*	132.2
		4-28-58	31.0	162.0				1-07-58	86.3*	109.7				1-07-58	86.3*	109.7
		5-01-58	35.3	157.7				1-18-58	76.6*	119.4				1-18-58	76.6*	119.4
		5-07-58	31.3	161.7				1-28-58	51.4*	144.6				1-28-58	51.4*	144.6
		5-10-58	31.6	161.4												
		5-14-58	32.1	160.9												
		5-28-58	36.5	156.5												
		6-04-58	36.2	156.8												
		6-11-58	36.8	156.2												
		6-19-58	44.5	148.5												
		6-25-58	44.5	148.5												



## GROUND WATER LEVELS AT WELLS

[illegible]

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN LUIS REY VALLEY						SAN LUIS REY VALLEY					
BONSALL BASIN						BONSALL BASIN					
10S/03W-20E01 S	175.0	6-02-58	8.4	166.6	5050	10S/03W-30J01 S	152.8	4-09-58	14.5	138.3	5408
10S/03W-29E01 S	159.5	7-15-57	26.8	132.7	5408	CONT.	4-15-58	14.5	138.3	5408	
	157.0	7-31-57	27.9	129.1	5050		5-01-58	13.0	139.8	5050	
	159.5	8-15-57	27.1	132.4	5408		5-15-58	13.5	139.3	5408	
	157.0	8-29-57	26.6	130.4	5050		6-02-58	14.0	138.8	5050	
	159.5	9-16-57	27.3	132.2	5408		6-15-58	14.1	138.7	5408	
	157.0	10-01-57	26.7	130.3	5050						
	159.5	10-15-57	27.1	132.4	5408						
	157.0	11-01-57	26.9	130.1	5050						
	159.5	11-15-57	27.0	132.5	5408						
	157.0	12-02-57	26.6	130.4	5050						
	159.5	12-16-57	27.0	132.5	5408						
	157.0	12-31-57	26.7	130.3	5050						
	159.5	1-14-58	27.2	132.3	5408						
	157.0	2-01-58	26.8	130.2	5050						
	159.5	2-17-58	26.5	133.0	5408						
	157.0	2-28-58	26.6	130.4	5050						
	159.5	3-17-58	26.3	133.2	5408						
		3-31-58	25.3	134.2							
	157.0	4-08-58	20.4	136.6	5050						
	159.5	4-15-58	18.8	140.7	5408						
	157.0	5-01-58	17.0	140.0	5050						
	159.5	5-15-58	16.9	142.6	5408						
	157.0	6-02-58	16.8	140.2	5050						
	159.5	6-15-58	17.1	142.4	5408						
10S/03W-30J01 S	152.8	7-15-57	24.6	128.2	5408						
		7-31-57	27.8	125.0	5050						
		8-15-57	24.6	128.2	5408						
		8-29-57	24.6	128.2	5050						
		9-16-57	24.7	128.1	5408						
		10-01-57	24.7	128.1	5050						
		10-15-57	24.8	128.0	5408						
		11-01-57	25.2	127.6	5050						
		11-15-57	24.8	128.0	5408						
		12-02-57	24.7	128.1	5050						
		12-16-57	24.8	128.0	5408						
		12-31-57	24.5	128.3	5050						
		1-14-58	24.7	128.1	5408						
		2-01-58	24.5	128.3	5050						
		2-17-58	24.2	128.6	5408						
		2-28-58	24.3	128.5	5050						
		3-17-58	23.6	129.2	5408						
		3-31-58	21.8	131.0	5050						
		4-09-58	14.9	137.9	5050						

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/02E-24Q01 S	2720.0**	7-12-57	310.0*	2410.0	5405	10S/02E-25A01 S CONT.	2720.0**	8-12-57	152.0	90800	4405
		4-21-58	248.0	2472.0		8-29-57	152.0	2568.0			
		4-26-58	249.0	2471.0		9-06-57	154.0	2566.0			
		5-03-58	245.0	2475.0		9-27-57	154.0	2566.0			
		5-10-58	242.0	2478.0		10-16-57	152.0	2568.0			
		5-18-58	240.0	2480.0		10-25-57	152.0	2568.0			
		5-24-58	238.0	2482.0		11-27-57	156.0	2564.0			
		5-26-58	237.0	2483.0		12-06-57	155.0	2565.0			
		5-31-58	237.0	2483.0		12-26-57	158.0	2562.0			
		6-07-58	236.0	2484.0		12-31-57	158.0	2562.0			
		6-28-58	235.0	2485.0		1-02-58	158.0	2562.0			
10S/02E-24R01 S	2750.0**	7-13-57	154.0	2596.0		1-17-58	157.0	2563.0			
		7-26-57	154.0	2596.0		1-24-58	157.0	2563.0			
		8-12-57	151.0	2599.0		1-31-58	158.0	2562.0			
		8-29-57	151.0	2599.0		2-07-58	158.0	2562.0			
		9-06-57	150.0	2600.0		2-14-58	158.0	2562.0			
		9-27-57	151.0	2599.0		2-24-58	158.0	2562.0			
		10-16-57	149.0	2601.0		3-07-58	158.0	2562.0			
		10-25-57	149.0	2601.0		3-18-58	159.0	2561.0			
		11-27-57	147.0	2603.0	3-24-58	159.0	2561.0				
		12-06-57	149.0	2601.0	3-31-58	159.0	2561.0				
		12-26-57	148.0	2602.0	4-08-58	158.0	2562.0				
12-31-57	148.0	2602.0	2602.0	2602.0	7-12-57	152.0	2568.0				
1-02-58	148.0	2602.0	2602.0	2602.0	8-12-57	151.0	2569.0				
1-17-58	148.0	2602.0	2602.0	2602.0	8-27-57	150.0	2570.0				
1-24-58	148.0	2602.0	2602.0	2602.0	5-26-58	150.0	2570.0				
1-31-58	148.0	2602.0	2602.0	2602.0	5-31-58	150.0	2570.0				
2-07-58	147.0	2603.0	2603.0	2603.0	6-07-58	148.0	2572.0				
2-14-58	147.0	2603.0	2603.0	2603.0	6-28-58	146.0	2574.0				
2-24-58	147.0	2603.0	2603.0	2603.0	7-12-57	225.0*	2475.0				
3-07-58	147.0	2603.0	2603.0	2603.0	11-27-57	228.0*	2472.0				
3-18-58	147.0	2603.0	2603.0	2603.0	12-06-57	231.0*	2469.0				
3-24-58	147.0	2603.0	2603.0	2603.0	4-11-58	135.0	2565.0				
3-31-58	146.0	2604.0	2604.0	2604.0	5-26-58	121.0	2579.0				
4-08-58	145.0	2605.0	2605.0	2605.0	6-07-58	119.0	2581.0				
4-19-58	142.0	2608.0	2608.0	2608.0	6-28-58	117.0	2583.0				
4-26-58	142.0	2608.0	2607.0	2607.0	7-12-57	95.0*	2635.0				
5-03-58	143.0	2607.0	2608.0	2608.0	8-12-57	77.0*	2653.0				
5-10-58	142.0	2608.0	2608.0	2608.0	11-27-57	173.0*	2557.0				
5-18-58	142.0	2608.0	2608.0	2608.0	12-06-57	175.0*	2555.0				
5-24-58	142.0	2608.0	2608.0	2608.0	4-08-58	45.0	2685.0				
5-31-58	142.0	2608.0	2608.0	2608.0							
6-07-58	142.0	2608.0	2608.0	2608.0							
6-28-58	142.0	2608.0	2608.0	2608.0							
WARNER VALLEY											
10S/02E-25A01 S	2720.0**	7-13-57	154.0	2566.0	4405	10S/02E-26A01 S	2700.0**	4-10-58	68.0	2632.0	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
WARNER VALLEY											
90800						WARNER VALLEY					
10S/02E-26A01 S CONT.	2700.0**	5-18-58	58.0	2642.0	4405	10S/03E-17P01 S CONT.		2-24-58	DRY	90800	5405
		5-24-58	57.0	2643.0				3-24-58	DRY		
		5-31-58	56.0	2644.0				4-24-58	DRY		
		6-07-58	54.0	2646.0				5-26-58	DRY		
		6-28-58	52.0	2648.0				6-28-58	DRY		
10S/03E-08R01 S	2910.0**	9-23-57	98.0*	2812.0	4405	10S/03E-17P02 S		7-26-57	FLOW	5405	
10S/03E-16E01 S	2960.0**	7-12-57	95.0*	2865.0	4405			8-29-57	FLOW		
		9-23-57	101.0*	2859.0				9-27-57	FLOW		
		10-24-57	103.0*	2857.0				10-25-57	FLOW		
		11-27-57	108.0*	2852.0				11-25-57	FLOW		
		12-06-57	105.0*	2855.0				12-26-57	FLOW		
		4-10-58	90.0	2870.0				1-24-58	FLOW		
		4-14-58	83.0	2877.0				2-24-58	FLOW		
		4-19-58	78.0	2882.0				3-24-58	FLOW		
		4-26-58	78.0	2882.0				4-24-58	FLOW		
		5-03-58	77.0	2883.0				5-26-58	FLOW		
								6-28-58	FLOW		
10S/03E-17H01 S	2920.0**	7-12-57	72.0*	2848.0	4405	10S/03E-17P03 S		7-26-57	FLOW	5405	
		9-23-57	92.0*	2828.0				8-29-57	FLOW		
		10-24-57	85.0*	2835.0				9-27-57	FLOW		
		11-27-57	88.0*	2832.0				10-25-57	FLOW		
		12-06-57	89.0*	2831.0				11-25-57	FLOW		
		1-17-58	95.0*	2825.0				12-26-57	FLOW		
		1-24-58	95.0*	2825.0				1-24-58	FLOW		
		1-31-58	96.0*	2824.0				2-24-58	FLOW		
		2-07-58	96.0*	2824.0				3-24-58	FLOW		
		2-14-58	96.0*	2824.0				4-24-58	FLOW		
		3-18-58	99.0*	2821.0				5-26-58	FLOW		
		4-09-58	100.0*	2820.0				6-28-58	FLOW		
		4-13-58	70.0	2850.0							
		4-17-58	67.0	2853.0							
		4-26-58	62.0	2858.0							
		5-03-58	60.0	2860.0							
		5-10-58	58.0	2862.0							
5-18-58	56.0	2864.0									
5-24-58	55.0	2865.0									
5-31-58	54.0	2866.0									
6-07-58	52.0	2868.0									
6-28-58	50.0	2870.0									
10S/03E-17P01 S		7-26-57	FLOW		5405			7-13-57	168.0	2602.0	4405
		8-29-57	FLOW				7-30-57	165.0	2605.0		
		9-27-57	FLOW				8-12-57	166.0	2604.0		
		10-25-57	FLOW				8-29-57	166.0	2604.0		
		11-25-57	FLOW				9-06-57	168.0	2602.0		
		12-26-57	DRY				9-27-57	168.0	2602.0		
			DRY				10-16-57	168.0	2602.0		
			10-25-57	168.0	2602.0						
			11-27-57	161.0	2609.0						
			12-06-57	160.0	2610.0						
			12-31-57	161.0	2609.0						
			1-02-58	161.0	2609.0						
			1-17-58	161.0	2609.0						
			1-24-58	161.0	2609.0						
			1-31-58	161.0	2609.0						
			2-07-58	160.0	2610.0						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/03E-19M01 S CONT.	2770.0**	2-14-58	161.0	2609.0	4405	10S/03E-19N01 S CONT.	2760.0**	5-31-58	139.0	90800	4405
	2-24-58	161.0	2609.0	6-07-58			139.0	2621.0			
	3-07-58	160.0	2610.0	6-28-58			139.0	2621.0			
	3-18-58	160.0	2610.0								
	3-24-58	160.0	2610.0								
	3-31-58	160.0	2610.0								
	4-11-58	158.0	2612.0								
	4-19-58	158.0	2612.0								
	4-26-58	158.0	2612.0								
	5-03-58	157.0	2613.0								
	5-10-58	156.0	2614.0								
	5-18-58	155.0	2615.0								
	5-24-58	155.0	2615.0								
	5-31-58	155.0	2615.0								
	6-07-58	155.0	2615.0								
	6-28-58	155.0	2615.0								
	10S/03E-19N01 S	2760.0**	7-13-57	143.0			2617.0	4405	10S/03E-19Q01 S	2760.0**	
7-26-57		143.0	2617.0	7-30-57	134.0	2626.0					
8-12-57		142.0	2618.0	8-12-57	136.0	2624.0					
8-29-57		142.0	2618.0	8-29-57	136.0	2624.0					
9-06-57		144.0	2616.0	9-06-57	135.0	2625.0					
9-27-57		144.0	2616.0	9-27-57	136.0	2624.0					
10-16-57		143.0	2617.0								
10-25-57		143.0	2617.0								
11-27-57		142.0	2618.0								
12-06-57		141.0	2619.0								
12-26-57		143.0	2617.0								
12-31-57		143.0	2617.0								
1-02-58		143.0	2617.0								
1-17-58		141.0	2619.0								
1-24-58		141.0	2619.0								
1-31-58		141.0	2619.0								
2-07-58		142.0	2618.0								
2-14-58		142.0	2618.0								
2-24-58		142.0	2618.0								
3-07-58		142.0	2618.0								
3-18-58		141.0	2619.0								
3-24-58		141.0	2619.0								
3-31-58		142.0	2618.0								
4-08-58		142.0	2618.0								
4-19-58		140.0	2620.0								
4-26-58		141.0	2619.0								
5-03-58		140.0	2620.0								
5-10-58	140.0	2620.0									
5-18-58	139.0	2621.0									
5-24-58	139.0	2621.0									

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/03E-19Q01 S CONT.	2760.0**	10-16-57	135.0	2625.0	4405	10S/03E-20P01 S CONT.	2750.0**	12-06-57	222.0*	2528.0	4405
		10-25-57	135.0	2625.0				4-10-58	158.0	2592.0	
		11-27-57	136.0	2624.0				5-26-58	139.0	2611.0	
		12-06-57	137.0	2623.0				6-07-58	136.0	2614.0	
		12-26-57	138.0	2622.0				6-28-58	131.0	2619.0	
		12-31-57	138.0	2622.0							
		1-02-58	138.0	2622.0		10S/03E-20Q01 S	2800.0**	7-12-57	80.0	2720.0	4405
		1-17-58	137.0	2623.0				7-30-57	68.0	2732.0	
		1-24-58	138.0	2622.0				10-24-57	136.0*	2664.0	
		1-31-58	138.0	2622.0				11-27-57	136.0*	2664.0	
		2-07-58	137.0	2623.0				12-06-57	135.0*	2665.0	
		2-14-58	137.0	2623.0				4-10-58	71.0	2729.0	
		2-24-58	137.0	2623.0				6-12-58	64.0	2736.0	
		3-07-58	139.0	2621.0							
		3-18-58	139.0	2621.0		10S/03E-29E01 S	2760.0**	8-13-57	138.0	2622.0	4405
		3-24-58	139.0	2621.0				8-29-57	132.0	2628.0	
		3-31-58	140.0	2620.0				9-06-57	133.0	2627.0	
		4-08-58	135.0	2625.0				9-27-57	133.0	2627.0	
		4-19-58	132.0	2628.0				10-16-57	128.0	2632.0	
		4-26-58	130.0	2630.0				10-25-57	128.0	2632.0	
		5-03-58	128.0	2632.0				11-27-57	126.0	2634.0	
		5-10-58	127.0	2633.0				12-06-57	125.0	2635.0	
		5-18-58	124.0	2636.0				12-31-57	126.0	2634.0	
		5-24-58	123.0	2637.0				1-02-58	126.0	2634.0	
		5-31-58	122.0	2638.0				1-17-58	124.0	2636.0	
		6-07-58	120.0	2640.0				1-24-58	124.0	2636.0	
		6-28-58	116.0	2644.0				1-31-58	124.0	2636.0	
10S/03E-19R01 S	2770.0**	7-12-57	200.0*	2570.0	4405			2-07-58	124.0	2636.0	
		9-27-57	215.0*	2555.0				2-14-58	124.0	2636.0	
		10-16-57	220.0*	2550.0				2-24-58	124.0	2636.0	
		11-27-57	246.0*	2524.0				3-07-58	123.0	2637.0	
		5-26-58	129.0	2641.0				3-18-58	123.0	2637.0	
		6-07-58	127.0	2643.0				3-24-58	123.0	2637.0	
		6-28-58	123.0	2647.0				3-31-58	121.0	2639.0	
10S/03E-20N01 S	2760.0**	5-10-58	132.0	2628.0	4405			4-07-58	121.0	2639.0	
		5-18-58	130.0	2630.0				4-19-58	119.0	2641.0	
		5-24-58	127.0	2633.0				4-26-58	117.0	2643.0	
		5-31-58	124.0	2636.0				5-03-58	116.0	2644.0	
		6-07-58	123.0	2637.0				5-10-58	115.0	2645.0	
		6-28-58	119.0	2641.0				5-18-58	115.0	2645.0	
10S/03E-20P01 S	2750.0**	7-12-57	168.0	2582.0	4405			5-24-58	112.0	2648.0	
		7-30-57	163.0	2587.0				5-31-58	111.0	2649.0	
		8-13-57	160.0	2590.0		10S/03E-29F01 S	2790.0**	6-07-58	110.0	2650.0	
		8-30-57	156.0	2594.0				6-28-58	109.0	2651.0	
		10-24-57	221.0*	2529.0				7-26-57	56.1	2733.9	5405
								8-29-57	57.0	2733.0	
								9-27-57	57.6	2732.4	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/03E-29F01 S CONT.	2790.0**	10-25-57	59.1	2730.9	5405	10S/03E-29M01 S CONT.	2780.0**	3-18-58	109.0	90800	4405
		11-25-57	DRY					3-24-58	109.0	2671.0	
		12-26-57	DRY					3-31-58	109.0	2671.0	
		2-24-58	DRY					4-07-58	109.0	2671.0	
		3-24-58	DRY					4-19-58	108.0	2672.0	
		4-24-58	DRY					4-26-58	107.0	2673.0	
		6-28-58	DRY					5-03-58	106.0	2674.0	
								5-10-58	105.0	2675.0	
10S/03E-29J01 S	2800.0**	5-13-58	112.0	2688.0	4405			5-18-58	106.0	2674.0	
		5-18-58	108.0	2692.0				5-24-58	104.0	2676.0	
		5-24-58	106.0	2694.0				5-31-58	104.0	2676.0	
		5-31-58	103.0	2697.0				6-07-58	103.0	2677.0	
		6-07-58	99.0	2701.0				6-28-58	102.0	2678.0	
		6-28-58	92.0	2708.0		10S/03E-29Q01 S	2800.0**	7-26-57	18.3	2781.7	5405
								8-29-57	18.6	2781.4	
10S/03E-29J02 S	2800.0**	4-28-58	92.0	2708.0	4405			9-27-57	DRY		
		5-01-58	296.0*	2504.0				10-29-57	DRY		
		5-03-58	91.0	2709.0				11-25-57	DRY		
		5-10-58	89.0	2711.0				12-26-57	DRY		
		5-18-58	86.0	2714.0				2-24-58	DRY		
		5-24-58	85.0	2715.0				3-24-58	DRY		
		5-31-58	83.0	2717.0				4-24-58	14.0	2786.0	
		6-07-58	81.0	2719.0				5-26-58	16.3	2783.7	
		6-28-58	76.0	2724.0				6-28-58	16.9	2783.1	
10S/03E-29L01 S	2790.0**	4-10-58	71.0	2719.0	4405			7-12-57	152.0*	2598.0	4405
		6-07-58	78.0	2712.0				9-27-57	150.0*	2600.0	
		6-28-58	72.0	2718.0				10-24-57	150.0*	2600.0	
								5-24-58	118.0	2632.0	
		7-13-57	102.0	2678.0				5-26-58	117.0	2633.0	
10S/03E-29M01 S	2780.0**	7-26-57	102.0	2678.0	4405			5-31-58	117.0	2633.0	
		8-13-57	103.0	2677.0				6-07-58	116.0	2634.0	
		8-29-57	103.0	2677.0				6-28-58	114.0	2636.0	
		9-06-57	103.0	2677.0							
		9-27-57	103.0	2677.0				5-21-58	121.0	2779.0	4405
		10-24-57	105.0	2675.0				7-12-57	210.0*	2540.0	5405
		11-26-57	106.0	2674.0				8-12-57	210.0*	2540.0	
		12-06-57	105.0	2675.0				9-27-57	210.0*	2540.0	
		12-26-57	109.0	2671.0				10-16-57	210.0*	2540.0	
		12-31-57	109.0	2671.0				11-27-57	210.0*	2540.0	
		1-02-58	109.0	2671.0				6-28-58	150.0	2600.0	
		1-17-58	106.0	2674.0							
		1-24-58	107.0	2673.0				4-08-58	172.0	2558.0	4405
		1-31-58	107.0	2673.0				4-10-58	170.0	2560.0	
		2-07-58	107.0	2673.0				4-12-58	165.0	2565.0	
		2-14-58	107.0	2673.0				4-15-58	163.0	2567.0	
		2-24-58	107.0	2673.0							
		3-07-58	109.0	2671.0							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY												
10S/03E-30E01 S CONT.	2730.0**	4-19-58	156.0	2574.0	4405	90800	10S/03E-30M01 S CONT.	2730.0**	1-24-58	19.9	2710.1	90800
		4-26-58	147.0	2583.0					2-24-58	20.5	2709.5	4405
		5-03-58	140.0	2590.0					3-24-58	21.1	2708.9	
		5-10-58	135.0	2595.0					4-24-58	15.2	2714.8	
		5-18-58	129.0	2601.0					5-26-58	10.0	2720.0	
		5-24-58	125.0	2605.0					6-28-58	7.0	2723.0	
		5-31-58	116.0	2614.0								
		6-07-58	116.0	2614.0			10S/03E-30M02 S	2720.0**	7-12-57	160.0*	2560.0	4405
		6-28-58	115.0	2615.0					10-25-57	158.0*	2562.0	
									12-23-57	163.0*	2557.0	
									1-03-58	163.0*	2557.0	
									1-17-58	169.0*	2551.0	
									1-24-58	169.0*	2551.0	
									1-29-58	169.0*	2551.0	
									2-07-58	166.0*	2554.0	
									2-14-58	175.0*	2545.0	
									3-18-58	195.0*	2525.0	
									4-09-58	176.0*	2544.0	
									4-10-58	132.0	2588.0	
									4-11-58	120.0	2600.0	
									4-15-58	82.0	2638.0	
							10S/03E-30M02 S	2720.0**	5-03-58	110.0	2610.0	4405
									5-10-58	105.0	2615.0	
							10S/03E-31C02 S	2750.0**	9-27-57	17.6	2732.4	5405
									10-25-57	18.4	2731.6	
									11-25-57	18.5	2731.5	
									12-26-57	19.4	2730.6	
									1-24-58	20.2	2729.8	
									2-24-58	20.8	2729.2	
									3-24-58	19.7	2730.3	
									4-24-58	18.7	2731.3	
									5-26-58	17.7	2732.3	
									6-28-58	16.9	2733.1	
							10S/03E-31G01 S	2750.0**	7-12-57	93.0*	2657.0	4405
									10-25-57	95.0*	2655.0	
									12-23-57	100.0*	2650.0	
									1-06-58	97.0*	2653.0	
									1-17-58	105.0*	2645.0	
									1-24-58	106.0*	2644.0	
									1-31-58	105.0*	2645.0	
									2-07-58	99.0*	2651.0	
									2-14-58	105.0*	2645.0	
									3-18-58	105.0*	2645.0	
									4-09-58	100.0*	2650.0	
									4-10-58	85.0	2665.0	
WARNER VALLEY												
10S/03E-30M01 S	2730.0**	8-29-57	14.9	2715.1	4405							
		9-27-57	16.0	2714.0								
		10-25-57	16.9	2713.1								
		11-25-57	17.3	2712.7								
		12-26-57	18.6	2711.4								



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/03E-31G01 S CONT.	2750.0**	4-11-58	75.0	90800	4405	10S/03E-33C01 S CONT.	2900.0**	5-24-58	211.0	90800	4405
		4-12-58	70.0	2675.0				5-31-58	209.0	2689.0	
		4-13-58	67.0	2680.0				6-07-58	207.0	2691.0	
		4-15-58	60.0	2690.0				6-28-58	202.0	2693.0	
		4-19-58	55.0	2695.0						2698.0	
		4-26-58	51.0	2699.0		10S/03E-33D01 S	2860.0**	2-24-58	247.0	2613.0	4405
		5-03-58	46.0	2704.0				2-27-58	242.0	2618.0	
		5-10-58	44.0	2706.0				3-03-58	238.0	2622.0	
		5-18-58	44.0	2706.0				3-07-58	237.0	2623.0	
		5-24-58	40.0	2710.0				3-18-58	235.0	2625.0	
		5-31-58	39.0	2711.0				3-31-58	232.0	2628.0	
		6-07-58	39.0	2711.0				4-08-58	231.0	2629.0	
		6-28-58	35.0	2715.0				4-19-58	225.0	2635.0	
10S/03E-32C01 S	2790.0**	9-27-57	41.2	2748.8	4405			4-26-58	223.0	2637.0	
		10-25-57	41.6	2748.4				5-03-58	220.0	2640.0	
		11-25-57	41.5	2748.5				5-10-58	218.0	2642.0	
		12-26-57	42.0	2748.0				5-18-58	214.0	2646.0	
		1-24-58	42.5	2747.5				5-24-58	213.0	2647.0	
		2-24-58	43.1	2746.9				5-31-58	211.0	2649.0	
		3-24-58	43.5	2746.5				6-07-58	210.0	2650.0	
		4-24-58	36.3	2753.7		10S/03E-33D02 S	2820.0**	6-28-58	205.0	2655.0	
		5-26-58	32.0	2758.0							
10S/03E-32H01 S	2800.0**	1-03-58	60.0	2740.0	4405			3-07-58	220.0	2600.0	4405
		1-31-58	60.0	2740.0				3-18-58	219.0	2601.0	
		2-28-58	59.0	2741.0				3-31-58	217.0	2603.0	
		3-28-58	58.0	2742.0				4-08-58	212.0	2608.0	
		4-25-58	57.0	2743.0				4-19-58	207.0	2613.0	
		5-24-58	69.0	2731.0				4-26-58	204.0	2616.0	
		5-30-58	56.0	2744.0				5-03-58	201.0	2619.0	
		5-31-58	69.0	2731.0				5-10-58	199.0	2621.0	
		6-07-58	67.0	2733.0				5-18-58	197.0	2623.0	
		6-28-58	67.0	2733.0				5-24-58	195.0	2625.0	
10S/03E-33B01 S	2900.0**	4-29-58	209.0	2691.0	4405			5-31-58	193.0	2627.0	
		5-03-58	208.0	2692.0		10S/03E-33E01 S	2830.0**	6-07-58	190.0	2630.0	
		5-10-58	205.0	2695.0				6-28-58	186.0	2634.0	
		5-18-58	203.0	2697.0							
		5-24-58	202.0	2698.0		10S/03E-33F01 S	2900.0**	7-13-57	248.0	2652.0	4405
		5-31-58	199.0	2701.0				7-26-57	248.0	2652.0	
		6-07-58	198.0	2702.0				8-14-57	248.0	2652.0	
		6-28-58	198.0	2702.0				9-06-57	251.0	2649.0	
10S/03E-33C01 S	2900.0**	4-08-58	238.0	2662.0	4405			9-27-57	248.0	2652.0	
		4-10-58	236.0	2664.0				10-24-57	248.0	2652.0	
		5-12-58	216.0	2684.0				11-26-57	250.0	2650.0	
		5-18-58	214.0	2686.0				12-06-57	252.0	2648.0	
								1-02-58	252.0	2648.0	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
10S/03E-33F01 S CONT.	2900.0**	1-10-58	252.0	2648.0	4405	10S/03E-33P02 S CONT.	2890.0**	5-06-58	174.0	2716.0	4405
		1-17-58	253.0	2647.0				5-10-58	172.0	2718.0	
		1-24-58	252.0	2648.0				5-18-58	170.0	2720.0	
		1-31-58	253.0	2647.0				5-24-58	169.0	2721.0	
		2-07-58	253.0	2647.0				5-31-58	167.0	2723.0	
		2-24-58	253.0	2647.0				6-07-58	165.0	2725.0	
		3-07-58	253.0	2647.0				6-28-58	161.0	2729.0	
		3-18-58	252.0	2648.0							
		3-24-58	252.0	2648.0		10S/03E-33R01 S	2900.0**	4-10-58	199.0	2701.0	4405
		3-31-58	254.0	2646.0				5-05-58	194.0	2706.0	
		4-08-58	240.0	2660.0				5-10-58	192.0	2708.0	
		4-19-58	230.0	2670.0				5-18-58	186.0	2714.0	
		4-26-58	224.0	2676.0				5-24-58	185.0	2715.0	
		5-03-58	219.0	2681.0				5-31-58	182.0	2718.0	
		5-10-58	216.0	2684.0				6-07-58	178.0	2722.0	
		5-18-58	214.0	2686.0				6-28-58	175.0	2725.0	
		5-24-58	213.0	2687.0							
		5-31-58	197.0	2703.0		11S/03E-03F01 S	2910.0**	7-13-57	202.0*	2708.0	4405
		6-07-58	194.0	2706.0				8-14-57	228.0*	2682.0	
		6-28-58	186.0	2714.0				12-06-57	238.0*	2672.0	
10S/03E-33H01 S	2900.0**	4-30-58	186.0	2714.0	4405			1-03-58	243.0*	2667.0	
		5-10-58	184.0	2716.0				1-10-58	245.0*	2665.0	
		5-18-58	181.0	2719.0				1-17-58	245.0*	2665.0	
		5-24-58	179.0	2721.0				1-24-58	241.0*	2669.0	
		5-31-58	178.0	2722.0				1-31-58	242.0*	2668.0	
		6-07-58	176.0	2724.0				2-07-58	243.0*	2667.0	
		6-28-58	173.0	2727.0				2-14-58	243.0*	2667.0	
10S/03E-33L01 S	2820.0**	5-08-58	184.0	2636.0	4405			3-18-58	244.0*	2666.0	
		5-10-58	183.0	2637.0				4-08-58	234.0*	2676.0	
		5-18-58	178.0	2642.0				4-10-58	204.0*	2706.0	
		5-24-58	175.0	2645.0				4-11-58	160.0	2750.0	
		5-31-58	172.0	2648.0				4-12-58	152.0	2758.0	
		6-07-58	169.0	2651.0				4-14-58	140.0	2770.0	
		6-28-58	164.0	2656.0				4-15-58	140.0	2770.0	
10S/03E-33M01 S	2795.0**	7-26-57	25.5	2769.5	5405			4-16-58	143.0	2767.0	
		8-29-57	25.9	2769.1				4-19-58	133.0	2777.0	
		9-27-57	26.4	2768.6				4-26-58	125.0	2785.0	
		10-25-57	26.9	2768.1				5-03-58	125.0	2785.0	
		11-25-57	26.0	2769.0				5-10-58	125.0	2785.0	
		12-26-57	25.9	2769.1				5-18-58	120.0	2790.0	
		1-24-58	24.0	2771.0				5-24-58	97.0	2813.0	
		2-24-58	18.5	2776.5				5-31-58	96.0	2814.0	
		4-24-58	7.0	2788.0				6-07-58	95.0	2815.0	
		5-26-58	11.5	2783.5				6-16-58	95.0	2815.0	
10S/03E-33P02 S	2890.0**	4-10-58	168.0	2722.0	4405	11S/03E-03J01 S	2990.0**	9-23-57	147.0*	2843.0	4405
								11-27-57	40.0	2950.0	
								12-04-57	35.0	2955.0	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY											
11S/03E-03J01 S	2990.0**	12-06-57	130.0*	90800	4405	11S/03E-06A01 S	2800.0**	4-11-58	72.0	90800	4405
CONT.		1-17-58	147.0*	2860.0				4-12-58	70.0	2728.0	
		1-24-58	145.0*	2843.0				4-13-58	67.0	2730.0	
		1-31-58	145.0*	2845.0				4-14-58	60.0	2733.0	
		2-07-58	144.5*	2845.5				4-15-58	60.0	2740.0	
		2-14-58	145.0*	2845.0				4-19-58	55.0	2740.0	
		3-18-58	147.0*	2843.0				4-26-58	50.0	2745.0	
		4-08-58	146.0*	2844.0				5-03-58	45.0	2750.0	
		5-19-58	148.0*	2842.0				5-10-58	44.0	2755.0	
		5-20-58	62.0*	2928.0				5-18-58	41.0	2756.0	
		5-23-58	55.0	2935.0				5-24-58	41.0	2759.0	
		5-27-58	51.0	2939.0				5-31-58	41.0	2759.0	
		6-03-58	30.0	2960.0				6-07-58	41.0	2759.0	
		6-05-58	125.0*	2865.0				6-28-58	40.0	2760.0	
		6-09-58	132.0*	2858.0							
11S/03E-04A01 S	2900.0**	11-26-57	170.0	2730.0	4405	11S/03E-06B01 S	2790.0**	7-12-57	89.0*	2701.0	4405
		12-03-57	170.0	2730.0				9-23-57	98.0*	2692.0	
		12-27-57	173.0	2727.0				10-25-57	89.0*	2701.0	
		1-10-58	170.0	2730.0				4-09-58	90.0*	2700.0	
		1-24-58	170.0	2730.0				4-10-58	77.0*	2713.0	
		1-31-58	170.0	2730.0							
		2-07-58	170.0	2730.0				12-24-57	152.5*	2597.5	4405
		2-14-58	170.0	2730.0				1-03-58	152.0*	2598.0	
		3-07-58	169.0	2731.0				1-17-58	151.0*	2599.0	
		3-18-58	170.0	2730.0				1-24-58	151.0*	2599.0	
		3-24-58	170.0	2730.0				1-31-58	151.0*	2599.0	
		3-31-58	170.0	2730.0				2-07-58	150.0*	2600.0	
		4-08-58	167.0	2733.0				2-14-58	150.0*	2600.0	
		4-19-58	163.0	2737.0				3-18-58	150.0*	2600.0	
		4-26-58	163.0	2737.0				4-09-58	95.0	2655.0	
		5-03-58	163.0	2737.0				4-13-58	90.0	2660.0	
		5-10-58	161.0	2739.0				4-19-58	86.0	2664.0	
		5-18-58	159.0	2741.0				4-26-58	84.0	2666.0	
		5-24-58	158.0	2742.0				5-03-58	81.0	2669.0	
		5-31-58	157.0	2743.0				5-10-58	79.0	2671.0	
		6-07-58	156.0	2744.0				5-18-58	76.0	2674.0	
		6-28-58	157.0	2743.0				5-24-58	75.0	2675.0	
								5-31-58	73.0	2677.0	
								6-07-58	71.0	2679.0	
								6-28-58	65.0	2685.0	
11S/03E-06A01 S	2800.0**	7-15-57	96.0*	2704.0	4405	11S/03E-06G01 S	2775.0**	7-15-57	194.0*	2581.0	4405
		9-23-57	100.0*	2700.0				10-25-57	169.0*	2606.0	
		10-25-57	100.0*	2700.0				1-17-58	226.0*	2549.0	
		1-17-58	106.0*	2694.0				1-24-58	226.0*	2549.0	
		1-24-58	108.0*	2692.0				1-31-58	230.0*	2545.0	
		1-31-58	108.0*	2692.0				2-07-58	230.0*	2545.0	
		2-14-58	105.0*	2695.0				2-14-58	232.0*	2543.0	
		4-09-58	108.0*	2692.0							
		4-10-58	80.0	2720.0							

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
WARNER VALLEY						ESCONDIDO VALLEY						
11S/03E-06Q01 S CONT.	2775.0**	3-18-58	236.0*	2539.0	4405	12S/03E-28C01 S	2980.0	10-16-57 4-11-58	19.1 4.3	2960.9 2975.7	5050	
		4-09-58	165.0*	2610.0								
		4-10-58	145.0	2630.0								
		4-11-58	140.0	2635.0								
		4-12-58	129.0	2646.0								
		4-13-58	125.0	2650.0								
11S/03E-07A01 S	2730.0**	7-12-57	126.0*	2604.0	4405	12S/02W-12L01 S	694.0	2-11-58	36.5	657.5	5711	
		7-19-57	150.0*	2580.0								
		8-15-57	150.0*	2580.0								
		9-23-57	143.0*	2587.0								
		10-25-57	149.0*	2581.0								
		12-06-57	140.0*	2590.0								
		1-03-58	144.0*	2586.0								
		1-10-58	150.0*	2580.0								
		1-17-58	154.0*	2576.0								
		1-24-58	148.0*	2582.0								
		1-31-58	150.0*	2580.0								
		2-07-58	148.0*	2582.0								
		2-14-58	150.0*	2580.0								
		3-18-58	160.0*	2570.0								
5-03-58	185.0*	2545.0										
5-10-58	180.0*	2550.0										
5-18-58	175.0*	2555.0										
11S/03E-07D01 S	2700.0**	7-15-57	151.0*	2549.0	4405							
		10-25-57	140.0*	2560.0								
		12-06-57	151.0*	2549.0								
11S/03E-07K01 S	2750.0**	7-12-57	149.0*	2601.0	4405							
		9-23-57	165.0*	2585.0								
		10-25-57	141.0*	2609.0								
		12-06-57	176.0*	2574.0								
		1-10-58	192.0*	2558.0								
		1-17-58	192.0*	2558.0								
		1-24-58	195.0*	2555.0								
		1-31-58	213.0*	2537.0								
		2-07-58	212.0*	2538.0								
		2-14-58	213.0*	2537.0								
		3-18-58	217.0*	2533.0								
4-09-58	125.0*	2625.0										



## H-35

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY					
LAKE HODGES BASIN						SAN PASQUAL BASIN					
			91001	91000					91002	91000	
12S/02W-35P01 S	396.7	11-27-57	20.0	376.7	5710	12S/01W-25N01 S	446.2	5-28-58	8.8	437.4	4200
12S/02W-35Q02 S	411.0	10-04-57	45.9*	365.1	5050	CONT.		6-19-58	10.9	435.3	
		4-09-58	21.0	390.0		12S/01W-25N02 S	444.0	7-18-57	44.5	399.5	4200
13S/02W-02B02 S	392.0	10-04-57	28.2	363.8	5050			9-24-57	50.9	393.1	
								10-24-57	50.6	393.4	
13S/02W-02C02 S	374.1**	10-04-57	25.0*	349.1	5050			11-21-57	49.8	394.2	
		4-10-58	5.4	368.7				12-26-57	49.9	394.1	
								1-23-58	51.0	393.0	
13S/02W-02C04 S	388.3	11-27-57	22.0	366.3	5710			2-28-58	49.4	394.6	
								3-27-58	22.0	422.0	
13S/02W-02D01 S	389.2	11-27-57	35.0	354.2	5710			4-17-58	10.1	433.9	
								5-28-58	9.8	434.2	
13S/02W-02D03 S	390.0	11-27-57	13.0	377.0	5710			6-19-58	31.7*	412.3	
13S/02W-02F01 S	377.4	11-27-57	43.0	334.4	5710	12S/01W-26C01 S	452.8	10-08-57	32.7	420.1	5050
								4-10-58	14.1	438.7	
13S/02W-02J01 S	432.0	10-04-57	41.3	390.7	5050	12S/01W-26F01 S	441.1	7-18-57	22.6	418.5	4200
		4-10-58	40.1	391.9			442.7	8-27-57	22.2	418.9	
13S/02W-02M01 S	359.4	10-04-57	82.2*	277.2	5050			9-24-57	23.8	418.9	
		11-27-57	40.0	319.4	5710			10-24-57	24.3	418.4	
								11-21-57	24.8	417.9	
13S/02W-02N01 S	335.0	10-04-57	23.8	311.2	5050			12-26-57	25.5	417.2	
		4-10-58	16.2	318.8				1-23-58	25.9	416.8	
								2-15-58	25.6	417.1	
13S/02W-02Q01 S	381.0	10-04-57	69.6	311.4	5050			3-27-58	22.4	420.3	
								4-17-58	14.2	428.5	
SAN PASQUAL BASIN								5-28-58	7.5	435.2	
			91002					6-19-58	6.6	436.1	
12S/01W-18R01 S	436.1	10-07-57	50.9*	385.2	5050	12S/01W-26L01 S	436.4	9-24-57	DRY		4200
								10-24-57	DRY		
12S/01W-20D01 S	418.5	4-12-58	13.6	404.9	5050			11-21-57	DRY		
								12-26-57	DRY		
12S/01W-20L02 S	408.9	10-07-57	57.0	351.9	5050			1-23-58	DRY		
		4-12-58	26.0	382.9				2-15-58	DRY		
								3-27-58	DRY		
12S/01W-25N01 S	446.2	9-24-57	DRY		4200			4-17-58	DRY		
		10-24-57	DRY					5-28-58	DRY		
		11-21-57	DRY					6-19-58	DRY		
		12-26-57	DRY			12S/01W-26N01 S	428.0	7-23-57	30.8	397.2	5050
		1-30-58	DRY					8-22-57	31.4	396.6	
		2-28-58	DRY					10-24-57	32.3	395.7	
		3-27-58	DRY					11-21-57	33.6	396.4	
	446.2	4-17-58	9.1	437.1							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY											
SAN PASQUAL BASIN						SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
12S/01W-26N01 S	428.0	12-17-57	31.1	396.9	5050	12S/01W-29D03 S	386.0	3-31-58	27.0	359.0	4200
CONT.		1-21-58	31.5	396.5	5200	CONT.		4-20-58	20.4	365.6	
		1-23-58	31.5	396.5	5200			5-26-58	16.6	369.4	
		2-15-58	30.4	397.6	5050			6-30-58	20.3	365.7	
		2-15-58	30.4	397.6	5200						
		3-27-58	20.7	407.3	5050	12S/01W-30A01 S	376.6	7-11-57	37.2	339.4	4200
		3-27-58	20.7	407.3	5200			8-27-57	35.6	341.0	
		4-17-58	15.4	412.6	5050			9-19-57	35.1	341.5	
		4-17-58	15.4	412.6	5200			10-29-57	34.4	342.2	
		5-28-58	11.8	416.2	5050			11-15-57	34.1	342.5	
		5-28-58	11.8	416.2	5200			12-20-57	33.5	343.1	
12S/01W-26Q01 S	437.3	9-26-57	DRY		4200			1-31-58	33.0	343.6	
		10-29-57	DRY					1-31-58	33.0	343.6	5200
		11-21-57	DRY					2-27-58	32.3	344.3	4200
		12-31-57	DRY					2-27-58	32.3	344.3	5200
		1-22-58	DRY		5200			3-31-58	28.7	347.9	4200
		1-30-58	DRY		4200			3-31-58	28.7	347.9	5200
		2-19-58	DRY		5200			4-20-58	17.5	359.1	4200
		2-28-58	DRY		4200			4-20-58	17.5	359.1	5200
		3-23-58	DRY		5200			5-26-58	22.6	354.0	4200
		3-27-58	DRY		4200			5-26-58	22.6	354.0	5200
12S/01W-26R01 S	441.1	7-18-57	44.5	396.6		12S/01W-30A04 S	398.8	9-19-57	DRY		4200
		8-27-57	DRY					10-29-57	DRY		
								11-15-57	DRY		
								12-20-57	DRY		
12S/01W-29D01 S	378.7	7-11-57	40.0	338.7	4200			1-31-58	DRY		
		8-27-57	35.9	342.8				2-27-58	DRY		
		1-31-58	33.7	345.0	5200			3-31-58	DRY		
		2-27-58	32.7	346.0				4-20-58	33.1	365.7	
		3-31-58	29.9	348.8				5-26-58	DRY		
		4-20-58	12.7	366.0				6-30-58	DRY		
		5-26-58	19.0	359.7		12S/01W-30A05 S	398.1	7-11-57	64.8	333.3	4200
		6-30-58	21.9	356.8				8-27-57	65.2	332.9	
					4200			9-19-57	61.3	336.8	
								10-29-57	57.7	340.4	
								11-15-57	64.5	333.6	
								12-20-57	65.5	332.6	
12S/01W-29D03 S	386.0	7-11-57	29.4	356.6				1-31-58	63.3	334.8	
		8-27-57	29.6	356.4				2-27-58	53.7	344.4	
		9-19-57	29.6	356.4				3-31-58	55.7	342.4	
		10-29-57	29.7	356.3				4-20-58	48.1	350.0	
		11-15-57	29.7	356.3				5-26-58	48.0	350.1	
		12-20-57	29.7	356.3				6-30-58	50.8	347.3	
		1-31-58	29.6	356.4							
		2-27-58	29.4	356.6		12S/01W-30J01 S	366.9	7-11-57	26.5	340.4	4200

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
SAN PASQUAL BASIN						SAN PASQUAL BASIN						
91002						91002						
12S/01W-30J01 S CONT.	366.9	8-27-57	26.3	340.6	4200	12S/01W-30R03 S	358.7	6-30-58	5.7	353.0	5200	
		9-19-57	26.3	340.6					7-11-57		343.4	4200
		10-29-57	26.1	340.8					8-15-57	12.0	342.7	
		11-15-57	26.1	340.8					9-19-57	12.7	342.4	
		12-20-57	25.9	341.0					10-29-57	13.0	342.4	
		1-31-58	25.7	341.2					11-15-57	12.8	342.6	
		2-27-58	23.9	343.0					12-20-57	11.8	343.6	
		3-31-58	21.9	345.0					1-31-58	12.1	343.3	
		4-20-58	11.6	355.3					1-31-58	12.1	343.3	5200
		5-26-58	14.3	352.6					2-27-58	11.1	344.3	4200
		6-30-58	15.4	351.5					2-27-58	11.1	344.3	5200
									3-31-58	8.8	346.6	4200
									3-31-58	8.8	346.6	5200
									4-20-58	4.8	350.6	4200
12S/01W-30Q01 S	385.7	10-07-57	73.3*	312.4	5050	12S/01W-31A02 S	353.6	7-11-57	11.4	342.2	4200	
		4-12-58	40.5	345.2					8-15-57	12.1	341.5	
		7-11-57	26.7	334.4					9-19-57	12.6	341.0	
		8-15-57	36.8	324.3					10-29-57	12.5	341.1	
		9-19-57	28.2	332.9					11-15-57	12.0	341.6	
		10-29-57	22.2	338.9					12-20-57	11.7	341.9	
		11-15-57	21.1	340.0					1-31-58	11.4	342.2	5200
		12-20-57	21.0	340.1					1-31-58	11.4	342.2	4200
		1-31-58	20.0	341.1				5200	2-27-58	11.1	342.5	4200
		2-27-58	19.6	341.5				4200	2-27-58	11.1	342.5	5200
		3-31-58	10.1	351.0				4200	3-31-58	6.2	347.4	4200
		4-20-58	4.5	356.6				4200	3-31-58	6.2	347.4	5200
		5-16-58	7.1	354.0				4200	4-20-58	3.1	350.5	4200
		6-30-58	13.4	347.7				4200	5-26-58	5.4	348.2	5200
12S/01W-30R03 S	358.7	7-11-57	DRY		4200	12S/01W-31A03 S	356.3	6-30-58	6.3	347.3	5200	
		8-15-57	DRY					7-11-57	14.6	341.7	4200	
		9-19-57	DRY					8-15-57	15.4	340.9		
		10-29-57	DRY					9-19-57	15.8	340.6		
		11-15-57	DRY					10-29-57	15.6	340.8		
		12-20-57	DRY					11-15-57	15.2	341.2		
		1-31-58	DRY					12-20-57	14.8	341.6		
		2-27-58	DRY									
		3-31-58	9.5	349.2								
		4-20-58	4.5	354.2								
		5-16-58	5.1	353.6								
		6-30-58	5.7	353.0								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
91000						91000					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
91002						91002					
12S/01W-31A03 S	356.4	1-31-58	14.4	342.0	4200	12S/01W-31L02 S	350.3	12-20-57	10.8	339.5	4200
CONT.		2-27-58	14.0	342.4							
		3-31-58	5.0	351.4		12S/01W-31P01 S	345.9	11-21-57	17.8	328.1	5050
		4-20-58	2.8	353.6				12-26-57	17.2	328.7	
		5-16-58	5.4	351.0				1-30-58	37.5*	308.4	
		6-30-58	7.3	349.1				1-30-58	37.5	308.4	5200
12S/01W-31B02 S	384.5	10-07-57	46.8	337.7	5050			2-15-58	35.3*	310.6	5050
12S/01W-31G01 S								2-15-58	35.7	310.2	5200
		7-11-57	15.1	342.9	4200			4-01-58	2.0	343.9	5050
		8-15-57	15.7	342.3				4-01-58	2.0	343.9	5200
		9-19-57	16.3	341.7				4-22-58	4.5	341.4	5050
		10-29-57	16.4	341.6				4-22-58	4.5	341.4	5200
		11-15-57	16.1	341.9				5-28-58	14.2	331.7	5050
		12-20-57	15.8	342.2				5-28-58	14.2*	331.7	5200
		1-31-58	15.4	342.6				6-26-58	14.8	331.1	5050
		1-31-58	15.4	342.6				6-26-58	14.8*	331.1	5200
		2-27-58	14.9	343.1	5200	12S/01W-31Q01 S	347.5	7-16-57	10.4	337.1	4200
		2-27-58	14.9	343.1	4200			8-15-57	11.0	336.5	
		3-31-58	10.3	347.7	4200			9-26-57	12.0	335.5	
		3-31-58	10.3	347.7	5200			10-17-57	12.3	335.2	
		4-20-58	7.9	350.1	4200			11-15-57	12.4	335.1	
		4-20-58	7.9	350.1	5200			12-22-57	12.0	335.5	
12S/01W-31H01 S		5-26-58	9.4	348.6	4200			1-21-58	11.8	335.7	
		5-26-58	9.4	348.6	5200			2-15-58	12.0	335.5	
		6-30-58	10.4	347.6	4200			4-01-58	1.2	346.3	
		6-30-58	10.4	347.6	5200			4-22-58	9	346.6	
								5-28-58	1.5	346.0	
								6-26-58	2.4	345.1	
	359.1	7-11-57	15.1	344.0	4200						
		8-15-57	15.0	344.1		12S/01W-32B01 S	373.8	7-11-57	17.4	356.4	4200
		9-19-57	15.8	343.3				8-15-57	17.7	356.1	
		10-29-57	15.2	343.9				9-19-57	17.8	355.6	
12S/01W-31L02 S		11-15-57	15.1	344.0				10-17-57	18.0	355.4	
		12-20-57	15.0	344.1				11-15-57	17.8	355.6	
		1-31-58	14.9	344.2				12-20-57	17.8	355.6	
		2-27-58	14.6	344.5				1-31-58	18.0	355.4	
		3-31-58	13.5	345.6				1-31-58	18.0	355.4	5200
		4-20-58	9.0	350.1				2-27-58	17.9	355.5	4200
		5-26-58	9.1	350.0				2-27-58	17.9	355.5	5200
		6-30-58	9.8	349.3				3-31-58	17.4	356.0	4200
								3-31-58	17.4	356.0	5200
		7-23-57	10.3	340.0	4200			4-20-58	15.3	358.1	4200
		8-15-57	10.6	339.7				4-20-58	15.3	358.1	5200
		9-19-57	11.0	339.3				5-26-58	14.5	358.9	4200
		10-29-57	11.2	339.1				5-26-58	14.5	358.9	5200
		11-15-57	11.1	339.2							



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
91000						91000					
91002						91002					
12S/01W-32B01 S CONT.	373.4	6-30-58	14.7	358.7	4200	12S/01W-32G02 S CONT.		10-17-57	DRY		4200
		6-30-58	14.7	358.7	5200			11-15-57	DRY		
								12-20-57	DRY		
12S/01W-32C01 S	362.7	7-11-57	16.2	346.5	4200			1-31-58	DRY		
		8-15-57	14.3	348.4				2-27-58	DRY		
		9-19-57	14.6	348.1				3-31-58	DRY		
		10-17-57	14.7	348.0				4-20-58	DRY		
		11-15-57	15.7	347.0				5-26-58	DRY		
		12-20-57	14.5	348.2				6-30-58	DRY		
		1-31-58	14.5	348.2							
		1-31-58	14.5	348.2	5200	12S/01W-32J02 S	374.3	7-11-57	10.3	364.0	4200
		2-27-58	15.1	347.6	4200			8-15-57	10.9	363.4	
		2-27-58	15.1	347.6	5200			9-19-57	11.5	362.8	
		3-31-58	14.1	348.6	4200			10-29-57	11.8	362.5	
		3-31-58	14.1	348.6	5200			11-15-57	11.6	362.7	
		4-20-58	11.8	350.9	4200			12-20-57	11.4	362.9	
		4-20-58	11.8	350.9	5200			1-21-58	11.6	362.7	
		5-26-58	11.8	350.9	4200			2-27-58	11.0	363.3	
		5-26-58	11.8	350.9	5200			3-31-58	4.4	369.9	
								4-20-58	3.5	370.8	
12S/01W-32E02 S	360.5	7-11-57	12.1	348.4	4200			5-26-58	5.6	368.7	
		8-15-57	12.4	348.1				6-30-58	6.4	367.9	
		9-19-57	12.4	348.1							
		10-29-57	12.4	348.1		12S/01W-32K01 S	370.7	7-11-57	17.7	353.0	4200
		11-15-57	DRY					8-15-57	17.3	353.4	
		12-20-57	DRY					9-19-57	DRY		
		1-31-58	DRY					10-17-57	DRY		
		2-27-58	DRY					11-15-57	DRY		
	360.5	3-31-58	12.2	348.3				12-20-57	DRY		
		4-20-58	8.8	351.7				1-31-58	DRY		
		5-26-58	7.6	352.9				1-31-58	DRY		5200
		6-30-58	7.7	352.8				2-27-58	DRY		4200
								2-27-58	DRY		5200
12S/01W-32F01 S	364.1	7-11-57	12.3	351.8	4200			3-31-58	16.4	354.3	4200
		8-15-57	12.3	351.8				3-31-58	16.4	354.3	5200
		9-19-57	12.7	351.4				4-20-58	11.4	359.3	4200
		10-17-57	12.9	351.2				4-20-58	11.4	359.3	5200
		11-15-57	12.9	351.2				5-26-58	11.5	359.2	4200
		12-20-57	12.9	351.2				5-26-58	11.5	359.2	5200
		1-31-58	13.0	351.1				6-30-58	12.2	358.5	4200
		2-27-58	12.9	351.2				6-30-58	12.2	358.5	5200
		3-31-58	12.5	351.6							
		4-20-58	8.1	356.0		12S/01W-32M01 S	360.2	7-11-57	11.0	349.2	4200
		5-26-58	8.1	356.0				8-15-57	11.4	348.8	
		6-30-58	8.2	355.9				9-19-57	11.6	348.6	
12S/01W-32G02 S	369.5	9-19-57	DRY		4200			10-29-57	11.9	348.3	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
91000						91000					
91002						91002					
12S/01W-32M01 S	360.2	12-20-57	12.1	348.1	4200	12S/01W-33E01 S	389.6	7-11-57	22.9	366.7	4200
CONT.		1-31-58	12.1	348.1				8-15-57	22.7	366.9	
		2-27-58	11.6	348.6				9-19-57	23.6	366.0	
		3-31-58	8.8	351.4				10-17-57	23.1	366.5	
		4-20-58	5.4	354.8				11-15-57	23.9	365.7	
		5-26-58	6.0	354.2				12-20-57	22.7	366.9	
		6-30-58	6.7	353.5				1-31-58	22.8	366.8	
12S/01W-32M02 S	360.1	7-11-57	9.6	350.5	4200			2-27-58	22.6	367.0	
		8-15-57	10.1	350.0				3-31-58	20.3	369.3	
		9-19-57	10.5	349.6				4-20-58	18.4	371.2	
		10-29-57	10.7	349.4				5-26-58	18.5	371.1	
		11-15-57	10.6	349.5				6-30-58	18.9	370.7	
		12-20-57	10.8	349.3		12S/01W-33H01 S	391.8	7-18-57	12.0	379.8	4200
		1-31-58	10.8	349.3				8-22-57	12.5	379.3	
		2-27-58	10.0	350.1				9-24-57	12.7	379.1	
		3-31-58	4.9	355.2				10-24-57	13.0	378.8	
		4-20-58	3.3	356.8				11-21-57	12.8	379.0	
		5-26-58	4.4	355.7				12-26-57	12.9	378.9	
		6-30-58	5.2	354.9				1-30-58	13.2	378.6	
12S/01W-32N01 S	358.9	7-16-57	7.4	351.5	4200			2-15-58	12.9	378.9	
		8-15-57	7.8	351.1				3-27-58	6.7	385.1	
		9-26-57	8.2	350.7				4-17-58	2.5	389.3	
		10-29-57	8.3	350.6				5-28-58	5.7	386.1	
		11-15-57	8.2	350.7				6-19-58	6.6	385.2	
		12-19-57	8.1	350.8		12S/01W-33L02 S	380.8	7-16-57	6.1	374.7	4200
		1-21-58	8.1	350.8				8-27-57	6.6	374.2	
		2-15-58	6.8	352.1				9-19-57	6.9	373.9	
		3-27-58	2.4	356.5				10-17-57	7.1	373.7	
		4-19-58	2.0	356.9				11-15-57	7.2	373.6	
		5-28-58	2.3	356.6				12-20-57	7.5	373.3	
		6-26-58	2.8	356.1				1-21-58	7.7	373.1	
12S/01W-32P01 S	365.9	7-11-57	10.7	355.2	4200			1-21-58	7.7	373.1	5200
		8-15-57	11.3	354.6				2-27-58	7.4	373.4	4200
		9-19-57	DRY					3-31-58	1.4	379.4	
		10-29-57	DRY					4-20-58	1.4	379.4	
		11-15-57	DRY					4-20-58	FLOW		5200
		12-20-57	DRY					4-20-58	FLOW		5200
		1-31-58	DRY					5-26-58	2.0	378.8	4200
		2-27-58	11.6	354.3				5-26-58	2.0	378.8	5200
		3-31-58	5.8	360.1				6-30-58	3.0	377.8	4200
		4-20-58	3.2	362.7				6-30-58	3.0	377.8	5200
		5-26-58	5.5	360.4							
		6-30-58	6.4	359.5		12S/01W-33P01 S	383.2	9-19-57	DRY		4200
								10-17-57	DRY		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY											
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
91000						91002					
12S/01W-33P01 S CONT.		11-15-57 12-31-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-30-58	DRY DRY DRY DRY 6.1 3.0 5.4 5.7	377.1 380.2 377.8 377.5	4200	12S/01W-34F01 S CONT.	404.8	3-26-58 4-17-58 5-28-58 6-28-58	13.2 7.1 10.6 12.0	391.6 397.7 394.2 392.8	4200
12S/01W-34A03 S	419.4	7-23-57 8-22-57 9-24-57 10-24-57 11-21-57 12-26-57 1-21-58 1-21-58 2-15-58 3-26-58 4-17-58 5-28-58 6-28-58	35.9 37.4 39.0 37.2 32.8 33.6 33.6 33.6 30.4 30.4 14.9 5.8 8.4 11.3 11.3	383.5 382.0 380.4 382.2 386.6 385.8 385.8 385.8 389.0 389.0 404.5 404.5 413.6 411.0 408.1 408.1	4200	12S/01W-34J01 S	415.5	7-23-57 8-27-57 9-26-57 10-29-57 11-21-57 12-26-57 1-30-58 2-28-58 3-27-58 4-19-58 5-24-58 6-26-58	50.8 50.0 30.0 32.8 31.1 29.3 31.8 30.3 22.8 15.9 26.1 25.7	364.7 365.5 385.5 382.7 384.4 386.2 383.7 385.2 392.7 399.6 389.4 389.8	4200
12S/01W-34B01 S	413.4	9-24-57 10-24-57 11-21-57 12-26-57 1-23-58 2-15-58 3-27-58 4-17-58 5-28-58 6-28-58	DRY DRY DRY DRY DRY DRY DRY 3.2 2.8	410.2 410.6	4200	12S/01W-34K02 S	412.0	7-16-57 8-22-57 9-26-57 10-24-57 12-31-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-19-58	56.2* 27.5 27.3 27.1 26.6 65.0* 26.9 23.4 18.3 21.4 24.2	355.8 384.5 384.7 384.9 385.4 347.0 385.1 388.6 393.7 390.6 387.8	4200
12S/01W-34F01 S	404.8	7-16-57 8-15-57 9-26-57 10-17-57 11-15-57 12-19-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-28-58	18.2 18.9 29.5* 27.6* 21.6 22.0 30.0	386.6 385.9 375.3 377.2 383.2 382.8 374.8	4200	12S/01W-34P03 S	400.5	7-16-57 8-15-57 9-26-57 10-17-57 11-15-57 12-19-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-28-58	37.3 38.3 40.0 29.8 23.2 26.9 33.4 26.8 25.0 23.2 25.6	363.2 362.2 360.5 370.7 377.3 373.6 367.1 373.7 375.5 377.3 377.3 374.9	4200
12S/01W-34P05 S	400.3	7-16-57 8-15-57 9-26-57	10.2 10.2 10.3	390.1 390.1 390.0							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY												
SAN PASQUAL BASIN						SAN PASQUAL VALLEY						
SAN PASQUAL BASIN						SAN PASQUAL BASIN						
12S/01W-34P05 S CONT.	400.3	10-17-57	10.3	390.0	4200	12S/01W-35B02 S CONT.	438.0	3-28-58	30.7	91000	5200	
		11-15-57	11.0	389.3				4-19-58	15.9	422.1		4200
		12-19-57	10.5	389.8				4-19-58	15.9	422.1		5200
		1-21-58	10.7	389.6				5-24-58	30.3	407.7		4200
		2-15-58	10.6	389.7				5-24-58	30.2	407.8		5200
		3-26-58	10.5	389.8				6-19-58	16.4	421.6		4200
		4-22-58	10.6	389.7				6-19-58	16.4	421.6		5200
		5-24-58	9.9	390.4								
		6-28-58	10.3	390.0								
		12S/01W-34R01 S	411.8	7-16-57				DRY		4200		12S/01W-35C01 S
8-29-57	DRY				8-22-57	38.3	389.6					
9-19-57	DRY				9-26-57	40.0	387.9					
10-17-57	DRY				10-29-57	38.6	389.3					
11-15-57	DRY				11-21-57	37.3	390.6					
12-31-57	DRY				12-31-57	36.3	391.6					
1-21-58	DRY				1-23-58	37.1	390.8	5200				
2-15-58	DRY				1-23-58	37.1	390.8	4200				
3-27-58	DRY				2-28-58	35.8	392.1	5200				
4-19-58	DRY				2-28-58	35.8	392.1	4200				
12S/01W-35A01 S	446.6	7-23-57	59.4	387.2	4200	12S/01W-35C04 S	430.8	9-24-57	DRY		4200	
		8-27-57	61.5	385.1				10-24-57	DRY			
		9-26-57	55.4	391.2				11-21-57	DRY			
		10-29-57	53.9	392.7				12-26-57	DRY			
		11-21-57	53.0	393.6				1-23-58	DRY			
		12-26-57	53.1	393.5				1-23-58	DRY	5200		
		1-30-58	53.8	392.8				2-15-58	DRY	4200		
		2-28-58	56.2	390.4				2-15-58	DRY	5200		
		3-27-58	31.6	415.0				2-15-58	DRY	4200		
		4-19-58	16.1	430.5				3-27-58	DRY	5200		
12S/01W-35B02 S	438.0	7-18-57	59.4	378.6	4200	12S/01W-35D02 S	422.8	7-23-57	42.7	91000	4200	
		8-22-57	50.2	387.8				8-22-57	38.3	384.5		
		9-26-57	47.6	390.4								
		11-21-57	48.6	389.4								
		12-31-57	48.6	389.4								
		1-30-58	46.3	391.7								
		1-30-58	46.2	391.8								
		2-15-58	44.7	393.3								
		2-28-58	44.7	393.3								
		3-28-58	30.7	407.3								



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL BASIN											
91002											
12S/01W-35D02 S	422.8	9-26-57	39.6	383.2	4200	12S/01W-35G02 S	436.2	10-24-57	45.3	390.9	4200
CONT.		10-24-57	38.1	384.7				11-21-57	44.3	391.9	
		11-21-57	35.7	387.1				12-31-57	47.4	388.8	
		12-17-57	34.4	388.4				1-30-58	44.7	391.5	
		1-21-58	42.6	380.2				1-30-58	44.7	391.5	5200
		2-15-58	33.6	389.2				2-28-58	43.3	392.9	4200
		3-26-58	21.8	401.0				2-28-58	43.3	392.9	5200
		4-17-58	9.7	413.1				3-27-58	39.6	396.6	4200
		5-28-58	8.0	414.8				3-27-58	39.6	396.6	5200
		6-28-58	10.0	412.8				4-19-58	27.8	408.4	4200
								4-19-58	27.8	408.4	5200
12S/01W-35F01 S	430.7	10-24-57	42.7	388.0	4200			5-24-58	15.3	420.9	4200
		11-21-57	42.0	388.7				5-24-58	15.3	420.9	5200
		12-26-57	41.6	389.1				6-19-58	13.9	422.3	4200
		1-30-58	42.1	388.6				6-19-58	13.9	422.3	5200
		2-28-58	40.0	390.7							
		3-27-58	32.6	398.1							
		4-19-58	21.2	409.5							
		5-24-58	16.5	414.2							
		6-26-58	14.5	416.2							
12S/01W-35F02 S	430.5	7-18-57	53.9	376.6	4200	12S/01W-35H02 S	444.8	7-18-57	57.3	387.5	4200
		8-27-57	51.3	379.2				8-22-57	57.6	387.2	
		9-24-57	55.8	374.7				9-24-57	45.8	399.0	
		10-24-57	43.5	387.0				10-24-57	47.5	397.3	
		11-21-57	42.0	388.5				11-21-57	53.9	390.9	
		12-26-57	41.4	389.1				12-26-57	DRY		
		1-30-58	41.7	388.8				1-29-58	52.6	392.2	
		2-28-58	39.8	390.7				2-28-58	50.7	394.1	
		3-27-58	33.1	397.4				3-27-58	39.9	404.9	
		4-19-58	22.5	408.0				4-17-58	21.0	423.8	
		5-24-58	17.8*	412.7				5-24-58	14.8	430.0	
		6-26-58	15.0	415.5				6-19-58	16.3	428.5	
12S/01W-35F03 S	427.1	9-26-57	DRY		4200	12S/01W-35L04 S	431.8	7-16-57	44.2	387.6	5050
		10-29-57	DRY					7-18-57	42.4	389.4	4200
		11-21-57	DRY					8-15-57	44.5	387.3	5050
		12-31-57	DRY					8-27-57	44.6	387.2	4200
		1-30-58	DRY					8-27-57	44.5	387.3	5050
		2-15-58	DRY					9-19-57	44.5	385.5	4200
		3-28-58	DRY					10-17-57	41.2	388.8	
		4-19-58	DRY					11-15-57	41.4	388.6	
		5-28-58	10.5	416.6				12-31-57	41.4	388.6	
		6-26-58	12.6	414.5				1-30-58	42.6	387.4	
								2-15-58	42.1	387.9	
								3-27-58	39.5	390.5	
								4-19-58	30.3	399.7	
								5-24-58	19.8	410.2	
								6-26-58	22.2	407.8	
12S/01W-35G01 S		7-23-57	DRY		4200	12S/01W-35W01 S	416.1	7-16-57	30.9	385.2	4200

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
SAN PASQUAL VALLEY						91000	SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						91002	SAN PASQUAL BASIN					
12S/01W-35M01 S						416.1	12S/01W-36C03 S					
CONT.							CONT.					
8-15-57	30.4	385.7	4200	11-21-57	DRY	4200	12-31-57	DRY	4200	4200	4200	4200
9-26-57	32.3	383.8		1-30-58	DRY		2-28-58	DRY				
10-17-57	27.7	388.4		3-28-58	DRY		4-19-58	9.6				
11-15-57	30.1	386.0		5-24-58	6.8		6-26-58	10.1				
12-19-57	28.1	388.0										
1-21-58	28.9	387.2	5200									
1-30-58	28.9	387.2	4200									
2-15-58	28.7	387.4	4200									
2-28-58	28.6	387.5	5200									
3-27-58	26.2	389.9	4200									
3-27-58	26.2	389.9	5200									
4-19-58	19.2	396.9	4200									
4-19-58	19.2	396.9	5200									
5-24-58	16.8	399.3										
5-28-58	16.8	399.3	4200									
6-28-58	14.2	401.9	5200									
6-28-58	14.2	401.9	4200									
9-19-57	DRY											
10-17-57	DRY											
11-15-57	DRY											
12-31-57	DRY											
1-21-58	DRY											
2-15-58	DRY											
3-27-58	DRY											
4-19-58	16.6	405.0										
5-24-58	DRY											
6-26-58	16.5	405.1										
7-23-57	46.5	373.1	4200									
8-27-57	50.4	369.2										
9-26-57	47.6	372.0										
10-29-57	76.6*	343.0										
11-21-57	37.2	382.4										
12-26-57	36.0	383.6										
1-30-58	37.6	382.0										
2-28-58	35.4	384.2										
3-27-58	32.4	387.2										
4-19-58	23.4	396.2										
5-28-58	18.8	400.8										
6-26-58	17.1	402.5										
7-18-57	DRY		4200									
8-27-57	DRY											
9-26-57	DRY											
10-29-57	DRY											
12S/01W-35M02 S						421.6	12S/01W-36D02 S					
4-19-58	421.6						9-26-57	446.4				4200
5-24-58	421.6						10-29-57					
6-26-58	419.6						11-21-57					
7-23-57	419.6						12-31-57					
8-27-57							1-30-58					
9-26-57							2-28-58					
10-29-57							3-28-58					
11-21-57							4-17-58					
12-26-57							5-24-58					
1-30-58							6-26-58					
2-28-58												
3-27-58												
4-19-58												
5-24-58												
6-26-58												
7-23-57												
8-27-57												
9-26-57												
10-29-57												
12S/01W-35M03 S						419.6	12S/01W-36F01 S					
4-19-58	419.6						3-27-58	458.5				4200
5-24-58	419.6						3-27-58					5200
6-26-58	419.6						4-22-58					4200
7-23-57							5-28-58					5200
8-27-57							6-26-58					4200
9-26-57												4200
10-29-57												4200
12S/01W-36C03 S						453.2	12S/01W-36G01 S					
7-18-57	453.2						7-23-57	466.8				4200
8-27-57												
9-26-57												
10-29-57												

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY					
SAN PASQUAL BASIN						SAN PASQUAL BASIN					
12S/01W-36G01 S CONT.	466.8	11-19-57 12-19-57 1-29-58 2-28-58 3-27-58 4-17-58	58.1 56.4 58.1 49.8 13.3 24.2	408.7 410.4 408.7 417.0 453.5 442.6	4200	13S/01W-03F01 S CONT.	403.7	8-15-57 9-26-57 10-08-57 10-17-57 11-15-57 12-19-57 1-21-58 2-15-58 3-26-58 4-10-58 4-19-58 5-24-58 6-26-58	25.5 26.6 25.8* 70.0* 21.4 20.2 21.6 21.6 16.6 11.5 12.4 15.0 19.4	378.2 377.1 377.9 333.7 382.3 383.5 382.1 382.1 387.1 392.2 391.3 388.7 384.3	4200  5050 4200
12S/01W-36H01 S	468.4	7-23-57 8-22-57 9-24-57 10-24-57 11-19-57 12-19-57 1-03-58 2-28-58 3-27-58 4-17-58 5-28-58 6-26-58	49.1 53.7 52.3 53.4 54.4 56.5 57.4 44.8 10.6 9.7 10.1 11.2	419.3 414.7 416.1 415.0 414.0 411.9 411.0 423.6 457.8 458.7 458.3 457.2	4200	13S/01W-03L01 S	403.6	10-08-57 4-10-58	21.8 4.8	381.8 398.8	5050
13S/01W-03D01 S	403.3	7-16-57 8-22-57 9-19-57 10-17-57 11-15-57 12-31-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-26-58	21.3 22.4 23.3 22.2 22.9 22.3 21.1 20.9 20.5 18.6 9.8 10.1	382.0 380.9 380.0 381.1 380.4 381.0 382.2 382.4 382.8 384.7 393.5 393.2	4200	13S/01W-04A01 S	390.1	7-16-57 8-27-57 9-19-57 10-17-57 11-15-57 12-31-57 1-21-58 2-15-58 3-26-58 4-22-58 5-24-58 6-26-58	7.9 6.8 6.2 6.0 8.4 8.8 8.7 8.7 7.4 3.9 5.8	382.2 383.3 383.9 384.1 381.7 381.3 381.4 381.4 382.7 386.2 384.3	4200
13S/01W-03E01 S	402.6	10-08-57	40.8*	361.8	5050	13S/01W-04C01 S	382.8	7-23-57 8-15-57 9-26-57 10-29-57 11-21-57 12-19-57 2-15-58 3-27-58 4-22-58 5-24-58 6-26-58	8.2 8.4 8.4 8.9 9.3 9.4 9.6 6.4 6.6 6.4 6.3	374.6 374.4 374.4 373.9 373.5 373.4 373.2 376.4 376.2 376.4 376.5	4200
13S/01W-03E02 S	402.2	9-19-57 10-17-57 11-15-57 12-31-57 1-21-58 2-15-58 3-26-58 4-19-58 5-24-58 6-26-58	DRY DRY DRY DRY DRY DRY DRY 10.9 11.9 12.2		4200	13S/01W-05A01 S	377.4	7-16-57 8-15-57 9-26-57 10-17-57	19.3 19.4 18.5 16.6	358.1 358.0 358.9 360.8	4200
13S/01W-03F01 S	403.7	7-16-57	29.1	374.6	4200						

## GROUND WATER LEVELS AT WELLS

SAN PASQUAL VALLEY																
SAN PASQUAL VALLEY						SAN PASQUAL VALLEY										
SAN PASQUAL BASIN						SAN PASQUAL BASIN										
State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	RP Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data					
SAN PASQUAL BASIN						SAN PASQUAL BASIN										
13S/01W-05A01 S CONT.	377.4	12-19-57	30.8*	346.6	4200	13S/02W-01A01 S CONT.	346.5	4-01-58	17.8	328.7	4200					
		1-21-58	19.7	357.7				4-01-58	17.8	328.7	5200					
		2-15-58	17.3	360.1				4-22-58	10.6	335.9	4200					
		3-26-58	12.8	364.6				4-22-58	10.6	335.9	5200					
		4-19-58	9.1	368.3				5-28-58	14.5	332.0	4200					
		5-24-58	12.6	364.8				5-28-58	14.5	332.0	5200					
		6-26-58	15.6	361.8				6-30-58	15.7	330.8	4200					
								6-30-58	15.7	330.8	5200					
		13S/01W-05A02 S	375.7	7-16-57				38.3	337.4	4200	13S/02W-01J01 S	334.4	10-08-57	36.6	297.8	5050
		8-15-57	39.7	336.0				2-05-58	35.0	299.4						
		9-26-57	21.6	354.1				3-18-58	23.9	310.5						
		10-17-57	18.2	357.5				4-10-58	3.4	331.0						
		12-19-57	14.4	361.3												
		1-21-58	18.1	357.6		13S/02W-01J02 S	334.9	8-15-57	44.1*	290.8	4200					
		2-15-58	14.5	361.2				9-26-57	44.2*	290.7						
		3-26-58	10.6	365.1				12-31-57	42.6*	292.3						
		4-19-58	7.1	368.6				4-01-58	16.7	318.2	5200					
		5-24-58	23.6	352.1				4-15-58	16.7	318.2						
		6-26-58	27.9	347.8				4-22-58	3.7*	331.2	4200					
					5050			4-22-58	3.7	331.2	5200					
13S/01W-06M01 S	336.3	10-08-57	39.3	297.0				5-28-58	19.0	315.9	4200					
		2-05-58	37.7	298.6				5-28-58	19.0	315.9	5200					
13S/01W-06M02 S	340.0	10-08-57	28.7	311.3	5050			6-28-58	22.6*	312.3	4200					
		11-08-57	29.2	310.8		6-28-58	22.6*	312.3	5200							
		3-08-58	26.6	313.4												
		4-10-58	9.2	330.8		13S/02W-12L01 S	320.0	10-07-57	12.2	307.8	5050					
13S/01W-06M03 S	339.5	8-10-57	20.8	318.7	5050	13S/02W-12N01 S	317.4	10-07-57 4-10-58	11.7 .0*	305.7 317.4	5050					
13S/01W-06N01 S	333.6	10-08-57 2-05-58	36.9 35.0	296.7 298.6	5050	13S/02W-12N02 S	319.6	10-07-57 3-18-58	12.5 10.9	307.1 308.7	5050					
13S/01W-07E01 S	340.0	3-18-58 4-10-58	14.9 8.6	325.1 331.4	5050	FELICITA BASIN										
13S/02W-01A01 S	346.5	7-23-57	24.2	322.3	4200	12S/02W-22A02 S	721.0	10-08-57	56.9	664.1	5050					
		8-15-57	20.7	325.8				4-09-58	46.9	674.1						
		9-19-57	21.2	325.3												
		10-29-57	21.4	325.1				10-07-57	39.5	658.5	5050					
		11-15-57	DRY					4-09-58	27.4	670.6						
		12-20-57	23.2	323.3												
		1-30-58	24.4	322.1				10-07-57	44.9	657.1	5050					
		1-30-58	24.4	322.1												
		2-27-58	24.2	322.3				12S/02W-23K02 S	712.0	664.9	5050					
		2-27-58	24.2	322.3						669.2						



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY						91000	SAN PASQUAL VALLEY					
FELICITA BASIN						91003	FELICITA BASIN					
12S/02W-23L01 S	717.0	10-08-57	57.3	659.7	5050		12S/02W-24N02 S	639.0	4-21-58	58.0*	581.0	5711
12S/02W-23L02 S	715.0	11-13-57	61.5	653.5	5050		CONT.		4-29-58	43.0	596.0	
12S/02W-24D01 S	730.0	10-08-57	52.3	677.7	5050				5-07-58	45.0	594.0	
12S/02W-24E01 S	702.0	10-08-57	29.8	672.2	5050				5-12-58	38.0	601.0	
12S/02W-24F02 S	694.0	10-08-57	35.0	659.0	5050				5-17-58	68.0	571.0	
		4-29-58	8.4	685.6					5-27-58	85.0*	554.0	
12S/02W-24F03 S	700.0	10-08-57	34.5	665.5	5050				6-05-58	58.0	581.0	
12S/02W-24L06 S	671.0	10-08-57	28.7	642.3	5050				6-12-58	60.0	579.0	
12S/02W-24M02 S	676.0	10-08-57	65.6*	610.4	5050				6-19-58	60.0	579.0	
12S/02W-24M03 S	656.0	10-08-57	86.5*	569.5	5050				6-25-58	65.0	574.0	
		4-09-58	39.6	616.4					6-28-58	90.0*	549.0	
12S/02W-24N01 S	661.0	10-08-57	23.9	637.1	5050		12S/02W-24R01 S	720.0	10-08-57	4.4	715.6	5050
		4-09-58	9.5	651.5					10-08-57	4.5	761.5	5050
12S/02W-24N02 S	639.0	7-31-57	70.0	569.0	5711		12S/02W-25B01 S	728.0	10-08-57	10.4	717.6	5050
		8-05-57	66.0	573.0					10-08-57	19.1	640.9	5050
		8-12-57	67.0	572.0			12S/02W-25F01 S	660.0	10-08-57	11.5	650.5	5050
		8-20-57	70.0	569.0			12S/02W-25F02 S	662.0	10-08-57	7.8	654.2	5050
		8-27-57	63.0	576.0					4-09-58	32.3	590.7	5050
		9-04-57	61.0	578.0			12S/02W-26C01 S	699.0	10-07-57	25.3	597.7	5050
		9-11-57	65.0	574.0					4-09-58	48.7	650.3	5050
		9-20-57	58.0	581.0			12S/02W-26E01 S	684.0	10-07-57	31.5	667.5	5050
		9-27-57	62.0	577.0					10-04-57	38.6	645.4	5050
		10-04-57	63.0	576.0			12S/02W-26H02 S	622.0	10-04-57	40.8	581.2	5050
		10-10-57	65.0	574.0			12S/02W-26L01 S	610.0**	10-07-57	50.9*	559.1	5050
		10-18-57	56.0	583.0					4-09-58	40.1	569.9	5050
		12-04-57	45.0	594.0			12S/02W-26P01 S	575.0	10-07-57	39.6	535.4	5050
		12-09-57	45.0	594.0					10-07-57	51.4	620.6	5050
		1-16-58	39.0	600.0			12S/02W-27G01 S	659.0	10-07-57	31.6	627.4	5050
		1-23-58	47.0	592.0					4-10-58	30.0	629.0	5050
		3-12-58	55.0	584.0			12S/02W-27H02 S	695.0	10-04-57	44.8	650.2	5050
		3-24-58	30.0	609.0								
		3-31-58	67.0*	572.0								
		4-02-58	40.0	599.0								
		4-08-58	45.0	594.0								
		4-15-58	71.0*	568.0								
		4-21-58	45.0	594.0								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN PASQUAL VALLEY				91000		SAN PASQUAL VALLEY						
FELICITA BASIN				91003		PAMO BASIN						
12S/02W-27H02 S	695.0	4-09-58	44.8	650.2	5050		11S/01E-35P02 S	1060.0	10-15-57	24.5	1035.5	5050
12S/02W-27K01 S	622.0	10-04-57 4-10-58	47.7* 21.0	574.3 601.0	5050		12S/01E-02L01 S	1040.0	10-15-57 4-11-58	23.0 13.7	1017.0 1026.3	5050
12S/02W-27L01 S	666.0	10-07-57	53.1	612.9	5050		12S/01E-02P01 S	1030.0	10-15-57	14.5	1015.5	5050
12S/02W-27P02 S	655.0	10-07-57 4-10-58	41.9 35.7	613.1 619.3	5050		12S/01E-02P02 S	1030.0**	10-15-57	14.5	1015.5	5050
12S/02W-28N01 S	715.0	10-07-57	47.9	667.1	5050		SANTA YSABEL BASIN					
12S/02W-28P01 S	701.0	10-07-57 4-10-58	82.0 81.3	619.0 619.7	5050		12S/03E-16C01 S	3010.0	10-16-57	6.8	3003.2	5050
12S/02W-33R01 S	597.0	10-07-57 4-10-58	40.0 29.9	557.0 567.1	5050		12S/03E-16C02 S	3021.0	4-11-58	5.6	3015.4	5050
12S/02W-34B01 S	610.0	10-04-57 4-10-58	29.9 13.6	580.1 596.4	5050		12S/03E-21N01 S	2970.0	10-16-57	6.5	2963.5	5050
12S/02W-34G01 S	574.0	10-04-57	37.0	537.0	5050							
12S/02W-34M02 S	610.0**	10-07-57 4-10-58	53.0 43.3	557.0 566.7	5050							
12S/02W-34R02 S	470.0	11-27-57	11.0	459.0	5710							
13S/02W-03E01 S	521.0	10-07-57 4-10-58	58.3 50.2	462.7 470.8	5050							
GREEN BASIN				91004								
13S/01W-31K01 S	842.0	10-15-57	52.1	789.9	5050							
13S/02W-26H01 S	556.0	10-15-57 4-09-58	44.2 23.6	511.8 532.4	5050							
13S/02W-26H02 S	555.0	10-15-57	47.9	507.1	5050							
HIGHLAND BASIN				91005								
13S/01W-05L01 S	780.0	4-10-58	4.2	775.8	5050							
13S/01W-05N02 S	741.0	4-10-58	14.4	726.6	5050							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SANTA MARIA VALLEY				91100		SANTA MARIA VALLEY				91100		
RAMONA BASIN				91101		RAMONA BASIN				91101		
12S/01E-34Q01 S	1595.0	10-10-57	64.6	1530.4	5050	13S/01E-11M01 S CONT.	1468.0	2-26-58	29.7	1438.3	4402	
12S/01E-34R01 S	1591.0	4-11-58	16.6*	1574.4	5050			3-25-58	26.5	1441.5		
12S/02E-32G01 S	2300.0	10-16-57	22.1	2277.9	5050			4-25-58	12.3	1455.7		
		4-11-58	19.2	2280.8				5-26-58	13.5	1454.5		
12S/05E-34J01 S	2281.0	3-16-58	58.3	2222.7	5000	13S/01E-11M02 S	1459.0	6-25-58	13.5	1454.5		
13S/01E-03K01 S	1510.0	10-10-57	39.5	1470.5	5050			7-25-57	31.9	1427.1	4402	
13S/01E-03P01 S	1497.8	10-10-57	37.6	1460.2	5050			8-26-57	30.8	1428.2		
		4-10-58	38.7	1459.1				9-25-57	33.0	1426.0		
13S/01E-10J01 S	1465.0	9-25-57	28.6	1436.4	4402			10-25-57	29.7	1429.3		
		10-25-57	28.5	1436.5				11-25-57	31.0	1428.0		
		11-25-57	28.0	1437.0				12-26-57	31.0	1428.0		
		12-26-57	27.7	1437.3				1-24-58	30.8	1428.2		
		1-24-58	27.5	1437.5				2-26-58	30.6	1428.4		
		2-26-58	27.5	1437.5				3-25-58	30.5	1428.5		
		3-25-58	26.9	1438.1				4-25-58	10.9	1448.1		
		4-25-58	6.3	1458.7				5-26-58	12.4	1446.6		
		5-26-58	7.7	1457.3				6-25-58	13.2	1445.8		
		6-25-58	9.0	1456.0		13S/01E-11M03 S	1466.0	7-25-57	34.6	1431.4	4402	
13S/01E-10J02 S	1466.0	10-10-57	20.6	1445.4	5050			8-26-57	35.2	1430.8		
		4-11-58	2.3	1463.7				9-25-57	30.6	1435.4		
13S/01E-10R01 S	1452.0	9-25-57	29.3	1422.7	4402			10-25-57	28.8	1437.2		
		10-25-57	28.6	1423.4				11-25-57	28.8	1437.2		
		11-25-57	28.3	1423.7				12-26-57	28.8	1437.2		
		12-26-57	28.0	1424.0				1-24-58	28.0	1438.0		
		1-24-58	27.7	1424.3				2-26-58	27.8	1438.2		
		2-26-58	27.5	1424.5				3-25-58	26.4	1439.6		
		3-25-58	25.5	1426.5				4-25-58	12.3	1453.7		
		4-25-58	5.6	1446.4				5-26-58	11.8	1454.2		
		5-26-58	7.8	1444.2				6-25-58	11.4	1454.6		
		6-25-58	9.2	1442.8		13S/01E-11Q01 S	1475.6	10-10-57	36.4	1439.2	5050	
								4-11-58	9.7	1465.9		
13S/01E-11M01 S	1468.0	7-25-57	32.6	1435.4	4402	13S/01E-14A02 S	1500.0	10-10-57	17.6	1482.4	5050	
		8-26-57	31.8	1436.2				7-25-57	28.3	1399.7	4402	
		9-25-57	31.3	1436.7				8-28-57	28.3	1399.7		
		10-25-57	30.5	1437.5				9-25-57	29.6	1398.4		
		11-25-57	30.2	1437.8				10-25-57	29.1	1398.9		
		12-26-57	30.2	1437.8				11-25-57	29.2	1398.8		
								12-26-57	28.4	1399.6		
								1-24-58	28.0	1400.0		
								2-26-58	27.4	1400.6		
								3-25-58	15.6	1412.4		

## GROUND WATER LEVELS AT WELLS

SANTA MARIA VALLEY				SANTA MARIA VALLEY				SANTA MARIA VALLEY			
RAMONA BASIN				RAMONA BASIN				RAMONA BASIN			
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
13S/01E-15B01 S	1428.0	4-25-58 5-26-58 6-25-58	7.8 8.8 9.7	1420.2 1419.2 1418.3	4402	13S/01E-19J01 S	1361.0	4-12-58	5.3	1355.7	5050
13S/01E-15B02 S	1437.0	7-25-57 8-26-57 9-25-57 10-25-57 11-25-57 12-26-57 1-24-58 2-26-58 3-25-58 4-25-58 5-26-58 6-25-58	24.8 25.0 26.8 26.8 26.8 26.1 25.8 25.6 23.1 6.0 6.6 8.0	1412.2 1412.0 1410.2 1410.2 1410.2 1410.9 1411.2 1411.4 1413.9 1431.0 1430.4 1429.0	4402	13S/01E-19L01 S	1365.0	10-09-57	12.7	1352.3	5050
13S/01E-15E02 S	1424.0	10-15-57 4-12-58	24.2* 18.5	1399.8 1405.5	5050	13S/01E-23E01 S	1500.0	10-14-57	35.8	1464.2	5050
13S/01E-15M01 S	1413.0	7-25-57 8-26-57 9-25-57 10-25-57 11-25-57 12-26-57 1-24-58 2-26-58 3-25-58 4-25-58 5-26-58 6-25-58	24.2 24.4 25.8 24.4 23.4 23.0 22.8 21.1 15.4 10.9 12.3 13.5	1388.8 1388.6 1387.2 1388.6 1389.6 1390.0 1390.2 1391.9 1397.6 1402.1 1400.7 1399.5	4402	13S/01E-23K01 S	1520.0	10-14-57 4-12-58	89.9* 59.7	1430.1 1460.3	5050
						13S/01E-24L01 S	1600.0	11-19-57	28.4	1571.6	5050
						13S/01E-27B01 S	1456.0	10-14-57 4-12-58	34.5 31.0	1421.5 1425.0	5050
						13S/01E-27K01 S	1441.0	10-14-57	47.8	1393.2	5050
						13S/01E-28C01 S	1420.0	10-09-57 4-12-58	25.2* 7.8	1394.8 1412.2	5050
						13S/01E-29N01 S	1431.0	10-09-57	72.2	1358.8	5050
						13S/01E-29P01 S	1435.0	4-12-58	47.0	1388.0	5050
						13S/01W-13A01 S	1380.0	10-10-57	22.0	1358.0	5050
						13S/01W-13H01 S	1370.0	10-10-57 4-12-58	26.2* 12.0	1343.8 1358.0	5050
						13S/01W-24G01 S	1341.0	10-09-57	18.5*	1322.5	5050
						13S/01W-24K01 S	1361.0	10-09-57 4-12-58	13.2 2.3	1347.8 1358.7	5050
13S/01E-15N01 S	1422.5	10-14-57 4-12-58	31.7 31.9	1390.8 1390.6	5050	LOWER HATFIELD BASIN				91102	
13S/01E-16P01 S	1407.0	10-10-57	69.8*	1337.2	5050	13S/02E-17C01 S	1822.0	10-16-57 4-11-58	29.5 7.3	1792.5 1814.7	5050
13S/01E-16P03 S	1394.8	10-10-57 4-12-58	22.1 6.1*	1372.7 1388.7	5050	WASH HOLLOW BASIN				91103	
13S/01E-17N01 S	1395.0	10-10-57 4-12-58	21.8 18.9	1373.2 1376.1	5050	13S/02E-15E01 S	2071.0	10-16-57 4-11-58	24.0 7.8	2047.0 2063.2	5050
13S/01E-17Q02 S	1391.0	10-10-57	30.5	1360.5	5050	UPPER HATFIELD BASIN				91104	
13S/01E-19J01 S	1361.0	10-10-57	16.4	1344.6	5050	13S/02E-09H01 S	2318.0	10-16-57	13.1	2304.9	5050



## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
UPPER HATFIELD BASIN						SAN DIEGUITO BASIN					
13S/02E-09H01 S	2318.0	4-11-58	91104	2312.4	5050	13S/03W-28N02 S	36.0	4-11-58	91201	- 10.2	5050
SANTA TERESA BASIN						13S/03W-28Q01 S	43.8	10-10-57 4-11-58	DRY 41.1	2.7	5050
13S/02E-03E01 S	2520.0	10-16-57 4-11-58	DRY 13.4	2506.6	5050	13S/03W-32J01 S	36.0	4-11-58	48.8	- 12.8	5050
BALLENA BASIN						13S/03W-32Q01 S	31.5	4-11-58	21.5	10.0	5050
13S/02E-10K01 S	2461.0	10-16-57	23.2	2437.8	5050	13S/03W-32R01 S	33.6	4-11-58	45.8	- 12.2	5050
13S/02E-11C01 S	2470.0	10-16-57 4-11-58	16.0 7.2	2454.0 2462.8	5050	13S/03W-33R01 S	42.9	10-10-57 3-10-58 4-09-58 4-11-58	56.0 57.1 - .6 46.2	- 13.1 - 14.2 - 3.3	5050
						13S/03W-33C01 S	44.6	4-11-58	47.7	- 3.1	5050
						13S/03W-33C05 S	41.6	4-11-58	43.7	- 2.1	5050
						13S/03W-33C06 S	42.8	4-11-58	49.6	- 6.8	5050
						13S/03W-33D01 S	43.6	4-09-58 4-11-58	45.5 50.1	- 1.9 - 6.5	5050
						13S/03W-33D02 S	40.8	7-15-57 8-01-57 8-15-57 4-11-58	59.2 59.1 - 7.1 47.5	- 18.4 - 18.3 - 6.7	5050
						13S/03W-33F01 S	42.4	4-11-58	50.3	- 7.9	5050
						13S/03W-33F03 S	44.9	4-11-58	49.6	- 4.7	5050
						13S/03W-33L03 S	36.0	10-10-57 4-10-58 4-11-58	73.9* 48.3 44.3	- 37.9 - 12.3 - 8.3	5050
						13S/03W-33L04 S	35.6	4-11-58	40.0*	- 4.4	5050
						13S/03W-33L06 S	33.6	4-11-58	42.0	- 8.4	5050
						13S/03W-33M01 S	37.2	7-15-57 8-15-57 4-11-58	50.0 50.4 51.0	- 12.8 - 13.2 - 13.8	5050
						13S/03W-33Q01 S	32.2	4-11-58	40.4	- 8.2	5050

# GROUND WATER LEVELS AT WELLS

SAN DIEGUITO VALLEY												
SAN DIEGUITO BASIN					SAN DIEGUITO VALLEY							
State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
SAN DIEGUITO BASIN												
14S/03W-04P01 S	41.9	4-15-58	27.1	14.8	5050	14S/03W-07C01 S	18.7	10-09-57 4-09-58 4-15-58	31.3 9.0 9.8	-	12.6 9.7 8.9	5050
14S/03W-05B01 S	28.4	7-15-57 7-30-57 8-07-57 8-15-57 12-02-57 12-15-57 12-31-57 1-15-58 2-01-58 2-15-58 3-02-58 3-15-58 4-01-58 4-09-58 5-15-58 5-31-58 6-15-58	34.5 35.3 35.6 35.0 30.2 29.4 28.7 28.3 28.5 28.7 27.6 27.4 27.2 26.0 26.2 30.5 32.9	- 6.1 6.9 7.2 6.6 1.8 1.0 .3 .1 .1 .3 .8 1.0 1.2 2.4 2.2 2.1 4.5	5050 5050	14S/03W-07C02 S 14S/03W-07C03 S 14S/03W-07C04 S	11.9 14.4 15.0	4-15-58 7-15-57 8-15-57 4-15-58 10-09-57 4-15-58	5.3 12.9 12.9 8.5 41.8* 7.9	6.6 1.5 1.5 5.9 26.8 7.1	5050 5050 5050 5050 5050 5050 5050 5050 5050 5050	
14S/03W-05F01 S	25.2	7-15-57 8-15-57 9-16-57 10-09-57 10-21-57 4-11-58	26.3 26.5 26.5 26.4 26.2 23.9	- 1.1 1.3 1.3 1.2 1.0 1.3	5050	14S/03W-07L02 S 14S/03W-07L03 S 14S/03W-07M01 S 14S/04W-01P01 S	35.4 35.7 22.3 46.0	4-15-58 4-15-58 4-15-58 4-14-58	27.9 26.4 19.8 44.9	7.5 9.3 2.5 1.1	5050 5050 5050 5050	
14S/03W-05H01 S	22.8	7-15-57 8-15-57	53.2 53.8	- 30.4 31.0	5050	14S/04W-01P02 S	17.8	10-09-57 4-15-58	21.3 15.6	-	3.5 2.2	5050
14S/03W-05K01 S	26.3	10-09-57 4-09-58 4-11-58	75.3* 31.0 31.2	- 49.0 4.7 4.9	5050	14S/04W-01Q01 S	11.5	7-16-57 8-15-57 4-09-58 4-15-58	13.1 13.5 3.1 6.0	- - 8.4 5.5	5050	
14S/03W-05K02 S	28.0	10-09-57 10-21-57 4-11-58	64.0* 52.7 32.6	- 36.0 24.7 4.6	5050	14S/04W-01R01 S	29.4	4-15-58	28.3	1.1	5050	
14S/03W-05N01 S	22.8	7-15-57 8-15-57 9-16-57 10-09-57 10-21-57 4-09-58 4-15-58	53.2 53.8 53.4 54.4 42.9 21.3 25.0	- 30.4 31.0 30.6 31.6 20.1 1.5 2.2	5050	14S/04W-01R02 S 14S/04W-01R03 S 14S/04W-01R04 S	21.2 17.8 14.8	4-15-58 4-14-58 7-15-57 8-15-57 9-16-57 10-07-57 10-21-57	20.4 16.7 35.4 35.8 35.2 35.7 34.8	.8 1.1 20.6 21.0 20.4 20.9 20.0	5050 5050 5050 5050 5050 5050 5050	
14S/03W-07A01 S	19.6	4-15-58	12.8	6.8	5050							

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	
SAN DIEGUITO VALLEY													
SAN DIEGUITO BASIN						SAN DIEGO RIVER VALLEY							
14S/04W-01R04 S CONT.	14.8	4-09-58 4-15-58	17.8 14.0	- 3.0 .8	5050		15S/01E-09P01 S	445.0**	7-03-57 7-10-57 7-17-57 7-24-57 7-31-57 8-07-57 8-14-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-25-57 1-03-58 1-10-58 1-15-58 1-22-58 1-29-58 2-05-58 2-13-58 2-20-58 2-26-58 3-05-58 3-13-58 3-20-58 3-26-58 4-02-58 4-12-58 4-17-58 4-26-58 4-30-58 5-07-58 5-21-58 5-26-58 6-05-58	49.9 49.9 49.9 49.9 50.0 50.0 50.0 50.0 50.0 50.1 50.2 50.3 50.3 50.3 50.4 50.4 50.4 50.4 50.3 50.2 50.2 50.5 50.5 50.4 50.6 50.6 50.7 50.7 50.6 50.6 50.7 50.7 50.8 50.8 50.7 50.6 50.4 50.4 50.4 50.4 50.2 50.1	91200 91201	91500 395.1 395.1 395.1 395.1 395.0 395.0 395.0 395.0 394.9 394.8 394.7 394.7 394.7 394.6 394.5 394.6 394.7 394.8 394.8 394.5 394.5 394.6 394.4 394.3 394.3 394.4 394.2 394.3 394.4 394.6 394.6 394.6 394.6 394.8 394.8 394.6 394.6 394.9	5400
14S/04W-11J02 S	7.7	7-15-57 8-15-57 9-16-57 10-09-57 10-21-57 4-09-58 4-15-58	9.0 9.4 9.5 9.4 8.8 3.5 3.5	- 1.3 1.7 1.8 1.7 1.1 4.2 4.2	5050								
14S/04W-12H01 S	17.2	10-09-57 4-15-58	20.6 14.8	- 3.4 2.4	5050								
14S/04W-12L01 S	11.6	10-09-57 4-15-58	16.8 8.8	- 5.2 2.8	5050								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY												
15S/01E-09P01 S	445.0**	6-11-58	50.0	395.0	5400	15S/01E-09Q02 S	460.0**	5-07-58	45.4	91500	414.6	5400
CONT.		6-19-58	50.0	395.0		CONT.		5-21-58	45.4		414.6	
		6-25-58	49.9	395.1				5-26-58	45.3		414.7	
15S/01E-09Q02 S	460.0**	7-03-57	44.7	415.3	5400			6-05-58	45.3		414.7	
		7-10-57	44.8	415.2				6-11-58	50.3*		409.7	
		7-17-57	44.8	415.2				6-19-58	45.3		414.7	
		7-24-57	44.7	415.3				6-25-58	45.3		414.7	
		7-31-57	45.0	415.0								
		8-07-57	45.0	414.9								
		8-14-57	45.1	414.8								
		8-21-57	45.1	414.8								
		8-28-57	45.2	414.8								
		9-04-57	45.0	415.0								
		9-11-57	45.1	414.9		15S/01E-09R01 S	450.0**	7-03-57	38.7		411.3	5400
		9-18-57	45.4	414.6				7-10-57	38.8		411.2	
		9-25-57	45.5	414.5				7-17-57	38.8		411.2	
		10-02-57	45.5	414.5				7-24-57	38.9		411.1	
		10-09-57	45.6	414.4				7-31-57	39.0		411.0	
		10-16-57	45.5	414.4				8-07-57	39.0		411.0	
		10-23-57	45.6	414.4				8-14-57	39.1		410.9	
		10-30-57	45.6	414.4				8-21-57	39.1		410.9	
		11-06-57	45.5	414.5				8-28-57	39.2		410.8	
		11-13-57	45.5	414.5				9-04-57	39.3		410.7	
		11-20-57	45.6	414.4				9-11-57	39.3		410.7	
		11-27-57	45.6	414.4				9-18-57	39.5		410.5	
		12-04-57	45.7	414.3				9-25-57	39.6		410.4	
		12-11-57	45.8	414.2				10-02-57	39.6		410.4	
		12-18-57	45.8	414.2				10-09-57	39.6		410.4	
		12-25-57	45.9	414.1				10-16-57	39.7		410.3	
		1-03-58	46.0	414.0				10-23-57	39.7		410.3	
		1-10-58	46.1	413.9				10-30-57	39.7		410.3	
		1-15-58	46.2	413.8				11-06-57	39.7		410.3	
		1-22-58	46.0	414.0				11-13-57	39.7		410.3	
		1-29-58	45.9	414.1				11-20-57	39.7		410.3	
		2-05-58	46.0	414.0				11-27-57	39.7		410.3	
		2-13-58	46.0	414.0				12-04-57	39.8		410.2	
		2-20-58	46.0	414.0				12-11-57	39.8		410.2	
		2-26-58	46.0	414.0				12-18-57	39.8		410.2	
		3-05-58	46.0	414.0				12-25-57	39.9		410.1	
		3-13-58	46.0	414.0				1-03-58	39.9		410.1	
		3-20-58	46.0	414.0				1-10-58	40.1		409.9	
		4-02-58	46.1	413.9				1-15-58	40.1		409.9	
		4-12-58	46.1	413.9				1-22-58	40.0		410.0	
		4-17-58	46.0	414.0				1-29-58	39.9		410.1	
		4-26-58	45.5	414.5				2-05-58	40.0		410.0	
		4-30-58	45.4	414.6				2-13-58	40.0		410.0	
								2-20-58	40.1		409.9	
								2-26-58	40.2		409.8	
								3-05-58	40.1		409.9	
								3-13-58	40.3		409.7	
								3-20-58	40.2		409.8	
								3-26-58	40.2		409.8	
								4-02-58	40.2		409.8	



State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY												
15S/01E-09R01 S	450.0**	4-12-58	40.0	91500	5400	15S/01E-10N01 S	450.0**	3-13-58	39.3	91500	410.7	5400
CONT.		4-17-58	40.0	410.0		CONT.		3-20-58	39.2	410.8		
		4-26-58	39.7	410.3				3-26-58	39.2	410.8		
		4-30-58	39.7	410.3				4-02-58	39.3	410.7		
		5-07-58	39.9	410.1				4-12-58	39.2	410.8		
		5-21-58	39.7	410.3				4-17-58	39.1	410.9		
		5-26-58	39.5	410.5				4-26-58	39.0	411.0		
		6-05-58	39.5	410.5				4-30-58	39.0	411.0		
		6-11-58	39.5	410.5				5-07-58	38.9	411.1		
		6-19-58	39.5	410.5				5-21-58	38.8	411.2		
		6-25-58	39.5	410.5				5-26-58	38.8	411.2		
					5400			6-05-58	38.8	411.2		
								6-11-58	38.8	411.2		
								6-19-58	38.8	411.2		
								6-25-58	38.8	411.2		
15S/01E-10N01 S	450.0**	7-03-57	37.8	412.2		15S/01E-16C02 S	440.0**	7-03-57	46.9	393.1		5400
		7-10-57	38.0	412.0				7-10-57	47.0	393.0		
		7-17-57	38.1	411.9				7-17-57	47.1	392.9		
		7-24-57	38.2	411.8				7-24-57	47.2	392.8		
		7-31-57	38.3	411.7				7-31-57	47.2	392.8		
		8-07-57	38.4	411.6				8-07-57	47.4	392.6		
		8-14-57	38.5	411.5				8-14-57	47.1	392.9		
		8-21-57	38.5	411.5				8-21-57	47.4	392.6		
		8-28-57	38.6	411.4				8-28-57	47.5	392.5		
		9-04-57	38.7	411.3				9-04-57	47.5	392.5		
		9-11-57	38.7	411.3				9-11-57	47.5	392.5		
		9-18-57	38.9	411.1				9-18-57	47.6	392.4		
		9-25-57	38.9	411.1				9-25-57	47.6	392.4		
		10-02-57	39.0	411.0				10-02-57	47.6	392.4		
		10-09-57	39.0	411.0				10-09-57	47.6	392.4		
		10-16-57	39.1	410.9				10-16-57	47.7	392.3		
		10-23-57	39.1	410.9				10-23-57	47.8	392.2		
		10-30-57	39.1	410.9				10-30-57	47.9	392.1		
		11-06-57	39.1	410.9				11-06-57	47.8	392.2		
		11-13-57	39.0	411.0				11-13-57	47.7	392.3		
		11-20-57	39.0	411.0				11-20-57	47.6	392.4		
		11-27-57	39.0	411.0				11-27-57	47.5	392.5		
		12-04-57	39.2	410.8				12-04-57	47.8	392.2		
		12-11-57	39.2	410.8				12-11-57	47.9	392.1		
		12-18-57	39.2	410.8				12-18-57	47.8	392.2		
		12-25-57	39.2	410.8				12-25-57	47.7	392.3		
		1-03-58	39.2	410.8				1-03-58	47.7	392.3		
		1-10-58	39.3	410.7				1-10-58	47.8	392.2		
		1-15-58	39.3	410.7				1-15-58	47.7	392.3		
		1-22-58	39.2	410.8				1-22-58	47.7	392.3		
		1-29-58	39.1	410.9				1-29-58	47.7	392.3		
		2-05-58	39.2	410.8				2-05-58	47.7	392.3		
		2-13-58	39.1	410.9				2-13-58	47.7	392.3		
		2-20-58	39.3	410.7				2-20-58	47.7	392.3		
		2-26-58	39.3	410.7				2-26-58	47.7	392.3		
		3-05-58	39.2	410.8				3-05-58	47.7	392.3		

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY												
15S/01E-16C02 S	440.0**	2-13-58	47.6	392.4	5400	15S/01E-16C04 S	445.0**	1-15-58	50.3	91500	394.7	5400
CONT.		2-20-58	47.6	392.4		CONT.		1-22-58	50.2		394.8	
		2-26-58	47.6	392.4				1-29-58	50.2		394.8	
		3-05-58	47.5	392.5				2-05-58	50.3		394.7	
		3-13-58	47.6	392.4				2-13-58	50.2		394.8	
		3-20-58	47.5	392.5				2-20-58	50.1		394.9	
		3-26-58	47.5	392.5				2-26-58	50.0		395.0	
		4-02-58	47.5	392.5				3-05-58	50.0		395.0	
		4-12-58	47.4	392.6				3-13-58	50.6		394.4	
		4-17-58	47.4	392.6				3-20-58	50.1		394.9	
		4-26-58	47.2	392.8				3-26-58	50.1		394.9	
		4-30-58	47.2	392.8				4-02-58	50.1		394.9	
		5-07-58	47.2	392.8				4-12-58	50.0		395.0	
		5-21-58	47.0	393.0				4-17-58	50.0		395.0	
		5-26-58	46.9	393.1				4-26-58	49.8		395.2	
		6-05-58	46.9	393.1				4-30-58	49.8		395.2	
		6-11-58	46.9	393.1				5-07-58	49.8		395.2	
		6-19-58	46.9	393.1				5-21-58	49.5		395.5	
		6-25-58	46.9	393.1				5-26-58	49.5		395.5	
								6-05-58	49.4		395.6	
15S/01E-16C04 S	445.0**	7-03-57	49.2	395.8	5400			6-11-58	49.3		395.7	
		7-10-57	49.3	395.7				6-19-58	49.4		395.6	
		7-17-57	49.3	395.7				6-25-58	49.3		395.7	
		7-24-57	49.3	395.7								
		7-31-57	49.4	395.6				7-03-57	49.2		380.8	5400
		8-07-57	49.6	395.4				7-10-57	49.3		380.7	
		8-14-57	49.4	395.6				7-17-57	49.4		380.6	
		8-21-57	49.4	395.6				7-24-57	49.5		380.5	
		8-28-57	49.4	395.6				7-31-57	49.6		380.4	
		9-04-57	49.5	395.5				8-07-57	49.4		380.6	
		9-11-57	49.5	395.5				8-14-57	50.1		379.9	
		9-18-57	49.7	395.3				8-21-57	50.5		379.5	
		9-25-57	49.7	395.3				8-28-57	51.5		378.5	
		10-02-57	49.7	395.3				9-04-57	51.5		378.5	
		10-09-57	49.7	395.3				9-11-57	51.5		378.5	
		10-16-57	49.8	395.2				9-18-57	50.9		379.1	
		10-23-57	49.7	395.3				9-25-57	50.6		379.4	
		10-30-57	49.7	395.3				10-02-57	50.5		379.5	
		11-06-57	49.6	395.4				10-09-57	50.4		379.6	
		11-13-57	49.5	395.5				10-16-57	50.3		379.7	
		11-20-57	49.5	395.5				10-23-57	50.2		379.8	
		11-27-57	49.5	395.5				10-30-57	50.1		379.9	
		12-04-57	49.7	395.3				11-06-57	50.0		380.0	
		12-11-57	49.7	395.3				11-13-57	49.4		380.6	
		12-18-57	49.6	395.4				11-20-57	49.3		380.7	
		12-25-57	50.2	394.8				11-27-57	49.2		380.8	
		1-03-58	50.2	394.8				12-04-57	49.6		380.4	
		1-10-58	50.3	394.7				12-11-57	49.5		380.5	

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY											
15S/01E-17B01 S	430.0**	12-18-57	49.4	91500	5400	15S/01E-17B02 S	425.0**	11-20-57	52.2	91500	5400
CONT.		12-25-57	49.4	380.6		CONT.		11-27-57	52.1	372.8	
		1-03-58	49.3	380.7				12-04-57	51.9	373.1	
		1-10-58	49.4	380.6				12-11-57	51.9	373.1	
		1-15-58	49.3	380.7				12-18-57	51.8	373.2	
		1-22-58	49.0	381.0				12-25-57	51.5	373.5	
		1-29-58	48.9	381.1				1-03-58	51.6	373.4	
		2-05-58	48.8	381.2				1-10-58	51.7	373.3	
		2-13-58	48.7	381.3				1-15-58	51.5	373.5	
		2-20-58	48.6	381.4				1-22-58	51.1	373.9	
		2-26-58	48.5	381.5				1-29-58	51.1	373.9	
		3-05-58	48.4	381.6				2-05-58	51.0	374.0	
		3-13-58	48.3	381.7				2-13-58	51.0	374.0	
		3-20-58	48.2	381.8				2-20-58	50.7	374.3	
		3-26-58	48.2	381.8				2-26-58	50.6	374.4	
		4-02-58	48.2	381.8				3-05-58	50.5	374.5	
		4-12-58	47.9	382.1				3-13-58	50.5	374.5	
		4-17-58	48.1	381.9				3-20-58	50.4	374.6	
		4-26-58	47.8	382.2				3-26-58	50.4	374.6	
		4-30-58	47.6	382.4				4-02-58	50.4	374.6	
		5-07-58	47.5	382.5				4-12-58	50.1	374.9	
		5-21-58	47.3	382.7				4-17-58	50.0	375.0	
		5-26-58	47.2	382.8				4-26-58	49.8	375.2	
		6-05-58	47.1	382.9				4-30-58	49.8	375.2	
		6-11-58	47.0	383.0				5-07-58	49.7	375.3	
		6-19-58	46.9	383.1				5-21-58	49.6	375.4	
		6-25-58	46.8	383.2				5-26-58	49.5	375.5	
					5400			6-05-58	49.4	375.6	
15S/01E-17B02 S	425.0**	7-03-57	51.4	373.6				6-11-58	49.4	375.6	
		7-10-57	51.6	373.4				6-19-58	49.3	375.7	
		7-17-57	52.0	373.0				6-25-58	49.2	375.8	
		7-24-57	52.0	373.0							5400
		7-31-57	52.1	372.9				7-03-57	51.6	383.4	
		8-07-57	52.3	372.7				7-10-57	52.3	382.7	
		8-14-57	52.5	372.5				7-17-57	52.6	382.4	
		8-21-57	52.6	372.4				7-24-57	52.8	382.2	
		8-28-57	53.1	371.9				7-31-57	52.9	382.1	
		9-04-57	53.0	372.0				8-07-57	53.3	381.7	
		9-11-57	52.8	372.2				8-14-57	52.7	382.3	
		9-18-57	53.0	372.0				8-21-57	52.7	382.3	
		9-25-57	53.0	372.0				8-28-57	52.8	382.2	
		10-02-57	53.0	372.0				9-04-57	52.9	382.1	
		10-09-57	52.9	372.1				9-11-57	52.8	382.2	
		10-16-57	53.1	371.9				9-18-57	52.9	382.1	
		10-23-57	52.8	372.2				9-25-57	53.0	382.0	
		10-30-57	52.7	372.3				10-02-57	53.0	382.0	
		11-06-57	52.5	372.5				10-09-57	52.9	382.1	
		11-13-57	52.3	372.7				10-16-57	53.1	381.9	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY												
15S/01E-17H06 S CONT.	435.0**	10-23-57	53.3	91500	5400	15S/01E-17H07 S CONT.	436.0**	9-25-57	58.1	91500	377.9	5400
		10-30-57	53.2	381.7				10-02-57	57.6		378.4	
		11-06-57	53.1	381.8				10-09-57	59.6		376.4	
		11-13-57	53.0	381.9				10-16-57	56.5		379.5	
		11-20-57	52.9	382.0				10-23-57	56.4		379.6	
		11-27-57	52.8	382.1				10-30-57	55.8		380.2	
		12-04-57	52.5	382.2				11-06-57	55.5		380.5	
		12-11-57	52.4	382.5				11-13-57	55.4		380.6	
		12-18-57	52.3	382.6				11-20-57	55.3		380.7	
		12-25-57	52.1	382.7				11-27-57	55.2		380.8	
		1-03-58	52.0	382.9				12-04-57	54.9		381.1	
		1-10-58	52.1	383.0				12-11-57	54.8		381.2	
		1-15-58	52.0	382.9				12-18-57	54.6		381.4	
		1-22-58	51.8	383.0				12-25-57	54.5		381.5	
		1-29-58	51.8	383.2				1-03-58	54.8		381.2	
		2-05-58	51.7	383.3				1-10-58	54.3		381.7	
		2-13-58	51.6	383.4				1-15-58	54.4		381.6	
		2-20-58	51.6	383.4				1-22-58	54.1		381.9	
		2-26-58	51.5	383.5				1-29-58	54.2		381.8	
		3-05-58	51.4	383.6				2-05-58	54.1		381.9	
		3-13-58	51.3	383.7				2-13-58	54.0		382.0	
		3-20-58	51.2	383.8				2-20-58	53.8		382.2	
		3-26-58	51.1	383.9				2-26-58	53.7		382.3	
		4-02-58	51.0	384.0				3-05-58	53.7		382.3	
		4-12-58	50.9	384.1				3-13-58	53.5		382.5	
		4-17-58	50.8	384.2				3-20-58	53.4		382.6	
		4-26-58	50.7	384.3				3-26-58	53.4		382.6	
		4-30-58	50.6	384.4				4-02-58	53.4		382.6	
		5-07-58	50.7	384.3				4-12-58	53.2		382.8	
		5-21-58	50.7	384.3				4-17-58	53.2		382.8	
		5-26-58	50.5	384.5				4-26-58	52.9		383.1	
		6-05-58	50.5	384.5				4-30-58	53.1		382.9	
		6-11-58	50.4	384.6				5-07-58	54.1		381.9	
		6-19-58	50.3	384.7				5-21-58	53.7		382.3	
		6-25-58	50.3	384.7				5-26-58	54.0		382.0	
								6-05-58	53.0		383.0	
								6-11-58	52.7		383.3	
								6-19-58	53.4		382.6	
								6-25-58	53.3		382.7	
15S/01E-17H07 S	436.0**	7-03-57	58.5	377.5	5400	15S/01E-20B04 S	476.6	7-03-57	19.3		457.3	5400
		7-10-57	59.0	377.0				7-10-57	28.5		448.1	
		7-17-57	59.0	377.0				7-17-57	29.5		447.1	
		7-24-57	59.5	376.5				7-24-57	27.0		449.6	
		7-31-57	59.0	377.0				7-31-57	22.0		454.6	
		8-07-57	59.5	376.5				8-07-57	25.0		451.6	
		8-14-57	59.0	377.0				8-14-57	26.0		450.6	
		8-21-57	55.7	380.3				8-21-57	28.5		448.1	
		8-28-57	55.4	380.6								
		9-04-57	55.0	381.0								
		9-11-57	54.8	381.2								
		9-18-57	56.1	379.9								



State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY											
155/01E-20B04 S	476.6	8-28-57	27.5	91500	5400	155/01E-20D01 S	428.9	8-07-57	50.7	91500	5400
CONT.		9-04-57	23.0	449.1		CONT.		8-14-57	50.8	378.2	
		9-11-57	25.5	453.6				8-21-57	50.8	378.1	
		9-18-57	22.0	451.1				8-28-57	50.9	378.1	
		9-25-57	23.5	454.6				9-04-57	51.0	378.0	
		10-02-57	24.5	453.1				9-11-57	51.0	377.9	
		10-09-57	23.0	452.1				9-18-57	51.1	377.8	
		10-16-57	24.5	453.6				9-25-57	51.1	377.8	
		10-23-57	21.5	452.1				10-02-57	51.2	377.7	
		10-30-57	20.0	455.1				10-09-57	51.3	377.6	
		11-06-57	21.0	456.6				10-16-57	51.3	377.6	
		11-13-57	20.0	455.6				10-23-57	51.4	377.5	
		11-20-57	21.0	456.6				10-30-57	51.3	377.6	
		11-27-57	22.0	455.6				11-06-57	51.2	377.7	
		12-04-57	21.0	454.6				11-13-57	51.1	377.8	
		12-11-57	23.0	453.6				11-20-57	51.0	377.9	
		12-18-57	22.0	454.6				11-27-57	51.0	377.9	
		12-25-57	24.0	452.6				12-04-57	47.8	381.1	
		1-03-58	23.0	453.6				12-11-57	47.7	381.2	
		1-10-58	21.0	455.6				12-18-57	47.6	381.3	
		1-22-58	23.5	453.1				12-25-57	49.2	379.7	
		1-29-58	21.5	451.1				1-03-58	49.3	379.6	
		2-05-58	22.5	454.1				1-10-58	49.7	379.2	
		2-13-58	20.0	456.6				1-22-58	50.1	378.8	
		2-20-58	19.0	457.6				1-29-58	50.3	378.6	
		2-26-58	18.5	458.1				2-05-58	50.2	378.7	
		3-05-58	19.0	457.6				2-13-58	50.0	378.9	
		3-13-58	16.5	460.1				2-20-58	47.7	381.2	
		3-20-58	15.0	461.6				2-26-58	47.6	381.3	
		3-26-58	14.0	462.6				3-05-58	47.5	381.4	
		4-02-58	12.0	464.6				3-13-58	45.0	383.9	
		4-12-58	10.0	466.6				3-20-58	44.6	384.3	
		4-17-58	16.0	460.6				3-26-58	42.0	386.9	
		4-26-58	9.0	467.6				4-02-58	39.0	389.9	
		4-30-58	11.0	465.6				4-12-58	34.0	394.9	
		5-07-58	9.4	467.2				4-17-58	33.8	395.1	
		5-21-58	12.0	464.6				4-26-58	34.0	394.9	
		5-26-58	9.0	467.6				4-30-58	34.0	394.9	
		6-05-58	10.0	466.6				5-07-58	34.6	394.3	
		6-11-58	10.5	466.1				5-21-58	34.0	394.9	
		6-19-58	10.4	466.2				5-26-58	35.3	393.6	
		6-25-58	12.5	464.1				6-05-58	35.4	393.5	
								6-11-58	35.7	393.2	
								6-19-58	35.8	393.1	
								6-25-58	35.5	393.4	
155/01E-20D01 S	428.9	7-03-57	50.2	5400		155/01E-20D02 S	409.7	7-03-57	32.6	5400	
		7-10-57	50.6					7-10-57	32.7		
		7-17-57	50.4								
		7-24-57	50.5								
		7-31-57	50.6								

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SAN DIEGO RIVER VALLEY						SAN DIEGO RIVER VALLEY					
15S/01E-20D02 S	409.7	7-17-57	32.8	376.9	5400	15S/01E-20D02 S	409.7	6-25-58	28.0	381.7	5400
CONT.		7-24-57	33.0	376.7							
		7-31-57	32.9	376.8		15S/01W-24C04 S	378.0**	5-09-58	40.0	338.0	5406
		8-07-57	33.0	376.7		15S/01W-24C06 S	369.0**	9-13-57	119.0*	250.0	5406
		8-14-57	33.4	376.3				5-09-58	45.0	324.0	
		8-21-57	33.5	376.2		15S/01W-24C07 S	384.0**	5-09-56	43.0	341.0	5406
		8-28-57	33.6	376.1				5-09-58	82.0*	302.0	
		9-04-57	33.3	376.4		15S/01W-24D05 S	372.0**	9-13-57	51.0	321.0	5406
		9-11-57	33.3	376.4				9-13-57	116.0*	256.0	
		9-18-57	33.4	376.3				5-09-58	40.0	332.0	
		9-25-57	33.4	376.3				5-09-58	65.0*	307.0	
		10-02-57	33.4	376.3				9-13-57	117.0*	261.0	
		10-09-57	33.5	376.2				5-09-58	39.0	339.0	
		10-16-57	33.6	376.1				5-09-58	105.0*	273.0	
		10-23-57	33.8	375.9							
		10-30-57	33.8	375.9		15S/01W-24D09 S	378.0**	9-13-57			
		11-06-57	33.7	376.0				5-09-58			
		11-13-57	33.6	376.1							
		11-20-57	33.5	376.2							
		11-27-57	33.4	376.3							
		12-04-57	33.7	376.0							
		12-11-57	33.6	376.1							
		12-18-57	33.5	376.2							
		12-25-57	33.4	376.3							
		1-03-58	33.5	376.2							
		1-10-58	33.8	375.9							
		1-15-58	33.8	375.9							
		1-22-58	33.8	375.9							
		1-29-58	33.8	375.9							
		2-05-58	33.7	376.0							
		2-13-58	33.6	376.1							
		2-20-58	33.3	376.4							
		2-26-58	33.2	376.5							
		3-05-58	33.1	376.6							
		3-13-58	32.6	377.1							
		3-20-58	32.4	377.3							
		3-26-58	32.4	377.3							
		4-02-58	30.0	379.7							
		4-12-58	29.0	380.7							
		4-17-58	28.8	380.9							
		4-26-58	28.5	381.2							
		4-30-58	28.4	381.3							
		5-07-58	28.0	381.7							
		5-21-58	28.0	381.7							
		5-26-58	28.0	381.7							
		6-05-58	28.2	381.5							
		6-11-58	28.1	381.6							
		6-19-58	28.1	381.6							

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SWEETWATER VALLEY												
16S/01E-21H01 S	414.4	7-02-57	10.3	91700	5703		16S/01E-29N02 S	357.9	5-08-58	4.7	91700	5703
		8-08-57	11.0	404.1							353.2	
		9-06-57	11.2	403.4							332.5	5703
		10-04-57	11.5	403.2			16S/01E-30Q01 S	348.5	7-02-57	16.0	332.2	
		11-08-57	11.9	402.9					8-08-57	16.3	332.0	
		12-09-57	12.9	402.5					9-06-57	16.5	332.0	
		1-06-58	12.8	401.5					10-04-57	17.5	331.0	
		2-07-58	11.8	401.6					11-08-57	17.6	330.9	
		3-03-58	11.6	402.6					12-09-57	18.3	330.2	
		3-25-58	11.2	402.8					1-06-58	18.4	330.1	
		5-08-58	1.3	403.2					2-02-58	17.1	331.4	
		6-09-58	2.0	413.1					3-03-58	17.1	331.4	
				412.4					3-25-58	16.2	332.3	
16S/01E-29M01 S	362.9	7-02-57	20.0		5703				5-08-58	16.7	331.8	
		8-08-57	22.2	342.9			16S/01E-30Q02 S	349.6	6-09-58	2.5	346.0	
		9-06-57	22.4	340.7								5703
		10-04-57	24.2	340.5					7-02-57	17.1	332.5	
		11-08-57	21.9	338.7					8-08-57	17.4	332.2	
		12-09-57	21.8	341.0					9-06-57	17.6	332.0	
		1-06-58	20.9	341.1					10-04-57	18.0	331.6	
		2-07-58	20.3	342.0					11-08-57	18.2	331.4	
		3-03-58	19.8	342.6					12-09-57	17.3	332.3	
		3-25-58	19.1	343.1					1-06-58	17.5	332.1	
		5-08-58	4.1	343.8					2-02-58	18.3	331.3	
		6-09-58	4.7	358.8					3-03-58	18.1	331.5	
16S/01E-29N01 S	357.9	7-02-57	22.6	358.2	5703				3-25-58	18.0	331.6	
		8-08-57	22.8	335.3			16S/01E-30R01 S	358.7	5-08-58	17.9	331.7	
		9-06-57	22.5	335.1					6-09-58	2.6	347.0	
		10-04-57	22.5	335.4								5703
		11-08-57	22.5	335.4					7-02-57	22.8	335.9	
		12-09-57	22.5	335.4					8-08-57	23.1	335.6	
		1-06-58	22.6	335.4					9-06-57	23.8	334.9	
		2-07-58	22.0	335.3					10-04-57	23.5	335.2	
		3-03-58	22.0	335.3					11-08-57	19.3	339.4	
		3-25-58	21.6	335.9					12-09-57	19.1	339.6	
		5-08-58	5.3	336.3					1-06-58	19.2	339.5	
16S/01E-29N02 S	357.9	7-02-57	20.3	352.6	5703				2-02-58	23.2	335.5	
		8-08-57	20.6	337.6					3-03-58	22.0	336.7	
		9-06-57	21.1	337.3			16S/01E-30R02 S	354.4	3-25-58	22.9	335.8	
		10-04-57	21.1	336.8					5-08-58	2.0	356.7	
		11-08-57	21.0	336.9					6-09-58	2.0	356.7	
		12-09-57	21.0	336.9								5703
		1-06-58	21.2	336.7					7-02-57	19.3	335.1	
		2-02-58	20.8	336.7					8-08-57	19.5	334.9	
		3-03-58	20.6	337.1					9-06-57	19.1	335.3	
		3-25-58	20.3	337.3					10-04-57	19.4	335.0	
				337.6					11-08-57	21.0	333.4	
									12-09-57	21.0	333.4	
									1-06-58	21.1	333.3	

# GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SWEETWATER VALLEY												
16S/01E-30R02 S	354.4	2-02-58	18.8	335.6	5703	16S/01E-31C03 S	338.1	5-08-58	4.9	91700	333.2	5703
CONT.		3-03-58	18.5	335.9								
		3-25-58	18.4	336.0		16S/01E-31D01 S	329.5	5-08-58	8.6		320.9	5703
		5-08-58	6.3	348.1				6-09-58	7.8		321.7	
		6-09-58	2.3	352.1		16S/01E-31D02 S	326.6	7-02-57	13.0		313.6	5703
16S/01E-30R03 S	356.4	7-02-57	20.2	336.2	5703			8-08-57	13.4		313.2	
		8-08-57	20.5	335.9				9-06-57	12.7		313.9	
		9-06-57	21.1	335.3				10-04-57	13.0		313.6	
		10-04-57	21.1	335.3				11-08-57	13.0		313.6	
		11-08-57	23.7	332.7				12-09-57	12.8		313.8	
		12-09-57	23.6	332.8				1-06-58	12.6		314.0	
		1-06-58	23.7	332.7				2-07-58	12.7		313.9	
		2-07-58	20.6	335.8				3-03-58	12.6		314.0	
		3-03-58	20.4	336.0				3-25-58	11.8		314.8	
		3-25-58	20.3	336.1				5-08-58	5.3		321.3	
		5-08-58	3.3	353.1				6-09-58	4.6		322.0	
		6-09-58	3.8	352.6		16S/01E-31D03 S	327.3	7-02-57	12.9		314.4	5703
16S/01E-31C01 S	336.0	7-02-57	15.0	321.0	5703			8-08-57	13.2		314.1	
		8-08-57	15.4	320.6				9-06-57	13.2		314.1	
		9-06-57	15.6	320.4				10-04-57	13.5		313.8	
		10-04-57	14.8	321.2				11-08-57	13.6		313.7	
		11-08-57	15.9	320.1				12-09-57	13.4		313.9	
		12-09-57	15.9	320.1				1-06-58	13.2		314.1	
		1-06-58	15.8	320.2				2-07-58	13.3		314.0	
		2-07-58	16.0	320.0				3-03-58	13.2		314.1	
		3-03-58	15.9	320.1				3-25-58	12.7		314.6	
		3-25-58	15.4	320.6				5-08-58	5.3		322.0	
		5-08-58	8.5	327.5				6-09-58	5.0		322.3	
		6-09-58	8.4	327.6		17S/01W-01D01 S	299.4	7-02-57	9.9		289.5	5703
16S/01E-31C02 S	336.5	7-02-57	13.8	322.7	5703			8-08-57	10.1		289.3	
		8-08-57	14.1	322.4				9-06-57	10.1		289.3	
		9-06-57	14.4	322.1				10-04-57	10.9		288.5	
		10-04-57	14.6	321.9				11-08-57	10.1		289.3	
		11-08-57	14.7	321.8				12-09-57	10.0		289.4	
		12-09-57	15.0	321.5				1-06-58	9.9		289.5	
		1-06-58	14.9	321.6				2-07-58	9.2		290.2	
		2-07-58	14.9	321.6				3-03-58	9.2		290.2	
		3-03-58	14.8	321.7				3-25-58	8.8		290.6	
		3-25-58	14.0	322.5				5-08-58	7.5		291.9	
		5-08-58	6.1	330.4				6-09-58	7.8		291.6	
		6-09-58	5.7	330.8		17S/01W-01D02 S	298.6	7-02-57	10.0		288.6	5703
16S/01E-31C03 S	338.1	7-02-57	12.7	325.4	5703			8-08-57	10.3		288.3	
		8-08-57	12.9	325.2				9-06-57	10.3		288.3	
		9-06-57	13.2	324.9				10-04-57	10.4		288.2	



State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SWEETWATER VALLEY											
17S/01W-01D02 S CONT.	298.6	11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58 6-09-58	10.1 10.1 10.0 9.3 9.3 8.9 7.5 8.1	288.5 288.5 288.6 289.3 289.3 289.7 291.1 290.5	5703	17S/01W-19Q01 S CONT.	90.1	8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 6-09-58	10.6 11.0 11.5 11.3 11.2 11.3 9.1 8.7 8.7	91700 79.5 79.1 78.6 78.8 78.9 78.8 81.0 81.4 81.4	5703
17S/01W-19J01 S	97.9	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58 6-09-58	12.6 13.5 14.1 14.7 14.6 13.6 84.0 86.1 11.3 10.1 86.7 11.3	85.3 84.4 83.8 83.2 83.3 84.3 84.0 86.1 86.6 87.8 86.7 86.6	5703	17S/01W-20E01 S	100.8	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58 6-09-58	15.0 16.0 16.0 17.0 16.0 16.0 16.0 14.0 14.0 12.0 14.0 14.0	85.8 84.8 84.8 83.8 84.8 84.8 84.8 86.8 86.8 88.8 86.8 86.8	5703
17S/01W-19K01 S	91.5	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58 6-09-58	16.0 16.0 16.0 17.0 17.0 17.0 16.0 14.0 12.0 10.0 14.0 15.0	75.5 75.5 75.5 74.5 74.5 74.5 75.5 77.5 79.5 81.5 77.5 76.5	5703	17S/01W-30E01 S	74.3	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58	5.3 5.8 6.0 6.0 5.7 5.6 5.2 4.4 4.5 3.0 3.5	69.0 68.5 68.3 68.3 68.6 68.7 69.1 69.9 69.8 71.3 70.8	5703
17S/01W-19K02 S	92.4	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58 6-09-58	11.1 11.4 11.8 13.1 13.0 13.0 12.9 8.8 10.4 9.4 10.2 10.9	81.3 81.0 80.6 79.3 79.4 79.4 79.5 83.6 82.0 83.0 82.2 81.5	5703	17S/01W-30F01 S	81.4	7-02-57 8-08-57 9-06-57 10-04-57 11-08-57 12-09-57 1-06-58 2-07-58 3-03-58 3-25-58 5-08-58	17.0 17.0 17.0 20.0 17.0 13.0 13.0 12.0 12.0 10.0 12.0 12.0	64.4 64.4 64.4 61.4 64.4 68.4 68.4 69.4 69.4 71.4 69.4 69.4	5703
17S/01W-19Q01 S	90.1	7-02-57	9.3	80.8	5703	17S/01W-30M01 S	71.6	7-02-57	7.3	64.3	5703

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
SWEETWATER VALLEY												
17S/01W-30M01 S	71.6	8-08-57	7.8	63.8	5703	17S/02W-25P02 S	57.1	6-09-58	4.4	91700	52.7	5703
CONT.		9-06-57	8.0	63.6								
		10-04-57	8.1	63.5		17S/02W-25P03 S	57.8	7-02-57	7.3		50.5	5703
		11-08-57	7.3	64.3				8-08-57	8.1		49.7	
		12-09-57	7.1	64.5				9-06-57	8.4		49.4	
		1-06-58	6.9	64.7				10-04-57	8.7		49.1	
		2-07-58	6.4	65.2				11-08-57	8.3		49.5	
		3-03-58	6.4	65.2				12-09-57	7.9		49.9	
		3-25-58	5.2	66.4				1-06-58	7.8		50.0	
		5-08-58	5.9	65.7				2-07-58	7.3		50.5	
		6-09-58	6.9	64.7				3-03-58	5.9		51.9	
17S/01W-30M02 S	72.4	7-02-57	19.0	53.4	5703			3-25-58	3.6		54.2	
		8-08-57	18.0	54.4				5-08-58	5.2		52.6	
		9-06-57	18.0	54.4		17S/02W-25P04 S	56.6	6-09-58	5.5		52.3	
		10-04-57	20.0	52.4				7-02-57	22.0		34.6	5703
		11-08-57	16.0	56.4				8-08-57	26.0		30.6	
		12-09-57	16.0	56.4				9-06-57	26.0		30.6	
		1-06-58	16.0	56.4				10-04-57	29.0		27.6	
		3-03-58	11.0	61.4				11-08-57	24.0		32.6	
		3-25-58	9.0	63.4				12-09-57	22.0		34.6	
		5-08-58	10.0	62.4				1-06-58	22.0		34.6	
		6-09-58	11.0	61.4				2-07-58	21.0		35.6	
17S/02W-25J01 S	68.6	7-02-57	12.0	56.6	5703			3-03-58	21.0		35.6	
		8-08-57	13.0	55.6				3-25-58	10.0		46.6	
		9-06-57	13.0	55.6				5-08-58	22.0		34.6	
		10-04-57	14.0	54.6				6-09-58	23.0		33.6	
		11-08-57	13.0	55.6								
		12-09-57	13.0	55.6								
		1-06-58	13.0	55.6								
		2-07-58	12.0	56.6								
		3-03-58	12.0	56.6								
		3-25-58	9.4	59.2								
		5-08-58	10.0	58.6								
		6-09-58	11.0	57.6								
17S/02W-25P02 S	57.1	7-02-57	6.2	50.9	5703							
		8-08-57	7.0	50.1								
		9-06-57	7.3	49.8								
		10-04-57	7.5	49.6								
		11-08-57	7.2	49.9								
		12-09-57	7.1	50.0								
		1-06-58	6.9	50.2								
		2-07-58	5.8	51.3								
		3-03-58	4.7	52.4								
		3-25-58	2.8	54.3								
		5-08-58	4.3	52.8								

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TIA JUANA VALLEY											
18S/02W-27N01 S	33.3	7-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	41.8 41.6 41.5 41.5 41.5 41.4 41.3 40.6 41.1 40.3	- 8.5 8.3 8.2 8.2 8.1 8.0 7.3 8.0 7.0	5703	18S/02W-32J04 S CONT.	7.6 8.1	10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	12.3 10.9 10.5 10.2 9.2 9.2 9.3 9.2 8.3	91900 4.7 2.8 2.4 2.1 1.1 1.1 1.2 1.1 .2	5703
18S/02W-27R02 S	67.2	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	76.4 76.3 79.5 81.3 92.8 79.9 78.1 74.3 70.1 75.5 76.2	- 9.2 9.1 12.3 14.1 25.6 12.7 10.9 7.1 2.9 8.3 9.0	5703	18S/02W-32J05 S	7.3	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	7.6 7.6 7.8 7.9 7.8 7.8 7.4 7.4 7.3 4.6 4.4	5703 .3 .3 .5 .6 .5 .1 .1 .0 .2 2.7 2.9	5703
18S/02W-32H01 S	12.5	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	13.8 13.8 14.0 14.2 14.2 14.0 14.1 14.0 14.0 13.4 12.2	- 1.3 1.3 1.5 1.7 1.7 1.5 1.6 1.5 .9 .3	5703	18S/02W-32P02 S	6.3 6.2	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	6.7 6.8 6.2 6.5 6.1 6.1 6.1 6.1 6.1 5.9 5.7	5703 .4 .5 .0 .3 .1 .1 .1 .1 .1 .3 .5	5703
18S/02W-32H02 S	16.1 16.2	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58	18.4 18.7 18.9 19.4 19.3 19.2 18.9	- 2.3 2.6 2.7 3.2 3.1 3.0 2.7	5703	18S/02W-32P04 S	9.5	7-01-57 8-01-57 9-03-57 10-01-57 11-01-57 12-02-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-02-58	8.3 8.4 8.5 8.6 8.4 8.2 8.0 8.0 7.9 7.9 7.8 7.6	5703 1.2 1.1 1.0 .9 1.1 1.3 1.5 1.5 1.6 1.6 1.7 1.9	5703
18S/02W-32J04 S	7.6	7-01-57 8-01-57 9-03-57	10.8 11.2 12.0	- 3.2 3.6 4.4	5703						

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data		State Well Number	R.P. Elev. in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev. in feet	Agency Supplying Data
TIA JUANA VALLEY												
18S/02W-32P07 S	8.5	7-01-57	7.5	1.0	5703	18S/02W-33L08 S	21.1	12-02-57	26.8	91900	5.7	5703
	8.8	8-01-57	7.3	1.2		CONT.		1-02-58	27.6		6.5	
		9-03-57	7.6	1.2				2-03-58	27.4		6.3	
		10-01-57	7.4	1.4				3-03-58	27.3		6.2	
		11-01-57	7.4	1.4				4-01-58	24.5		3.4	
		12-02-57	7.5	1.3				5-01-58	23.0		1.9	
		1-02-58	7.4	1.4				6-01-58	20.8		.3	
		2-03-58	7.3	1.5								
		3-03-58	7.3	1.5								
		4-01-58	7.2	1.6								
		5-01-58	7.3	1.5								
		6-02-58	6.3	2.5								
18S/02W-33H04 S	21.7	7-01-57	DRY		5703	18S/02W-33N03 S	21.1	7-01-57	27.8		6.7	5703
		8-01-57	DRY					8-01-57	28.6		7.5	
		9-03-57	DRY					9-03-57	29.8		8.7	
		10-01-57	DRY					10-01-57	30.2		9.1	
		11-01-57	DRY					11-01-57	29.9		8.8	
		12-02-57	DRY					12-02-57	28.8		7.7	
		1-02-58	DRY					1-02-58	28.1		7.0	
		2-03-58	DRY					2-03-58	28.2		7.1	
		3-03-58	DRY					3-03-58	27.4		6.3	
		4-01-58	DRY					4-01-58	27.1		6.0	
		5-01-58	DRY					5-01-58	24.4		3.3	
		6-02-58	DRY					6-02-58	24.5		3.4	
18S/02W-33J01 S	25.1	7-01-57	30.3	5.2	5703	18S/02W-33P05 S	8.0	7-01-57	15.3		7.3	5703
		12-02-57	33.0	7.9				8-01-57	15.9		7.9	
		4-01-58	30.9	5.8				9-03-57	17.1		9.1	
								10-01-57	17.7		9.7	
								11-01-57	16.5		8.5	
								12-02-57	15.5		7.5	
								1-02-58	15.0		7.0	
								2-03-58	15.1		7.1	
								3-03-58	15.2		7.2	
								4-01-58	13.7		5.7	
18S/02W-33L01 S	22.1	7-01-57	28.7	6.6	5703	18S/02W-33Q01 S	28.4	4-01-58	32.4		4.0	5703
		8-01-57	30.1*	8.0				7-01-57	29.9		7.9	5703
		9-03-57	30.9	8.8				8-01-57	30.0		8.0	
		10-01-57	30.2*	8.1				9-03-57	30.0		8.0	
		11-01-57	30.7	8.6				10-01-57	32.4		10.4	
		12-02-57	29.9*	7.8				11-01-57	26.9		4.9	
		1-02-58	29.2*	7.1				12-02-57	27.6		5.6	
		2-03-58	29.4	7.3				1-02-58	29.3		7.3	
		3-03-58	27.9*	5.8				2-03-58	29.6		7.6	
		4-01-58	23.0*	.9				3-03-58	29.8		7.8	
		5-01-58	24.2*	2.1				4-01-58	28.1		6.1	
		6-02-58	22.6*	.5				5-01-58	23.4		1.4	
18S/02W-33L08 S	21.1	7-01-57	26.8	5.7	5703	18S/02W-33Q08 S	23.6	7-01-57	29.9		6.3	5703
		8-01-57	28.0	6.9								
		9-03-57	28.6	7.5								
		10-01-57	27.7	6.6								
		11-01-57	38.5*	17.4								



## TIA JUANA VALLEY

H-67

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TIA JUANA VALLEY											
				91900							
18S/02W-34N01 S	28.5	3-03-58	34.4	-	5.9	19S/02W-01J03 S	57.2	8-01-57	23.2*	91900	5703
CONT.		4-01-58	33.6	-	5.1	CONT.		9-03-57	20.1	34.0	
		5-01-58	30.7	-	2.2			10-01-57	19.5	37.1	
		6-02-58	30.0	-	1.5			11-01-57	19.5	37.7	
18S/02W-35N04 S	37.4	11-01-57	36.1	1.3				12-02-57	19.5	37.7	
		4-01-58	33.8	3.6	5703			1-02-58	19.6	37.6	
18S/02W-35P01 S	39.0	7-01-57	31.4	7.6				2-03-58	18.3	38.9	
		8-01-57	32.7	6.3	5703			3-03-58	20.5	36.7	
		9-03-57	36.1	2.9				4-01-58	20.2	37.0	
		10-01-57	37.5	1.5				5-01-58	18.2	39.0	
		11-01-57	35.8	3.2				6-02-58	17.4	39.8	
		12-02-57	36.0	3.0		19S/02W-01L03 S	51.0	7-01-57	15.6	35.4	5703
		1-02-58	36.4	2.6				8-01-57	17.3	33.7	
		2-03-58	36.0	3.0				10-01-57	19.0	32.0	
		3-03-58	33.2	5.8				11-01-57	18.8	32.8	
		4-01-58	31.6	7.4				12-02-57	19.1	32.5	
		5-01-58	23.1	15.9				1-02-58	19.4	32.2	
		6-02-58	24.2	14.8				2-03-58	19.5	32.1	
19S/02W-01E01 S	48.0	7-01-57	22.6	25.4	5703			3-03-58	19.2	32.4	
		8-01-57	24.3	23.7				4-01-58	18.2	33.4	
		9-03-57	25.1	22.9				5-01-58	13.4	38.2	
		10-01-57	23.9	24.1				6-02-58	14.6	37.0	
		11-01-57	23.2	24.8							
		12-02-57	23.2	24.8				7-01-57	22.6	27.8	5703
		1-02-58	23.2	24.8				8-01-57	24.8	25.6	
		2-03-58	28.6*	19.4				9-03-57	26.2	24.2	
		3-03-58	23.4	24.6				10-01-57	27.2	23.2	
		4-01-58	22.8	25.2				11-01-57	27.9	22.5	
		5-01-58	15.8	32.2				12-02-57	27.8	22.6	
		6-02-58	15.9*	32.1				1-02-58	28.2	22.2	
19S/02W-01J02 S	56.0	7-01-57	16.2	39.8	5703			2-03-58	28.0	22.4	
		8-01-57	16.4	39.6				3-03-58	28.6	21.8	
		9-03-57	16.4	40.1				4-01-58	27.4	23.0	
		10-01-57	16.0	40.5				5-01-58	17.0	33.4	
		11-01-57	16.1	40.4				6-02-58	17.3	33.1	
		12-02-57	16.1	40.4							
		1-02-58	16.1	40.4				7-01-57	22.6	29.6	5703
		2-03-58	16.8	39.7				8-01-57	23.6	28.6	
		3-03-58	16.7	39.8				9-03-57	23.8	28.4	
		4-01-58	16.4	40.1				10-01-57	23.6	28.6	
		5-01-58	15.1	41.4				11-01-57	25.5	26.7	
		6-02-58	15.0	41.5				12-02-57	25.2	27.0	
19S/02W-01J03 S	57.2	7-01-57	18.3	38.9	5703			1-02-58	25.7	26.5	
								2-03-58	25.5	26.7	
								3-03-58	25.8	26.4	
								4-01-58	25.3	26.9	
								5-01-58	20.6	31.6	

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data						
TIA JUANA VALLEY																	
91900																	
19S/02W-01N02 S	52.2	6-02-58	19.3	32.9	5703	19S/02W-02P05 S	30.1	11-01-57	34.0	-	5703						
19S/02W-01R01 S	56.1	7-01-57	15.6	40.5	5703	CONT.	12-02-57	34.0	-	3.9	5703						
		8-01-57	16.6	39.5			1-02-58	32.3	-	3.9							
		9-03-57	16.7	39.4			2-03-58	32.0	-	1.9							
		10-01-57	17.2	38.9			3-03-58	31.6	-	1.5							
		11-01-57	18.0	38.1													
		12-02-57	17.4	38.7													
		1-02-58	18.0	38.1													
2-03-58	19.2	36.9															
5-01-58	15.5	40.6															
6-02-58	14.8	41.3															
19S/02W-02A03 S	41.3	7-01-57	19.0	22.3	5703	19S/02W-03B03 S	32.1	7-01-57	29.4	2.7	5703						
		8-01-57	21.5	19.8				8-01-57	30.1	2.0							
		9-03-57	29.7	11.6				9-03-57	30.0	2.0							
		10-01-57	31.2	10.1				10-01-57	31.8	.2							
		11-01-57	23.2	18.1				11-01-57	32.1	.1							
		12-02-57	23.1	18.2				12-02-57	31.6	.4							
		1-02-58	23.8	17.5				1-02-58	31.7	.3							
		2-03-58	23.4	17.9				2-03-58	32.1	.1							
		3-03-58	22.8	18.5				3-03-58	31.6	.4							
		4-01-58	21.6	19.7				4-01-58	30.8	1.2							
		5-01-58	18.7	22.6				5-01-58	17.1	14.9							
		6-02-58	15.3	26.0				6-02-58	23.6	8.4							
		19S/02W-02C03 S	39.4	11-01-57				19.1	20.3	5703		19S/02W-03D04 S	28.2	7-01-57	30.1	-	5703
		12-02-57	20.0	19.4				8-01-57	31.8					-	3.6		
1-02-58	19.6	19.8	9-03-57	33.5	-	5.3											
19S/02W-02D01 S	39.5	11-01-57	30.4	9.1	10-01-57	33.7	-	5.5									
		12-02-57	31.2	8.3	11-01-57	33.7	-	5.5									
19S/02W-02F04 S	39.4	7-01-57	25.2	14.2	5703	12-02-57	35.2	-	7.0								
		9-03-57	DRY			1-02-58	32.0*	-	3.8								
		10-01-57	DRY			2-03-58	31.7	-	3.5								
		11-01-57	DRY			3-03-58	31.0*	-	2.8								
		12-02-57	DRY			4-01-58	29.9*	-	1.7								
		1-02-58	DRY														
		2-03-58	DRY														
19S/02W-02P05 S	39.4	3-03-58	DRY		5703	19S/02W-04A05 S	28.6	7-01-57	46.0		-			5703			
		4-01-58	25.5	13.9				8-01-57	47.0		-				18.4		
		5-01-58	DRY					9-03-57	48.0	-	19.4						
		6-02-58	DRY					10-01-57	49.0	-	20.4						
								11-01-57	48.0	-	19.4						
								1-02-58	52.0	-	23.4						
								2-03-58	51.0	-	22.4						
			3-03-58	50.0	-	21.4											
			4-01-58	48.0	-	19.4											

## GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data		State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TIA JUANA VALLEY												
19S/02W-04A05 S	28.6	6-02-58	45.0	- 16.4	5703	91900	19S/02W-04A18 S	25.6	7-01-57	31.7	- 6.1	91900
19S/02W-04A06 S	27.1	7-01-57	34.1	- 7.0	5703				8-01-57	33.3	- 7.7	5703
		8-01-57	34.8	- 7.7					10-01-57	36.3	- 10.7	
		9-03-57	37.4	- 10.3					11-01-57	35.4	- 9.8	
		10-01-57	38.5	- 11.4					12-02-57	34.1	- 8.5	
		11-01-57	37.2	- 10.1					1-02-58	33.8	- 8.2	
		12-02-57	37.4	- 10.3					2-03-58	33.2	- 7.6	
		1-02-58	36.0	- 8.9					3-03-58	32.2	- 6.6	
		2-03-58	34.0	- 6.9					4-01-58	30.8	- 5.2	
		3-03-58	34.0	- 6.9					5-01-58	25.9	- .3	
		4-01-58	32.3	- 5.2					6-02-58	26.6	- 1.0	
		5-01-58	29.7	- 2.6								
		6-02-58	28.4	- 1.3								
19S/02W-04A10 S	28.5	8-01-57	45.0	- 16.5	5703		19S/02W-04A19 S	29.2	7-01-57	35.5	- 6.3	5703
		10-01-57	52.0*	- 23.5					8-01-57	36.8	- 7.6	
		11-01-57	46.0	- 17.5					9-02-57	38.3	- 9.1	
		4-01-58	42.0	- 13.5					10-01-57	39.3	- 10.1	
		5-01-58	38.0	- 9.5					11-01-57	39.3	- 10.1	
		6-01-58	39.0	- 10.5					12-02-57	37.6	- 8.4	
									1-02-58	37.5	- 8.3	
									2-03-58	37.1	- 7.9	
									3-03-58	35.5	- 6.3	
									4-01-58	34.2	- 5.0	
									5-01-58	29.4	- .2	
									6-02-58	30.2	- 1.0	
19S/02W-04A12 S	28.6	7-01-57	35.0	- 6.4	5703		19S/02W-04A20 S	24.7	7-01-57	30.9	- 6.2	5703
		8-01-57	36.0	- 7.4					8-01-57	32.0	- 7.3	
		9-03-57	38.0	- 9.4					9-03-57	33.6	- 8.9	
		10-01-57	40.0	- 11.4					10-01-57	35.4	- 10.7	
		11-01-57	39.0	- 10.4					11-01-57	35.0	- 10.3	
		12-02-57	38.0	- 9.4					12-02-57	33.2	- 8.5	
		1-02-58	38.0	- 9.4					1-02-58	33.1	- 8.4	
		2-03-58	36.0	- 7.4					2-03-58	32.7	- 8.0	
		3-03-58	35.0	- 6.4					3-03-58	31.3	- 6.6	
		4-01-58	34.0	- 5.4					4-01-58	30.1	- 5.4	
		5-01-58	30.0	- 1.4					5-01-58	26.8	- 2.1	
		6-02-58	31.0	- 2.4					6-02-58	26.8	- 2.1	
19S/02W-04A13 S	29.1	7-01-57	31.5	- 2.4	5703		19S/02W-04B03 S	21.2	7-01-57	27.1	- 5.9	5703
		8-01-57	32.6	- 3.5					8-01-57	28.9	- 7.7	
		10-01-57	35.2	- 9.5					9-03-57	30.2	- 9.0	
	25.7	11-01-57	34.3	- 8.6					10-01-57	31.2	- 10.0	
		12-02-57	33.2	- 7.5					11-01-57	30.2	- 9.0	
		1-02-58	32.8	- 7.1					12-02-57	28.4	- 7.2	
		2-03-58	33.2	- 7.5					1-02-58	28.3	- 7.1	
		3-03-58	31.4	- 5.7					2-03-58	28.3	- 7.1	
		4-01-58	29.8	- 4.1					3-03-58	28.0	- 6.8	
		5-01-58	24.0	- 1.7					4-01-58	26.6	- 5.4	
19S/02W-04A17 S	25.7	7-01-57	31.5	- 5.8	5703							
		5-01-58	26.0	- .3								



## GROUND WATER LEVELS AT WELLS

Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	Slate Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
TIA JUANA VALLEY											
91900						91900					
19S/02W-04B03 S	21.2	5-02-58	24.4	-	5703	19S/02W-04L03 S	18.8	3-03-58	24.2	-	5703
19S/02W-04B04 S	21.7	7-01-57	29.1	-	5703	19S/02W-05A01 S	16.4	7-01-57	20.6	-	5703
		8-01-57	30.6	-				8-01-57	20.6	-	
		9-03-57	32.0	-			16.6	10-01-57	22.4	-	
		10-01-57	33.3	-				11-01-57	21.4	-	
		11-01-57	33.0	-				12-02-57	20.8	-	
		12-02-57	30.9	-				1-02-58	20.6	-	
		1-02-58	30.9	-				2-03-58	20.7	-	
		2-03-58	30.4	-				3-03-58	19.4	-	
		3-03-58	30.1	-				4-01-58	19.4	-	
		4-01-58	28.7	-				5-01-58	18.7	-	
		5-01-58	24.7	-				6-02-58	17.6	-	
		6-02-58	25.6	-							
19S/02W-04J01 S	27.0	7-01-57	DRY		5703	19S/02W-05A02 S	13.9	7-01-57	15.1	-	5703
		8-01-57	DRY					8-01-57	15.2	-	
		9-03-57	DRY				14.1	9-03-57	15.2	-	
		10-01-57	DRY					10-01-57	15.2	-	
	27.0	11-01-57	21.9	5.1				11-01-57	15.3	-	
		12-02-57	20.7	6.3				12-02-57	15.4	-	
		1-02-58	21.8	5.2				1-02-58	15.3	-	
		2-03-58	21.6	5.4				2-03-58	15.4	-	
		3-03-58	17.2	9.8				3-03-58	15.7	-	
		4-01-58	16.8	10.2				4-01-58	15.2	-	
		5-01-58	18.9	8.1				5-01-58	15.6	-	
19S/02W-04K05 S	19.9	7-01-57	22.4	-	5703	19S/02W-05A03 S	15.2	7-01-57	18.8	-	5703
		8-01-57	22.7	-				8-01-57	20.8	-	
		9-03-57	23.6	-				9-03-57	20.7	-	
		10-01-57	24.7	-				10-01-57	19.5	-	
		11-01-57	24.1	-				11-01-57	19.1	-	
		12-02-57	24.5	-				12-02-57	19.2	-	
		1-02-58	23.0	-				1-02-58	18.2	-	
		2-03-58	23.1	-				2-03-58	19.4	-	
		3-03-58	22.8	-				3-03-58	18.1	-	
		4-01-58	22.4	-				4-01-58	17.4	-	
		5-01-58	21.0	-				5-01-58	17.0	-	
		6-02-58	21.6	-				6-02-58	14.2	-	
19S/02W-04L03 S	18.8	7-01-57	22.9	-	5703	19S/02W-05C03 S	9.7	7-01-57	9.5	-	5703
		8-01-57	24.0	-				8-01-57	9.5	-	
		9-03-57	24.6	-			9.8	9-03-57	9.7	-	
		10-01-57	25.1	-				10-01-57	9.7	-	
		11-01-57	24.3	-				11-01-57	9.5	-	
		12-02-57	24.0	-				12-02-57	9.5	-	
		1-02-58	24.2	-				1-02-58	9.2	-	
		2-03-58	24.3	-				2-03-58	9.1	-	

# GROUND WATER LEVELS AT WELLS

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	TIA JUANA VALLEY					TIA JUANA VALLEY					R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
						91900					91900									
19S/02W-05C03 S CONT.	9.8	4-01-58	9.1	.7	5703	19S/02W-05G11 S CONT.	15.8	3-03-58	19.0	-	5703	91900	3-03-58	19.0	-	5703				
		5-01-58	8.2	1.6				4-01-58	18.6	-			4-01-58	18.6	-					
		6-02-58	7.8	2.0				5-01-58	18.7	-			5-01-58	18.7	-		6-02-58	16.6	-	6-02-58
19S/02W-05C06 S	10.6	7-01-57	11.6	-	5703	19S/02W-05J01 S	13.6	7-01-57	15.9	-	5703	91900	7-01-57	15.9	-	5703				
		8-01-57	12.0	-				8-01-57	16.2	-			8-01-57	16.2	-					
		9-03-57	12.4	-				9-03-57	16.4	-			9-03-57	16.4	-					
		10-01-57	12.5	-				10-01-57	20.6	-			10-01-57	20.6	-					
		11-01-57	11.5	-				11-01-57	18.7	-			11-01-57	18.7	-					
		12-02-57	11.5	-				12-02-57	18.0	-			12-02-57	18.0	-					
		1-02-58	11.2	-				1-02-58	17.9	-			1-02-58	17.9	-					
		2-03-58	11.2	-				2-03-58	17.5	-			2-03-58	17.5	-					
		4-01-58	10.6	.0				3-03-58	17.1	-			3-03-58	17.1	-					
		5-01-58	10.0	.6				4-01-58	16.6	-			4-01-58	16.6	-					
19S/02W-05C07 S	12.2	6-02-58	10.8	.2	5703	19S/02W-05K08 S	12.6	5-01-58	16.1	-	5703	91900	5-01-58	16.1	-	5703				
		7-01-57	11.5	.7				6-02-58	15.5	-			6-02-58	15.5	-					
		8-01-57	11.8	.4				7-01-57	10.4	-			7-01-57	10.4	-					
		9-03-57	12.2	.0				8-01-57	10.9	-			8-01-57	10.9	-					
		10-01-57	12.3	.1				9-03-57	11.2	-			9-03-57	11.2	-					
		11-01-57	11.8	.4				10-01-57	10.9	-			10-01-57	10.9	-					
		12-02-57	11.9	.3				11-01-57	11.0	-			11-01-57	11.0	-					
		1-02-58	11.2	1.0				12-02-57	10.9	-			12-02-57	10.9	-					
		2-03-58	11.3	.9				1-02-58	11.1	-			1-02-58	11.1	-					
		4-01-58	11.0	1.2				2-03-58	11.2	-			2-03-58	11.2	-					
19S/02W-05F08 S	12.8	5-01-58	10.9	1.3	5703	19S/02W-05L02 S	8.9	3-03-58	11.3	-	5703	91900	3-03-58	11.3	-	5703				
		6-02-58	10.2	2.0				4-01-58	11.1	-			4-01-58	11.1	-					
		7-01-57	13.4	.6				5-01-58	11.2	-			5-01-58	11.2	-					
		8-01-57	13.7	.9				6-02-58	12.2	.4			6-02-58	12.2	.4					
		9-03-57	14.1	1.3				7-01-57	9.6	-			7-01-57	9.6	-					
		10-01-57	14.6	1.8				8-01-57	10.0	-			8-01-57	10.0	-					
		11-01-57	14.0	1.2				9-03-57	10.1	-			9-03-57	10.1	-					
		12-02-57	14.0	1.2				10-01-57	9.6	-			10-01-57	9.6	-					
		1-02-58	13.3	.5				11-01-57	9.5	-			11-01-57	9.5	-					
		2-03-58	13.3	.5				12-02-57	9.6	-			12-02-57	9.6	-					
19S/02W-05G11 S	15.8	4-01-58	13.6	.8	5703	19S/02W-05L03 S	11.7	1-02-58	9.6	-	5703	91900	1-02-58	9.6	-	5703				
		5-01-58	13.5	.7				2-03-58	9.5	-			2-03-58	9.5	-					
		6-02-58	14.3	1.5				3-03-58	9.5	-			3-03-58	9.5	-					
		7-01-57	20.5	4.7				4-01-58	9.2	-			4-01-58	9.2	-					
		8-01-57	21.4	5.6				5-01-58	9.2	-			5-01-58	9.2	-					
		9-03-57	22.2	6.4				6-02-58	8.1	.8			6-02-58	8.1	.8					
		10-01-57	23.3	7.5				7-01-57	11.7	.0			7-01-57	11.7	.0					
		11-01-57	20.8	5.0				8-01-57	12.2	.5			8-01-57	12.2	.5					
		12-02-57	20.8	5.0				9-03-57	12.4	-			9-03-57	12.4	-					
		1-02-58	19.5	3.7				10-01-57	12.4	-			10-01-57	12.4	-					
2-03-58	19.4	3.6	11-01-57	12.0	.3	11-01-57	12.0	.3												

State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data	State Well Number	R.P. Elev., in feet	Date	Dist. R.P. to Water Surface, in feet	Water Surface Elev., in feet	Agency Supplying Data
-------------------	---------------------	------	--------------------------------------	------------------------------	-----------------------	-------------------	---------------------	------	--------------------------------------	------------------------------	-----------------------

## TIA JUANA VALLEY

91900

19S/02W-05L03 S

CONT.

12-02-57	11.7	11.8	-	.1	5703
1-02-58		11.9	-	.2	
2-03-58		11.8	-	.1	
3-03-58		11.8	-	.1	
4-01-58		11.5		.2	
5-01-58		11.6		.1	
6-02-58		10.7		1.0	















KEY MAP

33°15'

LEGEND

-  GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
-  REGION BOUNDARY
-  GROUND WATER VALLEY BOUNDARY
-  GROUND WATER BASIN BOUNDARY

33°00'

NOTE ALL TOWNSHIP AND RANGE LINES  
ARE REFERENCED TO  
SAN BERNARDINO BASE AND  
MERIDIAN

32°45'

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN  
CALIFORNIA DURING 1957-58

LOCATION OF GROUND WATER BASINS  
SAN DIEGO REGION NO. 9



1960

32°30'

NUMERICAL DESIGNATIONS OF  
GROUND WATER BASINS

- 9-1.00 San Juan Valley
- 9-1.01 Aliso Creek Basin
- 9-1.02 San Juan Creek Basin
- 9-2.00 San Mateo Valley
- 9-3.00 San Onofre Valley
- 9-4.00 Santa Margarita Valley
- 9-5.00 Temecula Valley
- 9-5.01 Murrieta Basin
- 9-5.02 Pauba Basin
- 9-5.03 Wolf Basin (Pechanga)
- 9-6.00 Coahuila Valley
- 9-7.00 San Luis Rey Valley
- 9-7.01 Mission Basin
- 9-7.02 Bonsall Basin
- 9-8.00 Warner Valley
- 9-9.00 Escondido Valley
- 9-10.00 San Pasqual Valley
- 9-10.01 Lake Hodges Basin
- 9-10.02 San Pasqual Basin
- 9-10.03 Felicitia Basin
- 9-10.04 Green Basin
- 9-10.05 Highland Basin
- 9-10.06 Pamo Basin
- 9-10.08 Santa Ysabel Basin
- 9-11.00 Santa Maria Valley
- 9-11.01 Ramona Basin
- 9-11.02 Lower Hatfield Basin
- 9-11.03 Wash Hollow Basin
- 9-11.04 Upper Hatfield Basin
- 9-11.05 Santa Teresa Basin
- 9-11.06 Ballena Basin
- 9-12.00 San Dieguito Valley
- 9-12.01 San Dieguito Basin
- 9-12.02 La Jolla Basin
- 9-13.00 Poway Valley
- 9-14.00 Mission Valley
- 9-15.00 San Diego River Valley
- 9-16.00 El Cajon Valley
- 9-17.00 Sweetwater Valley
- 9-18.00 Otay Valley
- 9-19.00 Tia Juana Valley
- 9-20.00 Jamul Valley



- LEGEND
- 9-1.00 GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
  - RIVER
  - GROUND WATER VALLEY BOUNDARY
  - GROUND WATER BASIN BOUNDARY

NOTE: ALL TOWNSHIP AND RANGE LINES ARE REFERENCED TO SAN BERNARDINO BASE BY MERIDIAN

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
SOUTHERN CALIFORNIA DISTRICT  
WATER SUPPLY CONDITIONS IN SOUTHERN CALIFORNIA DURING 1957-58  
LOCATION OF GROUND WATER BASINS  
SAN DIEGO REGION NO. 9





















**THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW**

**RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL**

**LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS**

Book Slip-20m-8,'61 (C1623s4) 458





3 1175 02037 6615

Call Number:

240475

California. Dept. of  
water resources.

TC824

C2

A2

no. 39:58

California,

PHYSICAL  
SCIENCES  
LIBRARY

TC824

C2

A2

no. 39:58

V.3

C.2

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

240475



